**PES Environmental, Inc.**
Engineering & Environmental Services

A Report Prepared for:

Nick Podell Company
Four Embarcadero Center, Suite 2300
San Francisco, California 94111

# PHASE I
# ENVIRONMENTAL SITE ASSESSMENT
# 2044 THROUGH 2070 BRYANT STREET
# SAN FRANCISCO, CALIFORNIA

**JUNE 18, 2013**

By:

Christopher J. Baldassari, P.G.
Senior Geologist

William W. Mast, P.G.
Principal Engineer

**390.023.01.001**

# TABLE OF CONTENTS

LIST OF ILLUSTRATIONS ..... iv

1.0 INTRODUCTION ..... 1
1.1 Purpose and Scope of Work ..... 1
1.2 Special Terms and Conditions ..... 2
1.3 Limitations and Exceptions ..... 2

2.0 SITE DESCRIPTION ..... 2
2.1 Site Location and Description ..... 2
2.2 Site and Vicinity Characteristics ..... 2
2.3 Local Geology and Hydrogeology ..... 3
2.4 Descriptions of Existing On-Site Structures and Improvements ..... 3
2.4.1 Structures and Current Use ..... 3
2.4.2 Other Improvements ..... 4
2.5 Current Uses of Adjoining Properties ..... 4
2.6 Past Uses of Property and Adjoining Properties ..... 4
2.6.1 Historical Sources ..... 5
2.6.2 Historical Review Summary ..... 5
2.6.3 Interviews ..... 6

3.0 PREVIOUS ENVIRONMENTAL DOCUMENTS ..... 7

4.0 RECORDS REVIEW ..... 7
4.1 Environmental Liens ..... 7
4.2 Standard Environmental Record Sources ..... 7
4.2.1 Subject Property Records ..... 9
4.2.2 Surrounding Area ..... 9

5.0 SITE INSPECTION ..... 9
5.1 Methods ..... 9
5.2 General Site Setting ..... 10
5.3 Interior Observations ..... 10
5.4 Underground and Aboveground Storage Tanks ..... 12
5.5 Back-Up Generators ..... 12
5.6 Elevators ..... 12
5.7 Hydraulic Trash Compactors ..... 12
5.8 Indications of Polychlorinated Biphenyls (PCBs) ..... 12
5.9 Other Conditions ..... 12
5.9.1 Asbestos ..... 12
5.9.2 Radon ..... 13
5.9.3 Solid Waste ..... 13
5.9.4 Lead in Paint ..... 13

6.0 SUMMARY AND CONCLUSIONS ..... 13

## TABLE OF CONTENTS
(Continued)

6.0 SUMMARY AND CONCLUSIONS ..... 13
7.0 DATA GAPS ..... 16
8.0 ADDITIONAL SERVICES ..... 16
9.0 ENVIRONMENTAL PROFESSIONAL STATEMENT ..... 16
10.0 REFERENCES ..... 16

ILLUSTRATIONS

APPENDICES A – AERIAL PHOTOGRAPHS

B – SANBORN FIRE INSURANCE MAPS

C – HISTORICAL TOPOGRAPHIC MAPS

D – CITY DIRECTORY ABSTRACT

E – REGULATORY AGENCY DATABASE REPORT (PROVIDED ON CD-ROM)

F – RESUMES OF ENVIRONMENTAL PROFESSIONALS

DISTRIBUTION

## LIST OF ILLUSTRATIONS


| | |
|---|---|
| Plate 1 | Site Location Map |
| Plate 2 | Site Plan and Vicinity Map |
| Plates 3 – 19 | Site Photographs |

# 1.0 INTRODUCTION

## 1.1 Purpose and Scope of Work

This report presents the results of a Phase I Environmental Site Assessment (ESA) of the property located at 2044 through 2070 Bryant Street in San Francisco, California (the site or subject property). The site location is shown on Plate 1. PES Environmental, Inc. (PES) performed the Phase I ESA on behalf of Nick Podell Company (Podell) to compile and evaluate available information on existing environmental issues to assess for Recognized Environmental Conditions[1] (RECs) associated with the subject property. PES understands that Podell is evaluating purchase of the property and that this ESA is a component of its due diligence. We further understand that Podell intends to demolish the current structure and redevelop the site with subsurface parking and an above-grade residential structure.

The ESA was performed pursuant to our proposal (Reference No. 390.023.01.P01) and the Professional Service Agreement between PES and Podell dated January 2, 2013 (Agreement), and in general accordance with ASTM International guidelines for Phase I Environmental Site Assessments (ASTM E 1527-05). These guidelines comply with the U.S. Environmental Protection Agency's All Appropriate Inquiries (AAI) rule adopted in November 2005. The following tasks were conducted during this ESA:

- Federal, State and local agency databases were reviewed to identify nearby sites which have reported the use, storage, or release of hazardous materials;
- Regulatory agency records regarding the site and adjacent properties were reviewed;
- Historical information such as aerial photographs, Sanborn Fire Insurance maps, and historical topographic maps of the site and surrounding area were obtained and reviewed to evaluate prior land uses;
- Previous environmental reports prepared for the subject property were reviewed;
- Individuals with knowledge of the site were interviewed;
- An inspection of the site and a reconnaissance of surrounding properties were performed to assess the potential for contamination of the site from on-site or off-site sources. The site inspection was conducted by an environmental professional with qualifying experience; and

[1] A REC is defined in the ASTM International guidelines for Phase I Environmental Site Assessments (ASTM E 1527-05) as *"the presence or likely presence of any hazardous substances or petroleum products on a property under conditions that indicate an existing release, a past release, or a material threat of a release of any hazardous substances or petroleum products into structures on the property or into the ground, groundwater, or surface water of the property. ... The term is not intended to include de minimis conditions that generally do not present a threat to human health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate government agencies."*

- This report was prepared to present the results of the ESA investigation.

### 1.2 Special Terms and Conditions

The ESA activities were conducted in general accordance with ASTM E1527-05. There are no special terms or conditions for this project.

### 1.3 Limitations and Exceptions

This Phase I ESA was performed in accordance with practices and procedures generally accepted in the consulting environmental engineering field at the time they were performed. The findings, opinions, conclusions, and recommendations expressed herein are applicable as of the date the services were provided. Our professional judgment to assess the potential for contamination is based on limited data; no warranty is given or implied.

The Phase I ESA was prepared at the request of Podell as part of its due diligence for acquisition of the property and may be relied on only by Podell and as provided for in the Agreement. No other party may rely on this report without the express written permission of Podell and PES.

Additionally, PES was not provided information regarding the purchase price of the subject property nor prices of comparable properties in the site vicinity. In accordance with ASTM E 1527-05, an evaluation of the purchase price relative to those of comparable properties should be conducted by the user of this Phase I ESA, as applicable.

## 2.0 SITE DESCRIPTION

### 2.1 Site Location and Description

The subject property is comprised of a two-story main building consisting of one legal parcel covering approximately 0.98 acres and identified by San Francisco County Assessor's Parcel Number (APN) 4022-021. As indicated on Plate 2, the site is bounded to the north by commercial properties, to the east by Bryant Street, to the south by residences, and to the west by Florida Street. The site consists of three tenant spaces with mailing addresses of 2044, 2050, and 2060-2070 Bryant Street, San Francisco, California. The tenant spaces also have respective delivery addresses of 631, 633, and 681 Florida Street.

### 2.2 Site and Vicinity Characteristics

The site is zoned as Urban Mixed Use (UMU) and is located in a mixed commercial and residential area of the City and County of San Francisco.

According to the United States Geological Survey (USGS) *San Francisco North, California* Quadrangle 7.5-minute series topographic map produced in 1999, the site vicinity is situated at an elevation of approximately 30 feet above mean sea level (MSL). The site slopes toward the west.

## 2.3 Local Geology and Hydrogeology

A 2011 subsurface investigation performed at a Pacific Gas & Electric (PG&E) property located at Shotwell and Treat Street (approximately two blocks to the west of the subject property [575 feet west]) identified approximately 20 feet of dense, poorly-graded sands with and without silts and clays beneath the property (Stantec, Inc. [Stantec], 2011). The sand was generally underlain by silty and clayey sands. Groundwater was encountered at depths ranging between 2 and 12 feet below ground surface (bgs). However, it is unknown whether subsurface conditions beneath the PG&E property (located at an elevation of approximately 20 feet MSL) are similar to those observed at the subject property.

Portions of the eastern edge of the San Francisco Peninsula have also been subject to historic uncontrolled filling operations using debris and other artificial fills derived from the 1906 earthquake (and earlier) demolition. These artificial fills, which are typically comprised of sand, gravel, and silt, can contain rubble and debris (e.g. bricks, concrete, and wood) as well as materials containing high concentrations of lead and other metals. Such areas are designated as an "Article 20 Affected Block" and are subject to assessment under the City's Maher Ordinance (Article 20). Article 20 blocks are located two blocks west and two blocks north of the subject property. It is not known whether demolition debris or other uncontrolled fill is present beneath the site.

Groundwater flow near the site has been observed to be to the northwest. The nearest surface water is San Francisco Bay, located approximately 1.25 miles east of the site. However, the site is located approximately 0.1 miles east-southeast and slightly upland of the historic location of Mission Creek and Laguna Dolores wetlands prior to infill and urban development.

## 2.4 Descriptions of Existing On-Site Structures and Improvements

### 2.4.1 Structures and Current Use

The main two-story building covers the entire property and consists of a formed concrete wall and steel frame construction and concrete slab-on-grade floor. The building is divided into three tenant spaces. Current site addresses, occupants, and a brief summary of current uses are as follows:

- **2044 Bryant Street – Production Specialties**: an industrial machine shop that produces machine parts;
- **2050 Bryant Street – Commercial and office uses**: includes office uses, a vacant night club and music production space, and a metal fabrications shop; and

- **2060-2070 Bryant Street – American Conservatory Theater (ACT):** ACT stores, constructs, and fabricates items for use in theater productions.

Photographs of the subject property and vicinity are presented on Plates 3 through 19.

### 2.4.2 Other Improvements

Electricity and natural gas are supplied by Pacific Gas & Electric. Water and sewer services are provided by the City of San Francisco.

## 2.5 Current Uses of Adjoining Properties

A reconnaissance of the surrounding area was conducted to assess whether neighboring sites represent a potential environmental condition that could affect the subject property. The current uses of the adjoining properties as observed during PES' reconnaissance are summarized below.

Properties to the North

The site is bounded to the north by commercial properties, including Creative Flooring Design at 2014 Bryant Street, and San Francisco Auto Repair Center at 611 Florida Street.

Properties to the East

The site is bounded to the east by Bryant Street. Across Bryant Street are commercial properties including Left Space at 2055 Bryant Street, which rents artists work spaces, and Fitzgerald Furniture Company, an upholstery business, at 2750 19th Street.

Properties to the South

The site is bounded to the south by residences that front on Bryant Street, 19th Street, and Florida Street.

Properties to the West

The site is bounded to the west by Florida Street. Across Florida Street is a multi-story residential complex with ground-floor commercial uses.

## 2.6 Past Uses of Property and Adjoining Properties

Historical site use information was obtained through a review of aerial photographs, Sanborn Fire Insurance Maps, historical topographic maps, regulatory agency records, and the results of previous environmental investigations (see list of references in Section 10.0).

### 2.6.1 Historical Sources

- **Aerial Photographs** – Aerial photographs were obtained from Environmental Data Resources, Inc. (EDR) of Milford, Connecticut. Photos for the following years were obtained and reviewed: 1946, 1956, 1968, 1974, 1982, 1993, 1998, 2005, 2009, and 2010. A summary of the aerial photograph review and copies of the photographs are presented in Appendix A;

- **Sanborn Fire Insurance Maps** – Historical Sanborn Fire Insurance Maps were obtained from EDR for the following years: 1889, 1900, 1914, 1950, 1975, 1987, 1989, 1991, and 1999. A summary of the Sanborn Map review and copies of these maps are included in Appendix B;

- **Topographic Maps** – A variety of topographic maps of the subject property and vicinity were compiled by EDR. The following maps were included in the compilation: USGS *San Francisco, California* 15-minute series topographic maps produced in 1895, 1915 and 1948; and USGS *San Francisco North, California* 7.5-minute series topographic map produced in 1947, 1950, 1956, 1993, 1995 and photorevised in 1968 and 1973. A summary of the topographic maps review and copies of these maps are included in Appendix C;

- **City Directories** – A search of city directories was performed by EDR for the years 1910 through 2012 in approximately 5-year intervals. A summary of the city directories review and copies of the directory listings are presented in Appendix D;

- **City and County of San Francisco Records** – San Francisco Building Department (SFBD), San Francisco Fire Department (SFFD), and San Francisco County Department of Environmental Health (SFDPH) records were requested by PES to evaluate historical uses at the subject property; and

- **Historical Environmental Documents** – No copies of previous environmental reports for the subject property were provided.

### 2.6.2 Historical Review Summary

Subject Property

The following provides a summary of historical use information for the subject property based on available historical resources listed in the previous sections and as described in historical documents.

The earliest record for the site is a 1889 Sanborn map, which shows the site as developed with multiple single-family residences and a few remaining vacant lots. By 1914 the northern portion of the site (the current 2044 Bryant Street locations) is shown occupied by an iron works. A 1946 aerial photo and 1950 Sanborn map show the subject property in its current

configuration. The 1950 and 1975 Sanborn maps lists machine shop and auto body use in 2044 Bryant Street, steel warehousing in 2050 Bryant Street, and machinery warehousing at 2070 Bryant Street.

Numerous addresses have been associated with the subject property, including 633, 651, 675, 677, 679, and 683 Florida Street. Historical city directories list the subject property as occupied by the Marshall Company Central Iron Works from 1920 through 1930; the Modern Vehicle Company and Northern California Machine Tools from 1935 through 1966. Later listings (1977-1985) show the site occupied by light fixture warehousing and retail. ACT is listed at 681 Florida Street beginning in 1982, and from 1990 through 1993 a silk screen production company occupied 2050 Bryant Street. Klein Industries (Production Specialties) is listed as the occupant of 2044 Bryant Street in city directories from 2000 to 2012.

Subject Property Vicinity

The subject property vicinity has gone through development at similar periods of time as the subject property. The earliest Sanborn maps (1889 and 1900) show the subject property vicinity as primarily vacant with some residential and with a warehouse and school across Bryant Street. After the 1906 earthquake, directory listings and insurance maps show expanded commercial and industrial development in the vicinity of the Site, including clothing factories, a wool manufacturing warehouse, a brewing company, an engine & foundry company, a box factory, a dye works company, auto repair, laundry facilities, a cabinet shop, and a school. By 1968 the warehouse building to the west of the subject property was demolished and replaced with a smaller single structure. The multi-story residential complex across Florida Street (west of the subject property) was constructed between 2007 and 2008.

### 2.6.3 Interviews

Mr. Ian Reynolds, production manager for Production Specialties, was interviewed by Mr. Christopher Baldassari of PES on March 29, 2013. Mr. Reynolds indicated that he has been associated with the subject property since approximately 2009. Mr. Reynolds stated that the 2044 Bryant Street space had been used for machine shop-related purposes since the 1950s. He said that Production Specialties manufactures parts for machinery such as compressors, and generally produced finished parts from castings delivered to the site; however no casting is conducted onsite. Mr. Reynolds stated that Production Specialties utilizes various water-based cutting fluids and coolants, generally contained in individual machinery reservoirs. He indicated that the reservoir fluids are not regularly maintained but that new fluids are added as they run low. He said that the facility operates under an approved hazardous materials business plan (HMBP) and is periodically inspected by SFDPH and SFFD for compliance, but was not aware of any other environmental permits. Mr. Reynolds stated that hazardous waste generation at the site is limited to waste oil and coolant, which is accumulated in 55-gallon drums and subsequently transported for offsite disposal approximately once a year by Evergreen Environmental. He stated that used rags are accumulated in a drum and removed on a bi-weekly schedule by an outside vendor (Aramat). Mr. Reynolds further stated

that chemical uses at the site includes uses of cutting fluids and coolants, and petroleum-based solvents including kerosene for cleaning metal parts. He indicated that cutting fluid is reused frequently and is stored in a 55-gallon drum. Mr. Reynolds also stated that he was unaware of current or historical underground tanks at the site, was not aware of any potential environmental concerns associated with the subject property. He noted that no heating or cooling system (e.g., HVAC) is utilized at the site. He was not aware of any asbestos-containing materials O&M plan.

Mr. Lloyd Klein, the current property owner, was interviewed by Mr. Baldassari on June 14, 2013 about the potential presence of USTs at the subject property. Mr. Klein stated that he was unaware of any USTs at the site, nor were the presence of any USTs disclosed to him prior to purchasing the property in 1982.

## 3.0 PREVIOUS ENVIRONMENTAL DOCUMENTS

No environmental reports were made available to PES for review as part of this ESA.

## 4.0 RECORDS REVIEW

### 4.1 Environmental Liens

Based on review of an environmental database search conducted by EDR, there are no Federal Superfund (National Priority List [NPL]) liens or State deed restrictions associated with the subject property.

### 4.2 Standard Environmental Record Sources

The discussion presented in this section is based on available information provided by government agencies and various databases. An EDR report dated March 22, 2013 contains listings of sites located within a 1-mile radius, which were selected in accordance with ASTM E-1527-05 standards. This information is obtained from computerized databases of Federal, State, and local records. The EDR database report is included on CD-ROM as Appendix E.

The following regulatory agency databases were searched and reported in the EDR report:

- U.S. Environmental Protection Agency (U.S. EPA) – Comprehensive Environmental Response Compensation, and Liability Information System (CERCLIS);
- U.S. EPA – CERCLA NPL;
- U.S. EPA – CERCLA Proposed NPL;

- U.S. EPA – Superfund (CERCLA) Consent Decrees (CONSENT);
- U.S. EPA – CERCLA Records of Decision (ROD);
- U.S. EPA – CERCLA NPL Deletions;
- U.S. EPA – CERCLA No Further Remedial Action Planned Site (CERC-NFRAP);
- U.S. EPA - Facility Index System (FINDS);
- U.S. EPA – Emergency Response Notification System (ERNS);
- U.S. EPA– Hazardous Materials Information Reporting System (HMIRS);
- U.S. EPA – Material Licensing Tracking System (MLTS);
- U.S. EPA – Mines Master Tracking Index File (MINES);
- U.S. EPA – Federal Superfund Liens (NPL Liens);
- U.S. EPA – PCB Activity Database System (PADS);
- U.S. EPA – RCRA Administrative Action Tracking System (RAATS);
- U.S. EPA – Section 7 Tracking Systems (SSTS);
- U.S. EPA – Federal Insecticide, Fungicide, & Rodenticide Act (FIFRA)/Toxic Substance Control Act (TSCA) Tracking System (FTTS);
- U.S. EPA – Toxic Substances Control Act (TSCA);
- U.S. EPA – Resource Conservation and Recovery Information System (RCRAInfo), Treatment, Storage, or Disposal (TSD) facilities, and Small Quantity and Large Quantity Generators (SQG and LQG) of hazardous waste;
- U.S. EPA – Emergency Response Notification System (ERNS);
- U.S. EPA RCRA Corrective Action Report (CORRACTS);
- U.S. EPA Facility Index System (FINDS);
- U.S. EPA Toxic Chemical Release Inventory System (TRIS);
- California State Water Resources Control Board (SWRCB) – Leaking Underground Storage Tank Listing (LUST) sites including Indian Land;
- SWRCB UST;

- SWRCB – Voluntary Cleanup Sites (VCP); and
- SWRCB – Solid Waste Facilities (SWF/LF).

### 4.2.1 Subject Property Records

**Database Listings**

The EDR report did not identify any listings for the subject property.

**Regulatory Agency Records**

In addition to the records provided in the EDR report, PES also searched the following agency websites for environmental records related to the subject property:

- California State Water Resources Control Board's GeoTracker website located at http://geotracker.swrcb.ca.gov/; and
- DTSC's EnviroStor website located at http://www.envirostor.dtsc.ca.gov/public/default.asp.

The subject property was not listed on the referenced websites.

### 4.2.2 Surrounding Area

Several sites in the subject property vicinity are listed on hazardous materials release and/or storage databases. However, these properties are not expected to present significant environmental conditions to the subject property based on one or more of the following: (1) the listed property has received case closure by the appropriate regulatory agency; (2) the listed property is either cross gradient or down gradient of the subject property with respect to the inferred regional groundwater flow direction; (3) the listed property is a soils-only affected case; and (4) the listed property is located at too great a distance to represent a significant environmental condition with respect to the subject property.

## 5.0 SITE INSPECTION

### 5.1 Methods

An inspection of the subject property and site vicinity was conducted on March 29, 2013 by Christopher Baldassari of PES. With the exception of several living areas in 2050 Bryant Street, all areas were accessible and were inspected. Site photographs are presented on Plates 3 through 19.

## 5.2 General Site Setting

The subject property is comprised of a two-story warehouse building. The corrugated steel roof is supported by steel trusses, and the outer walls are made of formed reinforced concrete with concrete support pilasters. The eastern side of the building (fronting Bryant Street) and a portion of the northern side appear constructed of unreinforced brick and mortar. Mobile overhead hydraulic lifts comprised of steel beams riding on wall-mounted rails were observed in the 2050 and 2060-2070 Bryant Street spaces.

The building is divided into three occupied tenant spaces, which are generally comprised of open warehouse spaces with ancillary office spaces on the eastern sides of the building (Plate 2).

## 5.3 Interior Observations

**2044 Bryant Street/631 Florida Street (Production Specialties):** The space is currently used as an industrial machine shop. Rows of metal-working and -milling machinery were in operation during the inspection. The concrete floor surface was observed to have numerous cracks and widespread oily staining. Free fluids were observed on the floor adjacent to many of the machines (Plates 10 and 11). Observations of chemical use and storage included:

- Several 55-gallon drums of cutting fluids were present. The drums were horizontally on stands for use with dispensers (Plate 9, Photo 1); none of the observed drums were in secondary containment and staining and spills were observed on the concrete floor;

- Bench-scale chemicals consisting of various cutting fluids, lubricants, and metal cleaners (including cutting fluids identified as containing chlorinated hydrocarbons) were observed throughout the machinery workstations (Plate 10, Photo 1); these chemicals were observed stored in cabinets, workbenches, and on the floor throughout the site;

- Numerous unlabelled 5-gallon containers that had oily residues on the outside and appeared to have been used for waste storage were observed (Plate 11 Photo 2);

- Numerous unlabeled containers containing oily fluids were observed underneath machinery at the site;

- A 55-gallon drum was observed in use for on-site recycling cutting fluid. A hole cut in the side of the drum permitted pouring in used oil for later reuse;

- A 55-gallon drum of kerosene with a hand pump was observed in use (Plate 8, Photo 2); evidence of prior spillage was observed on the concrete floor surrounding the kerosene drum;

- A hazardous waste storage drum (with an accumulation start date of July 24, 2012) near the western side of the building (Plate 8, Photo 2). The drum was labeled as containing waste oil and coolant, and was stored on the concrete floor. No leaks from the drums were observed; and

- A possible UST fill port in the sidewalk was observed (Plate 19, Photo 2).

Metal shavings from the machining equipment were observed on the floor in widespread areas, and stored in several 55-gallon drums, reportedly for off-site recycling. A 2-gallon container of chromic acid and used fluorescent light tubes were observed in a storage room located in the northeastern portion of the tenant space. The second story was used for office purposes. *De minimis* quantities of cleaning supplies were observed adjacent to the first and second story bathrooms. Information on the possible UST fill port located in the sidewalk was unavailable at the time of inspection.

**2050 Bryant Street:** The tenant space was most recently used as a night club and performing arts center, and includes a bar area, art gallery space, and metal fabrication shop (Plates 12 through 14). Portions of the second story were used for office/residential purposes. Reportedly no hazardous wastes are generated or stored, and no environmental permits were available for review. Chemical use and storage observations included:

- Several small containers of chemicals were observed in the metal shop on a work bench and in a storage cage, and included petroleum-based naphtha and denatured alcohol (Plate 13, Photo 2); and

- Several medium-sized cylinders of compressed gas for welding, including oxygen and acetylene, were observed in a storage rack.

**2060-2070 Bryant Street:** The space was occupied by the ACT scene shop, which utilizes the premises for building, maintaining, and storing theater scenery props (Plates 15 through 19). Woodworking, metal working, and paint areas (including a spray booth) were observed. In the eastern portion of the space, both the first and second floors were being used for general office and storage purposes (Plate 19, Photo 1). With the exception of a metal working and storage area in the western portion of the space, a raised wooden floor was present over the concrete slab. Several small interior rooms were utilized for storage of woodworking (e.g., hardware, screws, nuts, and glues), paint, and light construction supplies. A large woodwork area was observed on the southern side of the space (Plate 15, Photo 1). To the western side (near Florida Street) a metal shop was observed (Plate 16, Photo 2); chemical use appeared limited to several small containers of petroleum-based solvents (e.g., WD-40). Several medium-sized cylinders of compressed gases (e.g., oxygen and acetylene) were observed in a storage rack.

A large prop-painting area was observed on the northern portion of the space (Plates 16 and 17). Several flammable cabinets were observed in use and contained many small containers of spray paint as well as chemicals including kerosene, acetone, denatured alcohol, varnishes, polyurethane coatings, mineral spirits, and methyl-ethyl-ketone (Plate 18, Photo 1). PES observed numerous one- and five-gallon containers of water-based paints in the prop-painting area.

## 5.4 Underground and Aboveground Storage Tanks

No evidence of existing USTs or ASTs was identified during the site inspection, with the exception of a possible UST fill port located in the sidewalk adjacent to Florida Street and outside the 631 Florida Street/2044 Bryant Street space.

## 5.5 Back-Up Generators

No back-up generators are present at the site.

## 5.6 Elevators

No elevators were identified on the site during the site inspection.

## 5.7 Hydraulic Trash Compactors

No trash compactors were observed on the site.

## 5.8 Indications of Polychlorinated Biphenyls (PCBs)

Pad-mounted transformers were not observed on the site. A pole mounted transformer was observed in front of 2060-2070 Bryant Street, and a transformer was observed on the opposite side of Florida Street across from the site. Several dry-cell transformers were observed inside 2044 Bryant Street.

## 5.9 Other Conditions

### 5.9.1 Asbestos

An assessment of asbestos-containing materials was not conducted as part of this Phase I ESA. Standards set by the Occupational Safety and Health Administration (OSHA) require building owners to presume that thermal system insulation (TSI) and surfacing ACM found in buildings constructed before 1981, and floor tile installed in buildings through 1981, are asbestos containing, unless demonstrated to be less than 1 percent asbestos through sampling. The rule does not permit an assumption to be made that a material does not contain asbestos in buildings constructed after 1980. However, since the late 1970s to early 1980s, asbestos has been removed or substituted for in all but a small number of construction products.

For example, asbestos is still used, although at low concentrations, in various mastics and roofing materials.

Based on the construction date of the subject property buildings (starting in 1914) asbestos may be present within the onsite building materials. A comprehensive asbestos survey is recommended prior to significant renovation or demolition activities so that these materials, if present, can be properly managed.

### 5.9.2 Radon

The National Radon Database includes radon information from U.S. EPA/State Residential Radon Surveys conducted between 1986 and 1992. The database includes test results from 14 sites within the subject property zip code area. The average value for radon level reported in this region was less than 0.100 pico curies per liter (pCi/L) of air for the first floor living area. This is lower than the U.S. EPA's recommended action level of 4 pCi/L.

The survey indicates that it is unlikely that radon levels in buildings on the subject property area are above the U.S. EPA action level.

### 5.9.3 Solid Waste

As noted in Section 5.3, metal shavings are present on the floor throughout the Production Specialties tenant space. No other concerns were observed with respect to solid waste disposal for the subject property.

### 5.9.4 Lead in Paint

A lead based paint survey was not conducted as part of this Phase I ESA. The Consumer Products Safety Commission limited lead content in residential paint to 0.06 percent (600 parts per million) in 1978. The use of paint containing greater than 0.06 percent lead was also prohibited in areas where consumers have direct access to painted surfaces. Because the construction date of the subject property buildings starts pre-dates 1978, a lead-based paint (LBP) survey is recommended prior to significant renovation or demolition activities so LBP, if present, can be properly managed.

## 6.0 SUMMARY AND CONCLUSIONS

The subject property consists of one legal parcel covering approximately 0.98 acres and containing one two-story building. The site has addresses of 2044, 2050, and 2060-2070 Bryant Street, and is located in the City and County of San Francisco. The site is bounded to the north by commercial properties including San Francisco Auto Repair and Creative Flooring Design, to the east by Bryant Street, to the south by residences, and to the west by Florida Street.

Historical research conducted for this ESA indicates the site was partially developed with single-family residences until sometime before 1914, at which time an iron works had been constructed on the northern half of the site. By 1946 the subject property was fully developed with the existing building. Currently the site is divided into three occupied tenant spaces; current uses at each address include a machine shop (Production Specialties at 2044 Bryant Street), a multi-purpose commercial-use site (2050 Bryant Street) and theater prop construction and storage (ACT Scenery Shop at 2060-2070 Bryant Street).

**2044 Bryant Street:** Observations of chemical use and storage inside of 2044 Bryant Street included drums of cutting oils, coolants, and kerosene, and small quantities of both petroleum- and chlorinated-hydrocarbon metal cleaning solvents. A drum labeled as containing hazardous waste oil and coolant was observed. Numerous small containers of used oils were observed throughout the space. Staining and spills on the concrete floor were present at and around machinery and chemical drum dispensers (i.e., cutting oils and kerosene). Site chemical use and storage is regulated under a current HMBP; however a copy of the HMBP was not available at the time of the inspection.

**2050 Bryant Street:** Small quantities of petroleum-based solvents and a small metal fabrication shop were present inside of 2050 Bryant Street. Section 8 Productions, which performed silk-screening, formerly occupied the space.

**2060-2070 Bryant Street:** The current theater prop-construction and storage uses included: utilization of woodworking areas with chemical uses including glues, wood-fillers, petroleum-based wood cleaning solvents, stains, and finishes; a metal shop with bench-scale quantities of petroleum-based metal cleaners; and a prop-painting areas with small containers of water-based paints and petroleum-based solvents and thinners stored in flammable cabinets. A small spray booth was also observed.

The subject property is not listed on any regulatory agency databases. In addition, based on a review of available environmental regulatory databases and regulatory agency records for adjacent and nearby properties, PES did not identify significant adjacent/nearby locations of environmental concern to the subject property.

We have performed a *Phase I Environmental Site Assessment* in conformance with the scope and limitations of ASTM Practice E 1527-05 of the property located at 2044 through 2070 Bryant Street in San Francisco, California, *the subject property*. Any exceptions to, or deletions from, this practice are described in Sections 1.2 and 1.3 of this report. This assessment revealed no evidence of recognized environmental condition in connection with the property except for the following:

- Based on: (1) the long-term site use at 2044 Bryant Street as a machine shop (since the 1950s or earlier) and associated usage of oils and metal-cleaning solvents at the site; (2) the use of other portions of the building for steel working, machine shops, and autobody repairs; and (3) evidence of staining and spills on the concrete floor of the 2044 Bryant space, taken as whole these observations constitute a REC due to the potential for releases of hazardous chemicals to the subsurface.

The following noteworthy observations were identified on the subject property during the Phase I ESA research and site inspection:

- Although the site is not located within a block designated by SFDPH as an "Article 20 Affected Block," it is anticipated that redevelopment or construction activities will result in the disturbance of 50 cubic yards or more of soil and the site will therefore be subject to the requirements of the San Francisco Public Health Code Article 22A. Requirements under Article 22A include submittal to SFDPH of site use history and soil analytical data to confirm the presence or absence of fill materials exhibiting characteristics of a hazardous waste. A site mitigation plan may be required to properly address and manage the fill materials, if encountered, during redevelopment;

- Various smaller containers of used oil were observed inside of 2044 Bryant Street. Additionally, used fluorescent lights and corrosive chemicals were observed in a storage room. As part of site housekeeping, it is recommended that the current property owner remove and appropriately dispose of these materials/containers in accordance with local, state and federal requirements;

- While historical environmental documentation regarding USTs at the subject property was not identified, a possible fill port in the sidewalk was observed. Based on a subsequent limited electromagnetic survey performed on June 11, 2013 by C. Cruz Sub-Surface Locators, Inc. of Milpitas, California, a metallic line was identified in-line with the possible fill port. The metallic line was identified extending underneath the sidewalk between the possible fill port and the edge of the building. Additional investigation should be conducted to confirm the presence of absence of a potentially undocumented UST that may be located beneath the floor slab of the subject property at the 2044 Bryant Street site;

- If Production Specialties will cease operations as part of this transaction, the Hazardous Materials Business Permit on file with the Local Oversight Program should be properly closed; and

- Based on the age of the building, there is a potential for the presence of asbestos- and/or lead-containing building materials. As significant renovation or demolition of the existing structure is contemplated as part of site redevelopment, a pre-demolition survey will be required so that these materials, if present, can be properly managed.

## 7.0 DATA GAPS

PES did not access all interior portions of 2050 Bryant Street (limited portions of the second-story residential area).

## 8.0 ADDITIONAL SERVICES

No additional services were provided during the preparation of this Phase I ESA.

## 9.0 ENVIRONMENTAL PROFESSIONAL STATEMENT

We declare that to the best of our professional knowledge and belief, we meet the definition of Environmental Professional as defined in §312.10 of 40 CFR 312.

We have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject property. We have developed and performed the all appropriate inquires in conformance with the standards and practices set forth in 40 CFR Part 312.

Resumes of the Environmental Professionals signing this report are presented in Appendix F.

## 10.0 REFERENCES

Stantec, Inc., 2011. *Follow-Up Investigation, Addendum to Additional Site Investigation Interim Report, Pacific Gas and Electric Company San Francisco Service Center, Shotwell and Treat Complexes, San Francisco, California.* November 11.

# ILLUSTRATIONS




**PES Environmental, Inc.**
Engineering & Environmental Services

**Site Location Map**
Phase I Environmental Site Assessment
2044-2070 Bryant Street
San Francisco, California

PLATE
1

| 390.023.01.001 | 39002301001_ESA_1-2 | CJB | 6/13 |
|---|---|---|---|
| JOB NUMBER | DRAWING NUMBER | REVIEWED BY | DATE |

**PES Environmental, Inc.**
Engineering & Environmental Services

**Site Plan and Vicinity Map**
Phase I Environmental Site Assessment
2044-2070 Bryant Street
San Francisco, California

PLATE
2

| 390.023.01.001 | 39002301001_ESA_1-2 | CJB | 6/13 |
|---|---|---|---|
| JOB NUMBER | DRAWING NUMBER | REVIEWED BY | DATE |

Photo 1.
View to the south of the subject property building as seen from Bryant Street (Photo date: March 29, 2013).

Photo 2.
View to the southeast of the subject property building as seen from Florida Street (Photo date: March 29, 2013).

Photo 1.
View to the north of the subject property as seen from Florida Street
(Photo date: March 29, 2013).

Photo 2.
View of adjacent property as seen from Florida Street (north of subject property); occupied by San Francisco Auto Repair Center
(Photo date: March 29, 2013).

Photo 1.
View of southern side of subject property building as seen from Florida Street (Photo date: March 29, 2013).

Photo 2.
View looking across Florida Street of residential/commercial complex opposite subject property (Photo date: March 29, 2013).

Photo 1.
View across Bryant Street of commercial buildings opposite subject property (Photo date: March 29, 2013).

Photo 2.
View looking north on Bryant Street of residences adjacent to subject property (Photo date: March 29, 2013).

Photo 1.
View of interior of Production Specialties, located in northernmost tenant space of subject property (Photo date: March 29, 2013).

hoto 2.
View from upper offices of machine shop operations inside Production Specialties (Photo date: March 29, 2013).

Photo 1.
View of second floor office area inside Production Specialties
(Photo date: March 29, 2013).

Photo 2.
View inside of Production Specialties showing 55-gallon drum of kerosene with hand-pump and 55-gallon drums containing hazardous wastes comprised of used oils and coolants (Photo date: March 29, 2013).

Photo 1.
View of inverted 55-gallon drum of cutting oil with dispenser; floor is wet from apparent leaks and spills (Photo date: March 29, 2013).



Photo 2.
View of milling machinery inside Production Specialties (Photo date: March 29, 2013).

Photo 1.
View inside Production Specialties of cutting fluids stored on shelf, including several listed as containing chlorinated hydrocarbons (e.g., trichloroethylene) (Photo date: March 29, 2013).

Photo 2.
View of oily fluids on floor adjacent to cutting machine inside Production Specialties (Photo date: March 29, 2013).

Photo 1.
View of staining on floor adjacent to cutting machine inside Production Specialties (Photo date: March 29, 2013).

Photo 2.
View of floor staining adjacent to various cutting machine inside Production Specialties (Photo date: March 29, 2013).

Photo 1.
View inside Production Specialties (Photo date: March 29, 2013).

Photo 2.
View inside 2050 Bryant Street of bar and open floor area
(Photo date: March 29, 2013).

Photo 1.
View of entryway inside 2050 Bryant Street (Photo date: March 29, 2013).

Photo 2.
View of chemical storage area inside 2050 Bryant Street
(Photo date: March 29, 2013).

Photo 1.
Workbench inside 2050 Bryant Street (Photo date: March 29, 2013).



Photo 2.
Storage area inside 2050 Bryant Street (Photo date: March 29, 2013).



Photo 1.
View inside 2060-2070 Bryant Street (occupied by American Conservatory Theater) of theater prop storage and woodworking areas
(Photo date: March 29, 2013).



Photo 2.
View of metal fabrication storage and prop and scenery storage inside 2060-2070 Bryant Street (Photo date: March 29, 2013).



Photo 1.
View inside 2060-2070 Bryant Street of prop painting area
(Photo date: March 29, 2013).

Photo 2.
View of metal fabrication area inside 2060-2070 Bryant Street
(Photo date: March 29, 2013).

Photo 1.
View of sink adjacent to prop painting area inside 2060-2070 Bryant Street (Photo date: March 29, 2013).

Photo 2.
View of paint storage inside 2060-2070 Bryant Street (Photo date: March 29, 2013).

Photo 1.
View of typical office space inside 2060-2070 Bryant Street
(Photo date: March 29, 2013).



Photo 2.
View looking east of the 631 Florida Street tenant space at the subject property showing suspected fillport in sidewalk (Photo date: March 29, 2013).

Photo 1.
View inside 2060-2070 Bryant Street of flammable storage cabinets containing small quantities of water-based paints, petroleum-based solvents, alcohols, mineral spirits, acids, wood-filler, and polyurethane wood finishes (Photo date: March 29, 2013).

Photo 2.
View of woodworking area inside 2060-2070 Bryant Street (Photo date: March 29, 2013).

# Appendix A
# Historical Aerial Photographs Review
# 2044 Through 2070 Bryant Street
# San Francisco, California

**Subject Property**

| Date: | Photo Quality: | Comment: |
|---|---|---|
| 1946 | Fair | Subject Site appears developed with the existing building structure. |
| 1956 | Good | No notable change to subject property compared to 1946 photo. |
| 1968 | Fair | No notable change to subject property compared to 1956 photo. |
| 1974 | Poor | No notable change to subject property compared to 1968 photo. |
| 1982 | Poor | No notable change to subject property compared to 1974 photo. |
| 1993 | Fair | No notable change to subject property compared to 1982 photo. |
| 1998 | Fair | No notable change to subject property compared to 1993 photo. |
| 2005 | Good | No notable change to subject property compared to 1998 photo. |
| 2009 | Good | No notable change to subject property compared to 2005 photo. |
| 2010 | Good | No notable change to subject property compared to 2009 photo. |

**Adjacent Properties**

| Date: | Photo Quality: | Comment: |
|---|---|---|
| 1946 | Fair | The subject site vicinity is occupied by residential, commercial and industrial structures. |
| 1956 | Good | Subject site vicinity remains generally unchanged from 1946 photo. Highway 101 has been constructed just east of Potrero Avenue, approximately 1000 feet east of the subject site. |
| 1968 | Fair | A warehouse to the west of the subject site (across Florida Street) has been demolished and a single, smaller structure is now present |
| 1974 | Poor | No notable change to subject property vicinity compared to 1968 photo. |
| 1982 | Poor | No notable change to subject property vicinity compared to 1974 photo. |
| 1993 | Fair | No notable change to subject property vicinity compared to 1982 photo. |
| 1998 | Fair | No notable change to subject property vicinity compared to 1993 photo. |
| 2005 | Good | No notable change to subject property vicinity compared to 1998 photo. |
| 2009 | Good | A residential complex has been constructed to the west of the subject property (across Florida Street). |
| 2010 | Good | No notable change to subject property vicinity compared to 2009 photo. |

# APPENDIX A

# AERIAL PHOTOGRAPHS

INQUIRY #: 3554977.5
YEAR: 1974
= 500'
N

INQUIRY #: 3554977.5
YEAR: 1982
= 500'
N

**2070 Bryant Streeet**
2070 Bryant Streeet
San Francisco, CA 94110

Inquiry Number: 3554977.5
March 27, 2013

# The EDR Aerial Photo Decade Package

EDR® Environmental Data Resources Inc

440 Wheelers Farms Road
Milford, CT 06461
800.352.0050
www.edrnet.com

# EDR Aerial Photo Decade Package

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

**When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.**

***Thank you for your business.***
Please contact EDR at 1-800-352-0050
with any questions or comments.


**Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2013 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

## Date EDR Searched Historical Sources:
Aerial Photography March 27, 2013

## Target Property:
2070 Bryant Streeet
San Francisco, CA 94110

| *Year* | *Scale* | *Details* | *Source* |
|---|---|---|---|
| 1946 | Aerial Photograph. Scale: 1"=500' | Flight Year: 1946 | Jack Ammann |
| 1956 | Aerial Photograph. Scale: 1"=500' | Flight Year: 1956 | USGS |
| 1968 | Aerial Photograph. Scale: 1"=500' | Flight Year: 1968 | USGS |
| 1974 | Aerial Photograph. Scale: 1"=500' | Flight Year: 1974 | USGS |
| 1982 | Aerial Photograph. Scale: 1"=500' | Flight Year: 1982 | USGS |
| 1993 | Aerial Photograph. Scale: 1"=500' | /DOQQ - acquisition dates: 1993 | EDR |
| 1998 | Aerial Photograph. Scale: 1"=500' | Flight Year: 1998 | USGS |
| 2005 | Aerial Photograph. Scale: 1"=500' | Flight Year: 2005 | EDR |
| 2009 | Aerial Photograph. Scale: 1"=500' | Flight Year: 2009 | EDR |
| 2010 | Aerial Photograph. Scale: 1"=500' | Flight Year: 2010 | EDR |

INQUIRY #: 3554977.5
YEAR: 1946
= 500'
N

INQUIRY #: 3554977.5
YEAR: 1956
= 500'
N

INQUIRY #: 3554977.5
YEAR: 1968
= 500'
N

INQUIRY #: 3554977.5
YEAR: 1993
= 500'
N

INQUIRY #: 3554977.5
YEAR: 1998
= 500'
N

INQUIRY #: 3554977.5
YEAR: 2005
= 500'
N

INQUIRY #: 3554977.5
YEAR: 2009
= 500'
N


INQUIRY #: 3554977.5
YEAR: 2010
= 500'
N

# APPENDIX B

# SANBORN FIRE INSURANCE MAPS

# Appendix B
# Historical Sanborn Fire Insurance Maps Review
# 2044 Through 2070 Bryant Street
# San Francisco, California

**Subject Property**

| Date | Comments: |
|---|---|
| 1889 | The map shows the subject site as developed with multiple dwellings, with several vacant lots. |
| 1900 | No notable change to subject property compared to 1889 map. |
| 1914 | The northern portion of the subject site is now occupied by an iron works with an associated steel warehouse. Residential units are still present at the southern portion of the subject site. |
| 1950 | The map shows the subject site structure as it appears today, residential dwellings at the southern portion of the site has been replaced by the warehouse building. Listed occupants include a machine & auto body shop, steel warehouse, and machinery warehouse and sales room. |
| 1975 | No notable change to subject property compared to 1950 map. |
| 1987 | Tenancy at subject site includes American Conservatory Theater Scene Shop (ACT). |
| 1989 | No notable change to subject property compared to 1987 map. |
| 1991 | No notable change to subject property compared to 1989 map. |
| 1999 | No notable change to subject property compared to 1991 map. |

**Adjacent Properties**

| Date | Comments: |
|---|---|
| 1889 | The Golden Gate Woolen Mfg Co. is shown to the east and southeast of the subject site. Properties west and northwest of the site are used as cattle yards and include one or two small structures. A school is shown east of the site across Bryant Street. |
| 1900 | Solano Street has been renamed 18th Street, and Butte Street has been renamed 19th Street No significant changes are shown compared to the 1889 map, with the exception that Union Brewing is shown on the property north of the subject site, across 18th Street. |
| 1914 | The Enterprise Foundry Co. now occupies the property west of the subject site across Florida Street. Korbel Box Factory (cigar boxes) now occupies the space immediately north of the subject site. Union Brewing Co. (across 18th Street) has expanded. A planning mill, laundry company, can company, and cabinet shop now occupies sites to the northwest (across 18th Street). A shoe factory, shirt factory, school, and laundry company now occupy sites to the west of the subject site (across Bryant Street). |

## Appendix B
## Historical Sanborn Fire Insurance Maps Review
## 2044 Through 2070 Bryant Street
## San Francisco, California

| | |
|---|---|
| 1950 | Enterprise Engine & Foundry Co. has expanded to occupy the entire lot west of the site and a portion of the lot east of the site. Maypole Dye Works occupies the property southeast of the site across Bryant, and Remler Radio Co has moved in southeast of the site across 19th. A Steam laundry facility is shown on the map to the northeast of the site. |
| 1975 | North of site is now used for sheet metal works and storage. Enterprise Foundry Co. is replaced by a smaller Auto Repair business west of the site. The school east of the subject site (across Bryant Street) has been removed and replaced by a stationary supply warehouse. |
| 1987 | Changes to land use in the site vicinity include construction of a parking garage east of the site across Bryant Street. |
| 1989 | No notable change to subject property vicinity compared to 1987 map. |
| 1991 | No notable change to subject property vicinity compared to 1989 map. |
| 1999 | No notable change to subject property vicinity compared to 1991 map. |

**2070 Bryant Streeet**
2070 Bryant Streeet
San Francisco, CA 94110

Inquiry Number: 3554977.3
March 22, 2013

# Certified Sanborn® Map Report

EDR® Environmental Data Resources Inc

440 Wheelers Farms Road
Milford, CT 06461
800.352.0050
www.edrnet.com

# Certified Sanborn® Map Report

3/22/13

**Site Name:**
2070 Bryant Streeet
2070 Bryant Streeet
San Francisco, CA 94110

EDR Inquiry # 3554977.3

**Client Name:**
PES Environmental, Inc.
1682 Novato Boulevard
Novato, CA 94947

Contact: Chris Baldassari

EDR Environmental Data Resources Inc

The complete Sanborn Library collection has been searched by EDR, and fire insurance maps covering the target property location provided by PES Environmental, Inc. were identified for the years listed below. The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by Sanborn Library LLC, the copyright holder for the collection.

## *Certified Sanborn Results:*

**Site Name:** 2070 Bryant Streeet
**Address:** 2070 Bryant Streeet
**City, State, Zip:** San Francisco, CA 94110
**Cross Street:**
**P.O. #** 390.023.01.001
**Project:** 2070 Bryant Street
**Certification #** 3A5A-4AC1-B19F

**Maps Provided:**

| | |
|---|---|
| 1999 | 1914 |
| 1991 | 1900 |
| 1989 | 1889 |
| 1987 | |
| 1975 | |
| 1950 | |

Sanborn® Library search results
Certification # 3A5A-4AC1-B19F

The Sanborn Library includes more than 1.2 million Sanborn fire insurance maps, which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- ✓ Library of Congress
- ✓ University Publications of America
- ✓ EDR Private Collection

*The Sanborn Library LLC Since 1866™*

### Limited Permission To Make Copies

PES Environmental, Inc. (the client) is permitted to make up to THREE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.


**Disclaimer - Copyright and Trademark notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2013 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

## *Sanborn Sheet Thumbnails*

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.

### 1999 Source Sheets

Volume 6, Sheet 553

Volume 6, Sheet 554

Volume 6, Sheet 567

Volume 6, Sheet 568

### 1991 Source Sheets

Volume 6, Sheet 553

Volume 6, Sheet 554


Volume 6, Sheet 567


Volume 6, Sheet 568

### 1989 Source Sheets

Volume 6, Sheet 553

Volume 6, Sheet 554

Volume 6, Sheet 567


Volume 6, Sheet 568

### 1987 Source Sheets


Volume 6, Sheet 553

Volume 6, Sheet 554


Volume 6, Sheet 567


Volume 6, Sheet 568

## 1975 Source Sheets

Volume 6, Sheet 553

Volume 6, Sheet 554

Volume 6, Sheet 567



Volume 6, Sheet 568

## 1950 Source Sheets



Volume 6, Sheet 553

Volume 6, Sheet 554

Volume 6, Sheet 567

Volume 6, Sheet 568

Volume 1, Sheet xxxx

## 1914 Source Sheets

Volume 6, Sheet 553

Volume 6, Sheet 554

Volume 6, Sheet 567



Volume 6, Sheet 568

## 1900 Source Sheets

Volume 5, Sheet 523

Volume 5, Sheet 524

Volume 5, Sheet 525

Volume 5, Sheet 526

## 1889 Source Sheets

Volume 3, Sheet 74

Volume 3, Sheet 74

Volume 3, Sheet 75

# 1999 Certified Sanborn Map

The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn, and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 3A5A-4AC1-B19F

| | |
|---|---|
| Site Name | 2070 Bryant Street |
| Address | 2070 Bryant Street |
| City, ST, ZIP | San Francisco CA 94110 |
| Client | PES Environmental, Inc |
| EDR Inquiry | 3554977.3 |
| Order Date | 3/22/2013 3:15:02 PM |
| Certification # | 3A5A-4AC1-B19F |

Copyright 1999

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.




Volume 6, Sheet 553
Volume 6, Sheet 554
Volume 6, Sheet 567
Volume 6, Sheet 568

0 Feet 150 300 600

N

# 1991 Certified Sanborn Map




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn, and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 3A5A-4AC1-B19F

| | |
|---|---|
| Site Name | 2070 Bryant Street |
| Address | 2070 Bryant Street |
| City, ST, ZIP | San Francisco CA 94110 |
| Client | PES Environmental, Inc. |
| EDR Inquiry | 3554977.3 |
| Order Date | 3/22/2013 3:15:02 PM |
| Certification # | 3A5A-4AC1-B19F |
| Copyright | 1991 |

This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.




Volume 6, Sheet 553
Volume 6, Sheet 554
Volume 6, Sheet 567
Volume 6, Sheet 568

0 Feet 150 300 600

N

# 1989 Certified Sanborn Map

The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 3A5A-4AC1-B19F

| | |
|---|---|
| Site Name | 2070 Bryant Street |
| Address | 2070 Bryant Street |
| City, ST, ZIP | San Francisco CA 94110 |
| Client | PES Environmental, Inc |
| EDR Inquiry | 3554977.3 |
| Order Date | 3/22/2013 3:15:02 PM |
| Certification # | 3A5A-4AC1-B19F |
| Copyright | 1989 |

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.




Volume 6, Sheet 553
Volume 6, Sheet 554
Volume 6, Sheet 567
Volume 6, Sheet 568

0 Feet 150 300 600

N

# 1987 Certified Sanborn Map

The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 3A5A-4AC1-B19F

| | |
|---|---|
| Site Name | 2070 Bryant Street |
| Address | 2070 Bryant Street |
| City, ST, ZIP | San Francisco CA 94110 |
| Client | PES Environmental, Inc |
| EDR Inquiry | 3554977.3 |
| Order Date | 3/22/2013 3:15:02 PM |
| Certification # | 3A5A-4AC1-B19F |
| Copyright | 1987 |

This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.




Volume 6, Sheet 553
Volume 6, Sheet 554
Volume 6, Sheet 567
Volume 6, Sheet 568

0 Feet 150 300 600

N

# 1975 Certified Sanborn Map

The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 3A5A-4AC1-B19F

| | |
|---|---|
| Site Name | 2070 Bryant Street |
| Address | 2070 Bryant Street |
| City, ST, ZIP | San Francisco CA 94110 |
| Client | PES Environmental, Inc |
| EDR Inquiry | 3554977.3 |
| Order Date | 3/22/2013 3:15:02 PM |
| Certification # | 3A5A-4AC1-B19F |
| Copyright | 1975 |

This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.




Volume 6, Sheet 553
Volume 6, Sheet 554
Volume 6, Sheet 567
Volume 6, Sheet 568

0 Feet 150 300 600

N

# 1950 Certified Sanborn Map

The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 3A5A-4AC1-B19F

| | |
|---|---|
| Site Name | 2070 Bryant Street |
| Address | 2070 Bryant Street |
| City, ST, ZIP | San Francisco CA 94110 |
| Client | PES Environmental, Inc. |
| EDR Inquiry | 3554977.3 |
| Order Date | 3/22/2013 3:15:02 PM |
| Certification # | 3A5A-4AC1-B19F |
| Copyright | 1950 |

This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.




Volume 6, Sheet 553
Volume 6, Sheet 554
Volume 6, Sheet 567
Volume 6, Sheet 568
Volume 1, Sheet xxxx

0 Feet 150 300 600

N

# 1914 Certified Sanborn Map

The certified Sanborn Library search results on this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC the copyright holder for the collection.

| | |
|---|---|
| Site Name | 2070 Bryant Street |
| Address | 2070 Bryant Street |
| City, ST, ZIP | San Francisco CA 94110 |
| Client | PES Environmental, Inc. |
| EDR Inquiry | 3554977.3 |
| Order Date | 3/22/2013 3:15:02 PM |
| Certification # | 3A5A-4AC1-B19F |
| Copyright | 1914 |

This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.






Volume 6, Sheet 553
Volume 6, Sheet 554
Volume 6, Sheet 567
Volume 6, Sheet 568

0 Feet 150 300 600

N

# 1900 Certified Sanborn Map




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn, and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 3A5A-4AC1-B19F

| | |
|---|---|
| Site Name | 2070 Bryant Street |
| Address | 2070 Bryant Street |
| City, ST, ZIP | San Francisco CA 94110 |
| Client | PES Environmental, Inc |
| EDR Inquiry | 3554977.3 |
| Order Date | 3/22/2013 3:15:02 PM |
| Certification # | 3A5A-4AC1-B19F |
| Copyright | 1900 |

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.






Volume 5, Sheet 523
Volume 5, Sheet 524
Volume 5, Sheet 525
Volume 5, Sheet 526

0 Feet 150 300 600

N

# 1889 Certified Sanborn Map




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.




Volume 3, Sheet 74
Volume 3, Sheet 74
Volume 3, Sheet 75

0 Feet 150 300 600

N

# APPENDIX C

# HISTORICAL TOPOGRAPHIC MAPS

# Appendix C
# Historical Topographic Maps Review
# 2044 Through 2070 Bryant Street
# San Francisco, California

**Subject Property**

| Date | Comments: |
|---|---|
| 1895 | Site features not visible due to map scale. |
| 1915 | Site features not visible due to map scale. |
| 1947 | No notable site features illustrated on map. |
| 1948 | No notable change to subject property compared to the 1947 map. |
| 1950 | No notable change to subject property compared to the 1948 map. |
| 1956 | No notable change to subject property compared to the 1950 map. |
| 1968 | No notable change to subject property compared to the 1956 map. |
| 1973 | No notable change to subject property compared to the 1968 map. |
| 1993 | No notable change to subject property compared to the 1973 map. |
| 1995 | No notable change to subject property compared to the 1993 map. |

**Adjacent Properties**

| Date | Comments: |
|---|---|
| 1895 | Adjacent property features not visible due to map scale. |
| 1915 | Adjacent property features not visible due to map scale. |
| 1947 | The map shows the subject property vicinity to be developed as an urban area with no building footprints or notable features besides Potrero Ave. three blocks east of the subject site. |
| 1948 | No notable changes to the subject property vicinity compared to the 1947 map. |
| 1950 | No notable changes to the subject property vicinity compared to the 1948 map. |
| 1956 | The subject site vicinity's infrastructure has been improved with the construction of Highway 101 just east of Potrero Ave. (approximately 1,000 feet east of the subject site) |
| 1968 | No notable changes to the subject property vicinity compared to the 1956 map. |
| 1973 | No notable changes to the subject property vicinity compared to the 1968 map. |
| 1993 | No notable changes to the subject property vicinity compared to the 1973 map. |
| 1995 | No notable changes to the subject property vicinity compared to the 1995 map. |

**2070 Bryant Street**
2070 Bryant Street
San Francisco, CA 94110

Inquiry Number: 3554977.4
March 22, 2013

# EDR Historical Topographic Map Report

EDR® Environmental Data Resources Inc

440 Wheelers Farms Road
Milford, CT 06461
800.352.0050
www.edrnet.com

# EDR Historical Topographic Map Report

Environmental Data Resources, Inc.s (EDR) Historical Topographic Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topographic Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the early 1900s.

***Thank you for your business.***
Please contact EDR at 1-800-352-0050
with any questions or comments.


**Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2013 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

# Historical Topographic Map




| | | | |
|---|---|---|---|
| N | TARGET QUAD<br>NAME: SAN FRANCISCO<br>MAP YEAR: 1895<br><br>SERIES: 15<br>SCALE: 1:62500 | SITE NAME: 2070 Bryant Street<br>ADDRESS: 2070 Bryant Street<br>San Francisco, CA 94110<br>LAT/LONG: 37.761 / -122.4105 | CLIENT: PES Environmental, Inc.<br>CONTACT: Chris Baldassari<br>INQUIRY#: 3554977.4<br>RESEARCH DATE: 03/22/2013 |

# Historical Topographic Map




| | | | |
|---|---|---|---|
| N | TARGET QUAD<br>NAME SAN FRANCISCO<br>MAP YEAR 1915<br><br>SERIES 15<br>SCALE 1:62500 | SITE NAME: 2070 Bryant Street<br>ADDRESS 2070 Bryant Street<br>San Francisco, CA 94110<br>LAT/LONG: 37.761 / -122.4105 | CLIENT: PES Environmental, Inc.<br>CONTACT: Chris Baldassari<br>INQUIRY#: 3554977.4<br>RESEARCH DATE 03/22/2013 |

# Historical Topographic Map

| | | | |
|---|---|---|---|
| N | TARGET QUAD<br>NAME: SAN FRANCISCO NORTH<br>MAP YEAR: 1947<br><br>SERIES: 7.5<br>SCALE: 1:24000 | SITE NAME: 2070 Bryant Street<br>ADDRESS: 2070 Bryant Street<br>San Francisco, CA 94110<br>LAT/LONG: 37.761 / -122.4105 | CLIENT: PES Environmental, Inc.<br>CONTACT: Chris Baldassari<br>INQUIRY#: 3554977.4<br>RESEARCH DATE: 03/22/2013 |

## Historical Topographic Map




| N | TARGET QUAD | | SITE NAME | 2070 Bryant Street | CLIENT: | PES Environmental, Inc. |
|---|---|---|---|---|---|---|
| | NAME: | SAN FRANCISCO | ADDRESS | 2070 Bryant Street | CONTACT: | Chris Baldassari |
| | MAP YEAR: | 1948 | | San Francisco, CA 94110 | INQUIRY#: | 3554977.4 |
| | SERIES: | 15 | LAT/LONG | 37.761 / -122.4105 | RESEARCH DATE: | 03/22/2013 |
| | SCALE: | 1:50000 | | | | |

# Historical Topographic Map

| N | | | |
|---|---|---|---|
| | TARGET QUAD<br>NAME: SAN FRANCISCO NORTH<br>MAP YEAR: 1950<br><br>SERIES: 7.5<br>SCALE: 1:24000 | SITE NAME: 2070 Bryant Street<br>ADDRESS: 2070 Bryant Street<br>San Francisco, CA 94110<br>LAT/LONG: 37.761 / -122.4105 | CLIENT: PES Environmental, Inc.<br>CONTACT: Chris Baldassari<br>INQUIRY#: 3554977.4<br>RESEARCH DATE: 03/22/2013 |

# Historical Topographic Map

| | | | |
|---|---|---|---|
| N | TARGET QUAD<br>NAME: SAN FRANCISCO NORTH<br>MAP YEAR: 1956<br><br>SERIES: 7.5<br>SCALE: 1:24000 | SITE NAME: 2070 Bryant Street<br>ADDRESS: 2070 Bryant Street<br>San Francisco, CA 94110<br>LAT/LONG: 37.761 / -122.4105 | CLIENT: PES Environmental, Inc.<br>CONTACT: Chris Baldassari<br>INQUIRY#: 3554977.4<br>RESEARCH DATE: 03/22/2013 |

# Historical Topographic Map

| | | | |
|---|---|---|---|
| N | TARGET QUAD<br>NAME: SAN FRANCISCO NORTH<br>MAP YEAR: 1968<br>PHOTOREVISED FROM :1956<br>SERIES: 7.5<br>SCALE: 1:24000 | SITE NAME: 2070 Bryant Street<br>ADDRESS: 2070 Bryant Street<br>San Francisco, CA 94110<br>LAT/LONG: 37.761 / -122.4105 | CLIENT: PES Environmental, Inc.<br>CONTACT: Chris Baldassari<br>INQUIRY#: 3554977.4<br>RESEARCH DATE: 03/22/2013 |

# Historical Topographic Map

| N | | | |
|---|---|---|---|
| | TARGET QUAD<br>NAME: SAN FRANCISCO NORTH<br>MAP YEAR: 1973<br>PHOTOREVISED FROM :1956<br>SERIES: 7.5<br>SCALE: 1:24000 | SITE NAME: 2070 Bryant Street<br>ADDRESS: 2070 Bryant Street<br>San Francisco, CA 94110<br>LAT/LONG: 37.761 / -122.4105 | CLIENT: PES Environmental, Inc.<br>CONTACT: Chris Baldassari<br>INQUIRY#: 3554977.4<br>RESEARCH DATE: 03/22/2013 |

# Historical Topographic Map




| | | |
|---|---|---|
| N ↑<br>TARGET QUAD<br>NAME: SAN FRANCISCO NORTH<br>MAP YEAR: 1993<br>SERIES: 7.5<br>SCALE: 1:24000 | SITE NAME: 2070 Bryant Street<br>ADDRESS: 2070 Bryant Street<br>San Francisco CA 94110<br>LAT/LONG: 37.761 / 122.4105 | CLIENT: PES Environmental, Inc.<br>CONTACT: Chris Baldassari<br>INQUIRY#: 3554977.4<br>RESEARCH DATE: 03/22/2013 |

# Historical Topographic Map




| N | | | |
|---|---|---|---|
| | TARGET QUAD<br>NAME SAN FRANCISCO NORTH<br>MAP YEAR 1995<br><br>SERIES 7 5<br>SCALE 1 24000 | SITE NAME 2070 Bryant Street<br>ADDRESS 2070 Bryant Street<br>San Francisco, CA 94110<br>LAT/LONG. 37.761 / -122.4105 | CLIENT: PES Environmental, Inc.<br>CONTACT: Chris Baldassari<br>INQUIRY#: 3554977.4<br>RESEARCH DATE: 03/22/2013 |

# APPENDIX D

# CITY DIRECTORY ABSTRACT

# Appendix D
# Historical City Directories Review
# 2044 Through 2070 Bryant Street
# San Francisco, California

**Historical and Current Subject Property Addresses**

| Date: | Listed Occupants Description: |
|---|---|
| 2044 Bryant St. | |
| 2012-2000 | Klein Industries Inc. (Production Specialties) |
| 1982-1971 | Vacant |
| 1962-1935 | Modern Vehicle Co (truck body mfrs) |
| 2050 Bryant St. | |
| 2012-2000 | Cellspace (crucible steel gallery) |
| 1993-1990 | A Section 8 Production (Silk Screens) |
| 1985 | Lighting Management Corp; San Francisco Metal Spinning; Urban Systems Pacific |
| 1982 | Sylvia Dick Lighting & Lamps Mfr.; San Francisco Metal Spinning |
| 1977 | Lightolier lighting fixtures mfg |
| 1971-1962 | Harron Rickard & Mc Cone Co of Northern California Machine Tools |
| 1958-1953 | Crucible Steel Co of Am |
| 1935 | Scott Paper Co. |
| 1930-1920 | Marshall Company Central Iron Works |
| 2070 Bryant St. | |
| 1966-1935 | Harron Rickard & Mc Cone Co of Northern California Machine Tools |
| 1925 | Elmer FR; Raymond J MSNGRR |
| 1915-1910 | Ehrmann Frank J Liquors |
| 633 Florida St. | |
| 2000 | Vacant |
| 1993-1990 | Production Specialties |
| 651 Florida St. | |
| 1915 | Central Iron Works |
| 671 Florida St. | |
| 1910 | Residential Use |
| 675 Florida St. | |
| 1962-1958 | Modern Vehicle Co. repair shop |
| 677 Florida St. | |
| 1962-1958 | Crucible Steel Co. of Am shop |
| 1910 | Residential Use |
| 679 & 683 Florida St. | |
| 1958 | General Metals Corp Enterprise |

**Appendix D**
**Historical City Directories Review**
**2044 Through 2070 Bryant Street**
**San Francisco, California**

| 681 Florida St. | |
|---|---|
| 2000 | Vacant |
| 1982 | Am Conservatory Theater Scene Shop |
| 1962 | Harron Rickard & McCone Co. |
| 1958 | First Western Machinery Co. |

**Adjacent Properties Listings of Environmental Interest**

| Date: | Listed Occupants Description: |
|---|---|
| 2000 Bryant St. | |
| 2012-2007 | Tortilla Flats; 24Hr LockSmith |
| 2001 Bryant St. | |
| 2012-2007 | Future Light Digital Workshops |
| 2011 Bryant St. | |
| 2000-1977 | Nueva Castilla Iron Ornamental Iron & Steel |
| 1971 | Vacant |
| 1966 | Assoc Lighting Equip |
| 1962-1953 | Reliable Sht Mtl Co |
| 2012 Bryant St. | |
| 2006-1977 | Security Service Iron Works (ornamental iron works) |
| 1966 | Vacant |
| 1962 | Modern Furniture and Cabinet Works mfrs |
| 1958-1953 | Gillette Mfg Co. (toy mfrs) |
| 1920 | Korbel Box Factory |
| 2014 Bryant St. | |
| 2012-1990 | Creative Flooring Design |
| 1985-1977 | Hansco Pacific Carpet Retail |
| 1971 | Vacant |
| 1966-1962 | Tara Mfg Co (restr equip) |
| 1958 | Pinney F K Inc. Warehouse |
| 1949-1930 | Wooden Box & Novelty Co |
| 1925 | Karbel Joe Gar Box Min |
| 1915-1910 | Residential |
| 2021 Bryant St. | |
| 1962 | Vacant |
| 1958 | Enterprise Engine & Machine Co. (special products section) |

# Appendix D
## Historical City Directories Review
## 2044 Through 2070 Bryant Street
## San Francisco, California

| | |
|---|---|
| 2028 Bryant St. | |
| 2000-1910 | Residential Use |
| 2030 Bryant St. | |
| 1982-1910 | Residential Use |
| 2035 Bryant St. | |
| 1935 | Buena School |
| 2055 Bryant St. | |
| 2007-2006 | R J Muna Pictures |
| 2000 | Pixxon Inc |
| 1993 | Hoppe Imports |
| 1982-1977 | Pacfic Telephone Building |
| 2066 Bryant St. | |
| 1915-1910 | Residential Use |
| 2072 Bryant St. | |
| 1925-1910 | Residential Use |
| 2080 Bryant St. | |
| 2006-1910 | Residential Use |
| 2082 Bryant St. | |
| 2006-1910 | Residential Use |
| 2085 Bryant St. | |
| 1966 | Vacant |
| 1962-1949 | Ace Dye Works |
| 2098 Bryant St. | |
| 2006-1925 | Residential Use |
| 1915-1910 | Ryan Frank Thomas Liquors |
| 2099 Bryant St. | |
| 1971-1966 | Vacant |
| 1953 | Oregon Worsted Co. |
| 1949-1930 | Maypole Dye Works (Manufacturer/Dyer of Worsted Yarns) |
| 2108 Bryant St. | |
| 2006-1910 | Residential Use |
| 2116 Bryant St. | |
| 2006-1915 | Residential Use |

# Appendix D
## Historical City Directories Review
## 2044 Through 2070 Bryant Street
## San Francisco, California

| | |
|---|---|
| 2122 Bryant St. | |
| 2007-2006 | FigurePlant |
| 2000-1993 | Liveco Heating & Sheet Metal Inc. |
| 1985 | Colan Heating & Sheet Metal Inc. |
| 1982-1966 | Reliable Sheet Metal |
| 1962-1953 | Symon Machine Works |
| 1949 | Bituminous Products & Application Co (Water Proofing) |
| 2132 Bryant St. | |
| 2000 | Residential Use |
| 1985 | Security Service Iron Works (ornamental iron works) |
| 1982 | Vacant |
| 1977-1958 | Son Lee Laundry |
| 1953 | Am West Laundry |
| 1944-1925 | Barbe Rene Laundry |
| 1920 | Catbanneemme Laundry |
| 2815 18th St. | |
| 2007 | Lutsko Associates |
| 1990 | San Francisco Metal Spinning |
| 1985 | Muller Petra |
| 1982-1977 | Selzee Incorporated Contractors |
| 1971 | Lytescape Inc Subsidiary of LightTolier |
| 1966 | Kustom Lighting and Mfg Co. |
| 1958 | Decia A J Plumbing, Heating & Ventilating Company |
| 1953 | Harron Rickard & McCone Co. |
| 2700 19th St. | |
| 2012 | Haramis Brothers |
| 2007-2006 | Yama & Mar Design |
| 2000 | Swirl Inc. |
| 1993 | Double W Publications |
| 1990-1977 | San Francisco Bay Guardian Graphics |
| 1971-1966 | RGS Inc Wholesale Furniture |
| 1962-1953 | Reynard Press |
| 1925 | Shirt Factory |
| 2708 19th St. | |
| 1920 | Independent Laundry |

**Appendix D**
**Historical City Directories Review**
**2044 Through 2070 Bryant Street**
**San Francisco, California**

| | |
|---|---|
| 2745 19th St. | |
| 1982-1977 | Vacant |
| 1971-1958 | Pacific Felt Co. |
| 2747 19th St. | |
| 2012-2006 | Tecta Associates |
| 1993 | Eureka Coffee Co. |
| 2749 19th St. | |
| 1990 | Ay Morgan Construction Company |
| 1985 | Armstrong Finishing |
| 2750 19th St. | |
| 2012-1985 | Fitzgerald Furniture |
| 1982 | Food Service Contractors Co. food serve and supply |
| 1971-1953 | National Store Fixture Co. Inc |
| 2810 19th St. | |
| 2006-1910 | Residential Use |
| 2814 19th St. | |
| 2012-2006 | Universal Café |
| 1977 | Thompson Robert Co. |
| 1962-1953 | Scala Radio Co. |
| 1930 | Klopper Aug Labr |
| 2815 19th St. | |
| 2006-1930 | Residential Use |
| 2817 19th St. | |
| 2006-1925 | Residential Use |
| 2902 19th St. | |
| 1962 | Vacant |
| 1958 | General Metals Corp Enterprise |
| 1940-1915 | Enterprise Foundry Company |
| 2903 19th St. | |
| 1915-1910 | The Gau Fixture Co. |
| 650 Florida St. | |
| 2012 | Yellow Owl Workshop; Bike Kitchen; Lime Lab Inc. |

# Appendix D
## Historical City Directories Review
## 2044 Through 2070 Bryant Street
## San Francisco, California

| | |
|---|---|
| 685 Florida St. | |
| 2000 | Vacant |
| 1993 | All Tech Productions |
| 1982-1977 | Miller Battery Co. |
| 1962 | Am Steel Fabricators & Erectors |
| 1958-1949 | Paris Art Co (lamp mfrs) |
| 1940 | Briggs Founders Supplies & Equipment |
| 689 Florida St. | |
| 2006-2000 | Residential Use |
| 1990-1985 | Sleuth Publications Graphics |
| 1982-1977 | Thompson Robert Co. Waterproofing |
| 1971-1966 | Vacant |
| 1962-1958 | Scala Radio Co. |
| 1953-1910 | Residential Use |
| 691 Florida St. | |
| 2007 | Entermedia Network Co. |
| 2006-1944 | Residential Use |
| 1944-1910 | Flower Day; Residential Use |
| 700 Florida St. | |
| 1920-1910 | Ehrmann Frank J Liquors |
| 701 Florida St. | |
| 1985-1915 | Residential Use |
| 702 Florida St. | |
| 1971 | Weichhart Stamping Co. |
| 710 Florida St. | |
| 2012 | Debbie Does Dinner |
| 1982-1977 | American Wood & Metal Stripping Co (Furniture & Metal Stripping) |
| 1962 | Vacant |
| 1958 | Pelton Walter Wheel Shop |
| 625 York St. | |
| 2006-1910 | Residential Use |
| 639 York St. | |
| 2007-1990 | Pacific Coast Design |
| 700-798 York St. | |
| 1935 | Pacific Felt Company Inc (Cotton felt for automobiles) |

**2070 Bryant Streeet**
2070 Bryant Streeet
San Francisco, CA 94110

Inquiry Number: 3554977.6
March 22, 2013

# The EDR-City Directory Abstract

EDR® Environmental Data Resources Inc

440 Wheelers Farms Road
Milford, CT 06461
800 352 0050
www.edrnet.com

# TABLE OF CONTENTS

## SECTION

**Executive Summary**

**Findings**

**City Directory Images**

***Thank you for your business.***
Please contact EDR at 1-800-352-0050
with any questions or comments.

**Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2013 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

# EXECUTIVE SUMMARY

## DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1910 through 2012. This report compiles information gathered in this review by geocoding the latitude and longitude of properties identified and gathering information about properties within 332 feet of the target property.

A summary of the information obtained is provided in the text of this report.

## RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

| Year | Source | TP | Adjoining | Text Abstract | Source Image |
|---|---|---|---|---|---|
| 2012 | Cole Information Services | - | X | X | - |
| 2007 | Cole Information Services | - | X | X | - |
| 2006 | Haines Company, Inc. | - | X | X | - |
| 2000 | Haines & Company | - | X | X | - |
| 1993 | Pacific Bell | - | X | X | - |
| 1990 | Pacific Bell | - | X | X | - |
| 1985 | Pacific Bell | - | X | X | - |
| 1982 | R. L. Polk & Co. | - | X | X | - |
| 1977 | Pacific Telephone | - | X | X | - |
| 1971 | Pacific Telephone | - | X | X | - |
| 1966 | R. L. Polk & Co. | X | X | X | - |
| 1962 | R. L. Polk & Co. | - | X | X | - |
| 1958 | R. L. Polk & Co. | X | X | X | - |
| 1953 | R. L. Polk & Co. | X | X | X | - |
| 1949 | R. L. Polk & Co. | - | X | X | - |
| 1944 | R. L. Polk & Co. | X | X | X | - |
| 1940 | R. L. Polk & Co. | X | X | X | - |
| 1935 | R. L. Polk & Co. | X | X | X | - |
| 1930 | R. L. Polk & Co. | - | X | X | - |
| 1925 | R. L. Polk & Co. | X | X | X | - |
| 1920 | Pacific Telephone | - | X | X | - |
| 1915 | H. S. Crocker Co. | X | X | X | - |
| 1910 | H. S. Crocker Co. | X | X | X | - |

# FINDINGS

## TARGET PROPERTY INFORMATION

### ADDRESS

2070 Bryant Streeet
San Francisco, CA 94110

### FINDINGS DETAIL

Target Property research detail.

### BRYANT

**2070 BRYANT**

| Year | Uses | Source |
|---|---|---|
| 1925 | RAYMOND J MSNGRR | R. L. Polk & Co. |

### BRYANT AVE

**2070 BRYANT AVE**

| Year | Uses | Source |
|---|---|---|
| 1925 | ELMER FR | R. L. Polk & Co. |

### BRYANT ST

**2070 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 1966 | Harron Rickard &Mc Cone Co | R. L. Polk & Co. |
| | of Northern Cal tool | R. L. Polk & Co. |
| 1958 | Harron Rickard & McCono Co of Northern Calif mach tools | R. L. Polk & Co. |
| | Hurron Rickard & McCone Co of Northern Calif mach tools | R. L. Polk & Co. |
| 1953 | Harron Rickard & McCone Co | R. L. Polk & Co. |
| 1944 | HARRON RICKARD & MCCONE CO T W HARRON PRES F C EDMONDS V-PRES S S MORTON SE | R. L. Polk & Co. |
| 1940 | HARRON RICKARD & MCCONE CO T W HARRON PRES MACHY | R. L. Polk & Co. |
| 1935 | HARRON RICKARD & MCCONE CO T W HARRON PRES MACHY | R. L. Polk & Co. |
| 1925 | BRIES EDW WHLSEMN R | R. L. Polk & Co. |
| | DEBAR LOUIS LABR | R. L. Polk & Co. |
| | PRIES EDW C (CAROLINE) | R. L. Polk & Co. |
| | PRIES ELMER F SHIRTCTRR | R. L. Polk & Co. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1915 | Ehrmann Frank J liquors | H. S. Crocker Co. |
| | r | H. S. Crocker Co. |
| 1910 | Ehrmann Frank J liquors | H. S. Crocker Co. |
| | Mullen Ellen I Miss nurse Morton Hospital r | H. S. Crocker Co. |
| | Mullen Ellen widow r | H. S. Crocker Co. |
| | Mullen James F sec Hawley Mercantile Co r | H. S. Crocker Co. |
| | r | H. S. Crocker Co. |

# FINDINGS

## ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

### 18TH

**2815 18TH**

| Year | Uses | Source |
|---|---|---|
| 1990 | SAN FRANCISCO METAL SPINNING | Pacific Bell |
| 1985 | MULLER PETRA | Pacific Bell |

### 18TH ST

**2813 18TH ST**

| Year | Uses | Source |
|---|---|---|
| 2012 | HANDA KENZO ARCHITECT | Cole Information Services |
| | LUTSKO ASSOCIATES | Cole Information Services |
| 2007 | KENZO HANDA | Cole Information Services |

**2815 18TH ST**

| Year | Uses | Source |
|---|---|---|
| 2007 | LUTSKO ASSOCIATES | Cole Information Services |
| 1982 | Selzee Inc contr | R. L. Polk & Co. |
| 1977 | Selzee Inc contr | Pacific Telephone |
| 1971 | LYTESCAPE INC SUBSIDIARY OF LIGHTOLIER | Pacific Telephone |
| 1966 | Kustom Lighting & Mfg Co | R. L. Polk & Co. |
| 1958 | Decia A J Plmg Htg & Ventilating Co | R. L. Polk & Co. |
| | Champion Roofing Co | R. L. Polk & Co. |
| 1953 | Harron Rickard & McCone Co stge | R. L. Polk & Co. |

**2818 18TH ST**

| Year | Uses | Source |
|---|---|---|
| 2000 | No Current Listings | Haines & Company |
| 1925 | REED ROBT H BARBER | R. L. Polk & Co. |
| | REED ROBT H BARBER | R. L. Polk & Co. |

**2828 18TH ST**

| Year | Uses | Source |
|---|---|---|
| 2012 | 1900 BRYANT ST INVESTORS | Cole Information Services |
| 2006 | EICONINC | Haines Company, Inc. |

# FINDINGS

**2834 18TH ST**

| Year | Uses | Source |
|---|---|---|
| 1930 | MUNDSTOCK E L CANNERY WKRR | R. L. Polk & Co. |

## 19H

**2814 19H**

| Year | Uses | Source |
|---|---|---|
| 1930 | H | R. L. Polk & Co. |

## 19TH

**2700 19TH**

| Year | Uses | Source |
|---|---|---|
| 1990 | SAN FRANCISCO BAY GUARDIAN-GUARDIAN GRAPHICS | Pacific Bell |
| | SAN FRANCISCO BAY GUARDIAN | Pacific Bell |
| | SAN FRANCISCO BAY GUARDIAN | Pacific Bell |
| | SAN FRANCISCO BAY GUARDIAN | Pacific Bell |
| | SAN FRANCISCO BAY GUARDIAN | Pacific Bell |
| | DOUBLE W PUBLICATIONS | Pacific Bell |
| 1985 | SAN FRANCISCO BAY GUARDIAN-GUARDIAN GRAPHICS | Pacific Bell |
| | SAN FRANCISCO BAY GUARDIAN | Pacific Bell |
| | SAN FRANCISCO BAY GUARDIAN | Pacific Bell |
| | SAN FRANCISCO BAY GUARDIAN | Pacific Bell |
| | DOWNWIND PUBLICATIONS | Pacific Bell |
| | SAN FRANCISCO BAY GUARDIAN | Pacific Bell |
| 1925 | SHIRT FACTORY A N MAY MGR | R. L. Polk & Co. |

**2708 19TH**

| Year | Uses | Source |
|---|---|---|
| 1920 | INDEPENDTENTLAUNDRY | Pacific Telephone |

**2747 19TH**

| Year | Uses | Source |
|---|---|---|
| 1990 | EUREKA COFFEE CO LTD | Pacific Bell |

**2749 19TH**

| Year | Uses | Source |
|---|---|---|
| 1990 | AY MORGAN CONSTRUCTION CO | Pacific Bell |
| 1985 | ARMSTRONG FINISHING | Pacific Bell |

# FINDINGS

**2750 19TH**

| Year | Uses | Source |
|---|---|---|
| 1990 | FITZGERALD JF FURNITURE CO | Pacific Bell |
| 1985 | FITZGERALD J F FURNITURE CO | Pacific Bell |

**2790 19TH**

| Year | Uses | Source |
|---|---|---|
| 1990 | HENSON ANTONIO | Pacific Bell |

**2800 19TH**

| Year | Uses | Source |
|---|---|---|
| 1949 | RIEMERR | R. L. Polk & Co. |
| | MOORE JOS M (NELLIE M) CARPH | R. L. Polk & Co. |
| 1935 | H | R. L. Polk & Co. |
| 1930 | GINELLI ALBT (STELLA) MACH H | R. L. Polk & Co. |

**2812 19TH**

| Year | Uses | Source |
|---|---|---|
| 1949 | R | R. L. Polk & Co. |
| 1940 | H | R. L. Polk & Co. |
| 1915 | Britton Louis J salsn r | H. S. Crocker Co. |
| 1910 | Klumann Adolph foreman r | H. S. Crocker Co. |

**2812 1/2 19TH**

| Year | Uses | Source |
|---|---|---|
| 1925 | BURI(E JAS TRUNLKMKRH | R. L. Polk & Co. |

**2813 19TH**

| Year | Uses | Source |
|---|---|---|
| 1949 | H | R. L. Polk & Co. |
| 1925 | PAULI KICHOLAS (MARIFG) LABH | R. L. Polk & Co. |
| 1915 | Wuesterfeld Chas millwkr r | H. S. Crocker Co. |
| | Wuesterfeld Jos driver r | H. S. Crocker Co. |
| | Wuesterfeld Julius J Sarah millwkr h | H. S. Crocker Co. |

**2814 19TH**

| Year | Uses | Source |
|---|---|---|
| 1935 | DOWLING JAS (JULIA F) PORTER SFHOSPH | R. L. Polk & Co. |

# FINDINGS

**2815 19TH**

| Year | Uses | Source |
|---|---|---|
| 1990 | ROMERO C | Pacific Bell |
| | CHENG CFERILNO | Pacific Bell |
| 1985 | CHENG CEFERINO | Pacific Bell |
| 1949 | PONCATO VIRGINIAR | R. L. Polk & Co. |
| 1915 | Gau Philip Anna r | H. S. Crocker Co. |

**2817 19TH**

| Year | Uses | Source |
|---|---|---|
| 1990 | SHAPIRA ADAM | Pacific Bell |
| 1925 | LAND ALF (NELLLE) AUTTO MCLIH H | R. L. Polk & Co. |
| 1910 | Kerrigan James P teamster r | H. S. Crocker Co. |

**2828 19TH**

| Year | Uses | Source |
|---|---|---|
| 1990 | SAVOY A J | Pacific Bell |
| 1985 | SAVOY AJ | Pacific Bell |

**2899 19TH**

| Year | Uses | Source |
|---|---|---|
| 1930 | J (ETHEL) SLSMN H | R. L. Polk & Co. |

**2902 19TH**

| Year | Uses | Source |
|---|---|---|
| 1940 | JOHN G CO (ENTERPRISE FOUNDRY COMPANY) STOVE MFRS | R. L. Polk & Co. |
| 1925 | ENTERPRISE FOUNDRY CO CHARLES J P HOEHN PRES JAMES W HEANEY SEC A J MARTENS | R. L. Polk & Co. |
| 1915 | Martens A J cashr Enterprise Foundry Co r | H. S. Crocker Co. |

**2903 19TH**

| Year | Uses | Source |
|---|---|---|
| 1915 | Gau Fixture Co | H. S. Crocker Co. |
| 1910 | Gau Fixture Co The | H. S. Crocker Co. |

**2913 19TH**

| Year | Uses | Source |
|---|---|---|
| 1915 | Ahrens Fred Indywkr r | H. S. Crocker Co. |
| | Ahrens Annie wid Martin r | H. S. Crocker Co. |
| | Ahrens Albert driver r | H. S. Crocker Co. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1915 | Ahrens Martin bottler r | H. S. Crocker Co. |
| 1910 | Ahrens Martin trunkmkr r | H. S. Crocker Co. |
| | Ahrens Annie widow r | H. S. Crocker Co. |

## 19TH AVE

### 2686 19TH AVE

| Year | Uses | Source |
|---|---|---|
| 2006 | RESIDENT | Haines Company, Inc. |
| 2000 | MURPHYJames P | Haines & Company |
| | OMURPHYJas P | Haines & Company |
| 1993 | Murphy Jas P | Pacific Bell |
| | Murphy James P Jr | Pacific Bell |
| 1990 | MURPHY DAWN | Pacific Bell |
| | MURPHY JOS P | Pacific Bell |
| | MURPHY JAMES PJR | Pacific Bell |
| 1985 | MURPHY DAWN | Pacific Bell |
| | MURPHY JAS P | Pacific Bell |
| 1982 | Murphy James P | R. L. Polk & Co. |
| 1977 | Murphy James P | Pacific Telephone |
| 1971 | DONOHOE GEO W | Pacific Telephone |
| 1966 | Donohoe Geo WO | R. L. Polk & Co. |
| 1962 | Donohoe Geo W | R. L. Polk & Co. |
| 1958 | Donohoe Geo W | R. L. Polk & Co. |
| 1953 | Donobue Geo W | R. L. Polk & Co. |
| 1949 | GEO W (MARGT) INS R403 | R. L. Polk & Co. |
| | WM B (NANCY) CLK R | R. L. Polk & Co. |
| 1944 | DONOHOE GEO W (MARGUERITE) INS BROKERR412 | R. L. Polk & Co. |
| 1940 | GEO W (MARGUERITE A) ATTY F&CCO H | R. L. Polk & Co. |

### 2690 19TH AVE

| Year | Uses | Source |
|---|---|---|
| 2006 | RESIDENT | Haines Company, Inc. |
| 2000 | TANGJoan | Haines & Company |
| 1985 | HOSACK LENOIR | Pacific Bell |
| | HOSACK EDW S SR | Pacific Bell |
| 1982 | Hosack Edw S | R. L. Polk & Co. |
| 1977 | Hosack Edw S | Pacific Telephone |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1971 | HOSACK EDW S | Pacific Telephone |
| 1966 | Bowman Silvina Mrs | R. L. Polk & Co. |
| 1962 | Bowman Silvina Mrs | R. L. Polk & Co. |
| 1958 | Bowman Silvinia Mrs | R. L. Polk & Co. |
| 1953 | Bowman Silvina | R. L. Polk & Co. |
| 1949 | BOWMAN WM A (EDNA) MECHR | R. L. Polk & Co. |
| | BOWMAN SILVINA MRSH | R. L. Polk & Co. |
| 1944 | CLAUDE (SHIRLEY) USN H | R. L. Polk & Co. |
| 1940 | SHIRLEY E MRS OFC MGR MISSION MERCHANTS NEWS INC R | R. L. Polk & Co. |
| | HARMAN CLAUDE A (SHIRLEY E) CIRC MGR MISSION MERCHANTS NEWSH | R. L. Polk & Co. |

**2691 19TH AVE**

| Year | Uses | Source |
|---|---|---|
| 1940 | SPALINGER JOHN I (MARY) REP GPCORPH | R. L. Polk & Co. |

**2694 19TH AVE**

| Year | Uses | Source |
|---|---|---|
| 2000 | HEAGNEYBrendan | Haines & Company |
| 1993 | Heagney Brendan | Pacific Bell |
| 1990 | HEAGNEY BRENDAN | Pacific Bell |
| 1982 | Bacis Wilma Mrs | R. L. Polk & Co. |
| 1977 | Bacis Louis J | Pacific Telephone |
| 1971 | BELL JOHN K | Pacific Telephone |
| 1966 | Campbell Steve W | R. L. Polk & Co. |
| 1962 | Campbell Steve W | R. L. Polk & Co. |
| 1958 | Campbeill Steve W O | R. L. Polk & Co. |
| 1953 | Campbell Steph | R. L. Polk & Co. |
| 1949 | CAMPBELL SUZANNE BEAUTY OPRR | R. L. Polk & Co. |
| | CAMPBELL STEVEN W (MABEL) COOK CITY PARK DEPTH | R. L. Polk & Co. |
| | CAMPBELL MARION TYPISTR | R. L. Polk & Co. |
| | CAMPBELL MABEL CLK CITY PARK DEPTR | R. L. Polk & Co. |
| 1944 | R | R. L. Polk & Co. |
| | CAMPBELL STEVEN W (MABEL) COOK CITY PARKS DEPTH | R. L. Polk & Co. |
| 1940 | CAMPBELL STEVE W (MABEL) CAFE MGR CITY PARKS DEPTH | R. L. Polk & Co. |

# FINDINGS

**2698 19TH AVE**

| Year | Uses | Source |
|---|---|---|
| 2006 | RESIDENT | Haines Company, Inc. |
| 2000 | SASSERJoan | Haines & Company |
| | OMURPHYJas P | Haines & Company |
| | SAN FRANCISCO | Haines & Company |
| | WEALTH CODE | Haines & Company |
| 1985 | SASSER H L & JM | Pacific Bell |
| 1982 | Costa Carrier Service del serv | R. L. Polk & Co. |
| | Costa Wm R | R. L. Polk & Co. |
| | Sasser Howard | R. L. Polk & Co. |
| 1977 | Costa Wm R | Pacific Telephone |
| 1971 | COSTA WM R | Pacific Telephone |
| 1966 | Costa Wm R | R. L. Polk & Co. |
| 1962 | Costa Wm R | R. L. Polk & Co. |
| 1958 | Costa Wm R | R. L. Polk & Co. |
| 1953 | Selar Jos | R. L. Polk & Co. |
| 1949 | SCLAR JOS (GUSSIE) PNTRH | R. L. Polk & Co. |
| | ALBT C (PEGGY) MECHR | R. L. Polk & Co. |
| 1944 | SCLAR JOS (GOSSA) PNTRH | R. L. Polk & Co. |

**2730 19TH AVE**

| Year | Uses | Source |
|---|---|---|
| 2000 | No Current Listings | Haines & Company |
| 1930 | MCKEEHAN JERRY C ELK R | R. L. Polk & Co. |
| | IRVING C RH | R. L. Polk & Co. |
| 1920 | KEITH DONALD R | Pacific Telephone |

**2740 19TH AVE**

| Year | Uses | Source |
|---|---|---|
| 1930 | BARRANGON EVELYN G STEN U S CUSTOMSR | R. L. Polk & Co. |
| 1920 | P2TTISDRZILDAT R | Pacific Telephone |

**2750 19TH AVE**

| Year | Uses | Source |
|---|---|---|
| 1940 | WELLNITS CHAS H (MARIE) CARPR | R. L. Polk & Co. |

**2760 19TH AVE**

| Year | Uses | Source |
|---|---|---|
| 2006 | APTS | Haines Company, Inc. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 2006 | ITSIKSON Igor | Haines Company, Inc. |
| | JACOBSON Eugene | Haines Company, Inc. |
| | JARDINEDonald | Haines Company, Inc. |
| | KARANTZALIS Philip | Haines Company, Inc. |
| | LAVELLEPhyllls | Haines Company, Inc. |
| | LAZARJohn | Haines Company, Inc. |
| | LIMSIN HU Helen | Haines Company, Inc. |
| | LITTLE Naoii | Haines Company, Inc. |
| | LUTZ Ronald | Haines Company, Inc. |
| | MCDEVITTSusan | Haines Company, Inc. |
| | NISCEA | Haines Company, Inc. |
| | PADILLATanas | Haines Company, Inc. |
| | PECKLERJosh | Haines Company, Inc. |
| | PETTUS David | Haines Company, Inc. |
| | OPODESTOJohn | Haines Company, Inc. |
| | REISMANAS | Haines Company, Inc. |
| | ROBERTL | Haines Company, Inc. |
| | ROSENBLATC | Haines Company, Inc. |
| | RUBINSHTEYN | Haines Company, Inc. |
| | Gennady | Haines Company, Inc. |
| | RUBINSHTEYN | Haines Company, Inc. |
| | Gennady | Haines Company, Inc. |
| | SHEKHTER Boris | Haines Company, Inc. |
| | SKERLBemnadette | Haines Company, Inc. |
| | STIEBERLeya | Haines Company, Inc. |
| | TAN Luls | Haines Company, Inc. |
| | UAN Oscar | Haines Company, Inc. |
| | VERECZKEI Joseph | Haines Company, Inc. |
| | a WANGYung | Haines Company, Inc. |
| | YING U | Haines Company, Inc. |
| | ZEHNDER LUnde | Haines Company, Inc. |
| 2000 | APARTMENTS | Haines & Company |
| | GREENBAUM Charles | Haines & Company |
| | GREENBAUM Miida | Haines & Company |
| | JACOBSON Eugene D | Haines & Company |
| | ROSENBLATChnstine | Haines & Company |
| | ROSENBLATSimon | Haines & Company |
| | VERECZKEI Joseph | Haines & Company |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 2000 | GO Patrick L | Haines & Company |
| 1993 | Mogami Nick | Pacific Bell |
| | Vereczkei Joseph | Pacific Bell |
| | Greenbaum Charles & Milda | Pacific Bell |
| | Go Patrick L | Pacific Bell |
| 1990 | BECKER I HAROLD A | Pacific Bell |
| | GREENBAUM CHARLES & MILDA | Pacific Bell |

**2770 19TH AVE**

| Year | Uses | Source |
|---|---|---|
| 2006 | APARTMENTS GOLDBERGB | Haines Company, Inc. |
| | GOLDBERGP | Haines Company, Inc. |
| | GONZALES Ramon | Haines Company, Inc. |
| | GREENBAUMChares | Haines Company, Inc. |
| | JARDINEDonald | Haines Company, Inc. |
| | KARANTZAUS Philip | Haines Company, Inc. |
| | LALANNEL | Haines Company, Inc. |
| | LAVELLEPD | Haines Company, Inc. |
| | MAINKERElalne | Haines Company, Inc. |
| | MASLACHH | Haines Company, Inc. |
| | o YAGUDAYEVA | Haines Company, Inc. |
| | Svetlana | Haines Company, Inc. |
| 2000 | CHANJiumsan Haew | Haines & Company |
| | APARTMENTS | Haines & Company |
| | ERANA Amada L | Haines & Company |
| | GOLDBERGB | Haines & Company |
| | GOLDBERG P | Haines & Company |
| | HELIN K L | Haines & Company |
| | JARDINE Donald | Haines & Company |
| | JARDINEJanica | Haines & Company |
| | LALANNEL | Haines & Company |
| | MASLACH H | Haines & Company |
| | OZERMAS | Haines & Company |
| | Pheung | Haines & Company |
| 1993 | Erana Amada L | Pacific Bell |
| 1990 | ERANA AMADA L | Pacific Bell |
| 1985 | ERANA AMADA L | Pacific Bell |
| 1982 | Sundby Geo | R. L. Polk & Co. |
| | Blakely Bryce E | R. L. Polk & Co. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1982 | Lee Francis K | R. L. Polk & Co. |
| | Erana Amanda L | R. L. Polk & Co. |
| | Sax Richd | R. L. Polk & Co. |
| | Way Daisy | R. L. Polk & Co. |
| | Larter R Brooks | R. L. Polk & Co. |
| | Sloban Milton | R. L. Polk & Co. |

**2780 19TH AVE**

| Year | Uses | Source |
|---|---|---|
| 2006 | o PARADIESMartha | Haines Company, Inc. |
| 2000 | CLARKJames W | Haines & Company |
| | SOOPaulino | Haines & Company |
| 1993 | GROVE THE | Pacific Bell |
| 1982 | Chandra Suriana | R. L. Polk & Co. |
| | Moll Leo F | R. L. Polk & Co. |
| | Sloban Shgri L | R. L. Polk & Co. |
| | Cope R | R. L. Polk & Co. |
| | Johnson E L | R. L. Polk & Co. |

**2790 19TH AVE**

| Year | Uses | Source |
|---|---|---|
| 2006 | APARTMENTS ABAYARamon | Haines Company, Inc. |
| | ABOm ZEnrique | Haines Company, Inc. |
| | BAKER Russell | Haines Company, Inc. |
| | BATES Sylvania | Haines Company, Inc. |
| | BENEDICTYvonne | Haines Company, Inc. |
| | B ERGMANN Kay | Haines Company, Inc. |
| | CATANZARIT Sergio | Haines Company, Inc. |
| | CHAN CHoe | Haines Company, Inc. |
| | CHUALIog | Haines Company, Inc. |
| | CLIFFORD Harry FJr | Haines Company, Inc. |
| | COTTONRalph | Haines Company, Inc. |
| | DEOCAMPO | Haines Company, Inc. |
| | Leonardo | Haines Company, Inc. |
| | GABERAlex | Haines Company, Inc. |
| | GABERMargarita | Haines Company, Inc. |
| | GO Barbara | Haines Company, Inc. |
| | HAYFORD Frank S | Haines Company, Inc. |
| | JARVISJEdward | Haines Company, Inc. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 2006 | KORFMACHER | Haines Company, Inc. |
| | Blanche | Haines Company, Inc. |
| | LAZARJohn | Haines Company, Inc. |
| | MCGUIREJ | Haines Company, Inc. |
| | e MONTILLAAlberto | Haines Company, Inc. |
| | SUGARWIllam | Haines Company, Inc. |
| | TAN Lus | Haines Company, Inc. |
| | TERRYS | Haines Company, Inc. |
| 2000 | APARTMENTS | Haines & Company |
| | ABAYA Ramon | Haines & Company |
| | ABOITIZAnnabelle | Haines & Company |
| | ABOITIZLuis | Haines & Company |
| | BATES Sylvania Kwan | Haines & Company |
| | CLARFIELDP | Haines & Company |
| | COTTON Ralph A | Haines & Company |
| | DEOCAMPO Leonardo | Haines & Company |
| | GABERAlex | Haines & Company |
| | GABER Margarila | Haines & Company |
| | HAYFORDFRANKS | Haines & Company |
| | HAYFORD Frank S | Haines & Company |
| | SUGAR Marilyn | Haines & Company |
| | SUGAR William | Haines & Company |
| | TERRY S | Haines & Company |
| | VANVOORDEN Gilbert | Haines & Company |
| | WALL Robert R | Haines & Company |
| | YANG Bob Gun | Haines & Company |
| 1993 | Abaya Ramon | Pacific Bell |
| | Yue Albert | Pacific Bell |
| | Windeler F H | Pacific Bell |
| | Mendieta Jose & Pacita | Pacific Bell |
| | Sugar William & Marilyn | Pacific Bell |
| | Bergmann K L | Pacific Bell |
| | Lee Mrs Justa L | Pacific Bell |
| | Dorendaun Alejandro | Pacific Bell |
| | Mac Gugan Kirk & Thomas | Pacific Bell |
| | McDonald Loretta | Pacific Bell |
| | Cotton Ralph A | Pacific Bell |
| | Sunderaj N | Pacific Bell |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1993 | Jones Gary | Pacific Bell |
| | Stenwick Wm P | Pacific Bell |
| | Hayford Frank S | Pacific Bell |
| | Cunningham Ralph J | Pacific Bell |
| | Galant Max | Pacific Bell |
| | De Ocampo Leonardo | Pacific Bell |
| 1990 | BABALLS WJ | Pacific Bell |
| | COTTON RALPH A | Pacific Bell |
| | CUNNINGHAM RALPH J | Pacific Bell |
| | DE OCAMPO LEONARDO | Pacific Bell |
| | GARBER ROCHELLE | Pacific Bell |
| | GROLITZER S | Pacific Bell |
| | HAYFORD FRANK S | Pacific Bell |
| | IGUAL MANUEL J | Pacific Bell |
| | LEE MRS JUSTA L | Pacific Bell |
| | MENDIETA JOSE & PACITA | Pacific Bell |
| | NELSON LINDA A | Pacific Bell |
| 1985 | BECKER HAROLD A | Pacific Bell |
| | BOHLEN H E | Pacific Bell |
| | CALDERON SANDRA | Pacific Bell |
| | CLARK B V MRS | Pacific Bell |
| | COTTON RALPH A | Pacific Bell |
| | DE VINO B | Pacific Bell |
| | DINNOCENZO JOS & NANCY | Pacific Bell |
| | IGUAL MANUEL J | Pacific Bell |
| | KORAN STEVE & DEBBIE | Pacific Bell |
| | LEE MRS JUSTA L | Pacific Bell |
| | MARTIN QUINTA A | Pacific Bell |
| | NAGGAR M | Pacific Bell |
| | SHERMAN JACK G | Pacific Bell |
| 1982 | Grove The apts | R. L. Polk & Co. |
| | Bohlen H E | R. L. Polk & Co. |
| | Lee Justa L Mrs | R. L. Polk & Co. |
| | Boland Frank L | R. L. Polk & Co. |
| | Farber Harry | R. L. Polk & Co. |
| | Crocker D R | R. L. Polk & Co. |
| | Leong Charles | R. L. Polk & Co. |
| | Licaros Marita | R. L. Polk & Co. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1982 | Ung Bee Kok | R. L. Polk & Co. |
| | Padilla Miguel A | R. L. Polk & Co. |
| | Lichaytoo B | R. L. Polk & Co. |
| | Igual Manuel J | R. L. Polk & Co. |
| | Windeler F H | R. L. Polk & Co. |
| | Yue Albert | R. L. Polk & Co. |
| | Hammer Hal | R. L. Polk & Co. |
| | Abaya Ramon | R. L. Polk & Co. |
| | Yap Rose | R. L. Polk & Co. |
| | Howell N J | R. L. Polk & Co. |

**2812 19TH AVE**

| Year | Uses | Source |
|---|---|---|
| 1949 | MULDOON MARY (WID E A)H | R. L. Polk & Co. |

**2819 19TH AVE**

| Year | Uses | Source |
|---|---|---|
| 1949 | R | R. L. Polk & Co. |

**2850 19TH AVE**

| Year | Uses | Source |
|---|---|---|
| 2006 | SCTTSH RTE A&ASR SAN FRAN SCTTSH | Haines Company, Inc. |
| | RTE NSNC CNTR | Haines Company, Inc. |
| | SCOTTISHRITEAI& | Haines Company, Inc. |
| | SCOTTISH RTE 415 664 4 S | Haines Company, Inc. |
| | CHLHD LNGE | Haines Company, Inc. |
| | DSODR | Haines Company, Inc. |
| | MASONICFRAT | Haines Company, Inc. |
| 2000 | MASONICFRATERNITY | Haines & Company |
| | SAN FRAN BODIES | Haines & Company |
| | SCOTTISHRITEA&ASR | Haines & Company |
| | SCOTTISHRITEINST | Haines & Company |
| 1993 | SCOTTISH RITE INSTITUTE FOR CHILDHOOD APHASIA | Pacific Bell |
| | S F BODIES AASR | Pacific Bell |
| | S F BODIES A A S R | Pacific Bell |
| 1990 | CALIFORNIA SCOTTISH RITES-BLUE LODGES | Pacific Bell |
| | SCOTTISH RITE INSTITUTE FOR CHILDHOOD APHASIA | Pacific Bell |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1985 | CALIFORNIA SCOTTISH RITES-BLUE LODGES | Pacific Bell |
| | SCOTTISH RITE INSTITUTE FOR CHILDHOOD APHASIA | Pacific Bell |
| 1982 | California Bodies Scottish Rite | R. L. Polk & Co. |
| 1977 | California Bodies Scottish Rita | Pacific Telephone |
| 1971 | CALIFORNIA BODIES SCOTTISH RITE | Pacific Telephone |
| 1966 | Cal Bodies Scottish Rite | R. L. Polk & Co. |
| 1935 | BARRANGON EVELYN C MRS STEN U S CUSTOMSR | R. L. Polk & Co. |
| | CALIF JEAN L MRS (ARMSTRONG CARTER KENYON)R | R. L. Polk & Co. |
| | ROSSI MARY A MRS TCHR PUB SCHR | R. L. Polk & Co. |
| 1930 | HAWKINS CHAS A (MABEL) REAL ESTR810 | R. L. Polk & Co. |
| | HAWVKINS R | R. L. Polk & Co. |
| 1925 | CLERICO COSTANSA FACTORVWKRR | R. L. Polk & Co. |
| | HAWKINS CHAS A PRES HAWKINS IMPROVEMENT COH | R. L. Polk & Co. |
| | HAWKINS JEANR | R. L. Polk & Co. |
| 1920 | HAWKINS CHAS A R | Pacific Telephone |
| 1915 | Hawkins Chas A Mrs prin Outdoor School r | H. S. Crocker Co. |
| 1910 | Lund Peter S gardener r | H. S. Crocker Co. |

**2900 19TH AVE**

| Year | Uses | Source |
|---|---|---|
| 2006 | IMAGEPACIFIC | Haines Company, Inc. |
| | CHOYWayland | Haines Company, Inc. |
| 2000 | IMAGE PACIFIC | Haines & Company |
| | SFONG Robart | Haines & Company |
| 1982 | Schwabe Albert L | R. L. Polk & Co. |
| 1977 | Schwabe Albert L | Pacific Telephone |
| 1971 | SCHWABE ALBERT L | Pacific Telephone |
| | SCHWABE NANCY | Pacific Telephone |
| 1966 | Wood Edna B | R. L. Polk & Co. |
| 1962 | Hazel Albert M R3 | R. L. Polk & Co. |
| 1958 | Berti Lou Mrs | R. L. Polk & Co. |
| 1953 | Berti John M | R. L. Polk & Co. |
| 1949 | BERTI JOHN M (LULU) DIR A LEVY & J ZENTNER COH | R. L. Polk & Co. |
| 1944 | BEITI JOHN M (LUILA) WITH AL&JZCOH | R. L. Polk & Co. |

# FINDINGS

**2901 19TH AVE**

| Year | Uses | Source |
|---|---|---|
| 1953 | Hallowell Seed | R. L. Polk & Co. |
| 1949 | DOHME JACK (ORIOLE J) BARTNDRH | R. L. Polk & Co. |
| | DOHME VIOLETTER | R. L. Polk & Co. |
| 1944 | LAGE ELEANORR | R. L. Polk & Co. |
| | LAGE CHAS E (GERTRUDE) REFRIG ENGH | R. L. Polk & Co. |

**2906 19TH AVE**

| Year | Uses | Source |
|---|---|---|
| 2006 | MIU Franklin | Haines Company, Inc. |
| 2000 | MIU Franklin | Haines & Company |
| 1993 | Chau Wai Kong | Pacific Bell |
| | Miu Franklin | Pacific Bell |
| 1990 | MIU FRANKLIN | Pacific Bell |
| | MIU FRANKLIN | Pacific Bell |
| 1982 | Chiang Ymg Chi | R. L. Polk & Co. |
| 1977 | Wiseman Carolyn Mrs | Pacific Telephone |
| 1971 | MISRACH NORMAN W | Pacific Telephone |
| 1966 | Misrach Norman W | R. L. Polk & Co. |
| 1962 | Misrach Norman W | R. L. Polk & Co. |
| 1958 | Misrach Norman W | R. L. Polk & Co. |
| 1953 | Misrach Norman W | R. L. Polk & Co. |
| 1949 | MISRACH NORMAN W (IDA) (MISRACK S)H | R. L. Polk & Co. |

**2912 19TH AVE**

| Year | Uses | Source |
|---|---|---|
| 2006 | e MAZZEIMaria | Haines Company, Inc. |
| | BLANCHARDJA | Haines Company, Inc. |
| 2000 | MAZZEIMaria | Haines & Company |
| 1982 | Schomer Lillian Mrs | R. L. Polk & Co. |
| 1977 | Schomer Lillian Mrs | Pacific Telephone |
| 1971 | SCHCMER LLOYD N | Pacific Telephone |
| 1966 | Schomer Lloyd N | R. L. Polk & Co. |
| 1962 | Schomer Lloyd N | R. L. Polk & Co. |
| 1958 | Schomer Loyd N | R. L. Polk & Co. |
| 1953 | Schomer Lloyd N | R. L. Polk & Co. |
| 1949 | SCHORMCR LLOYD N (LILLIAN) (J F SCHEMER & SONS)H | R. L. Polk & Co. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1944 | SCHOMER LLOYD N (LILLIAN) (J F SCHEMER & SONS)H | R. L. Polk & Co. |
| 1940 | SCHOMER LLOVD N (LILLIAN) (J F SCHOMER & SONS) R | R. L. Polk & Co. |

## 19TH CORNER YORK

**2700 19TH CORNER YORK**

| Year | Uses | Source |
|---|---|---|
| 1944 | CROWN MANUFACTURING CO INC R M MAY PRES A W NEWMAN V-PRES TR E FALK SEC-TRE | R. L. Polk & Co. |
| 1940 | CROWN MANUFACTURING CO INC R M MAY PRES A W NEWMAN V-PRES L E FALK SEC-TREA | R. L. Polk & Co. |

## 19TH ST

**2698 19TH ST**

| Year | Uses | Source |
|---|---|---|
| 1990 | SASSER H L & JM | Pacific Bell |

**2700 19TH ST**

| Year | Uses | Source |
|---|---|---|
| 2012 | HARAMIS BROTHERS | Cole Information Services |
| | B L A M | Cole Information Services |
| 2007 | YAMA & MAR DESIGN | Cole Information Services |
| 2006 | DESIGN | Haines Company, Inc. |
| | YAMAANDMAR | Haines Company, Inc. |
| | BLAM | Haines Company, Inc. |
| 2000 | SWIRLINC | Haines & Company |
| 1993 | DOUBLE W PUBLICATIONS | Pacific Bell |
| | HOLIDAY MAGIC | Pacific Bell |
| 1982 | Downwind Publications | R. L. Polk & Co. |
| | San Francisco Bay Guardian newspaper | R. L. Polk & Co. |
| 1977 | San Francisco Bay Guardian newspaper | Pacific Telephone |
| 1971 | R G S INC WHOL FURN | Pacific Telephone |
| 1966 | R G S Inc furn whol | R. L. Polk & Co. |
| 1962 | Reynard Press | R. L. Polk & Co. |
| 1958 | Reynard Press | R. L. Polk & Co. |
| 1953 | Reynard Press | R. L. Polk & Co. |
| | Logvy John B uphol | R. L. Polk & Co. |

# FINDINGS

**2719 19TH ST**

| Year | Uses | Source |
|---|---|---|
| 1971 | VACANT | Pacific Telephone |

**2723 19TH ST**

| Year | Uses | Source |
|---|---|---|
| 1971 | SANCHEZ BERNARDO | Pacific Telephone |

**2745 19TH ST**

| Year | Uses | Source |
|---|---|---|
| 1982 | Vacant | R. L. Polk & Co. |
| 1977 | Vacant | Pacific Telephone |
| 1971 | PACIFIC FELT CO WHSE | Pacific Telephone |
| 1966 | Pac Felt Co whse | R. L. Polk & Co. |
| 1962 | Pac Felt Co vhse | R. L. Polk & Co. |
| 1958 | Pacific Felt Co whse | R. L. Polk & Co. |

**2747 19TH ST**

| Year | Uses | Source |
|---|---|---|
| 2012 | TECTA ASSOCIATES | Cole Information Services |
| | PATOCK FABRICATION | Cole Information Services |
| | WOLF STEVEN FINE ARTS | Cole Information Services |
| 2007 | TECTA ASSOCIATES | Cole Information Services |
| 2006 | TECTA ASSOCIATES | Haines Company, Inc. |
| 2000 | No Current Listings | Haines & Company |
| 1993 | THEODORAS | Pacific Bell |
| | EUREKA COFFEE CO LTD | Pacific Bell |

**2749 19TH ST**

| Year | Uses | Source |
|---|---|---|
| 2000 | No Current Listings | Haines & Company |

**2750 19TH ST**

| Year | Uses | Source |
|---|---|---|
| 2012 | FITZGERALD JF | Cole Information Services |
| 2007 | JF FITZGERALD FURNITURE INC | Cole Information Services |
| 2006 | FITZGERALD J F | Haines Company, Inc. |
| | FURNITURE CO | Haines Company, Inc. |
| 2000 | No Current Listings | Haines & Company |
| 1993 | FITZGERALD J F FURNITURE CO | Pacific Bell |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1982 | Food Service Contractors Co food serv & sup | R. L. Polk & Co. |
| 1971 | NATIONAL STORE FIXTURE CO INC BLDG CONTR | Pacific Telephone |
| 1966 | Vacant | R. L. Polk & Co. |
| | Bryant intersectff | R. L. Polk & Co. |
| 1962 | Nati Store Fixtures Co Inc cabt | R. L. Polk & Co. |
| 1958 | Natl Store Fixture Co Inc | R. L. Polk & Co. |
| 1953 | Natl Store Fixture | R. L. Polk & Co. |

**2755 19TH ST**

| Year | Uses | Source |
|---|---|---|
| 1982 | Pacific Felt Whse | R. L. Polk & Co. |

**2760 19TH ST**

| Year | Uses | Source |
|---|---|---|
| 1977 | Food Service Contractors Co food serv & sup | Pacific Telephone |

**2800 19TH ST**

| Year | Uses | Source |
|---|---|---|
| 1993 | Gonzalez Lugarda | Pacific Bell |
| 1982 | Gonzalez Lugarda | R. L. Polk & Co. |
| 1977 | No Return | Pacific Telephone |
| 1971 | NO RETURN | Pacific Telephone |
| 1966 | Suminerville Chas | R. L. Polk & Co. |
| 1962 | Bravo Salvador | R. L. Polk & Co. |
| 1958 | Bravo Salvador | R. L. Polk & Co. |
| 1953 | Moore Jos M | R. L. Polk & Co. |
| 1944 | NORD CARL E (RUTH) MACH EE&FH | R. L. Polk & Co. |
| 1935 | ROY ANNER | R. L. Polk & Co. |
| 1925 | COCHRAN ARTHI (ELIZ) STOKOER S F F DR | R. L. Polk & Co. |

**2809 19TH ST**

| Year | Uses | Source |
|---|---|---|
| 1971 | GALLEGOS LUGAR | Pacific Telephone |

**2810 19TH ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | PHELAN Daniel M | Haines Company, Inc. |

# FINDINGS

**2812 19TH ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | BRAUNSTEIN Aiel | Haines Company, Inc. |
| 2000 | WESTVerma | Haines & Company |
| 1982 | Vierra David | R. L. Polk & Co. |
| | De Alba Jose L | R. L. Polk & Co. |
| 1977 | Roscotti Lena | Pacific Telephone |
| 1971 | NO RETURN | Pacific Telephone |
| | THOMAS BARTHOLOMEW | Pacific Telephone |
| 1966 | Riordan Wm | R. L. Polk & Co. |
| | j Mandez Jesus | R. L. Polk & Co. |
| 1962 | Rodrigues Aladin S | R. L. Polk & Co. |
| | Sedeno John | R. L. Polk & Co. |
| 1958 | Rodriques Aladin S | R. L. Polk & Co. |
| | Colon Jos S | R. L. Polk & Co. |
| 1953 | Muldoon Mary Mrs | R. L. Polk & Co. |
| 1949 | GREATHOUSE SAMLR | R. L. Polk & Co. |
| | HANLEY JAR | R. L. Polk & Co. |
| | VO EDWR | R. L. Polk & Co. |
| | VOSS RONALDR | R. L. Polk & Co. |
| 1944 | COLLOSI LILLIAN E MRSH | R. L. Polk & Co. |
| 1935 | COLLOSI EVELYN S FOLDER CALIF CARD MFG COR | R. L. Polk & Co. |
| | COLLOSI ANNA MRSH | R. L. Polk & Co. |
| 1925 | RYAN THOS F MNDRH | R. L. Polk & Co. |
| | RYAN JOHN J MLDRR | R. L. Polk & Co. |
| | PROFUMNO FRANK (ROVITA) SHOE REPR | R. L. Polk & Co. |
| 1910 | Lukick Roko lab r | H. S. Crocker Co. |
| | Mabley Edward shoemkr r | H. S. Crocker Co. |

**2812 1/2 19TH ST**

| Year | Uses | Source |
|---|---|---|
| 1944 | STANYAN RAYMOND A (VERA) SHIPYDWKRH | R. L. Polk & Co. |

**2813 19TH ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | a VOORHEES Robert | Haines Company, Inc. |
| 2000 | OVOORHEESRoberd | Haines & Company |
| 1993 | DIFFERENT WORLDS | Pacific Bell |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1982 | Vacant | R. L. Polk & Co. |
| 1977 | Vacant | Pacific Telephone |
| 1971 | MASSARSKY SAMUEL | Pacific Telephone |
| 1966 | 2813 15 Vacant | R. L. Polk & Co. |
| 1962 | Clark Kathleen Mrs | R. L. Polk & Co. |
| 1958 | Thompson Plasticraft | R. L. Polk & Co. |
| 1944 | LEMEN MILDRED P MRS COOKR | R. L. Polk & Co. |
| | MCKAY AVIS M ELK EE&FR | R. L. Polk & Co. |
| | KIRK RAYMOND L (LUCY) LAB EE&FH | R. L. Polk & Co. |
| 1940 | VIDAL FRANK (ROSE) LABH | R. L. Polk & Co. |
| 1935 | GUINEY MICHL STEVEDOREH | R. L. Polk & Co. |

**2814 19TH ST**

| Year | Uses | Source |
|---|---|---|
| 2012 | UNIVERSAL CAFE | Cole Information Services |
| 2007 | UNIVERSAL CAFE | Cole Information Services |
| | A 24 7 EMERGENCY A LOCKSMITH | Cole Information Services |
| 2006 | UNIVRSLCAFE | Haines Company, Inc. |
| 2000 | No Current Listings | Haines & Company |
| 1993 | Voorhees Bonner | Pacific Bell |
| 1982 | Vacant | R. L. Polk & Co. |
| 1977 | Thompson Robert Co | Pacific Telephone |
| 1971 | VACANT | Pacific Telephone |
| 1962 | Scala Radio radio sup mfrs | R. L. Polk & Co. |
| 1958 | Scala Radio Co mfr | R. L. Polk & Co. |
| 1953 | Scala Radio Co | R. L. Polk & Co. |
| 1930 | KLOPPER AUG LABR | R. L. Polk & Co. |

**2815 19TH ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | o CHENGIvan | Haines Company, Inc. |
| 2000 | No Current Listings | Haines & Company |
| 1993 | Cheng Ceferino | Pacific Bell |
| | Romero C | Pacific Bell |
| 1982 | Calderon Amparo | R. L. Polk & Co. |
| | Camacho Rosendo | R. L. Polk & Co. |
| 1977 | Renteria Shirley | Pacific Telephone |
| | Camacho Rosendo | Pacific Telephone |
| 1971 | RUIZ ISRAEL | Pacific Telephone |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1966 | 2813 15 Vacant | R. L. Polk & Co. |
| 1962 | Parrish Blanche Mrs | R. L. Polk & Co. |
| 1958 | Greesbach W H | R. L. Polk & Co. |
| 1949 | ORBE VIRGINIA CLK A C HORN COR | R. L. Polk & Co. |
| | PONCATO CARLOS D (MABEL M) INGSHRMNH | R. L. Polk & Co. |
| 1944 | CARLOS D (MAYBLE) SEAMN H | R. L. Polk & Co. |
| 1940 | HENDEBSON WILLARD (ETHEL) FNDRYWKRH | R. L. Polk & Co. |
| 1930 | TIMLIT WM LABH | R. L. Polk & Co. |

**2817 19TH ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | a VARGAHarvey | Haines Company, Inc. |
| | TATROWNicole | Haines Company, Inc. |
| | TATROWNIcole | Haines Company, Inc. |
| | KORENMor | Haines Company, Inc. |
| 2000 | VARGA Harvey | Haines & Company |
| 1993 | Shapira Adam | Pacific Bell |
| 1982 | Vacant | R. L. Polk & Co. |
| 1977 | Vacant | Pacific Telephone |
| 1971 | MISSION ART | Pacific Telephone |
| 1966 | Vacant | R. L. Polk & Co. |
| 1962 | Messier Arth | R. L. Polk & Co. |
| 1958 | Garella Mary S Mrs | R. L. Polk & Co. |
| 1953 | Garella Pete | R. L. Polk & Co. |
| 1949 | GARELLA PETER (MARY) H | R. L. Polk & Co. |
| 1944 | MCNULTY ALBT C (THELMA) BREWERYWKRH | R. L. Polk & Co. |
| 1940 | MCNULTY ALBT C (VELMA) LABH | R. L. Polk & Co. |
| 1935 | ALBT (THELMA)H | R. L. Polk & Co. |
| 1930 | SOZZI PALMIRA LABH | R. L. Polk & Co. |
| 1925 | AGA4SI LOUIS R | R. L. Polk & Co. |

**2820 19TH ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | LEUJNGJenny | Haines Company, Inc. |

**2828 19TH ST**

| Year | Uses | Source |
|---|---|---|
| 2007 | BADCO | Cole Information Services |

## FINDINGS

| Year | Uses | Source |
|---|---|---|
| 2006 | SHAPIRO Johanna | Haines Company, Inc. |
| | SHAPIRORaub | Haines Company, Inc. |
| 2000 | No Current Listings | Haines & Company |
| 1993 | Savoy A J | Pacific Bell |
| 1982 | Savoy Adam J | R. L. Polk & Co. |
| 1977 | No Return | Pacific Telephone |
| 1971 | NO RETURN | Pacific Telephone |
| 1935 | CONTI JOHANNAR | R. L. Polk & Co. |
| | CONTI MATTHEW (TERESA) LABH | R. L. Polk & Co. |
| | CONTI JOHN LABR | R. L. Polk & Co. |

**2830 19TH ST**

| Year | Uses | Source |
|---|---|---|
| 1971 | NO RETURN | Pacific Telephone |

**2834 19TH ST**

| Year | Uses | Source |
|---|---|---|
| 1949 | FISHER ROBT L ELECTN CUTLER HAMMER INCR | R. L. Polk & Co. |

**2835 19TH ST**

| Year | Uses | Source |
|---|---|---|
| 2000 | No Current Listings | Haines & Company |

**2902 19TH ST**

| Year | Uses | Source |
|---|---|---|
| 1962 | Vacant | R. L. Polk & Co. |
| 1958 | General Metals Corp Enterprise Div | R. L. Polk & Co. |
| 1940 | ENTERPRISE FOUNDRY COMPANY CHARLES J P HOEHN PRES HENRY MARTENS V-PRES JAME | R. L. Polk & Co. |
| | PACIFIC COAST FOUNDERS ASSN | R. L. Polk & Co. |
| 1935 | ENTERPRISE FOUNDRY CORP CHARLES J P HOEHN PRES -HENRY MARTENS V-PRES JAMES | R. L. Polk & Co. |
| 1930 | ENTERPRISE FOUNDRY CO CHARLES J P HOEHN PRES JAMES W HEANEY SEC ALBERT J MA | R. L. Polk & Co. |

# FINDINGS

## 19TH WORKS 18TH

**2902 19TH WORKS 18TH**

| Year | Uses | Source |
|---|---|---|
| 1930 | ENTERPRISE OIL BURNER CO MAIN OFFICE | R. L. Polk & Co. |

## 19TH ZONE 10

**2700 19TH ZONE 10**

| Year | Uses | Source |
|---|---|---|
| 1949 | REYNARD PRESS (R) J E H AND F S NUSSER) PRINTERS TYDOGRAPHERS PUBLISHERS | R. L. Polk & Co. |

## 19TH/BRYANT

**19TH/BRYANT**

| Year | Uses | Source |
|---|---|---|
| 1962 | 19TH/BRYANT | R. L. Polk & Co. |
| 1958 | 19TH/BRYANT | R. L. Polk & Co. |
| 1953 | 19TH/BRYANT | R. L. Polk & Co. |

## 19TH/BRYANT ST

**19TH/BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 1982 | 19TH/BRYANT ST | R. L. Polk & Co. |
| 1977 | 19TH/BRYANT ST | Pacific Telephone |
| 1971 | 19TH/BRYANT ST | Pacific Telephone |

## 19TH/FLORICA ST

**19TH/FLORICA ST**

| Year | Uses | Source |
|---|---|---|
| 1971 | 19TH/FLORICA ST | Pacific Telephone |

## 19TH/FLORIDA

**19TH/FLORIDA**

| Year | Uses | Source |
|---|---|---|
| 1966 | 19TH/FLORIDA | R. L. Polk & Co. |
| 1962 | 19TH/FLORIDA | R. L. Polk & Co. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1958 | 19TH/FLORIDA | R. L. Polk & Co. |
| 1953 | 19TH/FLORIDA | R. L. Polk & Co. |

## 19TH/FLORIDA ST

**19TH/FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 1982 | 19TH/FLORIDA ST | R. L. Polk & Co. |
| 1977 | 19TH/FLORIDA ST | Pacific Telephone |

## 19TH/YORK

**19TH/YORK**

| Year | Uses | Source |
|---|---|---|
| 1966 | 19TH/YORK | R. L. Polk & Co. |
| 1962 | 19TH/YORK | R. L. Polk & Co. |
| 1958 | 19TH/YORK | R. L. Polk & Co. |
| 1953 | 19TH/YORK | R. L. Polk & Co. |

## 19TH/YORK ST

**19TH/YORK ST**

| Year | Uses | Source |
|---|---|---|
| 1982 | 19TH/YORK ST | R. L. Polk & Co. |
| 1977 | 19TH/YORK ST | Pacific Telephone |
| 1971 | 19TH/YORK ST | Pacific Telephone |

## BRYANT

**2014 BRYANT**

| Year | Uses | Source |
|---|---|---|
| 1944 | BOX & NOVELTY CO (B E CANNON) | R. L. Polk & Co. |
| 1930 | WOODEN BOX & NOVELTY CO J F KORBEL PRES B E | R. L. Polk & Co. |
| 1925 | KARBEL JOE F (MARGT A) GAR BOX MIN | R. L. Polk & Co. |

**2028 BRYANT**

| Year | Uses | Source |
|---|---|---|
| 1930 | JUNE FL STEN HOT-N-KOLD CORP R | R. L. Polk & Co. |

# FINDINGS

**2030 BRYANT**

| Year | Uses | Source |
|---|---|---|
| 1925 | TO ILEBECCA (WLD ARTL)H | R. L. Polk & Co. |

**2031 BRYANT**

| Year | Uses | Source |
|---|---|---|
| 1949 | R | R. L. Polk & Co. |
| | SMITH FRANK R (GRACE L)H | R. L. Polk & Co. |
| 1944 | H | R. L. Polk & Co. |
| 1940 | JOHNSON ALVIN B (EDITH FL HOUSE MOVER | R. L. Polk & Co. |
| 1935 | SMITH FRANK R (GRACE) SLSMNH | R. L. Polk & Co. |
| 1930 | R | R. L. Polk & Co. |

**2044 BRYANT**

| Year | Uses | Source |
|---|---|---|
| 1944 | R901 | R. L. Polk & Co. |

**2048 BRYANT**

| Year | Uses | Source |
|---|---|---|
| 1940 | H | R. L. Polk & Co. |

**2050 BRYANT**

| Year | Uses | Source |
|---|---|---|
| 1930 | MARSHALL CO A A DEVOTO MGR IRON WKS | R. L. Polk & Co. |
| 1925 | CENTRAL IRON WORKS A A DEVOTO PRES | R. L. Polk & Co. |

**2080 BRYANT**

| Year | Uses | Source |
|---|---|---|
| 1949 | MORECI ANTHONY (JOSEPHINE C) DRH | R. L. Polk & Co. |

**2082 BRYANT**

| Year | Uses | Source |
|---|---|---|
| 1944 | MONTALBANO DENISE MRS H | R. L. Polk & Co. |
| 1940 | GRANZELLA FRANK (ROSE) CARPH | R. L. Polk & Co. |

**2088 BRYANT**

| Year | Uses | Source |
|---|---|---|
| 1925 | GULNAW WM J (EVELYN) BOILERMKR H | R. L. Polk & Co. |

# FINDINGS

**2090 BRYANT**

| Year | Uses | Source |
|---|---|---|
| 1930 | HALLETT VIOLET (WID CHAS)H | R. L. Polk & Co. |

**2098 BRYANT**

| Year | Uses | Source |
|---|---|---|
| 1944 | R | R. L. Polk & Co. |
| 1935 | LIP JAS 0 (LOULIS)H | R. L. Polk & Co. |
| 1925 | AGNES MRS H | R. L. Polk & Co. |

**2099 BRYANT**

| Year | Uses | Source |
|---|---|---|
| 1935 | MAYPOLE DYE WORKS MANUFACURERS OF WORSTED YARNS AND DYERS OF WORSTED YARNS | R. L. Polk & Co. |

**2100 BRYANT**

| Year | Uses | Source |
|---|---|---|
| 1990 | SCHMIDT A CO | Pacific Bell |

**2101 BRYANT**

| Year | Uses | Source |
|---|---|---|
| 1985 | 3AIDS DRAFTING | Pacific Bell |
| 1949 | REMLER CO LTD R C GRAY OROS JATK T FW (N) R V-PRES RADIO NRIFR | R. L. Polk & Co. |
| 1930 | & DANIELSON MFG CO (T B GRAY E G DANIELSON) SCREW MACH PRODUCTS | R. L. Polk & Co. |

**2104 BRYANT**

| Year | Uses | Source |
|---|---|---|
| 1944 | H | R. L. Polk & Co. |

**2110 BRYANT**

| Year | Uses | Source |
|---|---|---|
| 1940 | ENGSTROM P MATILDAR | R. L. Polk & Co. |
| 1935 | MCGRATH JOS P MSNGRR | R. L. Polk & Co. |
| 1930 | R | R. L. Polk & Co. |
| | H | R. L. Polk & Co. |

# FINDINGS

**2112 BRYANT**

| Year | Uses | Source |
|---|---|---|
| 1949 | H | R. L. Polk & Co. |
| | R | R. L. Polk & Co. |
| 1944 | MOLINA FRANK (AIMELIA) SLSIMAH | R. L. Polk & Co. |
| 1935 | DE JOHN (HATTIE) BOXMKRH | R. L. Polk & Co. |
| 1925 | KILSHY CLIAS (ADELINE) TLLESTR H | R. L. Polk & Co. |

**2114 BRYANT**

| Year | Uses | Source |
|---|---|---|
| 1925 | REARDON MILEL W OAW H | R. L. Polk & Co. |

**2116 BRYANT**

| Year | Uses | Source |
|---|---|---|
| 1949 | RODRIGUEZ GRACLIONO (CELIA)H | R. L. Polk & Co. |
| 1930 | MCGRATH BLANCHE (MCGRATH & LEGAS)R | R. L. Polk & Co. |

**2120 BRYANT**

| Year | Uses | Source |
|---|---|---|
| 1930 | SEAVERS ISDAC AUTO MECHH | R. L. Polk & Co. |

**2121 BRYANT**

| Year | Uses | Source |
|---|---|---|
| 1990 | FINE FEATHERS OF SAN FRANCISCO | Pacific Bell |
| | AILES BENJAMIN PHOTGRPHR | Pacific Bell |
| | ELLEN CO NO 2 | Pacific Bell |
| 1985 | ELLEN CO NO2 | Pacific Bell |
| | FOURTH LITTLE PIG THE | Pacific Bell |

**2132 BRYANT**

| Year | Uses | Source |
|---|---|---|
| 1944 | BARBE JOHN B (THEODOSE) (J B BARBE & SON)H | R. L. Polk & Co. |
| 1935 | BARBE JOHN B (THEODORE) INDY | R. L. Polk & Co. |

## BRYANT AVE

**2005 BRYANT AVE**

| Year | Uses | Source |
|---|---|---|
| 1925 | MISSION PAPER BOX CO INC ALL KINDS OF SET UP BOXES MADE TO ORDER | R. L. Polk & Co. |

# FINDINGS

**2028 BRYANT AVE**

| Year | Uses | Source |
|---|---|---|
| 1949 | ZENAIRE CATH (WID GEO)H | R. L. Polk & Co. |
| 1944 | ZENAIRE CATH (WID GEO)H | R. L. Polk & Co. |

**2063 BRYANT AVE**

| Year | Uses | Source |
|---|---|---|
| 1949 | HILLBACK ALFRED W MGR GREAT AMERICAN INDEMNITY CO OF N Y | R. L. Polk & Co. |

**2082 BRYANT AVE**

| Year | Uses | Source |
|---|---|---|
| 1930 | GRANZELLA ALBT FACTRYWKRH | R. L. Polk & Co. |

**2088 BRYANT AVE**

| Year | Uses | Source |
|---|---|---|
| 1944 | MICHL (MARIKA) SHIPYDWKRH | R. L. Polk & Co. |

**2090 BRYANT AVE**

| Year | Uses | Source |
|---|---|---|
| 1944 | STANYAN JAS G (RUBY M) SHIPYDWKRH | R. L. Polk & Co. |
| 1925 | MEGREEVY JAS F (ISABEL) BLDG INSPR R | R. L. Polk & Co. |

**2098 BRYANT AVE**

| Year | Uses | Source |
|---|---|---|
| 1944 | CRANK MARION C (BERTHA) FURNITURE | R. L. Polk & Co. |

**2120 BRYANT AVE**

| Year | Uses | Source |
|---|---|---|
| 1949 | MUZZY JACK L (ALBIE A) MACHH | R. L. Polk & Co. |
| 1935 | SEAVERS JAS (ROSEMOND) MAECHH | R. L. Polk & Co. |

**2132 BRYANT AVE**

| Year | Uses | Source |
|---|---|---|
| 1944 | BARBE J B & SON (J B AND R A BARBE) HD INDY | R. L. Polk & Co. |

# FINDINGS

## BRYANT ST

### 2000 BRYANT ST

| Year | Uses | Source |
|---|---|---|
| 2012 | TORTILLA FLATS | Cole Information Services |
| 2007 | 0 & 0 24 HOUR LOCKSMITH | Cole Information Services |
| | TORTILLA FLATS | Cole Information Services |

### 2001 BRYANT ST

| Year | Uses | Source |
|---|---|---|
| 2012 | FUTURE LIGHT DIGITAL WORKSHOPS | Cole Information Services |
| | CALUMET PHOTOGRAPHIC | Cole Information Services |
| 2007 | FUTURE LIGHT DIGITAL WORKSHOPS | Cole Information Services |
| | CALUMET PHOTOGRAPHIC INC | Cole Information Services |

### 2002 BRYANT ST

| Year | Uses | Source |
|---|---|---|
| 1949 | CAFETS TONY RESTR | R. L. Polk & Co. |
| 1940 | LAGARES THOS (IRENE) RESTR | R. L. Polk & Co. |
| 1930 | LAGARES THOS GRO | R. L. Polk & Co. |
| | SCHEUFELE CHAS MEATS | R. L. Polk & Co. |
| 1915 | Jopp John Barbarba Jopp & Siebe r | H. S. Crocker Co. |
| | Siebe John r | H. S. Crocker Co. |

### 2005 BRYANT ST

| Year | Uses | Source |
|---|---|---|
| 2000 | No Current Listings | Haines & Company |
| 1977 | Jenkins Margaret Studio dance | Pacific Telephone |
| 1962 | a Corona Octavaino | R. L. Polk & Co. |
| 1920 | FRANK& HYNANSHOECA INC | Pacific Telephone |

### 2008 BRYANT ST

| Year | Uses | Source |
|---|---|---|
| 2006 | WICKS Timolhy | Haines Company, Inc. |
| 2000 | No Current Listings | Haines & Company |
| 1982 | Winters Jesse | R. L. Polk & Co. |
| 1977 | Winters Jesse | Pacific Telephone |
| 1971 | WINTERS JESSE | Pacific Telephone |
| 1966 | Winters Jesse | R. L. Polk & Co. |
| 1962 | Winters Jesse | R. L. Polk & Co. |
| 1953 | Winters Jesse | R. L. Polk & Co. |

# FINDINGS

**2010 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2000 | NUEVACASTILLA | Haines & Company |
| 1993 | NUEVA CASTILLA | Pacific Bell |
| 1990 | NUEVA CASTILLA IRON ORNMNTL WRK | Pacific Bell |
| 1985 | NUEVA CASTILLA IRON ORNMNTRL WRK | Pacific Bell |
| 1982 | Nueva Castilla Co ornamental iron & steel works | R. L. Polk & Co. |
| 1977 | Nueva Castilla Co ornamental iron & steel wks | Pacific Telephone |
| 1971 | VACANT 2010 THRU 2012 | Pacific Telephone |
| 1966 | Assoc lighting equip | R. L. Polk & Co. |
| | Woodard Ross Paddock | R. L. Polk & Co. |
| 1962 | Reliable Slit Mtl Co | R. L. Polk & Co. |
| 1958 | Reliable Sht Mtl Co | R. L. Polk & Co. |
| | Reliable Sht Mtl Co | R. L. Polk & Co. |
| 1953 | Reliable Sht Mtl Co | R. L. Polk & Co. |

**2011 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 1977 | Vacant | Pacific Telephone |

**2012 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | ALCANTARAPablo | Haines Company, Inc. |
| | SECURITY SVIRN | Haines Company, Inc. |
| 2000 | SECURITY SV IRN WRK | Haines & Company |
| 1993 | SECURITY SERVICE IRON WORKS | Pacific Bell |
| 1990 | SECURITY SERVICE IRON WORKS | Pacific Bell |
| 1982 | Security Service Iron Works ornamental iron works | R. L. Polk & Co. |
| 1977 | Security Service Iron Works ornamental iron works | Pacific Telephone |
| 1966 | Vacant | R. L. Polk & Co. |
| 1962 | Modern Furn & Cabt Wks mfrs | R. L. Polk & Co. |
| 1958 | Gillette Mfg Co toy mfrs | R. L. Polk & Co. |
| | Gillette Mfg Co toy mfrs | R. L. Polk & Co. |
| 1953 | Gillette Mfg Co woodwkrs | R. L. Polk & Co. |
| 1920 | KORBEL BOX FACTORY | Pacific Telephone |

# FINDINGS

**2014 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2012 | CREATIVE FLOORING DESIGN | Cole Information Services |
| | 24 HOURS EMERGENCY LOCKSMITH | Cole Information Services |
| 2007 | CREATIVE FLOORING DESIGN | Cole Information Services |
| 2006 | CREATIVE FLRNG | Haines Company, Inc. |
| 2000 | CREATIVE FLRNG | Haines & Company |
| 1993 | CREATIVE FLOORING DESIGN | Pacific Bell |
| 1990 | CREATIVE FLOORING DESIGN | Pacific Bell |
| 1985 | HANSCO PACIFIC CARPET CO | Pacific Bell |
| 1982 | Hansco Pacific Carpet retail | R. L. Polk & Co. |
| | Rugsn Things | R. L. Polk & Co. |
| 1977 | Hansco Pacific Carpet carpet retail | Pacific Telephone |
| 1971 | VACANT | Pacific Telephone |
| 1966 | Tara Mfg Co restr equip | R. L. Polk & Co. |
| 1962 | Tara Mfg Co restr equip | R. L. Polk & Co. |
| 1958 | Pinney F K Inc whse | R. L. Polk & Co. |
| | Pinney F K Inc whse | R. L. Polk & Co. |
| 1949 | WOODEN BOX & NOVELTY CO B E CANNON GENI MGR | R. L. Polk & Co. |
| 1940 | CANNON BRISDON E (MARCELIN) BOX MFR | R. L. Polk & Co. |
| 1935 | WOODEN BOX & NOVELTY CO I F KORBEL PRES B E CANNON V-PRES M A KORBEL SEC | R. L. Polk & Co. |
| 1915 | Hammer Benj lab r | H. S. Crocker Co. |
| 1910 | Shoepf Louis stableman r | H. S. Crocker Co. |

**2021 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 1962 | Vacant | R. L. Polk & Co. |
| 1958 | Enterprise Engine & Mach Co Special Products Section | R. L. Polk & Co. |
| | Enterprise Engine & Mach Co Special Products Section | R. L. Polk & Co. |

**2022 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 1925 | SCHEFFEL CECIL B UPHOLR | R. L. Polk & Co. |

# FINDINGS

**2028 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2000 | HANDAJohn | Haines & Company |
| 1982 | Vacant | R. L. Polk & Co. |
| 1977 | Taylor Paul | Pacific Telephone |
| 1971 | MC DONALD WM M | Pacific Telephone |
| 1966 | Mc Donald Wm | R. L. Polk & Co. |
| 1962 | Vacant | R. L. Polk & Co. |
| 1958 | Vacant | R. L. Polk & Co. |
| | Vacant | R. L. Polk & Co. |
| 1953 | Zenaire Cath T Mrs | R. L. Polk & Co. |
| 1944 | MCMANUS PATK D WHSMN SNOW & GALGIANIR | R. L. Polk & Co. |
| 1940 | MCMANUS PATK D PORTERR | R. L. Polk & Co. |
| | ZENAIRE CATH (WID GEO)H | R. L. Polk & Co. |
| | ZENAIRE FRANCES PROOFRDRR | R. L. Polk & Co. |
| 1935 | PATK PORTER SNOW & GALGIANIR | R. L. Polk & Co. |
| 1925 | ZENARIE CATH (WID GEO) SENSTRSR | R. L. Polk & Co. |
| | WILBUR WM (CATH) BLKSMNITHLH | R. L. Polk & Co. |
| 1915 | Wilson Wm Katherine h | H. S. Crocker Co. |
| | Mc Manus Martin insp r | H. S. Crocker Co. |
| 1910 | Wilson William blksmith r | H. S. Crocker Co. |
| | Mc Manus Patrick carp r | H. S. Crocker Co. |

**2030 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 1982 | Vacant | R. L. Polk & Co. |
| 1977 | Hatchett Herbert | Pacific Telephone |
| 1971 | HATCHETT HERBERT | Pacific Telephone |
| 1966 | Mc Arthur Cora Mrs | R. L. Polk & Co. |
| 1962 | Vacant | R. L. Polk & Co. |
| 1958 | McCarthy Cora Mrs | R. L. Polk & Co. |
| | McCarthy Cora Mrs | R. L. Polk & Co. |
| 1953 | Vacant | R. L. Polk & Co. |
| 1949 | GEOH | R. L. Polk & Co. |
| 1940 | ERHARD DOROTHY FETY WKRR | R. L. Polk & Co. |
| | ERHARD EUG WHSMNR | R. L. Polk & Co. |
| | ERHARD HELENH | R. L. Polk & Co. |
| | ERHARD FERDINAND LABR | R. L. Polk & Co. |
| 1930 | BURGHART VIRGINIA MRSH | R. L. Polk & Co. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1925 | AUGULO JOACLUIN LAB R | R. L. Polk & Co. |
| | ANGOVE JULIA LAL)R | R. L. Polk & Co. |
| | ANGUTO JULLAN FUN TORYWKRR | R. L. Polk & Co. |
| | DURAN CARMEN FACTORYWKR | R. L. Polk & Co. |
| 1910 | Rea Clifford clk r | H. S. Crocker Co. |
| | Rea Harry boilermkr r | H. S. Crocker Co. |
| | Rea Louisa widow r | H. S. Crocker Co. |

**2031 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2000 | OKEENEYJack | Haines & Company |
| 1982 | Sound Genesis Annex | R. L. Polk & Co. |
| 1977 | Vacant | Pacific Telephone |
| 1971 | VACANT | Pacific Telephone |
| 1966 | Assoc garage | R. L. Polk & Co. |
| | Challenge C ream & Butter | R. L. Polk & Co. |
| 1962 | Challenge Cream & Butter Assn garage | R. L. Polk & Co. |
| 1958 | Vacant | R. L. Polk & Co. |
| | Vacant | R. L. Polk & Co. |
| 1953 | Pearson & Johnson | R. L. Polk & Co. |
| | Smith Frank R | R. L. Polk & Co. |
| 1944 | JOHIMSON ALBIN B (EDITH F) HOUSEMOVER | R. L. Polk & Co. |
| 1940 | JOHNSON ALBIN B (EDITH F) HOUSE MOVER | R. L. Polk & Co. |
| | SMITH FRANK R (GRACE L W) SLSMNH | R. L. Polk & Co. |
| | SMITH GRACE L W MRS ELK PEARSON & JOHNSONR | R. L. Polk & Co. |
| 1935 | PETER & JOHNSON (E R PEARSON A B JOHNSON) HOUSEMOVERS | R. L. Polk & Co. |
| 1930 | SMITH FRANK R (GRACE) LABR | R. L. Polk & Co. |
| 1925 | JOHNSON ALBIN B (GDITH F PPARSON & JOHNSON)H | R. L. Polk & Co. |
| | JOHN AR | R. L. Polk & Co. |
| | & JOHINSON (BE K PEARSON A B JOHNSON) HOUSE MOVERS | R. L. Polk & Co. |

**2032 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 1910 | Bunner Leo E policeman r | H. S. Crocker Co. |

# FINDINGS

**2034 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 1910 | Olivotti Nathale foreman Central Iron Wks r | H. S. Crocker Co. |

**2035 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 1935 | BUENA SCHOOL | R. L. Polk & Co. |

**2038 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 1915 | Morton John tmstr r | H. S. Crocker Co. |

**2040 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 1915 | Coughlin Henry F elk Coughlins Dxayage &Transfer Co r | H. S. Crocker Co. |
| | Shannon Wm tmstr r | H. S. Crocker Co. |
| | Price Stanley tmstr r | H. S. Crocker Co. |
| | Coughlin Win J clk Coughlins Drayage & Transfer Co r | H. S. Crocker Co. |
| | Coughlin Jeremiah J Jr Coughlins Drayage & Transfer Co r | H. S. Crocker Co. |
| | Coughlin Jas J clk Coughlins Drayage & Transfer Co r | H. S. Crocker Co. |
| 1910 | Coughlin John F Palmer & Coughlin r | H. S. Crocker Co. |

**2044 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2012 | PRODUCTION SPECIALTIES | Cole Information Services |
| 2007 | KLEIN INDUSTRIES INC | Cole Information Services |
| | PRODUCTION SPECIALTIES INC | Cole Information Services |
| 2006 | PRODUCTION | Haines Company, Inc. |
| | SPCLTY | Haines Company, Inc. |
| 2000 | PRODUCTIONSPCLTY | Haines & Company |
| 1982 | Vacant | R. L. Polk & Co. |
| 1977 | Vacant | Pacific Telephone |
| 1971 | VACANT | Pacific Telephone |
| 1962 | Modern Vehicle Co truck body | R. L. Polk & Co. |
| 1958 | Modern Vehicle Co truck body mfrs | R. L. Polk & Co. |
| | Modern Vehicle Co truck body mfrs | R. L. Polk & Co. |
| 1953 | Modern Vehicle Co truck body mfrs | R. L. Polk & Co. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1949 | MODERN VEHICLE COMPANY ARTHUR J KAHN PRES L ROSS SINE V-PRES-GENL MGR MFRS | R. L. Polk & Co. |
| 1940 | MODERN VEHICLE CO ARTHUR J KAHN PROP L R SINE MGR MFRS OF COMMERCIAL TRUOCK | R. L. Polk & Co. |
| 1935 | MODERN VEHICLES CO ARTHUR J KAHN SECTREAS-MGR MFRS OF COMMERCIAL TRUCK BODI | R. L. Polk & Co. |

**2048 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2000 | YOUTT Jonathan | Haines & Company |
| | SPARLING Julie | Haines & Company |
| 1962 | Weld Built Body Co Inc | R. L. Polk & Co. |
| | West Coast br truck | R. L. Polk & Co. |

**2050 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2012 | CELLSPACE | Cole Information Services |
| 2007 | CELLSPACE ORG | Cole Information Services |
| | CRUCIBLE STEEL GALLERY | Cole Information Services |
| 2006 | CELLSPACE | Haines Company, Inc. |
| 2000 | CELL | Haines & Company |
| | ESTA R ADVENTURES | Haines & Company |
| | GLASSSPIDER | Haines & Company |
| | GUTIERREZJuan | Haines & Company |
| 1993 | A SECTION EIGHT PRODUCTION | Pacific Bell |
| 1990 | A SECTION EIGHT PRODUCTION SILK SCREEN | Pacific Bell |
| | SECTION EIGHT SILK SCREENS | Pacific Bell |
| 1985 | LIGHTING MANAGEMENT CORP | Pacific Bell |
| | M-B PRODUCTS | Pacific Bell |
| | P PREVIEW SYSTEMS | Pacific Bell |
| | SAN FRANCISCO METAL SPINNING | Pacific Bell |
| | URBAN SYSTEMS PACIFIC | Pacific Bell |
| | URBAN SYSTEMS STREETSCAPES INC | Pacific Bell |
| | VOLUMNO VIDEO WORKS | Pacific Bell |
| 1982 | Sylvia Dick Lighting & Lamps mfr | R. L. Polk & Co. |
| | Preview Systems machine shop | R. L. Polk & Co. |
| | M B Products | R. L. Polk & Co. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1982 | San Francisco Metal Spinning lighting fixtures parts mfg | R. L. Polk & Co. |
| 1977 | Lightolier lighting fixtures mfg | Pacific Telephone |
| 1971 | HARRON RICKARD & MC CONE CO OF NORTHERN CAL MACHINERY MFG | Pacific Telephone |
| 1966 | First Western Machy Co | R. L. Polk & Co. |
| 1962 | Crucible Steel Co of Am AT | R. L. Polk & Co. |
| | Harron Rickard & Mc Cone Cio of | R. L. Polk & Co. |
| | Northern Calif mach tools | R. L. Polk & Co. |
| 1958 | Crucible Steel Co of Am | R. L. Polk & Co. |
| | Crucible Steel Co of Am | R. L. Polk & Co. |
| 1953 | Crucible Steel Co of Am | R. L. Polk & Co. |
| 1935 | SCOTT PAPER CO H E FITCH MGR | R. L. Polk & Co. |
| | SHEEDY JOS D (JOSEPHINE) DRAYAGE | R. L. Polk & Co. |
| 1920 | CENTRAL IRON WORTS | Pacific Telephone |

**2055 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2007 | R J MUNA PICTURES | Cole Information Services |
| 2006 | RJ MUNAPICTURES | Haines Company, Inc. |
| | LEFT SPACE | Haines Company, Inc. |
| | RJ MUNA PICTURES | Haines Company, Inc. |
| 2000 | PIXXON INC | Haines & Company |
| 1993 | HOPPE IMPORTS | Pacific Bell |
| 1982 | Pacific Telephone Building | R. L. Polk & Co. |
| 1977 | Pacific Telephone Bldg | Pacific Telephone |

**2056 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 1925 | EHRMANN FRANUK J (MARY)H | R. L. Polk & Co. |
| 1915 | Manos Peter shoemkr r | H. S. Crocker Co. |
| 1910 | Quinlan Cornelius lab r | H. S. Crocker Co. |

**2058 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 1925 | BOOGE PAUL (JULIA) JANITORH | R. L. Polk & Co. |
| 1915 | Comaich Geo M boxmkr r | H. S. Crocker Co. |

# FINDINGS

**2064 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 1910 | Connolly Dennis J stev r | H. S. Crocker Co. |

**2066 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 1915 | Kelleher Cornelius J Mary hoseman S F F D h | H. S. Crocker Co. |
| | Lacy Patrick assembler r | H. S. Crocker Co. |
| | Flynn Julia wid Thos r | H. S. Crocker Co. |
| 1910 | Kelleher Cornelius hoseman Engine 25 | H. S. Crocker Co. |
| | r | H. S. Crocker Co. |

**2072 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 1925 | LANDINI ANTOINETTE (WID PETER) | R. L. Polk & Co. |
| | H | R. L. Polk & Co. |
| 1920 | MULLEN MISS ELLA R | Pacific Telephone |
| 1915 | Henney John R Gertrude fireman h | H. S. Crocker Co. |
| | Mullen Jas F bkpr vr | H. S. Crocker Co. |
| | Mullen Ellen wid Thos r | H. S. Crocker Co. |
| | Cronin J Thos whseman T | H. S. Crocker Co. |
| 1910 | Mutter Peter lab r | H. S. Crocker Co. |
| | Flanagan James riveter r | H. S. Crocker Co. |

**2074 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 1925 | BERNITA MRSR | R. L. Polk & Co. |
| 1915 | Pries Edw Caroline elk h | H. S. Crocker Co. |
| | De Cleer Frank h | H. S. Crocker Co. |

**2076 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 1925 | CORVL ANGELO (LOUISA) LABH | R. L. Polk & Co. |
| | CORVL CHAS LABR | R. L. Polk & Co. |
| 1920 | HUNTER MRSCL R | Pacific Telephone |
| 1915 | Eberhard Charlotte wid Rudolph W h | H. S. Crocker Co. |
| | Eberhard Rudolph G elk r | H. S. Crocker Co. |

# FINDINGS

**2080 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | GARCIAMyma | Haines Company, Inc. |
| | TENAS Julia E | Haines Company, Inc. |
| 2000 | OGARCIAMyrna | Haines & Company |
| | SANDOVALDaniel | Haines & Company |
| 1985 | TENAS ROGELIO | Pacific Bell |
| 1982 | Tenas Rogelio I | R. L. Polk & Co. |
| 1977 | Vacant | Pacific Telephone |
| 1971 | HOLEY EARNEST | Pacific Telephone |
| 1966 | Garrison David B | R. L. Polk & Co. |
| 1962 | Griscoe Mary A Mrs | R. L. Polk & Co. |
| 1958 | Grisco Mary A Mrs | R. L. Polk & Co. |
| | Grisco Mary A Mrs | R. L. Polk & Co. |
| 1953 | Grisco Mary A Mrs | R. L. Polk & Co. |
| 1949 | GRIECO MARY A MRS LABTY WKR UCHOSPR | R. L. Polk & Co. |
| 1944 | LUTHER CLYDEH | R. L. Polk & Co. |
| 1940 | AZEVEDO EUG PRINTER STANLEY GRIFFINR | R. L. Polk & Co. |
| | KILSBY JOHANNA H (WID JOHN)H | R. L. Polk & Co. |
| 1935 | KILSBV FRANK LNDVWKRR | R. L. Polk & Co. |
| | KILSBY JOHANNA (WID JACK)H | R. L. Polk & Co. |
| 1930 | KILSBY JOHANNAH | R. L. Polk & Co. |
| | BURKE JAS TRUNKMKRR | R. L. Polk & Co. |
| | KILSBY FRANK INDYWKRR | R. L. Polk & Co. |
| 1925 | KILSHY JOHANNA (WID JOHN)H | R. L. Polk & Co. |
| | KILSHY JOHN S TILE STRR | R. L. Polk & Co. |
| 1915 | Voss Frank Alice lab h | H. S. Crocker Co. |
| 1910 | Pries Edward C mach r | H. S. Crocker Co. |

**2082 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | o PEREZCaros | Haines Company, Inc. |
| 2000 | PEREZCarlos | Haines & Company |
| 1985 | CASTANEDA IVAN A | Pacific Bell |
| 1982 | Melendez Irving | R. L. Polk & Co. |
| 1977 | Fernandez Manuel | Pacific Telephone |
| 1971 | GARRISON DAVID B | Pacific Telephone |
| 1966 | Page Frank N | R. L. Polk & Co. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1962 | Flemons Benj F | R. L. Polk & Co. |
| 1958 | Flemons Benj F | R. L. Polk & Co. |
| | Flemons Benj F | R. L. Polk & Co. |
| 1953 | Flemons Benj | R. L. Polk & Co. |
| 1949 | MORECI JOE (ISABEL) DRH | R. L. Polk & Co. |
| 1935 | GRANSELLA GEO SCAVENGERH | R. L. Polk & Co. |
| 1925 | GRANZELLA IRENER | R. L. Polk & Co. |
| | GRANZELLA FRANK MATTRESSMKRR | R. L. Polk & Co. |
| | GRANZELLA EDW METALWKRR | R. L. Polk & Co. |
| | GRANZELLA EDNA MACH OPRR | R. L. Polk & Co. |
| | GRANZELLA DAVID (BOSE)H | R. L. Polk & Co. |
| | GRANZELLA ALBERT METALWKRR | R. L. Polk & Co. |
| 1910 | Steffens Charles with Great Am Imp Tea Co r | H. S. Crocker Co. |
| | Steffen Charles clk r | H. S. Crocker Co. |

**2085 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 1966 | Vacant | R. L. Polk & Co. |
| 1962 | Ace Dye Wks | R. L. Polk & Co. |
| 1958 | Ace Dye Works | R. L. Polk & Co. |
| | Ace Dye Works | R. L. Polk & Co. |
| 1953 | Ace Dye Works | R. L. Polk & Co. |
| 1949 | ACE DYE WORKS (F G HUBENER PAUL AGAZZI MRS JULIA YERBURY L M GILBERT) DYERS | R. L. Polk & Co. |

**2088 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2007 | ORRO MEDICAL | Cole Information Services |
| 2006 | BERMUDEZDel U 8no | Haines Company, Inc. |
| 2000 | BERMUDEZDelfino | Haines & Company |
| 1990 | MITCHELL MIKE | Pacific Bell |
| 1985 | MITCHELL MIKE | Pacific Bell |
| 1982 | Mitchell Michl | R. L. Polk & Co. |
| 1977 | Mitchell Michl | Pacific Telephone |
| 1971 | MITCHELL MICHL | Pacific Telephone |
| 1966 | Mitchell Mike | R. L. Polk & Co. |
| 1962 | Mitchell Mike | R. L. Polk & Co. |
| 1958 | Mitchell Michl | R. L. Polk & Co. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1958 | Mitchell Michl | R. L. Polk & Co. |
| 1953 | Mitchell Michl | R. L. Polk & Co. |
| 1949 | MICHL (MARIA) PNTRH | R. L. Polk & Co. |
| 1940 | MICHI EMP LEGALLET TANNING COH | R. L. Polk & Co. |
| 1935 | STEVENS RAYMOND (JOSEPHINE) LABH | R. L. Polk & Co. |
| | MILLER WM LABR | R. L. Polk & Co. |
| 1910 | Riley Patrick contr r | H. S. Crocker Co. |

**2090 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | BERMUNDEZ Delfino | Haines Company, Inc. |
| 2000 | LUNAA | Haines & Company |
| 1982 | Padilla Jose | R. L. Polk & Co. |
| 1977 | Padilla Jose | Pacific Telephone |
| 1971 | PADILLA JOSE | Pacific Telephone |
| 1966 | No Return | R. L. Polk & Co. |
| 1962 | Regalado Rudolph L | R. L. Polk & Co. |
| 1958 | Leyva Rudy J | R. L. Polk & Co. |
| | Leyva Rudy J | R. L. Polk & Co. |
| 1953 | Felciano Albert J | R. L. Polk & Co. |
| 1949 | FELICIANO ALBT J (HELEN) WHSMN C J HENDRY COR | R. L. Polk & Co. |
| 1940 | ALVAREZ PETE (ROSE) CEMENT FNSHRH | R. L. Polk & Co. |

**2097 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 1910 | Crowley James lab r | H. S. Crocker Co. |

**2098 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | ALVAREZ Miguel | Haines Company, Inc. |
| 2000 | No Current Listings | Haines & Company |
| 1982 | Vacant | R. L. Polk & Co. |
| 1977 | Mendez Jesus | Pacific Telephone |
| 1971 | MENDEZ JESUS | Pacific Telephone |
| 1966 | Garcia Edw C | R. L. Polk & Co. |
| 1962 | Garcia Edw C | R. L. Polk & Co. |
| 1958 | Jones Jeanette S Mrs | R. L. Polk & Co. |
| | Jones Jeanette S Mrs | R. L. Polk & Co. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1953 | Crank Bertha Mrs | R. L. Polk & Co. |
| 1949 | CRANK MARION C (BERTHA) FURN | R. L. Polk & Co. |
| 1940 | DUMAS ARTH (EVA) JANH | R. L. Polk & Co. |
| 1935 | STILWELL NEELY DR | R. L. Polk & Co. |
| 1930 | ROGERS HARRY J (MARGT) CHAUF H | R. L. Polk & Co. |
| 1925 | ROGERS I-IHARRY CHAUFR | R. L. Polk & Co. |
| 1915 | Ryan Thos F liquors | H. S. Crocker Co. |
| | Ryan Frank liquors | H. S. Crocker Co. |
| 1910 | Ryan Thomas F liquors | H. S. Crocker Co. |
| | Ryan John J coremkr r | H. S. Crocker Co. |

**2099 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 1971 | NO RETURN | Pacific Telephone |
| 1966 | Vacant | R. L. Polk & Co. |
| 1953 | Oregon Worsted Co mfrs agts | R. L. Polk & Co. |
| | Renas Yarn Basket | R. L. Polk & Co. |
| 1949 | MAYPOLE DYE WORKS MANUFACTURERS AND DYERS WORSTED YARNS | R. L. Polk & Co. |
| 1944 | MAYPOLE DYE WORKS MANUFACTURERS AND DYERS WORSTED YARNS | R. L. Polk & Co. |
| 1940 | MAYPOLE DYE WORKS MANUFACTURERS OF WORSTED YARNS AND DYERS OF WORSTED YARNS | R. L. Polk & Co. |
| 1930 | MAYPOLE DYE WORKS H T BISHOP MGR | R. L. Polk & Co. |

**2100 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2012 | PETERSEN & VERWERS ARCHIT | Cole Information Services |
| 2007 | CORNER STUDIO LLC | Cole Information Services |
| 2006 | CORNERSTUDIO | Haines Company, Inc. |
| | THELLC | Haines Company, Inc. |
| 2000 | HUTTONGary J | Haines & Company |
| 1993 | HUTTON GARY DESIGN | Pacific Bell |
| | SCHMIDT A O CO | Pacific Bell |
| 1990 | HUTTON GARY | Pacific Bell |
| 1985 | SCHMIDT AOCO | Pacific Bell |
| 1977 | Schmidt A O Co pharmaceutical mfr | Pacific Telephone |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1971 | SCHMIDT A O CO | Pacific Telephone |
| 1966 | Schmidt A 0 Co pharmaceutical | R. L. Polk & Co. |
| | products mfrs | R. L. Polk & Co. |
| 1962 | Schmidt A Co pharmaceutical | R. L. Polk & Co. |
| 1958 | Schmidt A O Co pharm products | R. L. Polk & Co. |
| | Schmidt A O Co pharm products | R. L. Polk & Co. |
| 1953 | Schmidt A O Co | R. L. Polk & Co. |

**2101 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2007 | CATHERINE BAILEY | Cole Information Services |
| | SAN FRNCSCOS REAL SWETR OTL | Cole Information Services |
| 2000 | BEATRICESANTICCIOLI | Haines & Company |
| | ONE&CO | Haines & Company |
| | CHASTAINSLSEWING | Haines & Company |
| | DIANA VINTRODSGNS | Haines & Company |
| | EDDERSWAY | Haines & Company |
| | MOVE DESIGN | Haines & Company |
| | PENNY WALLACE | Haines & Company |
| | SWEATERS | Haines & Company |
| | SHERRYSTEIN | Haines & Company |
| | INDUSTRIALDESIGN | Haines & Company |
| | STEIN SHERRY | Haines & Company |
| 1993 | Nolan Jennifer | Pacific Bell |
| | HOUSE FINE FURNISHING FABRICS | Pacific Bell |
| | P COLE STUDIO | Pacific Bell |
| | DELTA TELEPHONE SERVICES | Pacific Bell |
| | CHASTAIN SUSAN LIND CUSTOM SEWING | Pacific Bell |
| | DIANA V INTERIOR DESIGNS | Pacific Bell |
| | LAMP SHOP THE | Pacific Bell |
| | ZJAWINSKI STUDIO | Pacific Bell |
| 1990 | AIDS DRAFTING-ASSISTANTS IN DESIGN SERVICES | Pacific Bell |
| | LAMP SHOP THE | Pacific Bell |
| | MOORE CONSTRUCTION CO | Pacific Bell |
| | NOVIDOR & FIRESTONE | Pacific Bell |
| | PACIFIC HEIGHTS KITES | Pacific Bell |
| | THE LAMP SHOP | Pacific Bell |
| 1985 | LIND ASSOCIATES | Pacific Bell |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1985 | MOORE CONSTRUCTION CO | Pacific Bell |
| | RENAISSANCE RIALTO THEATRES INC | Pacific Bell |
| | THE LAMP SHOP | Pacific Bell |
| | CINEWEST | Pacific Bell |
| | FABRIC DESIGN KITES | Pacific Bell |
| | LAMP SHOP THE | Pacific Bell |
| 1982 | Sunset Carpet ret carpet sls | R. L. Polk & Co. |
| | Community Design Center non profit design | R. L. Polk & Co. |
| | Moore Construction Co genl bldrs | R. L. Polk & Co. |
| | Apollo Design | R. L. Polk & Co. |
| | Cinewest film exhibitors | R. L. Polk & Co. |
| | Electra Scope Pictures film distrs | R. L. Polk & Co. |
| | Jackson Nevins Contract Sales | R. L. Polk & Co. |
| | Renaissance Rialto Inc movie theatre chain | R. L. Polk & Co. |
| 1977 | Vacant | Pacific Telephone |
| 1971 | REMLER CO ELECTONICS | Pacific Telephone |
| 1966 | Remler Co plastic products | R. L. Polk & Co. |
| 1962 | Remler Co plastic products | R. L. Polk & Co. |
| 1958 | Remler Co plastic products | R. L. Polk & Co. |
| | Remler Co plastic products | R. L. Polk & Co. |
| 1953 | Remler Co plastic prods | R. L. Polk & Co. |
| 1944 | REMLER CO (E G DANIELSON PRES R C GRAY V-PRES W S JARDINE SEC-TREAS) RADIO | R. L. Polk & Co. |
| 1940 | REMLER CO LTD E G DANIELSON PRES W S JARDINE SEC-TREAS RADIO REPRS | R. L. Polk & Co. |
| 1935 | REMIOLER CO LTD E G DANIELSON PRES R C GRAY V-PRES M MINUDRI SEC-TREASMANUF | R. L. Polk & Co. |

**2104 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | LAZZARETTORoma | Haines Company, Inc. |
| 2000 | No Current Listings | Haines & Company |
| 1982 | No Return | R. L. Polk & Co. |
| 1977 | Gillette David R | Pacific Telephone |
| 1971 | NO RETURN | Pacific Telephone |
| 1966 | Cosby Billy | R. L. Polk & Co. |
| 1962 | Sutton Juanita M Mrs | R. L. Polk & Co. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1958 | Turney Ross | R. L. Polk & Co. |
| | Turney Ross | R. L. Polk & Co. |
| 1953 | Sikorski Walter | R. L. Polk & Co. |
| 1949 | MOORE GEO (NELLIE H) JAN REMLER COH | R. L. Polk & Co. |
| 1940 | MOOTE P GEO NELLIE) SERVMN TRANS GUARANTEE CO LTDH | R. L. Polk & Co. |
| 1935 | MOORE GEO (NEUIE) JANH | R. L. Polk & Co. |
| 1930 | ANDREKIN ALICE (WID WM)H | R. L. Polk & Co. |
| | ANDREKIN FRANK HDWDFLRIYRR | R. L. Polk & Co. |
| 1925 | OGNEFF MARY A MRSH | R. L. Polk & Co. |
| | HARNVOODI GEO ELKR | R. L. Polk & Co. |
| 1915 | Mc Croskey Edw h | H. S. Crocker Co. |
| | Mo Croskey Geo P mach r | H. S. Crocker Co. |
| | Mc Croskey Jos printer h | H. S. Crocker Co. |

**2105 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 1925 | FRANK & HYMAN INC M B FRANK PRES W L HYMAN SEC SHOE MFRS | R. L. Polk & Co. |

**2108 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | MACPHEERobert | Haines Company, Inc. |
| | PRESTON Michele | Haines Company, Inc. |
| 2000 | CADGENEAllan | Haines & Company |
| | FRAUSTOJuan A | Haines & Company |
| | GONZALEZJose | Haines & Company |
| 1993 | Frausto Juan Antonio | Pacific Bell |
| 1990 | FRAUSTO JUAN ANTONIO | Pacific Bell |
| 1985 | FLARES ANTONIO | Pacific Bell |
| | MARQUEZ PEDRO | Pacific Bell |
| 1982 | Phillips B J Mrs | R. L. Polk & Co. |
| 1977 | Phillips B J Mrs | Pacific Telephone |
| 1971 | PHILLIPS B J MRS | Pacific Telephone |
| 1966 | Revera Melton | R. L. Polk & Co. |
| 1962 | Escobar Frank L | R. L. Polk & Co. |
| 1958 | Escobar Vivian Mrs | R. L. Polk & Co. |
| | Escobar Vivian Mrs | R. L. Polk & Co. |
| 1953 | Arcangel Juan O | R. L. Polk & Co. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1949 | SHARP VIRGIL (OLGA)H | R. L. Polk & Co. |
| 1944 | SHARP VIRGIL (OLGA) SHIPYDWKRH | R. L. Polk & Co. |
| 1940 | SHARP VIRGIL (OLGA) LABH | R. L. Polk & Co. |
| 1935 | MACPHEE PETER (STELLA) COLLRH | R. L. Polk & Co. |
| 1930 | MCGRATH BELLA (WID DENNIS)R | R. L. Polk & Co. |
| | MCGRATH JOS P (BLANCHE) LABH | R. L. Polk & Co. |
| 1925 | BRITTON LOUIS J SLSMNH | R. L. Polk & Co. |
| | BRITTON WM J (AUGUSTA S) CHAUFH | R. L. Polk & Co. |
| 1915 | Drewes Wm H Julia lab r | H. S. Crocker Co. |
| 1910 | Drewes William driver r | H. S. Crocker Co. |

**2110 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | No Current Listing | Haines Company, Inc. |
| 2000 | MACPHEERyan | Haines & Company |
| 1993 | Morales Mauricio F | Pacific Bell |
| 1982 | Montero Consuelo | R. L. Polk & Co. |
| 1977 | Reyes Consuelo | Pacific Telephone |
| 1971 | ALTAMIRANO MARIA R MRS | Pacific Telephone |
| 1966 | Altamirano Maria R Mrs | R. L. Polk & Co. |
| 1962 | Altamirano Lucio B | R. L. Polk & Co. |
| 1958 | Altamirano Lucio B | R. L. Polk & Co. |
| | Campos Sedoneon | R. L. Polk & Co. |
| | Altamirano Lucio B | R. L. Polk & Co. |
| | Campos Sedoneon | R. L. Polk & Co. |
| 1953 | Campos Maria P Mrs | R. L. Polk & Co. |
| 1949 | NIEVES DOMINGO (PAULINA) EMP PIONEER PIPE COR | R. L. Polk & Co. |
| | RIOS CORCINA EMP GREEN GLEN LINEN SERVR | R. L. Polk & Co. |
| | RIOS JUAN (CORSINE)H | R. L. Polk & Co. |
| 1944 | INGSTROM GEOR | R. L. Polk & Co. |
| | INGSTROM JOS USNR | R. L. Polk & Co. |
| | INGSTROM MARIE ALRCRFTWKRR | R. L. Polk & Co. |
| | INGSTROM TILLIE MRS MAIDH | R. L. Polk & Co. |
| | INGSTROM WM FCTYWKRR | R. L. Polk & Co. |
| 1940 | ENGSTROM GEOR | R. L. Polk & Co. |
| | ENGSTROM JOS LABR | R. L. Polk & Co. |
| | ENGSTROM WMR | R. L. Polk & Co. |
| | STANLEY H (GERTRUDE) FLORIST H | R. L. Polk & Co. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1935 | H | R. L. Polk & Co. |
| | MCGRATH ISABEFLE ELKR | R. L. Polk & Co. |
| 1930 | ALLSOP ALFD B (SUSAN) CHAUFH | R. L. Polk & Co. |
| 1925 | MCGRATH DENNIS J (ROSE) LAB H | R. L. Polk & Co. |
| 1910 | Gau Philip painter r | H. S. Crocker Co. |

**2112 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2007 | J R WILLIAMS COMPANY | Cole Information Services |
| 2006 | No Current Listing | Haines Company, Inc. |
| 2000 | WILLIAMS J R CO | Haines & Company |
| | ODELLPamala | Haines & Company |
| 1993 | WILLIAMS J R COMPANY | Pacific Bell |
| 1990 | WILLIAMS JR COMPANY | Pacific Bell |
| 1977 | Carmona Carlos | Pacific Telephone |
| 1971 | NO RETURN | Pacific Telephone |
| 1966 | Luna Fred | R. L. Polk & Co. |
| 1962 | Luna Fred | R. L. Polk & Co. |
| 1958 | Schriewer Emil J | R. L. Polk & Co. |
| | schriewer Emil J | R. L. Polk & Co. |
| 1953 | Reilly Eunice Mrs | R. L. Polk & Co. |
| 1940 | IF MARCELINA FCTYWKRR | R. L. Polk & Co. |
| | BISAGNO JOHN (ANGELA) LABH | R. L. Polk & Co. |
| 1925 | MORRISSEY JOHN T TILE STRR | R. L. Polk & Co. |
| 1920 | KILSBY MRS ELLEN R | Pacific Telephone |
| 1915 | Kilsby Ellen T Mrs r | H. S. Crocker Co. |
| | Kilsby Chas E tilestr r | H. S. Crocker Co. |
| 1910 | Kilsby Charles salesman Phoenix Tool & Valve r | H. S. Crocker Co. |

**2114 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2012 | WILLIAMS J R COMPANY INC | Cole Information Services |
| 2007 | WILLIAMS J R CO | Cole Information Services |
| 2006 | WILUAMSJRCO | Haines Company, Inc. |
| 2000 | No Current Listings | Haines & Company |
| 1982 | Govea Filiberto | R. L. Polk & Co. |
| 1977 | Govea Filiberto | Pacific Telephone |
| 1971 | VACANT | Pacific Telephone |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1966 | King Orvis | R. L. Polk & Co. |
| 1962 | Francis Wm | R. L. Polk & Co. |
| 1958 | Francis Wm | R. L. Polk & Co. |
| | Francis Wm | R. L. Polk & Co. |
| 1953 | Molina Fred | R. L. Polk & Co. |
| 1949 | LILLEY JOHN C (BERNICE) PRSMNH | R. L. Polk & Co. |
| 1944 | R | R. L. Polk & Co. |
| | CHEEK GEORGETTE M BILLER BAKER & HAMILTONR | R. L. Polk & Co. |
| 1940 | ANSALONE FRANK (JANE) LABH | R. L. Polk & Co. |
| 1935 | DUNCAN WM L (SALLY) LABH | R. L. Polk & Co. |
| 1930 | LEON OSCAR (AMELIA) LABH | R. L. Polk & Co. |
| 1920 | MORRIS ETHYLEM R | Pacific Telephone |
| 1910 | Reimers Gustave driver r | H. S. Crocker Co. |

**2116 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | FRAUSTOJuan | Haines Company, Inc. |
| | Anlonio | Haines Company, Inc. |
| | GONZALEZ Norma | Haines Company, Inc. |
| 2000 | AYALAJulio R | Haines & Company |
| | GONZALEZNorma | Haines & Company |
| 1993 | Ayala Julio R | Pacific Bell |
| 1990 | AYALA JULIO R | Pacific Bell |
| 1982 | Jimenez Raymond | R. L. Polk & Co. |
| 1977 | Jiminiz Raymond | Pacific Telephone |
| 1971 | MANTINEZ MANTZ | Pacific Telephone |
| 1966 | Guerrero Cecilia | R. L. Polk & Co. |
| 1962 | Rodriquez Celia | R. L. Polk & Co. |
| 1958 | Rodriguez Gracelano | R. L. Polk & Co. |
| | Rodriguez Gracelano | R. L. Polk & Co. |
| 1940 | BOQUE JOHN J (RUTH) FIREMN SFFDH | R. L. Polk & Co. |
| 1930 | LEGAS EVA (MCGRATH & LEGAS)R | R. L. Polk & Co. |
| | LEGEAS EVA WAITERR | R. L. Polk & Co. |
| 1925 | PATINO RAYMOND SHOENKRR | R. L. Polk & Co. |
| | ORBE ISABELR | R. L. Polk & Co. |
| 1915 | Mc Carthy Jeremiah T lab r | H. S. Crocker Co. |
| | Mc Carthy Jos L bkpr r | H. S. Crocker Co. |

# FINDINGS

**2118 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | No Current Listing | Haines Company, Inc. |
| 2000 | CORTESTrinidad | Haines & Company |
| 1982 | Aguilar Bilbert | R. L. Polk & Co. |
| | No Return | R. L. Polk & Co. |
| 1977 | Hurt D | Pacific Telephone |
| | Rodriguez Isabel | Pacific Telephone |
| 1971 | SZENTKUTI JOSEPH | Pacific Telephone |
| 1966 | No Return | R. L. Polk & Co. |
| 1962 | Dantzler Arth D | R. L. Polk & Co. |
| 1958 | Contreras Lino | R. L. Polk & Co. |
| | Contreras Lino | R. L. Polk & Co. |
| 1953 | Contreras Limo | R. L. Polk & Co. |
| 1944 | GEO B (MARIE E) WHSMNH | R. L. Polk & Co. |
| 1940 | MORENO PETE (JENNIE) PLMBRH | R. L. Polk & Co. |
| 1930 | CAUPUTA SALVADORE (ANNIE) PRINTERR | R. L. Polk & Co. |
| | MARGT MRSH | R. L. Polk & Co. |
| 1925 | VASQUEZ JOHN LABH | R. L. Polk & Co. |
| | VINCENTE HLPR R | R. L. Polk & Co. |
| 1915 | Hoey Jos ironwkr r | H. S. Crocker Co. |
| | Lenihan I Michael J Jennie whsemn h | H. S. Crocker Co. |
| | Schaefer Catherine widow r | H. S. Crocker Co. |

**2120 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2012 | STEVEN MILLER DESIGN STUDIO | Cole Information Services |
| 2007 | SCOTT J OWENS JR | Cole Information Services |
| 2006 | MILLER Steven W | Haines Company, Inc. |
| | OWENSScot | Haines Company, Inc. |
| 2000 | MILLER Sleven W | Haines & Company |
| | ASHWORTH Scot | Haines & Company |
| | EDDY Frank | Haines & Company |
| 1990 | ASHWORTH SCOTT R SIERRA DOOR SERVICE | Pacific Bell |
| 1985 | PEREIRA TONY | Pacific Bell |
| 1982 | Pererra Tony | R. L. Polk & Co. |
| 1977 | Phillips | Pacific Telephone |
| 1971 | NO RETURN | Pacific Telephone |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1966 | Lewis Ronald | R. L. Polk & Co. |
| 1962 | Williams Jones F | R. L. Polk & Co. |
| 1958 | Myer Jack | R. L. Polk & Co. |
| | Myer Jack | R. L. Polk & Co. |
| 1953 | Myer Jack mach | R. L. Polk & Co. |
| 1940 | CARE BERTHA L EMP S F HEAPR | R. L. Polk & Co. |
| | CARE JOHN (MARY) LABH | R. L. Polk & Co. |
| 1930 | SEAVERS ELLA M (WID GEO)R | R. L. Polk & Co. |

**2121 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2007 | HOOP DESIGN | Cole Information Services |
| 2006 | No Current Listing | Haines Company, Inc. |
| 2000 | BUILDING | Haines & Company |
| | BAHRROBINDESIGN | Haines & Company |
| | BARBARA DUNHAM | Haines & Company |
| | EM DASH | Haines & Company |
| | FTROOPDESIGN | Haines & Company |
| | FEENSTRAKristean L | Haines & Company |
| | GIRLSOURCE | Haines & Company |
| | HOLLEYKen | Haines & Company |
| | HOOP DESIGN | Haines & Company |
| | KENNEDYKJ | Haines & Company |
| | KENNEDYKJ | Haines & Company |
| | M DASH | Haines & Company |
| | MAITLANDDESIGN | Haines & Company |
| | NEUWIRTHDESIGNS | Haines & Company |
| | OMORIE | Haines & Company |
| | PASHELINSKYWM | Haines & Company |
| | PHILLIPKRAYNA | Haines & Company |
| | DESIGN | Haines & Company |
| | REISS ELIZABETH | Haines & Company |
| | ASSOCIATES | Haines & Company |
| | SIERRAPACCSTGINC | Haines & Company |
| | SPARK | Haines & Company |
| | STUDIOLIMAGE | Haines & Company |
| | SUCCOTASH | Haines & Company |
| | WENDY SZETO LEE | Haines & Company |
| | DESIGN | Haines & Company |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 2000 | XOCHITLFILM&VIDEO | Haines & Company |
| | PRDCTN SERV | Haines & Company |
| | 2 OF HEARTS | Haines & Company |
| 1993 | Corcoran J R | Pacific Bell |
| | CREATIVE VENTURES | Pacific Bell |
| | FAVREAU STUDIO | Pacific Bell |
| | FERGUSON JAMES ACCESSORIES | Pacific Bell |
| | SIERRA PACIFIC CASTING INC | Pacific Bell |
| | LYNCH GREG DESIGN | Pacific Bell |
| | WILLIE VERBA | Pacific Bell |
| | RIXFORD CHRISTIE DESISN | Pacific Bell |
| | QUARTET FILM & VIDEO | Pacific Bell |
| | PARHAM SHARON DESIGN | Pacific Bell |
| | NORTH AMERICAN STIJL LIFE | Pacific Bell |
| | SPARK | Pacific Bell |
| | GLARNER WOODWORKING | Pacific Bell |
| | THE MORGAN COMPANY | Pacific Bell |
| | JAMISON PRODUCTION GROUP THE | Pacific Bell |
| | Holley Ken | Pacific Bell |
| | Yanku Demian | Pacific Bell |
| | FAMOUS FRAMING | Pacific Bell |
| | CRAIG R S & ASSOCIATES FURNITURE AND | Pacific Bell |
| 1990 | KEN SHIOKARL DESIGN | Pacific Bell |
| | PARALLAX DESIGN | Pacific Bell |
| | PUBLIC SOUND AUTHORITY | Pacific Bell |
| | RODEO OFFICEEQUIPMENT & COMPATIBLE PRODUCTS | Pacific Bell |
| | SAN ANDREAS OFFICE PRODUCTS | Pacific Bell |
| | SIERRA CASTING | Pacific Bell |
| | STORTSON SPECIALTY CASTING | Pacific Bell |
| | SYMBEX A DIVISION OF D & T ASSOCIATES INC | Pacific Bell |
| | S SBEX GROUP THE | Pacific Bell |
| | YUEN S GLASS DECORATION CO | Pacific Bell |
| | BARBINI | Pacific Bell |
| | CORCORAN JR | Pacific Bell |
| | CRAIG R S & ASSOCIATES FURNITURE AND FACILITIES | Pacific Bell |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1990 | D & T ASSOCIATES INC OFC CONSLTNTS | Pacific Bell |
| | EDSTOM STEVE | Pacific Bell |
| | FAMOUS FRAMING | Pacific Bell |
| | FERGUSON JAMES ACCESSORIES | Pacific Bell |
| | FOSSUM BRUCE | Pacific Bell |
| | HOLLEY KEN | Pacific Bell |
| | HUMM BABIES SEWING | Pacific Bell |
| | JAMISON STEVE | Pacific Bell |
| 1985 | CRAIG R S & ASSOCIATES FURNITURE AND FACILITIES | Pacific Bell |
| | FAMOUS FRAMING | Pacific Bell |
| | FINE FEATHERS OF SAN FRANCISCO | Pacific Bell |
| | HOLLEY KEN | Pacific Bell |
| | HOLMQULST SHEEPSKIN PRODUCTS | Pacific Bell |
| | KEN SHIOKARI DESIGN | Pacific Bell |
| | KILO LANI LARI | Pacific Bell |
| | LARGE SIZE WOMEN S APPAREL | Pacific Bell |
| | LING MARTIN GROUP | Pacific Bell |
| | MAYNOR S UPHOLSTERY | Pacific Bell |
| | NAME-FINDERS LISTS INC | Pacific Bell |
| | NESSEL DENISE D | Pacific Bell |
| | PARALLAX DESIGN | Pacific Bell |
| | RO IIFILCEP QI TN JEF T& COPATIBLE PRDUT | Pacific Bell |
| | SAN ANDREAS OFFICE PRODUCTS | Pacific Bell |
| | SIERRA CASTING | Pacific Bell |
| | ZARGHAM ABDOL SALEH | Pacific Bell |
| | AILES BENJAMIN PHOTGRPHR | Pacific Bell |
| | BELHUMEUR EVENTS CHRISTMAS DECORATING | Pacific Bell |
| | CHENG CHUAN S GLASS ART CO | Pacific Bell |
| | COOK GORDON | Pacific Bell |
| 1982 | Aids Assistant In Design Services | R. L. Polk & Co. |
| | Lind Associates furn mfrs rep | R. L. Polk & Co. |
| | Modjabi Abbas artist | R. L. Polk & Co. |
| | Domar Upholstered Furniture | R. L. Polk & Co. |
| | Greenleafy Stores florist | R. L. Polk & Co. |
| | Pulse Production research & development | R. L. Polk & Co. |
| | Maynors Upholstery | R. L. Polk & Co. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1982 | Viola Gallery | R. L. Polk & Co. |
| | New Fashion Apparel Factory | R. L. Polk & Co. |
| | Famous Framing picture framing | R. L. Polk & Co. |
| | Pet Portraits | R. L. Polk & Co. |
| | Ailes Benj coml photography | R. L. Polk & Co. |
| | Parrallax Design | R. L. Polk & Co. |
| | R B Installations fl covering | R. L. Polk & Co. |

**2122 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2007 | FIGUREPLANT | Cole Information Services |
| 2006 | BURNSADRIAN | Haines Company, Inc. |
| | FIGUREPLANT | Haines Company, Inc. |
| | FREDERICKSON | Haines Company, Inc. |
| | David FREDRICKSON David | Haines Company, Inc. |
| | M RAMSEY Wiliam | Haines Company, Inc. |
| 2000 | LIVCOHTG&SHEET | Haines & Company |
| | VIGILLouis | Haines & Company |
| 1993 | LIVCO HEATING & SHEET METAL INC | Pacific Bell |
| 1985 | COLAN HEATING & SHEET METAL CO INC | Pacific Bell |
| 1982 | Reliable Sheet Metal | R. L. Polk & Co. |
| 1977 | Reliable Sheet Metal | Pacific Telephone |
| 1971 | RELIABLE SHEET METAL | Pacific Telephone |
| 1966 | Reliable Sheetmetal | R. L. Polk & Co. |
| 1962 | Symon Mach Wks | R. L. Polk & Co. |
| 1958 | Symon Mach Wks | R. L. Polk & Co. |
| | Symon Marh Wks | R. L. Polk & Co. |
| 1953 | Symon Mach Wks | R. L. Polk & Co. |
| 1949 | BITUMINOUS PRODUCTS & APPLICATION CO (W E PETERS J R LEWIS) WATER PROOFING | R. L. Polk & Co. |

**2129 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2000 | No Current Listings | Haines & Company |

**2132 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2000 | EISNER Lorenz | Haines & Company |
| 1985 | SECURITY SERVICE IRON WORKS | Pacific Bell |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1982 | Vacant | R. L. Polk & Co. |
| 1977 | Son Lee Laundry | Pacific Telephone |
| 1971 | SON LEE LAUNDRY | Pacific Telephone |
| 1966 | Son Lee Lndry | R. L. Polk & Co. |
| 1962 | Son Lee Lndry | R. L. Polk & Co. |
| | Huey Wing | R. L. Polk & Co. |
| 1958 | Son Lee Lndry | R. L. Polk & Co. |
| | Huey Wing | R. L. Polk & Co. |
| | Son Leo Lndry | R. L. Polk & Co. |
| | Huey Wing | R. L. Polk & Co. |
| 1953 | Am West Lndry | R. L. Polk & Co. |
| 1949 | SHING JEW GAM (YEE) INDY | R. L. Polk & Co. |
| 1944 | BARBE RENE A (J B BARBE & SON)R | R. L. Polk & Co. |
| 1940 | BARBE JOHN (THEODOSE) INDY | R. L. Polk & Co. |
| | BARBE RENE DRIVER R | R. L. Polk & Co. |
| 1930 | BARBE JOHN B (THEODOSE) LAUNDRY | R. L. Polk & Co. |
| 1925 | BARBE JOHN B (THEODOSE) INDRY | R. L. Polk & Co. |
| 1920 | CATBANNEEMME LAUNDRY | Pacific Telephone |

**2135 BRYANT ST**

| Year | Uses | Source |
|---|---|---|
| 2000 | No Current Listings | Haines & Company |

## BRYANT/19TH

**BRYANT/19TH**

| Year | Uses | Source |
|---|---|---|
| 1966 | BRYANT/19TH | R. L. Polk & Co. |
| 1962 | BRYANT/19TH | R. L. Polk & Co. |
| 1958 | BRYANT/19TH | R. L. Polk & Co. |
| | BRYANT/19TH | R. L. Polk & Co. |
| 1953 | BRYANT/19TH | R. L. Polk & Co. |

## BRYANT/19TH ST

**BRYANT/19TH ST**

| Year | Uses | Source |
|---|---|---|
| 1982 | BRYANT/19TH ST | R. L. Polk & Co. |
| 1977 | BRYANT/19TH ST | Pacific Telephone |

| Year | Uses | Source |
|---|---|---|
| 1971 | BRYANT/19TH ST | Pacific Telephone |

## FLORENCE ST

### 623 FLORENCE ST

| Year | Uses | Source |
|---|---|---|
| 2006 | 5 MORALES Arturo | Haines Company, Inc. |
| 2000 | GOMEZEberardo | Haines & Company |

### 624 FLORENCE ST

| Year | Uses | Source |
|---|---|---|
| 2006 | FLOWER Jas | Haines Company, Inc. |
| 2000 | FLOWERJas B | Haines & Company |
| | MANLULU Rhoda | Haines & Company |
| 1993 | Flower Jas B | Pacific Bell |
| 1990 | FPOWER JAS B | Pacific Bell |
| 1985 | FLOWER JAS B | Pacific Bell |

### 631 FLORENCE ST

| Year | Uses | Source |
|---|---|---|
| 2006 | RAMIREZLucto | Haines Company, Inc. |
| 2000 | RAMIREZ Luci | Haines & Company |
| 1993 | Ramirez Lucio | Pacific Bell |
| 1990 | RAMLREZ LUCIO | Pacific Bell |
| 1985 | RAMIREZ LUCIO | Pacific Bell |

### 632 FLORENCE ST

| Year | Uses | Source |
|---|---|---|
| 2006 | MCVEIGH John T | Haines Company, Inc. |
| 2000 | MCVEIGHJohn T | Haines & Company |
| 1993 | McVeigh John T | Pacific Bell |
| 1990 | MC VEIGH JOHN T | Pacific Bell |
| 1985 | MC VEIGH JOHN T | Pacific Bell |

### 639 FLORENCE ST

| Year | Uses | Source |
|---|---|---|
| 2006 | No Current Listing | Haines Company, Inc. |
| 2000 | No Current Listings | Haines & Company |
| 1985 | MCLNTYRE SANDRA & WM | Pacific Bell |

# FINDINGS

**640 FLORENCE ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | AURobert | Haines Company, Inc. |
| 2000 | AU Robedrt | Haines & Company |
| 1985 | AU ROBT | Pacific Bell |

**647 FLORENCE ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | PANOPIO Martin | Haines Company, Inc. |
| 2000 | PANOPIOMarin | Haines & Company |

**648 FLORENCE ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | MADDEN Francis | Haines Company, Inc. |
| 2000 | MADDEN Francis | Haines & Company |

**653 FLORENCE ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | TAYLOR Queen | Haines Company, Inc. |
| | QUEEN Taylor | Haines Company, Inc. |
| | TAYLORCornelius | Haines Company, Inc. |
| 2000 | TAYLORCornmelius | Haines & Company |
| | TAYLOR OQuean | Haines & Company |
| | TAYLOR Ouean | Haines & Company |
| 1993 | Taylor Queen & Cornelius | Pacific Bell |
| | Taylor Queen & Cornelius | Pacific Bell |
| 1985 | TAYLOR QUEEN & CORNELIUS | Pacific Bell |

**656 FLORENCE ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | PIAZZA Monique | Haines Company, Inc. |
| 2000 | PIAZZAGeorge | Haines & Company |

**659 FLORENCE ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | PICAZO Maria | Haines Company, Inc. |
| 2000 | OPICAZO Manuel | Haines & Company |

**664 FLORENCE ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | LACANIENTAL | Haines Company, Inc. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 2000 | LACANIENTALaevi | Haines & Company |
| | Noreen | Haines & Company |
| | LACANIENTAJosh | Haines & Company |

**665 FLORENCE ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | GOMEZH | Haines Company, Inc. |
| | GOMED | Haines Company, Inc. |
| 2000 | GOMEZH | Haines & Company |
| | LLECHUGA Maria | Haines & Company |
| 1993 | Naranja Maximo | Pacific Bell |

**671 FLORENCE ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | MANDAC Virgll | Haines Company, Inc. |
| 2000 | MANDAC Virgil | Haines & Company |
| 1993 | Bruno K | Pacific Bell |
| 1990 | BRUNO K | Pacific Bell |
| 1985 | BRUNO K | Pacific Bell |

**672 FLORENCE ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | PANOPIO Elazar | Haines Company, Inc. |
| 2000 | MORTEL Elisila | Haines & Company |
| | PANOPIOEleazar | Haines & Company |
| 1985 | PANOPI MARTIN | Pacific Bell |

**677 FLORENCE ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | No Current Listing | Haines Company, Inc. |
| 2000 | PIAZZA George | Haines & Company |

**680 FLORENCE ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | a DAVID Vogle | Haines Company, Inc. |
| | PAYUMOAdela N | Haines Company, Inc. |
| 2000 | DAVID Rolando | Haines & Company |

# FINDINGS

**683 FLORENCE ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | COOMBES Glora | Haines Company, Inc. |
| 2000 | OELAROCHAAdelaida | Haines & Company |

**688 FLORENCE ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | MARQUEZRodrigo | Haines Company, Inc. |
| 2000 | MAROUEZRodrigo | Haines & Company |
| 1985 | NELSSON CHAS E | Pacific Bell |

**689 FLORENCE ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | BARRION Valedrie C | Haines Company, Inc. |
| | VELEZ Juan | Haines Company, Inc. |
| 2000 | CREAGER Donald | Haines & Company |

**692 FLORENCE ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | LEEHenry | Haines Company, Inc. |
| 2000 | LEE Henry | Haines & Company |

**695 FLORENCE ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | MOSEKIAN Michael | Haines Company, Inc. |
| 2000 | MOSEKIAN Michael | Haines & Company |
| 1990 | WILKE GUS | Pacific Bell |
| 1985 | WILKE GUS | Pacific Bell |

**696 FLORENCE ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | WOODJoseph | Haines Company, Inc. |
| 2000 | WOODJoseph | Haines & Company |
| 1985 | WOOD J A | Pacific Bell |

**698 FLORENCE ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | CHRISTINAHuertas | Haines Company, Inc. |
| 2000 | HUERTASRoland | Haines & Company |

# FINDINGS

## FLORIDA

**689 FLORIDA**

| Year | Uses | Source |
|---|---|---|
| 1940 | R | R. L. Polk & Co. |

**691 FLORIDA**

| Year | Uses | Source |
|---|---|---|
| 1930 | WINSTON F CLK R | R. L. Polk & Co. |

**700 FLORIDA**

| Year | Uses | Source |
|---|---|---|
| 1915 | Ehrmann Frank J liquors | H. S. Crocker Co. |
| 1910 | Ehrmann Frank J liquors | H. S. Crocker Co. |

**701 FLORIDA**

| Year | Uses | Source |
|---|---|---|
| 1940 | JOHN (ALICE) COMENT FNSHR H | R. L. Polk & Co. |

**703 FLORIDA**

| Year | Uses | Source |
|---|---|---|
| 1940 | WM FLORENCE R | R. L. Polk & Co. |

**705 FLORIDA**

| Year | Uses | Source |
|---|---|---|
| 1944 | R | R. L. Polk & Co. |
| 1930 | FEAGULIA ENRICO (ANGELINA) LABH | R. L. Polk & Co. |

**715 FLORIDA**

| Year | Uses | Source |
|---|---|---|
| 1949 | MCKEWEN FLORID H | R. L. Polk & Co. |
| 1940 | ELMON H (MARTHA) H | R. L. Polk & Co. |
| 1930 | MARY MACH OPR R | R. L. Polk & Co. |

## FLORIDA AVE

**689 FLORIDA AVE**

| Year | Uses | Source |
|---|---|---|
| 1949 | ANDERSEN CAROLINE (WID JOHN)H | R. L. Polk & Co. |

# FINDINGS

**691 FLORIDA AVE**

| Year | Uses | Source |
|---|---|---|
| 1949 | FLOWERDAY CATH V (WID THOS) H | R. L. Polk & Co. |

**701 FLORIDA AVE**

| Year | Uses | Source |
|---|---|---|
| 1930 | DODSON ALFD E (HAZEL) ELKH | R. L. Polk & Co. |
| 1925 | STEVENS JA LABR | R. L. Polk & Co. |

**703 FLORIDA AVE**

| Year | Uses | Source |
|---|---|---|
| 1930 | LUZARDI ANTONIO (PALMYRA) UPHOLH | R. L. Polk & Co. |

**705 FLORIDA AVE**

| Year | Uses | Source |
|---|---|---|
| 1949 | FRAGULIA ENRICO (ANGELIA) EMP PBFH | R. L. Polk & Co. |

## FLORIDA ST

**632 FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 1910 | Scobie John Jr teamster r t | H. S. Crocker Co. |

**633 FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 2000 | No Current Listings | Haines & Company |
| 1993 | PRODUCTION SPECIALTIES | Pacific Bell |
| 1990 | PRODUCTION SPECIALTIES | Pacific Bell |

**650 FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 2012 | YELLOW OWL WORKSHOP | Cole Information Services |
| | MDRP | Cole Information Services |
| | BIKE KITCHEN | Cole Information Services |
| | LIME LAB INC | Cole Information Services |

**651 FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 1915 | Central Iron Works | H. S. Crocker Co. |

# FINDINGS

**657 FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 1910 | Fedde Ernest with Central Iron Wks r | H. S. Crocker Co. |
| | Fedde Peter stableman r | H. S. Crocker Co. |

**661 FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 1915 | Strang Harry E millhd r | H. S. Crocker Co. |
| | Triest Elodie Mrs h | H. S. Crocker Co. |
| 1910 | Carroll William lab r | H. S. Crocker Co. |

**663 FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 1915 | Stathas Frank cutter r | H. S. Crocker Co. |

**671 FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 1910 | Casey James H mach r | H. S. Crocker Co. |
| | Casey John mach r | H. S. Crocker Co. |
| | Kiernan James H riveter r | H. S. Crocker Co. |
| | Casey John teamster r | H. S. Crocker Co. |

**673 FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 1915 | Dondero Loirenzo shipbldr r | H. S. Crocker Co. |
| | Dondero Angela wid Jos r | H. S. Crocker Co. |

**675 FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 1962 | Modern Vehicle Co repr shop | R. L. Polk & Co. |
| 1958 | Modern Vehicle Co repr shop | R. L. Polk & Co. |

**677 FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 1962 | Crucible Steel Co of Am shop | R. L. Polk & Co. |
| 1958 | Crucible Steel Co of Am shop | R. L. Polk & Co. |
| 1910 | Wise John express r | H. S. Crocker Co. |
| | Wyse John driver r | H. S. Crocker Co. |

**679 FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 1958 | Genl Metals Corp Enterprise Div; shop | R. L. Polk & Co. |

# FINDINGS

**681 FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 2000 | No Current Listings | Haines & Company |
| 1982 | Am Conservatory Theater Scene Shop | R. L. Polk & Co. |
| 1962 | Ncrthern Calif rear entr | R. L. Polk & Co. |
| | Harron Rickard & Mc Cone Co of | R. L. Polk & Co. |
| 1958 | First Western Machy Co | R. L. Polk & Co. |

**683 FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 1958 | Genl Metals Corp Enterprise Div; shop | R. L. Polk & Co. |

**685 FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 2000 | No Current Listings | Haines & Company |
| 1993 | ALL TECH PRODUCTIONS | Pacific Bell |
| | Silva Mark | Pacific Bell |
| 1990 | SMITH BRYAN | Pacific Bell |
| | BRECKA JUDITH ATTY | Pacific Bell |
| 1982 | Miller Battery Co | R. L. Polk & Co. |
| 1977 | Miller Battery Co | Pacific Telephone |
| 1966 | Vacant | R. L. Polk & Co. |
| 1962 | Am Steel Fabricators & Erectors | R. L. Polk & Co. |
| 1958 | Paris Art Co lamp mfrs | R. L. Polk & Co. |
| 1953 | Paris Art Co | R. L. Polk & Co. |

**689 FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | a COLLISTERD | Haines Company, Inc. |
| 2000 | VANDINE Pater | Haines & Company |
| | Kathleen | Haines & Company |
| | PETZKEVANDINE | Haines & Company |
| 1990 | SLEUTH PUBLICATIONS LTD GRAPHIC DEPT | Pacific Bell |
| | DIFFERENT WORLDS | Pacific Bell |
| 1985 | BERKELEY GAME COMPANY MFR | Pacific Bell |
| | SLEUTH PUBLICATIONS LTD | Pacific Bell |
| | SLEUTH PUBLICATIONS LTD GRAPHIC DEPT | Pacific Bell |
| 1982 | Thompson Robt Co waterproofing | R. L. Polk & Co. |
| 1977 | Thompson Robt Co waterproofing | Pacific Telephone |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1971 | VACANT | Pacific Telephone |
| 1966 | Vacant | R. L. Polk & Co. |
| 1962 | Scala Radio side entr | R. L. Polk & Co. |
| 1958 | Scaia Radio Co ship and rec | R. L. Polk & Co. |
| 1953 | Juare Benito F | R. L. Polk & Co. |
| 1930 | ANDERSEN CAROLINE (WID JOHN)H | R. L. Polk & Co. |
| 1915 | Doig Anna Mrs r | H. S. Crocker Co. |
| | Andersen Caroline Mrs h | H. S. Crocker Co. |
| 1910 | Anderson Caroline Mrs r | H. S. Crocker Co. |

691 FLORIDA ST

| Year | Uses | Source |
|---|---|---|
| 2007 | ENTERMEDIA NETWORK CO | Cole Information Services |
| 2006 | SHAPIRORobert | Haines Company, Inc. |
| 2000 | RICHARDChad C | Haines & Company |
| | SAGATELYANAllan | Haines & Company |
| 1982 | Savoy Michl | R. L. Polk & Co. |
| 1977 | Savoy Adam J | Pacific Telephone |
| 1971 | SAVOY A J | Pacific Telephone |
| 1962 | Vacant | R. L. Polk & Co. |
| 1958 | Vacant | R. L. Polk & Co. |
| 1953 | Vacant | R. L. Polk & Co. |
| 1920 | ILAGANJAMELP R | Pacific Telephone |
| 1915 | Hogan Edw driver r | H. S. Crocker Co. |
| | Hagan Edw F clk Farnsworth & Ruggles r | H. S. Crocker Co. |
| 1910 | Carey William D fireman r | H. S. Crocker Co. |
| | Carey Mary widow r | H. S. Crocker Co. |
| | Carey John J janitor r | H. S. Crocker Co. |
| | Carey Edward C porter r | H. S. Crocker Co. |
| | Carey Arthur I laundryman r | H. S. Crocker Co. |

693 FLORIDA ST

| Year | Uses | Source |
|---|---|---|
| 2006 | No Current Listing | Haines Company, Inc. |
| 2000 | RICHMONDJa eff | Haines & Company |
| 1982 | Medina Julio | R. L. Polk & Co. |
| 1977 | Williams Rondallyn | Pacific Telephone |
| 1971 | HARRISON RONALD | Pacific Telephone |
| 1958 | Vacant | R. L. Polk & Co. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1953 | Vacant | R. L. Polk & Co. |

**700 FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 1920 | EHRMANLNFJ BEIERAGES | Pacific Telephone |

**701 FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 2000 | No Current Listings | Haines & Company |
| 1985 | ST JOHN C | Pacific Bell |
| 1982 | Rios Victor | R. L. Polk & Co. |
| 1977 | Ellis M K | Pacific Telephone |
| 1971 | JURADO MARGT M MRS | Pacific Telephone |
| 1966 | Jurado Margt M Mrs | R. L. Polk & Co. |
| 1962 | Jurado Margt M Mrs | R. L. Polk & Co. |
| 1958 | Hassler Fred A | R. L. Polk & Co. |
| 1953 | Casazza Leslie M | R. L. Polk & Co. |
| 1915 | Fragula Angelo lab r | H. S. Crocker Co. |
| | Fragula Enrico lab r | H. S. Crocker Co. |

**702 FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 1971 | WEICHHART STAMPING CO | Pacific Telephone |

**703 FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | No Current Listing | Haines Company, Inc. |
| 2000 | No Current Listings | Haines & Company |
| 1982 | Contreras Geo | R. L. Polk & Co. |
| 1977 | Robles Fred A | Pacific Telephone |
| 1971 | NO RETURN | Pacific Telephone |
| 1966 | Hougland Everett L | R. L. Polk & Co. |
| 1962 | Hougland Everett L | R. L. Polk & Co. |
| 1958 | Hougland Everett L | R. L. Polk & Co. |
| 1953 | Hassler Fred | R. L. Polk & Co. |
| 1915 | Killeen Edw clk A Smith & Sons Carpet Co r | H. S. Crocker Co. |
| | Howard Patrick Mary lab h | H. S. Crocker Co. |
| | Howard Mary wid Patrick h | H. S. Crocker Co. |
| 1910 | Murphy John J teamster r | H. S. Crocker Co. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1910 | Peck Pauline widow r | H. S. Crocker Co. |
| | Shaw Clarence teamster r | H. S. Crocker Co. |

**705 FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 1982 | Tavizon Francisco | R. L. Polk & Co. |
| 1977 | Larson Steve | Pacific Telephone |
| 1971 | ALDURIN GENE | Pacific Telephone |
| 1966 | Fregulia Angela Mrs | R. L. Polk & Co. |
| 1962 | Fregulia Enrico J B | R. L. Polk & Co. |
| 1958 | Fregulia Enrico J | R. L. Polk & Co. |
| 1953 | Fregulia Enrico | R. L. Polk & Co. |
| 1910 | Kilsby John stev r | H. S. Crocker Co. |

**709 FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 1971 | NO RETURN | Pacific Telephone |

**710 FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 2012 | DEBBIE DOES DINNER | Cole Information Services |
| 1982 | American Wood & Metal Stripping Co furn & metal stripping | R. L. Polk & Co. |
| 1977 | American Wood & Metal Stripping Co turn & metal stripping | Pacific Telephone |
| 1962 | Vacant | R. L. Polk & Co. |
| 1958 | Pelton Walter Wheel shop | R. L. Polk & Co. |

**714 FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 1915 | Cody Richard F packer h | H. S. Crocker Co. |
| 1910 | Cody Richard packer r | H. S. Crocker Co. |
| | Coady Richard casketmkr r | H. S. Crocker Co. |
| | Birch Nora widow r | H. S. Crocker Co. |
| | Coady James tinsmith r | H. S. Crocker Co. |

**715 FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | BADERLawrence | Haines Company, Inc. |
| 2000 | BADER Lawrence | Haines & Company |
| 1985 | BADER LAWRENCE | Pacific Bell |

| Year | Uses | Source |
|---|---|---|
| 1982 | Baker Larry | R. L. Polk & Co. |
| 1962 | Marquardt Henry F | R. L. Polk & Co. |
| 1958 | McKeown Gertrude L Mrs | R. L. Polk & Co. |
| 1953 | McKeown E T | R. L. Polk & Co. |
| 1910 | Allgaard Charles r | H. S. Crocker Co. |

**716 FLORIDA ST**

| Year | Uses | Source |
|---|---|---|
| 1915 | Moore Harold Katherine Indywkr h | H. S. Crocker Co. |

## FLORIDA WALK

**685 FLORIDA WALK**

| Year | Uses | Source |
|---|---|---|
| 1949 | PARIS ART CO (GABRIELLO AND MARIO MARTINI GC LUCCHESI) LAMP MFRS | R. L. Polk & Co. |
| 1940 | BRIGGS FOUNDERS SUPPLIES & EQUIPMENT (W J BRIGGS) REPRESENTING INTERNATIONA | R. L. Polk & Co. |

**689 FLORIDA WALK**

| Year | Uses | Source |
|---|---|---|
| 1949 | MATHIESEN HARRY PR | R. L. Polk & Co. |
| 1940 | MATHIESEN HENRY P LITHO H | R. L. Polk & Co. |
| 1935 | MATHIESEN HARRYH | R. L. Polk & Co. |
| | ANDERSEN P JOHNH | R. L. Polk & Co. |
| | MATHIESON HARRY EMP AMES HARRIS NEVILLE COR | R. L. Polk & Co. |
| 1930 | MATHIESON HENRY LAB H | R. L. Polk & Co. |
| 1925 | ANDREW CAROLINE (WID JOHN)H | R. L. Polk & Co. |
| | MATHIESEN HENRY PR | R. L. Polk & Co. |

**691 FLORIDA WALK**

| Year | Uses | Source |
|---|---|---|
| 1944 | FLOWERDAY CATH V EMP CCMCOR | R. L. Polk & Co. |
| 1940 | FLOWERDAY CATHLI V (WID THOS)H | R. L. Polk & Co. |
| 1935 | FLOWERDAY THOSH | R. L. Polk & Co. |
| 1930 | THOS (CATH) ARTIST AMES-HARRIS NEVILLE CO H | R. L. Polk & Co. |
| | FLORIDA WINSTON F ELKR | R. L. Polk & Co. |
| | BATTERTON JAS W ELKR | R. L. Polk & Co. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1925 | FLOWER WIM LABR | R. L. Polk & Co. |
| | FLOWER LOWERDAY THOS (CATH V) FORMII AMES HARRIS NEVILLE COH | R. L. Polk & Co. |

**693 FLORIDA WALK**

| Year | Uses | Source |
|---|---|---|
| 1925 | GUTTINGER CAROLINE MRS RESTRR | R. L. Polk & Co. |

**701 FLORIDA WALK**

| Year | Uses | Source |
|---|---|---|
| 1949 | SKLIOS THOS USNR | R. L. Polk & Co. |
| | SKLIOS STEVE DRR | R. L. Polk & Co. |
| | GEIKAS NICK (PAULINE) LAB H | R. L. Polk & Co. |
| 1935 | CROSS GEO (FRANCES)H | R. L. Polk & Co. |
| 1925 | DOLBIN MARTHA (WID CHAS)H | R. L. Polk & Co. |
| | LYNIMAN DENNIS LABH | R. L. Polk & Co. |
| | LINDSAY JOS LABR | R. L. Polk & Co. |

**703 FLORIDA WALK**

| Year | Uses | Source |
|---|---|---|
| 1949 | GARCIA JOHN (MARY) H | R. L. Polk & Co. |
| | GARCIA GEO R | R. L. Polk & Co. |
| 1944 | SCRIVANI ANDW P MILLMN GEO WINDELER COR | R. L. Polk & Co. |
| 1930 | ADVERTISING T PAUL DYERR | R. L. Polk & Co. |
| 1925 | LUJCILARD ANTONE (PALMIRA) LAB H | R. L. Polk & Co. |

**705 FLORIDA WALK**

| Year | Uses | Source |
|---|---|---|
| 1940 | FREGULIA EIRICO (ANGELA) LABH | R. L. Polk & Co. |
| 1935 | FREGULIA ENRICO (ANGELA) LABH | R. L. Polk & Co. |
| | FREGULIA THELMAR | R. L. Polk & Co. |
| 1925 | FREGUGLIA ELIZ STENR | R. L. Polk & Co. |
| | FREGUGLIA ENRICO (ANGELICA) LABH | R. L. Polk & Co. |

**715 FLORIDA WALK**

| Year | Uses | Source |
|---|---|---|
| 1944 | ROTH IDA EMP HOTEL POWELLR | R. L. Polk & Co. |
| 1935 | GUGLIELMO JOHN LABH | R. L. Polk & Co. |
| | GUGLIELMO MARY MRS SORTER WESTERN STOPPER COR | R. L. Polk & Co. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1925 | CAPUCHINO ANTONE (RITA) LABH | R. L. Polk & Co. |

## FLORIDA/19TH

### FLORIDA/19TH

| Year | Uses | Source |
|---|---|---|
| 1966 | FLORIDA/19TH | R. L. Polk & Co. |
| 1962 | FLORIDA/19TH | R. L. Polk & Co. |
| 1958 | FLORIDA/19TH | R. L. Polk & Co. |
| 1953 | FLORIDA/19TH | R. L. Polk & Co. |

## FLORIDA/19TH ST

### FLORIDA/19TH ST

| Year | Uses | Source |
|---|---|---|
| 1982 | FLORIDA/19TH ST | R. L. Polk & Co. |
| 1977 | FLORIDA/19TH ST | Pacific Telephone |
| 1971 | FLORIDA/19TH ST | Pacific Telephone |

## YORK

### 625 YORK

| Year | Uses | Source |
|---|---|---|
| 1940 | H | R. L. Polk & Co. |

### 625 1/2 YORK

| Year | Uses | Source |
|---|---|---|
| 1949 | WILSON LUTICIA | R. L. Polk & Co. |
| | H | R. L. Polk & Co. |

### 627 YORK

| Year | Uses | Source |
|---|---|---|
| 1949 | KELLY OLIVERH | R. L. Polk & Co. |
| 1930 | BOUSE FRED W FACTYWKRR | R. L. Polk & Co. |
| 1925 | MACHEFERT JOHN | R. L. Polk & Co. |
| 1910 | Dink Theodore lab r | H. S. Crocker Co. |

### 627 1/2 YORK

| Year | Uses | Source |
|---|---|---|
| 1944 | R | R. L. Polk & Co. |

# FINDINGS

**629 YORK**

| Year | Uses | Source |
|---|---|---|
| 1910 | Fakhouri George N groceries | H. S. Crocker Co. |
| | r | H. S. Crocker Co. |

**635 YORK**

| Year | Uses | Source |
|---|---|---|
| 1944 | H | R. L. Polk & Co. |

**700-798 YORK**

| Year | Uses | Source |
|---|---|---|
| 1930 | PACIFIC FELT COMPANY INC W A LADLEY PRES MFRS COTTON FELT FOR AUTOMOBILES A | R. L. Polk & Co. |

**707 YORK**

| Year | Uses | Source |
|---|---|---|
| 1949 | CECELIA C (WID LOUIS)H | R. L. Polk & Co. |
| 1944 | H | R. L. Polk & Co. |

**709 YORK**

| Year | Uses | Source |
|---|---|---|
| 1944 | H | R. L. Polk & Co. |
| 1935 | BANCERO LEO (FLORAL H | R. L. Polk & Co. |

**710 YORK**

| Year | Uses | Source |
|---|---|---|
| 1944 | FELT CO W A LADLEY PRES | R. L. Polk & Co. |

**711 YORK**

| Year | Uses | Source |
|---|---|---|
| 1930 | GALLAGHER KATHRYN M BKPR E P HUTTON & CO R | R. L. Polk & Co. |
| | CHAS A CHAULF R | R. L. Polk & Co. |
| | LATH (WID JAIO H | R. L. Polk & Co. |
| | BLLS ADA C STE B CLEMENS 0ES COR R | R. L. Polk & Co. |

**713 YORK**

| Year | Uses | Source |
|---|---|---|
| 1949 | R | R. L. Polk & Co. |
| 1944 | ANNE E MRS CORS ALLYN & BACON H | R. L. Polk & Co. |
| 1925 | ATTHOWE WM BKPRR | R. L. Polk & Co. |

# FINDINGS

**715 YORK**

| Year | Uses | Source |
|---|---|---|
| 1985 | SCHRICK ALICE | Pacific Bell |
| 1949 | FRANK TALLCEL H | R. L. Polk & Co. |
| 1935 | SCHUTZ JACOB (ALICE) H | R. L. Polk & Co. |

**717 YORK**

| Year | Uses | Source |
|---|---|---|
| 1985 | SPAIN DON | Pacific Bell |
| 1920 | MADSEN MRS C A R | Pacific Telephone |

**719 YORK**

| Year | Uses | Source |
|---|---|---|
| 1944 | WM S USA R | R. L. Polk & Co. |
| | GERALD L USNR | R. L. Polk & Co. |
| | FITZMAURICE JOHN M USAH | R. L. Polk & Co. |
| | RICHD J (MARTHA) CHF CLK SPCO H | R. L. Polk & Co. |
| 1935 | R | R. L. Polk & Co. |

## YORK AVE

**715 YORK AVE**

| Year | Uses | Source |
|---|---|---|
| 1949 | SCHRECK FRANK J IR DR J S GUERIA & COR | R. L. Polk & Co. |

## YORK DR

**625 YORK DR**

| Year | Uses | Source |
|---|---|---|
| 1944 | REGUERA ANTONIO (CARMEN)H | R. L. Polk & Co. |

**700-798 YORK DR**

| Year | Uses | Source |
|---|---|---|
| 1935 | PACIFIC FELT COMPANY INC W A LADLEY PRES MFRS COTTON FELT FOR AUTOMOBILES A | R. L. Polk & Co. |

**709 YORK DR**

| Year | Uses | Source |
|---|---|---|
| 1949 | FIGONI SILVIO R (ELLENA F) SCVGRH | R. L. Polk & Co. |

# FINDINGS

715 YORK DR

| Year | Uses | Source |
|---|---|---|
| 1944 | SCHRICK ALICE MRSH | R. L. Polk & Co. |

717 YORK DR

| Year | Uses | Source |
|---|---|---|
| 1944 | MAR FRITZ A PHARMH | R. L. Polk & Co. |

719 YORK DR

| Year | Uses | Source |
|---|---|---|
| 1925 | BARTHLIOLOMEWV (MARGT) LABH | R. L. Polk & Co. |

## YORK I

717 YORK I

| Year | Uses | Source |
|---|---|---|
| 1949 | MICHELETTI STEFANO EMP FLORENCE ART COR | R. L. Polk & Co. |

## YORK ST

625 YORK ST

| Year | Uses | Source |
|---|---|---|
| 2006 | CARDENAS Jesus | Haines Company, Inc. |
| 2000 | CARDENASJesus | Haines & Company |
| 1990 | BANKS ICELENE J | Pacific Bell |
| 1985 | BANKS ICELENE J | Pacific Bell |
| 1977 | Daniel Lucielle | Pacific Telephone |
| | Rubin Lloyd S Rev | Pacific Telephone |
| 1971 | OGLETREE ELONZY | Pacific Telephone |
| | RUBIN LLOYD S REV | Pacific Telephone |
| 1966 | Anderson Ellroy | R. L. Polk & Co. |
| | Rubin Lloyd S Rev B | R. L. Polk & Co. |
| 1962 | Anderson Richd A | R. L. Polk & Co. |
| | Rubin Lloyd S Rev B | R. L. Polk & Co. |
| 1958 | Ruben Fred S | R. L. Polk & Co. |
| | Rubin Lloyd S Rev | R. L. Polk & Co. |
| 1953 | Ruben Fred | R. L. Polk & Co. |
| | Rubin Lloyd S Rev | R. L. Polk & Co. |
| 1949 | MOSS MACK (DORA A) PRSR CHAS REMIROR | R. L. Polk & Co. |
| | PERKINS BERKLEY (MAY) MACHH | R. L. Polk & Co. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1944 | RUEDA FRANCES (WID RALPH)R | R. L. Polk & Co. |
| 1930 | MEYEBRS H CBTMKRR | R. L. Polk & Co. |
| | MEYNS HERMAN (SOPHIA)H | R. L. Polk & Co. |
| 1920 | TOBERCHAS R | Pacific Telephone |
| 1915 | Morris Chas mach r | H. S. Crocker Co. |
| | Tabener Chas mach r | H. S. Crocker Co. |
| 1910 | Ferrer Emmet woodwkr r | H. S. Crocker Co. |
| | Furrer Emil wagonmkr r | H. S. Crocker Co. |
| | Tobener Charles mach r | H. S. Crocker Co. |
| | Tobener Charles H teamster r | H. S. Crocker Co. |

**625 1/2 YORK ST**

| Year | Uses | Source |
|---|---|---|
| 1990 | RUBIN LS REV | Pacific Bell |
| 1985 | RUBIN L S REV | Pacific Bell |
| 1949 | MINTER TROVIS (DOLLIE M)H | R. L. Polk & Co. |
| 1944 | MARQUEZ MARIANO (RAMONA) LABH | R. L. Polk & Co. |
| | MARCUEZ MARIA (WID PASCACCLO)R | R. L. Polk & Co. |
| 1940 | SANCHEZ JOHN (MARY) LABH | R. L. Polk & Co. |
| | SANCHEZ MARY BKPR C A VALERGAR | R. L. Polk & Co. |
| 1930 | OLIVE CLAIRE STEN CITY OF PARISR | R. L. Polk & Co. |
| | OLIVE LOUIS (JOSEPHINE) ELKH | R. L. Polk & Co. |
| | OLIVER LOUIS FURN HNDLRR | R. L. Polk & Co. |
| 1925 | OLIVA LOUIS (JOSEPHINE) CLKH | R. L. Polk & Co. |
| | OLIVER LOUIS WHSEMNR | R. L. Polk & Co. |

**627 YORK ST**

| Year | Uses | Source |
|---|---|---|
| 2007 | AMPED MULTIMEDIA | Cole Information Services |
| 2006 | DURAN Michael | Haines Company, Inc. |
| 2000 | MATIASICAnhony | Haines & Company |
| 1977 | Garcia Nellie P Mrs | Pacific Telephone |
| | Vacant | Pacific Telephone |
| 1971 | GARCIA DONALD R | Pacific Telephone |
| | RICO ROMAN | Pacific Telephone |
| 1966 | Vacant | R. L. Polk & Co. |
| | Haug J A | R. L. Polk & Co. |
| 1962 | Pitts Ray J | R. L. Polk & Co. |
| | Kelly Olive M Mrs B | R. L. Polk & Co. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1958 | Kelly Thos | R. L. Polk & Co. |
| | Pitts Ray | R. L. Polk & Co. |
| 1953 | Kelly Thos | R. L. Polk & Co. |
| 1944 | KELLY OLIVERH | R. L. Polk & Co. |
| 1940 | OLIVE ORDERLY SFHOSPR | R. L. Polk & Co. |
| | KELLY THOS (OLIVE) GDNR CRCH | R. L. Polk & Co. |
| 1935 | HENNIG ARTH (ELEANORE)H | R. L. Polk & Co. |
| 1930 | BONSE FRED W (WINNIE) STEVEDOREH | R. L. Polk & Co. |
| 1925 | ICOMINI ANTONIO (MARJORIE)H | R. L. Polk & Co. |
| 1920 | YWERNS CLAUS R | Pacific Telephone |
| 1915 | Meyns Claus mstr mar Channel Tug & Lighterage Co r | H. S. Crocker Co. |
| 1910 | Mc Carthy Bernard lab r | H. S. Crocker Co. |

**627 1/2 YORK ST**

| Year | Uses | Source |
|---|---|---|
| 1949 | DITTMAR IRMNA M CLK WFB&UTCOR | R. L. Polk & Co. |
| | DITTMAR CLOTILDAH | R. L. Polk & Co. |
| 1940 | GEO LAB H | R. L. Polk & Co. |
| 1930 | BURMEISTER JOHN K LAB | R. L. Polk & Co. |

**629 YORK ST**

| Year | Uses | Source |
|---|---|---|
| 2012 | A RHYTHM MASTERSMAESTROS DE RITMO | Cole Information Services |
| 2007 | RHYTHM MASTERS MAESTROS DE RITMO | Cole Information Services |
| 2006 | BARRERAGuadalupe | Haines Company, Inc. |
| 2000 | BARRERAGuadalupe | Haines & Company |
| | Third | Haines & Company |
| | BAY AREA EXPRESS | Haines & Company |
| 1993 | Barrera Adam | Pacific Bell |
| 1985 | BARRERA ANTONIO C | Pacific Bell |
| 1977 | Berrera Wally | Pacific Telephone |
| | Carasco Rosaella | Pacific Telephone |
| 1971 | NAUANEZ JULIO | Pacific Telephone |
| | ESTRADA AL | Pacific Telephone |
| 1966 | Jones Isaiah | R. L. Polk & Co. |
| | a Vacant | R. L. Polk & Co. |
| 1962 | Vacant | R. L. Polk & Co. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1962 | a Flores Peter J | R. L. Polk & Co. |
| 1958 | Zamora Manuel | R. L. Polk & Co. |
| | Granger Wm | R. L. Polk & Co. |
| 1953 | Beasley Alice N | R. L. Polk & Co. |
| 1949 | MONTEZ RUBY MRS EMP JARVIS & MARCUSH | R. L. Polk & Co. |
| 1944 | MONTEZ MARION (RUBY) WLDRH | R. L. Polk & Co. |
| 1940 | CLEMENTE JOS (MARY) SHOE REPR | R. L. Polk & Co. |
| | CLEMENTE MARY WITH AHNCOR | R. L. Polk & Co. |
| 1935 | CLEMENTE JOS (MARY) SHOE REPR | R. L. Polk & Co. |
| 1930 | OLIVE STEPH RESTR | R. L. Polk & Co. |
| 1925 | PRATHER OSLO W (MARTHA B) PORTERH | R. L. Polk & Co. |
| 1910 | Warde Frank H blksmith r | H. S. Crocker Co. |

**633 YORK ST**

| Year | Uses | Source |
|---|---|---|
| 2000 | REAMER John | Haines & Company |
| 1985 | EVELYN GEORGE | Pacific Bell |
| 1977 | Vacant | Pacific Telephone |
| 1962 | Mendez Jesus | R. L. Polk & Co. |
| 1958 | Hensen Riley | R. L. Polk & Co. |
| 1953 | Duran E E | R. L. Polk & Co. |
| 1949 | WARREN MARYELLA EMP ACCOR | R. L. Polk & Co. |
| | WARREN TRUMAN B (MARYELLA) MGR AIR WAY MATTRESS & UPHOL COH | R. L. Polk & Co. |
| 1940 | CASTILLO LEONARD (MARION) GRO | R. L. Polk & Co. |

**635 YORK ST**

| Year | Uses | Source |
|---|---|---|
| 1944 | CAIN WILLMAR | R. L. Polk & Co. |

**639 YORK ST**

| Year | Uses | Source |
|---|---|---|
| 2007 | PACIFIC COAST DESIGN | Cole Information Services |
| 2006 | PAC COAST DESIGN | Haines Company, Inc. |
| 2000 | PAC CST DESIGN | Haines & Company |
| 1993 | PACIFIC COAST DESIGN | Pacific Bell |
| 1990 | PACIFIC COAST DESIGN | Pacific Bell |

# FINDINGS

640 YORK ST

| Year | Uses | Source |
|---|---|---|
| 1953 | SF City & County whse | R. L. Polk & Co. |

650 YORK ST

| Year | Uses | Source |
|---|---|---|
| 1953 | SF City & County whse | R. L. Polk & Co. |

660 YORK ST

| Year | Uses | Source |
|---|---|---|
| 2012 | SYSIQ | Cole Information Services |
| | JABARRA ATHAS & ASSOCIATION | Cole Information Services |
| | FARM WINE IMPORTS LLC | Cole Information Services |
| | VONNDA | Cole Information Services |
| | ACT NOW PRODUCTIONS | Cole Information Services |
| | TOUGH LOVE ARTIST MANAGEMENT | Cole Information Services |
| 2007 | MUSIC FOR AMERICA | Cole Information Services |
| | BARBARA VICK DESIGN | Cole Information Services |
| | LITTLE JACKIE PAPER | Cole Information Services |
| | ADINA FOR LIFE INC | Cole Information Services |
| | WORLD BEAT BEVERAGES | Cole Information Services |
| | VIDEO PROJECT | Cole Information Services |
| | ACT NOW PRODUCTIONS | Cole Information Services |
| | INTERRA INC | Cole Information Services |
| | COMMON ASSETS DEFENSE FUND | Cole Information Services |
| | ZEITGEIST ARTIST MANAGEMENT | Cole Information Services |
| | GENERATOR RECORDS LLC | Cole Information Services |
| 2006 | ACTNOW | Haines Company, Inc. |
| | PRODUCTION ADINAFORUFE | Haines Company, Inc. |
| | BARBARAVICK | Haines Company, Inc. |
| | DESIGN BARBARAVICK | Haines Company, Inc. |
| | DESIGN GENERATORLABS | Haines Company, Inc. |
| | ZEITGEISTARTIST | Haines Company, Inc. |
| | MANAGEMENT | Haines Company, Inc. |
| 2000 | PHLESCHBUBBLE | Haines & Company |
| | MURPHYTravis | Haines & Company |
| | INVISIBLE WORLDS | Haines & Company |
| | OUNLEAVEYM P | Haines & Company |
| 1993 | Russell Dan & Susan | Pacific Bell |
| 1990 | MASLON H | Pacific Bell |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1990 | MOTNYK FRANK | Pacific Bell |
| | RUSSELL DAN & SUSAN | Pacific Bell |
| 1985 | MOTNYK FRANK | Pacific Bell |
| | TAVERNITI RM | Pacific Bell |
| | MASION H | Pacific Bell |
| | MOCK-WALLACE ARCHTS | Pacific Bell |
| 1977 | San Francisco Educational Services | Pacific Telephone |
| | Lizard Products chair cane weaving | Pacific Telephone |
| | New Day Films film mkrs | Pacific Telephone |
| | Agape Foundation non profit org | Pacific Telephone |
| | Misraki Rachel glass cutter | Pacific Telephone |
| | Milestone Graphics | Pacific Telephone |
| | Artemis School Of Karate For Women | Pacific Telephone |
| | Burke Clifford Printer | Pacific Telephone |
| | Peartree Printers | Pacific Telephone |
| | Jungle Press | Pacific Telephone |
| | Five Trees Press book prntrs | Pacific Telephone |

**687 YORK ST**

| Year | Uses | Source |
|---|---|---|
| 1910 | Denk A stev r | H. S. Crocker Co. |

**700 YORK ST**

| Year | Uses | Source |
|---|---|---|
| 2000 | No Current Listings | Haines & Company |
| 1940 | PACIFIC FELT CO W A LADLEV PRES | R. L. Polk & Co. |

**704 YORK ST**

| Year | Uses | Source |
|---|---|---|
| 1925 | PACIFIC F IELT CO (3 D LADLEY) | R. L. Polk & Co. |

**705 YORK ST**

| Year | Uses | Source |
|---|---|---|
| 1910 | Edwards James lab r | H. S. Crocker Co. |

**707 YORK ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | CARDENAS Jose | Haines Company, Inc. |
| 2000 | CARDENASJose | Haines & Company |
| 1977 | No Return | Pacific Telephone |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1971 | VAN HATTEN WM | Pacific Telephone |
| 1966 | Kratkv Edw J | R. L. Polk & Co. |
| 1962 | Vacant | R. L. Polk & Co. |
| 1958 | Bonino Jos G | R. L. Polk & Co. |
| 1953 | Bonino Jos | R. L. Polk & Co. |
| 1940 | FIORI I JOHNH | R. L. Polk & Co. |
| | FIORI STEPH P (ESTHER) WELDERR | R. L. Polk & Co. |
| 1935 | PANTALEONI PARIS (JENNIE) WOODWKRH | R. L. Polk & Co. |
| 1930 | DEL FELICE (MARIA) ELK R | R. L. Polk & Co. |
| | DEL FRANK (MARY) H | R. L. Polk & Co. |
| | DEL JENNIE INDYWKR R | R. L. Polk & Co. |
| 1925 | DEL PHILOMENA (WID SALVADOR) R | R. L. Polk & Co. |
| | DELCARLO FELIX (MARIE) PDLR H | R. L. Polk & Co. |
| 1915 | Rick Lester C bkbdr r | H. S. Crocker Co. |
| 1910 | Rick Charles H Rick Bros r | H. S. Crocker Co. |

**709 YORK ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | BESSO Robert | Haines Company, Inc. |
| 1977 | No Return | Pacific Telephone |
| 1971 | RODRIGUEZ ARTURO | Pacific Telephone |
| 1966 | Rodriguez Arth | R. L. Polk & Co. |
| 1962 | Early Frank W | R. L. Polk & Co. |
| 1958 | Early Frank W | R. L. Polk & Co. |
| 1944 | HARASZTHY GEO J MACH CHAS M BAILEY COR | R. L. Polk & Co. |
| 1940 | FANUCCI ALDEN ELK R | R. L. Polk & Co. |
| | FANUCCI ALDO G ELK S F EXAMINER R | R. L. Polk & Co. |
| | FANUCCI CARL (EVA) BIKSMITH H | R. L. Polk & Co. |
| | FANUCCI JOSEPHINE R | R. L. Polk & Co. |
| 1930 | SOFA BIGIA (FRANK)H | R. L. Polk & Co. |
| 1920 | IRVINE JOHN R | Pacific Telephone |
| 1915 | Irvine John ironwkr r | H. S. Crocker Co. |
| | Irvine Mary iwid John h | H. S. Crocker Co. |
| 1910 | Jacobsen Oluf carp r | H. S. Crocker Co. |
| | Ryan Thomas lab r | H. S. Crocker Co. |

# FINDINGS

**710 YORK ST**

| Year | Uses | Source |
|---|---|---|
| 2000 | No Current Listings | Haines & Company |
| 1993 | MORTON RICHARD FINE ANTIQUE RESTORATION & | Pacific Bell |
| | SAS QUINN FURNITURE | Pacific Bell |
| 1990 | MORTON RICHARD CO | Pacific Bell |
| | QUINN SASWATHAN FURNITURE | Pacific Bell |
| 1985 | LADLEY RD PACIFIC FELT CO INC | Pacific Bell |
| | PACIFIC FELT CO INC | Pacific Bell |
| 1977 | Pacific Felt Co Inc mfrs | Pacific Telephone |
| 1971 | PACIFIC FELT CO INC MFRS | Pacific Telephone |
| 1966 | Pac Felt Co Inc mfrs | R. L. Polk & Co. |
| 1962 | Pacific Felt Co Inc mfrs M | R. L. Polk & Co. |
| 1958 | Pacific Felt Co mfrs | R. L. Polk & Co. |
| 1953 | Pac Felt Co | R. L. Polk & Co. |
| 1949 | PACIFIC FELT CO W A LADLEY PRES IT D LA41E V-PRES | R. L. Polk & Co. |
| 1935 | JENNINGS METTLE E SEC PAC FELT COR | R. L. Polk & Co. |
| 1915 | Hotel Owners Laundry Co | H. S. Crocker Co. |

**711 YORK ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | DELBIANCORoberto | Haines Company, Inc. |
| 2000 | DELBIANCO Robedo | Haines & Company |
| 1985 | CAMPOS M | Pacific Bell |
| 1977 | Rodriguez Joe | Pacific Telephone |
| 1971 | RODRIQUEZ JOE | Pacific Telephone |
| 1966 | Saper Jerry C B | R. L. Polk & Co. |
| 1962 | Saper Jerry C B | R. L. Polk & Co. |
| 1958 | Saper Jerry C | R. L. Polk & Co. |
| 1953 | Saper Jerry C | R. L. Polk & Co. |
| 1949 | CONROY (CATHLEEN)H | R. L. Polk & Co. |
| 1944 | BYRON WARD (MADGE) SHIPYDWKRH | R. L. Polk & Co. |
| | BYRON H | R. L. Polk & Co. |
| 1940 | ZILNER MARY (WID WM)H | R. L. Polk & Co. |
| 1925 | CESANO SERAFINO (PHILOMENA) CEMENTWKRH | R. L. Polk & Co. |
| | GALLAGHER RIATH BKPRR | R. L. Polk & Co. |
| | ZILS CHAS A ELKR | R. L. Polk & Co. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1925 | ZILS JOS (CATH) LABH | R. L. Polk & Co. |
| 1920 | LSISMM R | Pacific Telephone |
| 1910 | Zils Joseph lab r | H. S. Crocker Co. |

**712 YORK ST**

| Year | Uses | Source |
|---|---|---|
| 1966 | Zemke Victor P B | R. L. Polk & Co. |
| 1925 | BUZOLARA LOUIS DRIVERR | R. L. Polk & Co. |

**713 YORK ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | o RUELAS Daniel | Haines Company, Inc. |
| 2000 | RUELAS Dan I | Haines & Company |
| 1993 | Craig Michael | Pacific Bell |
| | Ruelas Danl | Pacific Bell |
| 1990 | RUELAS DANR | Pacific Bell |
| 1985 | RUELAS DANL | Pacific Bell |
| 1977 | Ruelas Danl P | Pacific Telephone |
| 1971 | RUELAS DANL P | Pacific Telephone |
| 1966 | Ruelas Danl P B | R. L. Polk & Co. |
| 1962 | Ruelas Danl P B | R. L. Polk & Co. |
| 1958 | Perez Miguel A | R. L. Polk & Co. |
| 1953 | Biscarro Mary J Mrs | R. L. Polk & Co. |
| 1949 | HALL EARL (INEZ A) CARP R | R. L. Polk & Co. |
| | BISCARRO ANGELINA PKR S&W FINE FOODSR | R. L. Polk & Co. |
| | DURAN BARBARA M TYPIST FRBR | R. L. Polk & Co. |
| | BISCARRO MARY J (WID THOS)H | R. L. Polk & Co. |
| 1940 | BEANE ANNE E (WID JOS) ELK ALLYN & BACONH | R. L. Polk & Co. |
| | JONES ANNER | R. L. Polk & Co. |
| 1935 | BEANE ANNE E MRS ELKR | R. L. Polk & Co. |
| | BEANE ELIZR | R. L. Polk & Co. |
| | JONES ANNIE MRSR | R. L. Polk & Co. |
| 1930 | ATTHOWE ANNIE E (WID JOS) R | R. L. Polk & Co. |
| | ATTHOWE BEANE R | R. L. Polk & Co. |
| | ATTHOWE WM C BKPR H | R. L. Polk & Co. |
| | R | R. L. Polk & Co. |
| 1925 | BEANE ANNE E (WID JOS) CORRES ALLYN & BACONR | R. L. Polk & Co. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1925 | JONES ANNIER | R. L. Polk & Co. |
| 1920 | ATTHOW WMCHAS R | Pacific Telephone |
| 1915 | Atthowe Walter C elk r | H. S. Crocker Co. |
| | Atthowe Wm C Sarah J h | H. S. Crocker Co. |
| 1910 | Jones Thomas J clk r | H. S. Crocker Co. |
| | Atthowe Walter C copyist r | H. S. Crocker Co. |
| | Atthowe William C bkkpr r | H. S. Crocker Co. |
| | Atthowe William H clk r | H. S. Crocker Co. |

**715 YORK ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | HECHTJennifer | Haines Company, Inc. |
| 2000 | RABINOWITZAllan | Haines & Company |
| 1993 | Schrick Alice | Pacific Bell |
| 1990 | SCHRICK ALICE | Pacific Bell |
| 1977 | Schrick Alice Mrs | Pacific Telephone |
| 1971 | SCHRICK FRANK | Pacific Telephone |
| 1966 | Schrick Frank B | R. L. Polk & Co. |
| 1962 | Schrick Frank B | R. L. Polk & Co. |
| 1958 | Schrick Frank | R. L. Polk & Co. |
| 1953 | Schrick Frank | R. L. Polk & Co. |
| 1940 | SCHUTZ ALICE H | R. L. Polk & Co. |
| 1930 | SCHULTZ ISAAC H | R. L. Polk & Co. |
| 1925 | SCHUTZ JACOB GARD H | R. L. Polk & Co. |
| 1920 | SCHUTZ J J JR R | Pacific Telephone |
| 1910 | Schutz Jacob brewer r | H. S. Crocker Co. |
| | Schultz John J porter r | H. S. Crocker Co. |

**717 YORK ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | CORONAWilliam | Haines Company, Inc. |
| | GRAMLY Chris | Haines Company, Inc. |
| 2000 | CORONAWilliarn | Haines & Company |
| 1990 | KENNEDY PETER | Pacific Bell |
| 1985 | DIVORE JIM | Pacific Bell |
| 1977 | Antonia Margt | Pacific Telephone |
| 1971 | NEILSEN JACK W | Pacific Telephone |
| 1966 | Neilsen Jack W B | R. L. Polk & Co. |
| 1962 | Neilsen Jack W B | R. L. Polk & Co. |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1958 | Neilsen Jack W | R. L. Polk & Co. |
| 1953 | Franza Giovanni | R. L. Polk & Co. |
| 1949 | MICCA SHIRLEY M WITH MARSH & MCLENNANH | R. L. Polk & Co. |
| 1935 | CARDONA MICH) MECH FEC FELT COH | R. L. Polk & Co. |
| 1930 | H | R. L. Polk & Co. |
| | MADRU F ALBT PHARM HAHNEMANN HOSPR | R. L. Polk & Co. |
| 1925 | MADSEN ALBERT F DRUGGIST LENGFELD S PHARMACYR | R. L. Polk & Co. |
| | MADSEN CARL A (ALEXANDRIA) MILLHDH | R. L. Polk & Co. |
| | MADSEN F ALBERT PHARMR | R. L. Polk & Co. |
| 1915 | Roth Paul cutter r | H. S. Crocker Co. |
| | Hansen Peter galvanizer r | H. S. Crocker Co. |
| 1910 | Madsen C A Mrs nurse r | H. S. Crocker Co. |
| | Madsen Carl A r | H. S. Crocker Co. |

**719 YORK ST**

| Year | Uses | Source |
|---|---|---|
| 2006 | SPEAR Michael | Haines Company, Inc. |
| 2000 | CAPUTI Cheryl | Haines & Company |
| | SPEAR Michael | Haines & Company |
| | WILSON Sidney J | Haines & Company |
| 1993 | Laing Walter | Pacific Bell |
| | Pollack Andrew | Pacific Bell |
| 1977 | Zelia Hector | Pacific Telephone |
| 1971 | MARRDQUIN GEO | Pacific Telephone |
| 1966 | Hamilton Robt | R. L. Polk & Co. |
| 1962 | Hamilton Robt C B | R. L. Polk & Co. |
| 1958 | Hamilton Robt C | R. L. Polk & Co. |
| 1953 | Taylor Alice | R. L. Polk & Co. |
| 1940 | RICHD J (MARTHA) ELK SPCO H | R. L. Polk & Co. |
| | DRAKE WM S ELK UNITED DRUG COR | R. L. Polk & Co. |
| 1935 | DOAKE WM S CLKR | R. L. Polk & Co. |
| | DRY RICHD J ELK S P COH | R. L. Polk & Co. |
| 1930 | OBREY BARTHOLOMEW LABH | R. L. Polk & Co. |
| | DRAKE RICHD J ELK SPCOR | R. L. Polk & Co. |
| | DRAKE WM S ELKR | R. L. Polk & Co. |
| 1920 | TOMASZEWSKI W R | Pacific Telephone |

# FINDINGS

| Year | Uses | Source |
|---|---|---|
| 1915 | Tomaszewski Louis tailor r | H. S. Crocker Co. |

## YORK/19TH

YORK/19TH

| Year | Uses | Source |
|---|---|---|
| 1966 | YORK/19TH | R. L. Polk & Co. |
| 1962 | YORK/19TH | R. L. Polk & Co. |
| 1958 | YORK/19TH | R. L. Polk & Co. |
| 1953 | YORK/19TH | R. L. Polk & Co. |

## YORK/19TH ST

YORK/19TH ST

| Year | Uses | Source |
|---|---|---|
| 1977 | YORK/19TH ST | Pacific Telephone |
| 1971 | YORK/19TH ST | Pacific Telephone |

# FINDINGS

## TARGET PROPERTY: ADDRESS NOT IDENTIFIED IN RESEARCH SOURCE

The following Target Property addresses were researched for this report, and the addresses were not identified in the research source.

| Address Researched | Address Not Identified in Research Source |
|---|---|
| 2070 Bryant Streeet | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1962, 1949, 1930, 1920 |

## ADJOINING PROPERTY: ADDRESSES NOT IDENTIFIED IN RESEARCH SOURCE

The following Adjoining Property addresses were researched for this report, and the addresses were not identified in research source.

| Address Researched | Address Not Identified in Research Source |
|---|---|
| 19TH/BRYANT | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 19TH/BRYANT ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 19TH/FLORICA ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 19TH/FLORIDA | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 19TH/FLORIDA ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 19TH/YORK | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 19TH/YORK ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| BRYANT/19TH | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| BRYANT/19TH ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| FLORIDA/19TH | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| FLORIDA/19TH ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| YORK/19TH | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| YORK/19TH ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2000 BRYANT ST | 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2001 BRYANT ST | 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2002 BRYANT ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1935, 1925, 1920, 1910 |
| 2005 BRYANT AVE | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910 |

# FINDINGS

| Address Researched | Address Not Identified in Research Source |
|---|---|
| 2005 BRYANT ST | 2012, 2007, 2006, 1993, 1990, 1985, 1982, 1971, 1966, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1915, 1910 |
| 2008 BRYANT ST | 2012, 2007, 1993, 1990, 1985, 1958, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2010 BRYANT ST | 2012, 2007, 2006, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2011 BRYANT ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2012 BRYANT ST | 2012, 2007, 1985, 1971, 1949, 1944, 1940, 1935, 1930, 1925, 1915, 1910 |
| 2014 BRYANT | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1920, 1915, 1910 |
| 2014 BRYANT ST | 2012, 2007, 1953, 1944, 1930, 1925, 1920 |
| 2014 BRYANT ST | 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2021 BRYANT ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2022 BRYANT ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910 |
| 2028 BRYANT | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1920, 1915, 1910 |
| 2028 BRYANT AVE | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2028 BRYANT ST | 2012, 2007, 2006, 1993, 1990, 1985, 1949, 1930, 1920 |
| 2030 BRYANT | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910 |
| 2030 BRYANT ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1944, 1935, 1920, 1915 |
| 2031 BRYANT | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1925, 1920, 1915, 1910 |
| 2031 BRYANT ST | 2012, 2007, 2006, 1993, 1990, 1985, 1949, 1920, 1915, 1910 |
| 2032 BRYANT ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915 |
| 2034 BRYANT ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915 |
| 2035 BRYANT ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1930, 1925, 1920, 1915, 1910 |
| 2038 BRYANT ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1910 |
| 2040 BRYANT ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920 |
| 2044 BRYANT | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2044 BRYANT ST | 2012, 2007, 1993, 1990, 1985, 1966, 1944, 1930, 1925, 1920, 1915, 1910 |
| 2044 BRYANT ST | 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2048 BRYANT | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1935, 1930, 1925, 1920, 1915, 1910 |

# FINDINGS

| Address Researched | Address Not Identified in Research Source |
|---|---|
| 2048 BRYANT ST | 2012, 2007, 2006, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2050 BRYANT | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1920, 1915, 1910 |
| 2050 BRYANT ST | 2012, 2007, 1949, 1944, 1940, 1930, 1925, 1915, 1910 |
| 2050 BRYANT ST | 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2055 BRYANT ST | 2012, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2055 BRYANT ST | 2012, 2007, 1990, 1985, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2056 BRYANT ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920 |
| 2058 BRYANT ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1910 |
| 2063 BRYANT AVE | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2064 BRYANT ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915 |
| 2066 BRYANT ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920 |
| 2072 BRYANT ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930 |
| 2074 BRYANT ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1910 |
| 2076 BRYANT ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1910 |
| 2080 BRYANT | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2080 BRYANT ST | 2012, 2007, 1993, 1990, 1920 |
| 2082 BRYANT | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2082 BRYANT AVE | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1920, 1915, 1910 |
| 2082 BRYANT ST | 2012, 2007, 1993, 1990, 1944, 1940, 1930, 1920, 1915 |
| 2085 BRYANT ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2088 BRYANT | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910 |
| 2088 BRYANT AVE | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2088 BRYANT ST | 2012, 2007, 1993, 1944, 1930, 1925, 1920, 1915 |
| 2088 BRYANT ST | 2012, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2090 BRYANT | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1920, 1915, 1910 |

# FINDINGS

| Address Researched | Address Not Identified in Research Source |
|---|---|
| 2090 BRYANT AVE | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1920, 1915, 1910 |
| 2090 BRYANT ST | 2012, 2007, 1993, 1990, 1985, 1944, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2097 BRYANT ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915 |
| 2098 BRYANT | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1930, 1920, 1915, 1910 |
| 2098 BRYANT AVE | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2098 BRYANT ST | 2012, 2007, 1993, 1990, 1985, 1944, 1920 |
| 2099 BRYANT | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1930, 1925, 1920, 1915, 1910 |
| 2099 BRYANT ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1962, 1958, 1935, 1925, 1920, 1915, 1910 |
| 2100 BRYANT | 2012, 2007, 2006, 2000, 1993, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2100 BRYANT ST | 2012, 2007, 1982, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2100 BRYANT ST | 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2101 BRYANT | 2012, 2007, 2006, 2000, 1993, 1990, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1925, 1920, 1915, 1910 |
| 2101 BRYANT ST | 2012, 2007, 2006, 1949, 1930, 1925, 1920, 1915, 1910 |
| 2101 BRYANT ST | 2012, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2104 BRYANT | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2104 BRYANT ST | 2012, 2007, 1993, 1990, 1985, 1944, 1920, 1910 |
| 2105 BRYANT ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910 |
| 2108 BRYANT ST | 2012, 2007, 1920 |
| 2110 BRYANT | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1925, 1920, 1915, 1910 |
| 2110 BRYANT ST | 2012, 2007, 1990, 1985, 1920, 1915 |
| 2112 BRYANT | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1940, 1930, 1920, 1915, 1910 |
| 2112 BRYANT ST | 2012, 2007, 1985, 1982, 1949, 1944, 1935, 1930 |
| 2112 BRYANT ST | 2012, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2114 BRYANT | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910 |
| 2114 BRYANT ST | 2012, 2007, 1993, 1990, 1985, 1925, 1915 |
| 2114 BRYANT ST | 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |

# FINDINGS

| Address Researched | Address Not Identified in Research Source |
|---|---|
| 2116 BRYANT | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1925, 1920, 1915, 1910 |
| 2116 BRYANT ST | 2012, 2007, 1985, 1953, 1949, 1944, 1935, 1920, 1910 |
| 2118 BRYANT ST | 2012, 2007, 1993, 1990, 1985, 1949, 1935, 1920, 1910 |
| 2120 BRYANT | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1920, 1915, 1910 |
| 2120 BRYANT AVE | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1930, 1925, 1920, 1915, 1910 |
| 2120 BRYANT ST | 2012, 2007, 1993, 1949, 1944, 1935, 1925, 1920, 1915, 1910 |
| 2120 BRYANT ST | 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2121 BRYANT | 2012, 2007, 2006, 2000, 1993, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2121 BRYANT ST | 2012, 2007, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2121 BRYANT ST | 2012, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2122 BRYANT ST | 2012, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2122 BRYANT ST | 2012, 2007, 1990, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2129 BRYANT ST | 2012, 2007, 2006, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2132 BRYANT | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1930, 1925, 1920, 1915, 1910 |
| 2132 BRYANT AVE | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2132 BRYANT ST | 2012, 2007, 2006, 1993, 1990, 1935, 1915, 1910 |
| 2135 BRYANT ST | 2012, 2007, 2006, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2686 19TH AVE | 2012, 2007, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2690 19TH AVE | 2012, 2007, 1993, 1990, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2691 19TH AVE | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2694 19TH AVE | 2012, 2007, 2006, 1985, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2698 19TH AVE | 2012, 2007, 1993, 1990, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2698 19TH ST | 2012, 2007, 2006, 2000, 1993, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2700 19TH | 2012, 2007, 2006, 2000, 1993, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910 |
| 2700 19TH CORNER YORK | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2700 19TH ST | 2012, 2007, 1990, 1985, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2700 19TH ST | 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |

# FINDINGS

| Address Researched | Address Not Identified in Research Source |
|---|---|
| 2700 19TH ZONE 10 | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2708 19TH | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1915, 1910 |
| 2719 19TH ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2723 19TH ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2730 19TH AVE | 2012, 2007, 2006, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1915, 1910 |
| 2740 19TH AVE | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1915, 1910 |
| 2745 19TH ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2747 19TH | 2012, 2007, 2006, 2000, 1993, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2747 19TH ST | 2012, 2007, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2747 19TH ST | 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2749 19TH | 2012, 2007, 2006, 2000, 1993, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2749 19TH ST | 2012, 2007, 2006, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2750 19TH | 2012, 2007, 2006, 2000, 1993, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2750 19TH AVE | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2750 19TH ST | 2012, 2007, 1990, 1985, 1977, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2750 19TH ST | 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2755 19TH ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2760 19TH AVE | 2012, 2007, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2760 19TH ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2770 19TH AVE | 2012, 2007, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2780 19TH AVE | 2012, 2007, 1990, 1985, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2790 19TH | 2012, 2007, 2006, 2000, 1993, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2790 19TH AVE | 2012, 2007, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2800 19TH | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1925, 1920, 1915, 1910 |

# FINDINGS

| Address Researched | Address Not Identified in Research Source |
|---|---|
| 2800 19TH ST | 2012, 2007, 2006, 2000, 1990, 1985, 1949, 1940, 1930, 1920, 1915, 1910 |
| 2809 19TH ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2810 19TH ST | 2012, 2007, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2812 1/2 19TH | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910 |
| 2812 1/2 19TH ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2812 19TH | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1935, 1930, 1925, 1920 |
| 2812 19TH AVE | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2812 19TH ST | 2012, 2007, 1993, 1990, 1985, 1940, 1930, 1920, 1915 |
| 2813 18TH ST | 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2813 19TH | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1920, 1910 |
| 2813 19TH ST | 2012, 2007, 1990, 1985, 1953, 1949, 1930, 1925, 1920, 1915, 1910 |
| 2814 19H | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1920, 1915, 1910 |
| 2814 19TH | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1930, 1925, 1920, 1915, 1910 |
| 2814 19TH ST | 2012, 2007, 1990, 1985, 1966, 1949, 1944, 1940, 1935, 1925, 1920, 1915, 1910 |
| 2814 19TH ST | 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2815 18TH | 2012, 2007, 2006, 2000, 1993, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2815 18TH ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1962, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2815 18TH ST | 2012, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2815 19TH | 2012, 2007, 2006, 2000, 1993, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1910 |
| 2815 19TH ST | 2012, 2007, 1990, 1985, 1953, 1935, 1925, 1920, 1915, 1910 |
| 2817 19TH | 2012, 2007, 2006, 2000, 1993, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915 |
| 2817 19TH ST | 2012, 2007, 1990, 1985, 1920, 1915, 1910 |
| 2818 18TH ST | 2012, 2007, 2006, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910 |
| 2819 19TH AVE | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2820 19TH ST | 2012, 2007, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2828 18TH ST | 2012, 2007, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |

# FINDINGS

| Address Researched | Address Not Identified in Research Source |
|---|---|
| 2828 18TH ST | 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2828 19TH | 2012, 2007, 2006, 2000, 1993, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2828 19TH ST | 2012, 2007, 1990, 1985, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1930, 1925, 1920, 1915, 1910 |
| 2828 19TH ST | 2012, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2830 19TH ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2834 18TH ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1920, 1915, 1910 |
| 2834 19TH ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2835 19TH ST | 2012, 2007, 2006, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2850 19TH AVE | 2012, 2007, 1962, 1958, 1953, 1949, 1944, 1940 |
| 2899 19TH | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1920, 1915, 1910 |
| 2900 19TH AVE | 2012, 2007, 1993, 1990, 1985, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2901 19TH AVE | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2902 19TH | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1935, 1930, 1920, 1910 |
| 2902 19TH ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1953, 1949, 1944, 1925, 1920, 1915, 1910 |
| 2902 19TH WORKS 18TH | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1920, 1915, 1910 |
| 2903 19TH | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920 |
| 2906 19TH AVE | 2012, 2007, 1985, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2912 19TH AVE | 2012, 2007, 1993, 1990, 1985, 1935, 1930, 1925, 1920, 1915, 1910 |
| 2913 19TH | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920 |
| 623 FLORENCE ST | 2012, 2007, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 624 FLORENCE ST | 2012, 2007, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 625 1/2 YORK | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 625 1/2 YORK ST | 2012, 2007, 2006, 2000, 1993, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1935, 1920, 1915, 1910 |
| 625 YORK | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1935, 1930, 1925, 1920, 1915, 1910 |
| 625 YORK DR | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |

# FINDINGS

| Address Researched | Address Not Identified in Research Source |
|---|---|
| 625 YORK ST | 2012, 2007, 1993, 1982, 1940, 1935, 1925 |
| 627 1/2 YORK | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 627 1/2 YORK ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1935, 1925, 1920, 1915, 1910 |
| 627 YORK | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1920, 1915 |
| 627 YORK ST | 2012, 2007, 1993, 1990, 1985, 1982, 1949 |
| 627 YORK ST | 2012, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 629 YORK | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915 |
| 629 YORK ST | 2012, 2007, 1990, 1982, 1920, 1915 |
| 629 YORK ST | 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 631 FLORENCE ST | 2012, 2007, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 632 FLORENCE ST | 2012, 2007, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 632 FLORIDA ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915 |
| 633 FLORIDA ST | 2012, 2007, 2006, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 633 YORK ST | 2012, 2007, 2006, 1993, 1990, 1982, 1971, 1966, 1944, 1935, 1930, 1925, 1920, 1915, 1910 |
| 635 YORK | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 635 YORK ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 639 FLORENCE ST | 2012, 2007, 1993, 1990, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 639 YORK ST | 2012, 2007, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 639 YORK ST | 2012, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 640 FLORENCE ST | 2012, 2007, 1993, 1990, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 640 YORK ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 647 FLORENCE ST | 2012, 2007, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 648 FLORENCE ST | 2012, 2007, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 650 FLORIDA ST | 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 650 YORK ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |

# FINDINGS

| Address Researched | Address Not Identified in Research Source |
|---|---|
| 651 FLORIDA ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1910 |
| 653 FLORENCE ST | 2012, 2007, 1990, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 656 FLORENCE ST | 2012, 2007, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 657 FLORIDA ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915 |
| 659 FLORENCE ST | 2012, 2007, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 660 YORK ST | 2012, 2007, 1982, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 660 YORK ST | 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 661 FLORIDA ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920 |
| 663 FLORIDA ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1910 |
| 664 FLORENCE ST | 2012, 2007, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 665 FLORENCE ST | 2012, 2007, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 671 FLORENCE ST | 2012, 2007, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 671 FLORIDA ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915 |
| 672 FLORENCE ST | 2012, 2007, 1993, 1990, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 673 FLORIDA ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1910 |
| 675 FLORIDA ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 677 FLORENCE ST | 2012, 2007, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 677 FLORIDA ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915 |
| 679 FLORIDA ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 680 FLORENCE ST | 2012, 2007, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 681 FLORIDA ST | 2012, 2007, 2006, 1993, 1990, 1985, 1977, 1971, 1966, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 683 FLORENCE ST | 2012, 2007, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 683 FLORIDA ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 685 FLORIDA ST | 2012, 2007, 2006, 1985, 1971, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |

# FINDINGS

| Address Researched | Address Not Identified in Research Source |
|---|---|
| 685 FLORIDA WALK | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1935, 1930, 1925, 1920, 1915, 1910 |
| 687 YORK ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915 |
| 688 FLORENCE ST | 2012, 2007, 1993, 1990, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 689 FLORENCE ST | 2012, 2007, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 689 FLORIDA | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1935, 1930, 1925, 1920, 1915, 1910 |
| 689 FLORIDA AVE | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 689 FLORIDA ST | 2012, 2007, 1993, 1949, 1944, 1940, 1935, 1925, 1920 |
| 689 FLORIDA WALK | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1920, 1915, 1910 |
| 691 FLORIDA | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1920, 1915, 1910 |
| 691 FLORIDA AVE | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 691 FLORIDA ST | 2012, 2007, 1993, 1990, 1985, 1966, 1949, 1944, 1940, 1935, 1930, 1925 |
| 691 FLORIDA ST | 2012, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 691 FLORIDA WALK | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1920, 1915, 1910 |
| 692 FLORENCE ST | 2012, 2007, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 693 FLORIDA ST | 2012, 2007, 1993, 1990, 1985, 1966, 1962, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 693 FLORIDA WALK | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910 |
| 695 FLORENCE ST | 2012, 2007, 1993, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 696 FLORENCE ST | 2012, 2007, 1993, 1990, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 698 FLORENCE ST | 2012, 2007, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 700 FLORIDA | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920 |
| 700 FLORIDA ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1915, 1910 |
| 700 YORK ST | 2012, 2007, 2006, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1935, 1930, 1925, 1920, 1915, 1910 |
| 700-798 YORK | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1920, 1915, 1910 |
| 700-798 YORK DR | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1930, 1925, 1920, 1915, 1910 |
| 701 FLORIDA | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1935, 1930, 1925, 1920, 1915, 1910 |

# FINDINGS

| Address Researched | Address Not Identified in Research Source |
|---|---|
| 701 FLORIDA AVE | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1920, 1915, 1910 |
| 701 FLORIDA ST | 2012, 2007, 2006, 1993, 1990, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1910 |
| 701 FLORIDA WALK | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1930, 1920, 1915, 1910 |
| 702 FLORIDA ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 703 FLORIDA | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1935, 1930, 1925, 1920, 1915, 1910 |
| 703 FLORIDA AVE | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1920, 1915, 1910 |
| 703 FLORIDA ST | 2012, 2007, 1993, 1990, 1985, 1949, 1944, 1940, 1935, 1930, 1925, 1920 |
| 703 FLORIDA WALK | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1940, 1935, 1925, 1920, 1915, 1910 |
| 703 FLORIDA WALK | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910 |
| 704 YORK ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910 |
| 705 FLORIDA | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1925, 1920, 1915, 1910 |
| 705 FLORIDA AVE | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 705 FLORIDA ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915 |
| 705 FLORIDA WALK | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1930, 1920, 1915, 1910 |
| 705 YORK ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915 |
| 707 YORK | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 707 YORK ST | 2012, 2007, 1993, 1990, 1985, 1982, 1949, 1944, 1920 |
| 709 FLORIDA ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 709 YORK | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1930, 1925, 1920, 1915, 1910 |
| 709 YORK DR | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 709 YORK ST | 2012, 2007, 2000, 1993, 1990, 1985, 1982, 1953, 1949, 1935, 1925 |
| 710 FLORIDA ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1971, 1966, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 710 FLORIDA ST | 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 710 YORK | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 710 YORK ST | 2012, 2007, 2006, 1982, 1944, 1940, 1930, 1925, 1920, 1910 |

# FINDINGS

| Address Researched | Address Not Identified in Research Source |
|---|---|
| 711 YORK | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1920, 1915, 1910 |
| 711 YORK ST | 2012, 2007, 1993, 1990, 1982, 1935, 1930, 1915 |
| 712 YORK ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910 |
| 713 YORK | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1940, 1935, 1930, 1920, 1915, 1910 |
| 713 YORK ST | 2012, 2007, 1982, 1944 |
| 714 FLORIDA ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920 |
| 715 FLORIDA | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1935, 1925, 1920, 1915, 1910 |
| 715 FLORIDA ST | 2012, 2007, 1993, 1990, 1977, 1971, 1966, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915 |
| 715 FLORIDA WALK | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1930, 1920, 1915, 1910 |
| 715 YORK | 2012, 2007, 2006, 2000, 1993, 1990, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1930, 1925, 1920, 1915, 1910 |
| 715 YORK AVE | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 715 YORK DR | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 715 YORK ST | 2012, 2007, 1985, 1982, 1949, 1944, 1935, 1915 |
| 716 FLORIDA ST | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1910 |
| 717 YORK | 2012, 2007, 2006, 2000, 1993, 1990, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1915, 1910 |
| 717 YORK DR | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 717 YORK I | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910 |
| 717 YORK ST | 2012, 2007, 1993, 1982, 1944, 1940, 1920 |
| 719 YORK | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1930, 1925, 1920, 1915, 1910 |
| 719 YORK DR | 2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910 |
| 719 YORK ST | 2012, 2007, 1990, 1985, 1982, 1949, 1944, 1925, 1910 |

# APPENDIX E

## REGULATORY AGENCY DATABASE REPORT
## (PROVIDED ON CD-ROM)

**2070 Bryant Streeet**
2070 Bryant Streeet
San Francisco, CA 94110

Inquiry Number: 3554977.2s
March 22, 2013

# The EDR Radius Map™ Report with GeoCheck®

EDR® Environmental Data Resources Inc

440 Wheelers Farms Road
Milford, CT 06461
Toll Free: 800.352.0050
www.edrnet.com

# TABLE OF CONTENTS


| SECTION | PAGE |
|---|---|
| Executive Summary | ES1 |
| Overview Map | 2 |
| Detail Map | 3 |
| Map Findings Summary | 4 |
| Map Findings | 8 |
| Orphan Summary | 683 |
| Government Records Searched/Data Currency Tracking | GR-1 |

**GEOCHECK ADDENDUM**

| | |
|---|---|
| Physical Setting Source Addendum | A-1 |
| Physical Setting Source Summary | A-2 |
| Physical Setting SSURGO Soil Map | A-8 |
| Physical Setting Source Map | A-11 |
| Physical Setting Source Map Findings | A-13 |
| Physical Setting Source Records Searched | A-41 |


***Thank you for your business.***
Please contact EDR at 1-800-352-0050
with any questions or comments.


**Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2013 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

# EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

## TARGET PROPERTY INFORMATION

### ADDRESS

2070 BRYANT STREEET
SAN FRANCISCO, CA 94110

### COORDINATES

| | |
|---|---|
| Latitude (North): | 37.7610000 - 37° 45' 39.60" |
| Longitude (West): | 122.4105000 - 122° 24' 37.80" |
| Universal Tranverse Mercator: | Zone 10 |
| UTM X (Meters): | 551925.6 |
| UTM Y (Meters): | 4179256.5 |
| Elevation: | 34 ft. above sea level |

### USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

| | |
|---|---|
| Target Property Map: | 37122-G4 SAN FRANCISCO NORTH, CA |
| Most Recent Revision: | 1999 |
| South Map: | 37122-F4 SAN FRANCISCO SOUTH, CA |
| Most Recent Revision: | 1999 |

### AERIAL PHOTOGRAPHY IN THIS REPORT

| | |
|---|---|
| Photo Year: | 2010 |
| Source: | USDA |

## TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

## DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

## STANDARD ENVIRONMENTAL RECORDS

***Federal NPL site list***

NPL ..... National Priority List

# EXECUTIVE SUMMARY

Proposed NPL..... Proposed National Priority List Sites
NPL LIENS..... Federal Superfund Liens

***Federal Delisted NPL site list***

Delisted NPL..... National Priority List Deletions

***Federal CERCLIS list***

CERCLIS..... Comprehensive Environmental Response, Compensation, and Liability Information System
FEDERAL FACILITY..... Federal Facility Site Information listing

***Federal RCRA CORRACTS facilities list***

CORRACTS..... Corrective Action Report

***Federal RCRA non-CORRACTS TSD facilities list***

RCRA-TSDF..... RCRA - Treatment, Storage and Disposal

***Federal institutional controls / engineering controls registries***

US ENG CONTROLS..... Engineering Controls Sites List
US INST CONTROL..... Sites with Institutional Controls
LUCIS..... Land Use Control Information System

***Federal ERNS list***

ERNS..... Emergency Response Notification System

***State and tribal landfill and/or solid waste disposal site lists***

SWF/LF..... Solid Waste Information System

***State and tribal leaking storage tank lists***

INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

***State and tribal registered storage tank lists***

AST..... Aboveground Petroleum Storage Tank Facilities
INDIAN UST..... Underground Storage Tanks on Indian Land
FEMA UST..... Underground Storage Tank Listing

***State and tribal voluntary cleanup sites***

INDIAN VCP..... Voluntary Cleanup Priority Listing

**ADDITIONAL ENVIRONMENTAL RECORDS**

***Local Brownfield lists***

US BROWNFIELDS..... A Listing of Brownfields Sites

***Local Lists of Landfill / Solid Waste Disposal Sites***

ODI..... Open Dump Inventory

# EXECUTIVE SUMMARY

DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations
WMUDS/SWAT..... Waste Management Unit Database
SWRCY..... Recycler Database
HAULERS..... Registered Waste Tire Haulers Listing
INDIAN ODI..... Report on the Status of Open Dumps on Indian Lands

***Local Lists of Hazardous waste / Contaminated Sites***

US CDL..... Clandestine Drug Labs
SCH..... School Property Evaluation Program
Toxic Pits..... Toxic Pits Cleanup Act Sites
CDL..... Clandestine Drug Labs
US HIST CDL..... National Clandestine Laboratory Register

***Local Land Records***

LIENS 2..... CERCLA Lien Information
LIENS..... Environmental Liens Listing

***Records of Emergency Release Reports***

HMIRS..... Hazardous Materials Information Reporting System
CHMIRS..... California Hazardous Material Incident Report System
LDS..... Land Disposal Sites Listing
MCS..... Military Cleanup Sites Listing

***Other Ascertainable Records***

DOT OPS..... Incident and Accident Data
DOD..... Department of Defense Sites
CONSENT..... Superfund (CERCLA) Consent Decrees
ROD..... Records Of Decision
UMTRA..... Uranium Mill Tailings Sites
US MINES..... Mines Master Index File
TRIS..... Toxic Chemical Release Inventory System
TSCA..... Toxic Substances Control Act
FTTS..... FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
HIST FTTS..... FIFRA/TSCA Tracking System Administrative Case Listing
SSTS..... Section 7 Tracking Systems
ICIS..... Integrated Compliance Information System
PADS..... PCB Activity Database System
MLTS..... Material Licensing Tracking System
RADINFO..... Radiation Information Database
FINDS..... Facility Index System/Facility Registry System
RAATS..... RCRA Administrative Action Tracking System
RMP..... Risk Management Plans
CA BOND EXP. PLAN..... Bond Expenditure Plan
UIC..... UIC Listing
NPDES..... NPDES Permits Listing
Cortese..... "Cortese" Hazardous Waste & Substances Sites List
CUPA Listings..... CUPA Resources List
WIP..... Well Investigation Program Case List
ENF..... Enforcement Action Listing
HAZNET..... Facility and Manifest Data

EMI..... Emissions Inventory Data
INDIAN RESERV..... Indian Reservations
SCRD DRYCLEANERS..... State Coalition for Remediation of Drycleaners Listing
COAL ASH DOE..... Steam-Electric Plant Operation Data
COAL ASH EPA..... Coal Combustion Residues Surface Impoundments List
HWT..... Registered Hazardous Waste Transporter Database
HWP..... EnviroStor Permitted Facilities Listing
Financial Assurance..... Financial Assurance Information Listing
2020 COR ACTION..... 2020 Corrective Action Program List
US AIRS..... Aerometric Information Retrieval System Facility Subsystem
PRP..... Potentially Responsible Parties
WDS..... Waste Discharge System
EPA WATCH LIST..... EPA WATCH LIST
US FIN ASSUR..... Financial Assurance Information
PCB TRANSFORMER..... PCB Transformer Registration Database
PROC..... Certified Processors Database
MWMP..... Medical Waste Management Program Listing

**EDR HIGH RISK HISTORICAL RECORDS**

***EDR Exclusive Records***

EDR MGP..... EDR Proprietary Manufactured Gas Plants

**SURROUNDING SITES: SEARCH RESULTS**

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.
Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

**STANDARD ENVIRONMENTAL RECORDS**

***Federal CERCLIS NFRAP site List***

CERC-NFRAP: Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

A review of the CERC-NFRAP list, as provided by EDR, and dated 02/05/2013 has revealed that there is 1 CERC-NFRAP site within approximately 0.5 miles of the target property.

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| GAMLEN CHEMICAL CO | 195 SAN BRUNO | NNE 1/4 - 1/2 (0.480 mi.) | 313 | 617 |

***Federal RCRA generators list***

RCRA-LQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

A review of the RCRA-LQG list, as provided by EDR, and dated 02/12/2013 has revealed that there are 2 RCRA-LQG sites within approximately 0.25 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| POTRERO FACILITY | 2500 MARIPOSA STREET | NE 1/8 - 1/4 (0.162 mi.) | P128 | 219 |

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| SAN FRANCISCO SERVICE CENTER | 2180 HARRISON STREET | WNW 0 - 1/8 (0.116 mi.) | K86 | 136 |

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 02/12/2013 has revealed that there are 13 RCRA-SQG sites within approximately 0.25 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| *PIXXON CORP* | *2055 BRYANT* | *E 0 - 1/8 (0.009 mi.)* | *A2* | *8* |
| *SAN FRANCISCO AUTO REPAIR SVC* | *611 FLORIDA ST* | *NW 0 - 1/8 (0.016 mi.)* | *B10* | *19* |
| *THOMAS FETHERSTON* | *720 YORK ST #210* | *ESE 0 - 1/8 (0.072 mi.)* | *F59* | *95* |
| *R AND R ABELINE* | *750 YORK ST #12* | *SE 0 - 1/8 (0.090 mi.)* | *H72* | *117* |
| *BEST FOODS A UNIT OF CPC NORTH* | *1890 BRYANT ST* | *N 1/8 - 1/4 (0.127 mi.)* | *N95* | *146* |
| *FORTUNE CLEANERS* | *2751 21ST ST* | *SSE 1/8 - 1/4 (0.223 mi.)* | *AC185* | *300* |
| *SUNNY AUTO BODY* | *450 POTRERO AVE* | *NE 1/8 - 1/4 (0.233 mi.)* | *AE198* | *322* |
| *JOHN OCONNELL COMMTY COLLEGE C* | *2095 21ST ST* | *SSW 1/8 - 1/4 (0.244 mi.)* | *AH214* | *344* |

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| *PENSKE TRUCK LEASING CO* | *2955 18TH STREET* | *NW 0 - 1/8 (0.044 mi.)* | *B28* | *49* |
| *WEICHHART STAMPING CO#* | *730 FLORIDA ST* | *SSW 0 - 1/8 (0.050 mi.)* | *E39* | *64* |
| *UNIVERSITY OF CALIFORNIA SAN F* | *3130 20TH ST* | *SW 0 - 1/8 (0.114 mi.)* | *J79* | *125* |
| *PG&E TREAT ST GARAGE* | *536 TREAT ST* | *WNW 1/8 - 1/4 (0.163 mi.)* | *R133* | *226* |
| *HANS ART AUTO REPAIR* | *2160 FOLSOM ST* | *WNW 1/8 - 1/4 (0.247 mi.)* | *AG221* | *353* |

RCRA-CESQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-CESQG list, as provided by EDR, and dated 02/12/2013 has revealed that there is 1 RCRA-CESQG site within approximately 0.25 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| BRYANT SQUARE, LLC | 2125 BRYANT STREET | SSE 0 - 1/8 (0.046 mi.) | C35 | 57 |

***State- and tribal - equivalent NPL***

RESPONSE: Identifies confirmed release sites where DTSC is involved in remediation, either in a lead or oversight capacity. These confirmed release sites are generally high-priority and high potential risk.

A review of the RESPONSE list, as provided by EDR, and dated 12/05/2012 has revealed that there is 1 RESPONSE site within approximately 1 mile of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| ***2222 LIMITED*** | ***2222 24TH STREET*** | ***SE 1/2 - 1 (0.694 mi.)*** | ***BL328*** | ***653*** |

***State- and tribal - equivalent CERCLIS***

ENVIROSTOR: The Department of Toxic Substances Control's (DTSC's) Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifes sites that have known contamination or sites for which there may be reasons to investigate further. The database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites. EnviroStor provides similar information to the information that was available in CalSites, and provides additional site information, including, but not limited to, identification of formerly-contaminated properties that have been released for reuse, properties where environmental deed restrictions have been recorded to prevent inappropriate land uses, and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.

A review of the ENVIROSTOR list, as provided by EDR, and dated 12/05/2012 has revealed that there are 17 ENVIROSTOR sites within approximately 1 mile of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| 898 SOUTH VAN NESS AVENUE<br>Status: Refer: 1248 Local Agency | 898 SOUTH VAN NESS AVEN | WSW 1/4 - 1/2 (0.357 mi.) | AN265 | 468 |
| ***LICK-WILMERDING HIGH SCHOOL***<br>Status: Refer: Other Agency | ***450 RHODE ISLAND AVE*** | ***ENE 1/4 - 1/2 (0.463 mi.)*** | ***BD299*** | ***578*** |
| PACIFIC HEATING & SHEET METAL<br>Status: No Further Action | 3420 18TH ST | W 1/4 - 1/2 (0.500 mi.) | BF319 | 634 |
| ***CAL FED ENTERPRISE (FORMER)***<br>Status: No Further Action | ***2240 24TH ST*** | ***SE 1/2 - 1 (0.688 mi.)*** | ***BL326*** | ***648*** |
| ***2222 LIMITED***<br>Status: Certified | ***2222 24TH STREET*** | ***SE 1/2 - 1 (0.694 mi.)*** | ***BL328*** | ***653*** |

# EXECUTIVE SUMMARY

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| KNUDSON PARK<br>Status: No Further Action | BTW 25TH & 26TH ST | SSE 1/2 - 1 (0.767 mi.) | 330 | 665 |
| BERNAL DWELLINGS<br>Status: Refer: 1248 Local Agency | 3082 HARRISON STREET, 3 | S 1/2 - 1 (0.820 mi.) | 332 | 667 |
| ***Not reported***<br>Status: Refer: 1248 Local Agency | ***1298 HOWARD ST.*** | ***N 1/2 - 1 (0.951 mi.)*** | ***336*** | ***674*** |

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| ***DEHARO/RHODE ISLAND LIVE/WORK***<br>Status: Certified O&M - Land Use Restrictions Only | ***BETWEEN 17TH/DEHARO & 1*** | ***NE 1/4 - 1/2 (0.486 mi.)*** | ***BK317*** | ***624*** |
| ***WEST COAST RECYCLING CO.***<br>Status: Refer: 1248 Local Agency | ***350 RHODE ISLAND AVE.*** | ***NE 1/2 - 1 (0.503 mi.)*** | ***BK321*** | ***635*** |
| PIONEER SOAP CO. INC.<br>Status: Refer: Other Agency | 470 CAROLINA ST. | ENE 1/2 - 1 (0.543 mi.) | 322 | 639 |
| 1717 17TH ST.<br>Status: Refer: 1248 Local Agency | 1717 17TH ST. | ENE 1/2 - 1 (0.571 mi.) | 323 | 640 |
| ***1601 MARIPOSA STREET***<br>Status: Active | ***1601 MARIPOSA STREET*** | ***ENE 1/2 - 1 (0.607 mi.)*** | ***324*** | ***641*** |
| ***COSTCO WHOLESALE #144***<br>Status: Inactive - Needs Evaluation | ***450 10TH ST*** | ***N 1/2 - 1 (0.682 mi.)*** | ***325*** | ***643*** |
| ***FOREMOST HOWARD ST BRANCH***<br>Status: Refer: Other Agency | ***1675 HOWARD ST*** | ***NNW 1/2 - 1 (0.710 mi.)*** | ***329*** | ***658*** |
| FOLSOM/DOVE APARTMENTS<br>Status: Refer: 1248 Local Agency | 1346 FOLSOM STREET AND | N 1/2 - 1 (0.828 mi.) | 333 | 668 |
| ***CONSOLIDATED IRON WORKS***<br>Status: Certified | ***634 TOWNSEND STREET*** | ***NNE 1/2 - 1 (0.830 mi.)*** | ***334*** | ***669*** |

***State and tribal leaking storage tank lists***

LUST: The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the State Water Resources Control Board Leaking Underground Storage Tank Information System.

A review of the LUST list, as provided by EDR, and dated 01/30/2013 has revealed that there are 127 LUST sites within approximately 0.5 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| ***JACK KEENEY PROPERTY***<br>Status: Completed - Case Closed | ***2031 BRYANT STREET*** | ***NE 0 - 1/8 (0.009 mi.)*** | ***A3*** | ***13*** |
| ***MOORE EARTH CO.***<br>Status: Completed - Case Closed | ***2747 19TH ST*** | ***ESE 0 - 1/8 (0.043 mi.)*** | ***C21*** | ***35*** |
| ***PILALASADES DEVELOPMENT GROUP***<br>Status: Completed - Case Closed | ***2125 BRYANT ST*** | ***SSE 0 - 1/8 (0.046 mi.)*** | ***C37*** | ***60*** |
| ***YORK STREET STUDIO HOA***<br>Status: Completed - Case Closed | ***620 YORK ST*** | ***ENE 0 - 1/8 (0.060 mi.)*** | ***F44*** | ***69*** |
| ***GROSVENOR PROPRTIES, LTD***<br>Status: Completed - Case Closed | ***2700 19TH ST*** | ***ESE 0 - 1/8 (0.063 mi.)*** | ***C48*** | ***73*** |

# EXECUTIVE SUMMARY

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| MOORE EARTH CO. (FORMERLY)<br>Status: Completed - Case Closed | 720-750 YORK STREET | ESE 0 - 1/8 (0.072 mi.) | F60 | 97 |
| ***BUSINESS FURNITURE AND DESIGN*** | ***2650 18TH ST*** | ***NE 0 - 1/8 (0.083 mi.)*** | ***G67*** | ***109*** |
| ***BUSINESS FURNITURE & DESIGN***<br>Status: Completed - Case Closed | ***2650 18TH ST*** | ***NE 0 - 1/8 (0.083 mi.)*** | ***G69*** | ***115*** |
| ***MOORE EARTH COMPANY (FORMER)***<br>Status: Completed - Case Closed | ***2850 20TH ST.*** | ***SSE 0 - 1/8 (0.115 mi.)*** | ***H83*** | ***131*** |
| COMMERCIAL<br>Status: Completed - Case Closed | 517-519 YORK ST. | NNE 0 - 1/8 (0.119 mi.) | L87 | 138 |
| ***CPC BEST FOODS***<br>Status: Completed - Case Closed | ***1890 1900 BRYANT*** | ***N 1/8 - 1/4 (0.127 mi.)*** | ***N96*** | ***150*** |
| ***NOW DESIGNS OF SAN FRANCISCO*** | ***540 HAMPSHIRE ST*** | ***NE 1/8 - 1/4 (0.139 mi.)*** | ***P102*** | ***161*** |
| ***NOW DESIGNS***<br>Status: Completed - Case Closed | ***540 HAMPSHIRE STREET*** | ***NE 1/8 - 1/4 (0.139 mi.)*** | ***P103*** | ***165*** |
| ***ROSE EXTERMINATOR***<br>Status: Completed - Case Closed | ***626 POTRERO AVE*** | ***ENE 1/8 - 1/4 (0.151 mi.)*** | ***Q110*** | ***180*** |
| ***ABBETT ELECTRIC CORP***<br>Status: Completed - Case Closed | ***1850 BRYANT ST*** | ***N 1/8 - 1/4 (0.160 mi.)*** | ***N116*** | ***192*** |
| ***1X ABBETT ELECTRIC*** | ***1850 BRYANT STREET*** | ***N 1/8 - 1/4 (0.160 mi.)*** | ***N119*** | ***202*** |
| ***TRALA PARTNERSHIP***<br>Status: Completed - Case Closed | ***445 HAMPSHIRE STREET*** | ***NE 1/8 - 1/4 (0.176 mi.)*** | ***U143*** | ***241*** |
| ***RUDY MARK MILLER*** | ***2440 MARIPOSA STREET*** | ***NE 1/8 - 1/4 (0.188 mi.)*** | ***P147*** | ***249*** |
| ***NETWORK COURIER SERVICES***<br>Status: Completed - Case Closed | ***2440 MARIPOSA STREET*** | ***NE 1/8 - 1/4 (0.188 mi.)*** | ***P148*** | ***251*** |
| VACANT LOT | 1800 BRYANT STREET | N 1/8 - 1/4 (0.201 mi.) | X156 | 259 |
| ***VACANT LOT***<br>Status: Completed - Case Closed | ***1800 BRYANT STREET*** | ***N 1/8 - 1/4 (0.201 mi.)*** | ***X157*** | ***261*** |
| ***ANDERSON ROWE & BUCKLEY INC.***<br>Status: Completed - Case Closed | ***2501 HARRISON STREET*** | ***SSW 1/8 - 1/4 (0.243 mi.)*** | ***AH209*** | ***337*** |
| ANDERSON ROWE & BUCKLEY INC. | 2501 HARRISON STREET | SSW 1/8 - 1/4 (0.243 mi.) | AH210 | 338 |
| ***JOHN O'CONELL SCHOOL***<br>Status: Completed - Case Closed | ***2905 21ST ST*** | ***SSW 1/8 - 1/4 (0.244 mi.)*** | ***AH215*** | ***346*** |
| ***UNION OIL SS# 0053***<br>Status: Open - Site Assessment | ***401 POTRERO AVE*** | ***NE 1/4 - 1/2 (0.268 mi.)*** | ***AE238*** | ***374*** |
| ***UNOCAL #53, POTRERO UNOCAL*** | ***401 POTRERO AVE*** | ***NE 1/4 - 1/2 (0.268 mi.)*** | ***AE239*** | ***380*** |
| ***PERFORMANCE SHELL OIL #2, JOE***<br>Status: Open - Site Assessment<br>Status: Completed - Case Closed | ***388 POTRERO AVE*** | ***NNE 1/4 - 1/2 (0.275 mi.)*** | ***AK240*** | ***383*** |
| PERFORMANCE SHELL #2 | 388 POTRERO AVE | NNE 1/4 - 1/2 (0.275 mi.) | AK241 | 392 |
| ***COMMERCIAL PROPERTY***<br>Status: Completed - Case Closed | ***3330 20TH ST*** | ***WSW 1/4 - 1/2 (0.278 mi.)*** | ***AF243*** | ***402*** |
| ***COMMERCIAL***<br>Status: Completed - Case Closed | ***2445 16TH STREET*** | ***N 1/4 - 1/2 (0.291 mi.)*** | ***AM245*** | ***406*** |
| ***LION BLDG.***<br>Status: Completed - Case Closed | ***2525 16TH ST*** | ***NNW 1/4 - 1/2 (0.291 mi.)*** | ***AM246*** | ***412*** |
| LION BLDG. | 2525 16TH ST | NNW 1/4 - 1/2 (0.291 mi.) | AM247 | 414 |
| SPCA | 2500 16TH ST | N 1/4 - 1/2 (0.293 mi.) | AM248 | 416 |
| ***SPCA***<br>Status: Completed - Case Closed | ***2500 16TH ST*** | ***N 1/4 - 1/2 (0.293 mi.)*** | ***AM249*** | ***418*** |

# EXECUTIVE SUMMARY

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| *ALL TIRE* | *359 POTRERO AVE* | *NNE 1/4 - 1/2 (0.297 mi.)* | *AK250* | *420* |
| Status: Completed - Case Closed | | | | |
| *UNITED AUTO BODY* | *3360 20TH ST* | *WSW 1/4 - 1/2 (0.312 mi.)* | *AN252* | *425* |
| Status: Completed - Case Closed | | | | |
| *Not reported* | *2300 16TH ST* | *NNE 1/4 - 1/2 (0.316 mi.)* | *255* | *433* |
| Status: Completed - Case Closed | | | | |
| DALE'S AUTO SERVICE | 376 UTAH STREET | NE 1/4 - 1/2 (0.320 mi.) | AP257 | 443 |
| *DALE'S AUTO SERVICE* | *376 UTAH STREET* | *NE 1/4 - 1/2 (0.320 mi.)* | *AP258* | *444* |
| Status: Completed - Case Closed | | | | |
| SHELL STATION #4408 | 793 SO. VAN NESS AVENUE | W 1/4 - 1/2 (0.337 mi.) | 261 | 449 |
| Status: Open - Assessment & Interim Remedial Action | | | | |
| *CHEVRON STATION #9-9906* | *302 POTRERO AVE* | *NNE 1/4 - 1/2 (0.337 mi.)* | *262* | *457* |
| Status: Completed - Case Closed | | | | |
| *POTRERO SERVICE STATION* | *998 POTRERO AVE* | *SSE 1/4 - 1/2 (0.368 mi.)* | *AS267* | *472* |
| *POTRERO SERVICE STATION* | *998 POTRERO AVE* | *SSE 1/4 - 1/2 (0.368 mi.)* | *AS268* | *474* |
| Status: Completed - Case Closed | | | | |
| W.L. BIPES CO. INC. | 2040 17TH ST | NE 1/4 - 1/2 (0.416 mi.) | AY285 | 525 |
| *W.L. BIPES CO. INC.* | *2040 17TH ST* | *NE 1/4 - 1/2 (0.416 mi.)* | *AY286* | *527* |
| Status: Completed - Case Closed | | | | |
| RESIDENCE | 2818-2822 23RD ST | SSE 1/4 - 1/2 (0.444 mi.) | BA288 | 532 |
| Status: Completed - Case Closed | | | | |
| COMMERCIAL | 3140 21ST STREET | SW 1/4 - 1/2 (0.445 mi.) | 289 | 534 |
| Status: Completed - Case Closed | | | | |
| *CONTINENTAL BAKING CO.* | *1525 BRYANT STREET* | *N 1/4 - 1/2 (0.448 mi.)* | *BB292* | *540* |
| *CONTINENTAL BAKING CO.* | *1525 BRYANT STREET* | *N 1/4 - 1/2 (0.448 mi.)* | *BB293* | *546* |
| Status: Completed - Case Closed | | | | |
| *BALTAZAR MARTINEZ TRUST* | *1104 YORK ST* | *SSE 1/4 - 1/2 (0.454 mi.)* | *BA296* | *562* |
| Status: Completed - Case Closed | | | | |
| *LICK-WILMERDING HIGH SCHOOL* | *450 RHODE ISLAND AVE* | *ENE 1/4 - 1/2 (0.463 mi.)* | *BD299* | *578* |
| Status: Completed - Case Closed | | | | |
| LICK-WILMERDING HIGH SCHOOL | 450 RHODE ISLAND AVE | ENE 1/4 - 1/2 (0.463 mi.) | BD300 | 580 |
| SIEGEL'S | 2360 MISSION STREET | WSW 1/4 - 1/2 (0.463 mi.) | BE301 | 582 |
| *SIEGEL'S* | *2360 MISSION STREET* | *WSW 1/4 - 1/2 (0.463 mi.)* | *BE302* | *584* |
| Status: Completed - Case Closed | | | | |
| COMMERCIAL | 2193-2197 MISSION ST. | W 1/4 - 1/2 (0.464 mi.) | BF303 | 586 |
| Status: Completed - Case Closed | | | | |
| PARQUE NINOS UNIDOS FORMERLY C | 3070-3090 23RD ST. | SSW 1/4 - 1/2 (0.469 mi.) | BG304 | 588 |
| Status: Open - Inactive | | | | |
| *DUTRO MAT COMPANY* | *2675 FOLSOM STREET* | *SSW 1/4 - 1/2 (0.469 mi.)* | *BH306* | *594* |
| Status: Completed - Case Closed | | | | |
| DUTRO MAT COMPANY | 2675 FOLSOM STREET | SSW 1/4 - 1/2 (0.469 mi.) | BH307 | 596 |
| M. TOICH AND SONS | 1100 POTRERO AVE. | SSE 1/4 - 1/2 (0.472 mi.) | BJ310 | 604 |
| *ALAN SAGETALYAN* | *1100 POTRERO AVE* | *SSE 1/4 - 1/2 (0.472 mi.)* | *BJ311* | *606* |
| Status: Open - Eligible for Closure | | | | |
| *COMMERCIAL PROPERTY* | *3055 23RD STREET* | *SSW 1/4 - 1/2 (0.473 mi.)* | *BG312* | *615* |
| Status: Completed - Case Closed | | | | |
| *CONTINENTAL BAKING CO.* | *2454 ALAMEDA ST* | *N 1/4 - 1/2 (0.481 mi.)* | *315* | *618* |
| Status: Completed - Case Closed | | | | |

# EXECUTIVE SUMMARY

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| MISSION LANGUAGE SCHOOL<br>Status: Completed - Case Closed | 2929 19TH ST | SW 0 - 1/8 (0.037 mi.) | B15 | 24 |
| ***ALABAMA ST HOUSING ASSOCIATES***<br>Status: Completed - Case Closed | ***2949 18TH ST*** | ***NW 0 - 1/8 (0.042 mi.)*** | ***B18*** | ***30*** |
| HERTZ-PENSKE TRUCK LEASING<br>Status: Completed - Case Closed | 2955 18TH ST | NW 0 - 1/8 (0.044 mi.) | B25 | 45 |
| FORMER PENSKE TRUCK LEASING F.<br>Status: Completed - Case Closed | 2955 18TH ST | NW 0 - 1/8 (0.044 mi.) | B26 | 46 |
| ***EIRO AUTO REPAIR***<br>Status: Completed - Case Closed<br>Status: Open - Eligible for Closure | ***3014 18TH ST*** | ***WNW 0 - 1/8 (0.072 mi.)*** | ***D57*** | ***89*** |
| ***PEERLESS LINEN COMPANY***<br>Status: Completed - Case Closed | ***570 ALABAMA ST.*** | ***NW 0 - 1/8 (0.080 mi.)*** | ***D66*** | ***106*** |
| COMMERCIAL PROPERTY<br>Status: Completed - Case Closed | 3000 20TH STREET | S 0 - 1/8 (0.110 mi.) | I74 | 119 |
| KOCH INVESTMENT CO.<br>***UCSF/FM***<br>Status: Completed - Case Closed | 3130 20TH ST<br>***3130 20TH ST*** | SW 0 - 1/8 (0.114 mi.)<br>***SW 0 - 1/8 (0.114 mi.)*** | J78<br>***J81*** | 123<br>***127*** |
| ***HOA - 2170 HARRISON STREET***<br>Status: Completed - Case Closed | ***2170 HARRISON STREET*** | ***NW 0 - 1/8 (0.124 mi.)*** | ***K92*** | ***142*** |
| ***VITLIN/ROSS PROPERTIES***<br>Status: Completed - Case Closed | ***3131 19TH ST*** | ***W 1/8 - 1/4 (0.137 mi.)*** | ***O100*** | ***156*** |
| PROJECT ARTAUD<br>Status: Completed - Case Closed | 479-499 ALABAMA ST | NNW 1/8 - 1/4 (0.146 mi.) | M105 | 168 |
| ***JOHN O'CONNEL TECH SCHOOL***<br>Status: Completed - Case Closed | ***3200 20TH ST..*** | ***SW 1/8 - 1/4 (0.148 mi.)*** | ***J108*** | ***173*** |
| ***LOSKUTOFF PROPERTY***<br>Status: Completed - Case Closed | ***2407 HARRISON STREET*** | ***SW 1/8 - 1/4 (0.154 mi.)*** | ***J111*** | ***185*** |
| LOSKUTOFF PROPERTY<br>***CHARTER CONSTRUCTION, INC.***<br>Status: Completed - Case Closed | 2407 HARRISON STREET<br>***2412 HARRISON ST*** | SW 1/8 - 1/4 (0.154 mi.)<br>***SW 1/8 - 1/4 (0.160 mi.)*** | J112<br>***J122*** | 187<br>***206*** |
| ***WESTERN HEATING & PLUMBING***<br>Status: Completed - Case Closed | ***600 TREAT STREET*** | ***W 1/8 - 1/4 (0.162 mi.)*** | ***O123*** | ***210*** |
| WESTERN HEATING & PLUMBING<br>PG&E TREAT STREET COMPLEX<br>***SFFD STATION #7***<br>Status: Completed - Case Closed | 600 TREAT STREET<br>536 TREAT STREET<br>***2300 FOLSOM ST*** | W 1/8 - 1/4 (0.162 mi.)<br>WNW 1/8 - 1/4 (0.163 mi.)<br>***W 1/8 - 1/4 (0.220 mi.)*** | O124<br>R134<br>***Y171*** | 212<br>228<br>***271*** |
| SFFD STATION #7<br>FORMER BODE GRAVEL<br>Status: Completed - Case Closed | 2300 FOLSOM STREET<br>386 ALABAMA ST. | W 1/8 - 1/4 (0.220 mi.)<br>NNW 1/8 - 1/4 (0.224 mi.) | Y173<br>AD189 | 282<br>310 |
| ***PIKE PROPERTY***<br>Status: Completed - Case Closed | ***3057 17TH ST*** | ***NW 1/8 - 1/4 (0.236 mi.)*** | ***AB204*** | ***330*** |
| ***LILLI ANN PROPERTIES***<br>Status: Completed - Case Closed | ***2030 HARRISON STREET*** | ***NNW 1/8 - 1/4 (0.248 mi.)*** | ***AD225*** | ***357*** |
| LILLI ANN PROPERTIES<br>***COMMERCIAL PROPERTY***<br>Status: Completed - Case Closed | 2030 HARRISON STREET<br>***2156 FOLSOM ST*** | NNW 1/8 - 1/4 (0.248 mi.)<br>***WNW 1/8 - 1/4 (0.249 mi.)*** | AD226<br>***AG231*** | 358<br>***361*** |
| ***KIMMEL COMPANY***<br>Status: Completed - Case Closed | ***2140 70 FOLSOM*** | ***WNW 1/4 - 1/2 (0.257 mi.)*** | ***AG235*** | ***367*** |

# EXECUTIVE SUMMARY

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| VIACOM | 3070 17TH ST | NW 1/4 - 1/2 (0.261 mi.) | AJ236 | 370 |
| ***VIACOM*** | ***3070 17TH ST*** | ***NW 1/4 - 1/2 (0.261 mi.)*** | ***AJ237*** | ***372*** |
| Status: Completed - Case Closed | | | | |
| ***SHOTWELL COMPLEX*** | ***3235 18TH STREET*** | ***WNW 1/4 - 1/2 (0.275 mi.)*** | ***AL242*** | ***392*** |
| COMMERCIAL | 298 ALABAMA ST/ | NNW 1/4 - 1/2 (0.300 mi.) | 251 | 423 |
| Status: Completed - Case Closed | | | | |
| ***TCI - SAN FRANCISCO*** | ***2055 FOLSOM STREET*** | ***NW 1/4 - 1/2 (0.314 mi.)*** | ***AO253*** | ***429*** |
| Status: Completed - Case Closed | | | | |
| TCI - SAN FRANCISCO | 2055 FOLSOM STREET | NW 1/4 - 1/2 (0.314 mi.) | AO254 | 431 |
| ***LABORER'S*** | ***3271 18TH ST*** | ***WNW 1/4 - 1/2 (0.317 mi.)*** | ***AL256*** | ***438*** |
| Status: Completed - Case Closed | | | | |
| ***SIMONETTA NERI PROPERTY*** | ***307 SHOTWELL STREET*** | ***WNW 1/4 - 1/2 (0.325 mi.)*** | ***AQ259*** | ***446*** |
| Status: Completed - Case Closed | | | | |
| ***KILPATRICK'S BAKERY INC*** | ***2030 FOLSOM ST*** | ***NW 1/4 - 1/2 (0.338 mi.)*** | ***AO263*** | ***462*** |
| Status: Completed - Case Closed | | | | |
| ***COMMERCIAL / RETAIL*** | ***2779 16TH ST*** | ***NW 1/4 - 1/2 (0.348 mi.)*** | ***AR264*** | ***465*** |
| Status: Completed - Case Closed | | | | |
| ***J. SCHMIDT CHOCOLATE FACTORY*** | ***2000 FOLSOM STREET*** | ***NW 1/4 - 1/2 (0.364 mi.)*** | ***AR266*** | ***469*** |
| Status: Completed - Case Closed | | | | |
| ***CCSF MUNI-HARRISON FACILITY*** | ***1940 HARRISON STREET*** | ***NNW 1/4 - 1/2 (0.372 mi.)*** | ***AT269*** | ***477*** |
| Status: Completed - Case Closed | | | | |
| ***CCSF-MUNI FLYNN*** | ***1940 HARRISON STREET*** | ***NNW 1/4 - 1/2 (0.372 mi.)*** | ***AT270*** | ***478*** |
| ***KILPATRICK'S BAKERY INC.*** | ***1990 FOLSOM STREET*** | ***NW 1/4 - 1/2 (0.374 mi.)*** | ***AR271*** | ***481*** |
| Status: Completed - Case Closed | | | | |
| KILPATRICK'S BAKERY INC. | 1990 FOLSOM STREET | NW 1/4 - 1/2 (0.374 mi.) | AR272 | 484 |
| ***TARGET AUTO*** | ***600 SO. VAN NESS AVE*** | ***WNW 1/4 - 1/2 (0.383 mi.)*** | ***AU273*** | ***486*** |
| Status: Completed - Case Closed | | | | |
| GAS & SHOP | 599 SOUTH VAN NESS AVE. | WNW 1/4 - 1/2 (0.384 mi.) | AU274 | 489 |
| Status: Open - Site Assessment | | | | |
| SUPER-7 | 595 SO. VAN NESS AVENUE | WNW 1/4 - 1/2 (0.386 mi.) | AU275 | 491 |
| Status: Completed - Case Closed | | | | |
| BODE GRAVEL CO. | 250 FLORIDA STREET | N 1/4 - 1/2 (0.387 mi.) | AV277 | 497 |
| ***BODE GRAVEL CO.*** | ***250 FLORIDA STREET*** | ***N 1/4 - 1/2 (0.387 mi.)*** | ***AV278*** | ***498*** |
| Status: Completed - Case Closed | | | | |
| ***CAL TRANS MATERIALS LAB DIST 4*** | ***325 SAN BRUNO AVE*** | ***NE 1/4 - 1/2 (0.389 mi.)*** | ***AW279*** | ***500*** |
| Status: Completed - Case Closed | | | | |
| ***CUMMINS WEST INC SVC DEPT*** | ***1960 FOLSOM*** | ***NW 1/4 - 1/2 (0.401 mi.)*** | ***AX280*** | ***504*** |
| Status: Completed - Case Closed | | | | |
| ***CUMMINS WEST INC.*** | ***1960 FOLSOM ST*** | ***NW 1/4 - 1/2 (0.401 mi.)*** | ***AX281*** | ***508*** |
| ***ALBERA BROS JEEP INC*** | ***2860 16TH ST*** | ***NW 1/4 - 1/2 (0.405 mi.)*** | ***282*** | ***511*** |
| Status: Completed - Case Closed | | | | |
| ***SAN FRANCISCO*** | ***295 SAN BRUNO AVE*** | ***NE 1/4 - 1/2 (0.411 mi.)*** | ***AW283*** | ***513*** |
| ***CALTRANS DISTRICT 4*** | ***295 SAN BRUNO AVE*** | ***NE 1/4 - 1/2 (0.411 mi.)*** | ***AW284*** | ***515*** |
| Status: Completed - Case Closed | | | | |
| AUTO CITY GASOLINE | 505 SO. VAN NESS AVE | NW 1/4 - 1/2 (0.440 mi.) | AZ287 | 528 |
| Status: Open - Site Assessment | | | | |
| INTERIOR RESOURCES | 360 KANSAS STREET | NE 1/4 - 1/2 (0.446 mi.) | AY290 | 536 |
| ***INTERIOR RESOURCES*** | ***360 KANSAS STREET*** | ***NE 1/4 - 1/2 (0.446 mi.)*** | ***AY291*** | ***538*** |
| Status: Completed - Case Closed | | | | |

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| ***R J MCGLENNON COMPANY INCORPOR*** | ***198 UTAH STREET*** | ***NNE 1/4 - 1/2 (0.449 mi.)*** | ***BC294*** | ***548*** |
| Status: Completed - Case Closed | | | | |
| ***R.J. MCGLENNON CO., INC.*** | ***198 UTAH STREET*** | ***NNE 1/4 - 1/2 (0.449 mi.)*** | ***BC295*** | ***556*** |
| QUALITY TUNE-UP/FORMER ARCO | 490 SO. VAN NESS AVE. | NW 1/4 - 1/2 (0.458 mi.) | AZ297 | 568 |
| Status: Open - Eligible for Closure | | | | |
| ***BUTTERFIELD AND BUTTERFIELD*** | ***164 UTAH ST*** | ***NNE 1/4 - 1/2 (0.461 mi.)*** | ***BC298*** | ***575*** |
| Status: Completed - Case Closed | | | | |
| OFFICE BUILDING | 1417 15TH ST | NW 1/4 - 1/2 (0.469 mi.) | 305 | 591 |
| Status: Completed - Case Closed | | | | |
| ***CHARLES HENRY CO. (FORMER)*** | ***145 CAPP STREET*** | ***WNW 1/4 - 1/2 (0.470 mi.)*** | ***BI308*** | ***598*** |
| Status: Completed - Case Closed | | | | |
| ***UNKNOWN*** | ***145 CAPP STREET*** | ***WNW 1/4 - 1/2 (0.470 mi.)*** | ***BI309*** | ***599*** |
| APARTMENT BUILDING | 460 SO. VAN NESS AVENUE | NW 1/4 - 1/2 (0.485 mi.) | 316 | 621 |
| Status: Completed - Case Closed | | | | |
| ***JOHNSON PROPERTY (FORMERLY)*** | ***375 RHODE ISLAND AVE*** | ***ENE 1/4 - 1/2 (0.493 mi.)*** | ***BK318*** | ***630*** |
| Status: Completed - Case Closed | | | | |

SLIC: SLIC Region comes from the California Regional Water Quality Control Board.

A review of the SLIC list, as provided by EDR, and dated 01/30/2013 has revealed that there are 2 SLIC sites within approximately 0.5 miles of the target property.

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| PG & E TREAT AVENUE PARKING LO | 401 TREAT AVENUE | NW 1/8 - 1/4 (0.222 mi.) | AB182 | 298 |
| Facility Status: Open - Site Assessment | | | | |
| TREAT AVENUE PARKING FACILITY | 1822 HARRISON ST | NNW 1/4 - 1/2 (0.500 mi.) | 320 | 635 |
| Facility Status: Open - Inactive | | | | |

***State and tribal registered storage tank lists***

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the State Water Resources Control Board's Hazardous Substance Storage Container Database.

A review of the UST list, as provided by EDR, and dated 12/17/2012 has revealed that there are 52 UST sites within approximately 0.25 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| VACANT | 2031 BRYANT ST | NE 0 - 1/8 (0.009 mi.) | A4 | 16 |
| MOORE EARTH | 2747 19TH ST | ESE 0 - 1/8 (0.043 mi.) | C22 | 38 |
| COMMERCIAL | 2125 BRYANT ST | SSE 0 - 1/8 (0.046 mi.) | C36 | 59 |
| BAY GUARDIAN | 2700 19TH ST | ESE 0 - 1/8 (0.063 mi.) | C47 | 72 |
| 2700 19TH ST BLDG | 2700 19TH ST | ESE 0 - 1/8 (0.063 mi.) | C49 | 77 |
| PARAMOUNT PRESS | 2701 18TH ST | NE 0 - 1/8 (0.065 mi.) | G52 | 80 |
| MOORE EARTH | 720 YORK ST | ESE 0 - 1/8 (0.072 mi.) | F61 | 100 |
| BUSINESS FURNITURE | 2650 18TH ST | NE 0 - 1/8 (0.083 mi.) | G68 | 114 |
| 2850 20TH ST | 2850 20TH ST | SSE 0 - 1/8 (0.115 mi.) | H84 | 134 |

# EXECUTIVE SUMMARY

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| ***BEST FOODS A UNIT OF CPC NORTH*** | ***1890 BRYANT ST*** | ***N 1/8 - 1/4 (0.127 mi.)*** | ***N95*** | ***146*** |
| SOUTHERN PACIFIC | 2601 MARIPOSA ST | NNE 1/8 - 1/4 (0.131 mi.) | L97 | 151 |
| NOW DESIGNS OF SAN | 540 HAMPSHIRE ST | NE 1/8 - 1/4 (0.139 mi.) | P101 | 158 |
| ROSE EXTERMINATOR | 626 POTRERO AV | ENE 1/8 - 1/4 (0.151 mi.) | Q109 | 179 |
| ABBETT ELECTRIC | 1850 BRYANT ST | N 1/8 - 1/4 (0.160 mi.) | N118 | 199 |
| CCSF/PTD/MUNI/POTR | 2500 MARIPOSA ST | NE 1/8 - 1/4 (0.162 mi.) | P126 | 215 |
| SF NEON INC. | 690 POTRERO AV | E 1/8 - 1/4 (0.168 mi.) | T137 | 234 |
| ALART MECHANICAL | 445 HAMPSHIRE ST | NE 1/8 - 1/4 (0.176 mi.) | U141 | 238 |
| NETWORK COURIER | 2440 MARIPOSA ST | NE 1/8 - 1/4 (0.188 mi.) | P146 | 248 |
| MIRAGE INVESTMENT, | 2451 HARRISON ST | SSW 1/8 - 1/4 (0.192 mi.) | V149 | 253 |
| NICHIREN, SHOSHU, | 1800 BRYANT ST | N 1/8 - 1/4 (0.201 mi.) | X155 | 258 |
| OROWEAT BAKING | 1798 BRYANT ST | N 1/8 - 1/4 (0.207 mi.) | X162 | 265 |
| COMMERCIAL | 480 POTRERO AV | NE 1/8 - 1/4 (0.220 mi.) | W174 | 284 |
| 375 ALABAMA ST | 375 ALABAMA ST | NNW 1/8 - 1/4 (0.232 mi.) | AD194 | 317 |
| ANDERSON, ROWE & | 2501 HARRISON ST | SSW 1/8 - 1/4 (0.243 mi.) | AH208 | 334 |
| JOHN O'CONNELL | 2905 21ST ST | SSW 1/8 - 1/4 (0.244 mi.) | AH213 | 341 |

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| MISSION LANGUAGE | 2929 19TH ST | SW 0 - 1/8 (0.037 mi.) | B14 | 23 |
| ATLAS & CIVIC CTR | 2947 18TH ST | NW 0 - 1/8 (0.041 mi.) | B17 | 28 |
| VACANT LOT | 2949 18TH ST | NW 0 - 1/8 (0.042 mi.) | B19 | 34 |
| PENSKE TRUCK LEASING CO. L.P. | 2955 18TH ST | NW 0 - 1/8 (0.044 mi.) | B24 | 41 |
| PEERLESS LINEN | 550 FLORIDA ST | NW 0 - 1/8 (0.045 mi.) | D30 | 52 |
| 600 ALABAMA STREET | 600 ALABAMA ST | WNW 0 - 1/8 (0.065 mi.) | D53 | 81 |
| ERIE AUTO REPAIR | 3014 18TH ST | WNW 0 - 1/8 (0.072 mi.) | D54 | 83 |
| PEERLESS LINEN | 570 ALABAMA ST | NW 0 - 1/8 (0.080 mi.) | D64 | 102 |
| COMMERCIAL | 3000 20TH ST | S 0 - 1/8 (0.110 mi.) | I76 | 121 |
| BEKIN'S MOVING & | 3130 20TH ST | SW 0 - 1/8 (0.114 mi.) | J82 | 130 |
| 2170 HARRISON ST | 2170 HARRISON ST | NW 0 - 1/8 (0.124 mi.) | K91 | 141 |
| COMMERCIAL | 3131 19TH ST | W 1/8 - 1/4 (0.137 mi.) | O99 | 154 |
| PROJECT ARTAUD | 479 ALABAMA ST | NNW 1/8 - 1/4 (0.146 mi.) | M104 | 166 |
| SFUSD #921 - LAS | 3200 20TH ST | SW 1/8 - 1/4 (0.148 mi.) | J107 | 171 |
| COMMERCIAL | 2407 HARRISON ST | SW 1/8 - 1/4 (0.154 mi.) | J113 | 189 |
| 2407 HARRISON ST | 2407 HARRISON ST | SW 1/8 - 1/4 (0.154 mi.) | J114 | 190 |
| CHARTER | 2412 HARRISON ST | SW 1/8 - 1/4 (0.160 mi.) | J121 | 204 |
| WESTERN PLUMBING & | 600 TREAT AV | W 1/8 - 1/4 (0.162 mi.) | O125 | 213 |
| METKIN TOOL AND | 630 TREAT AV | WSW 1/8 - 1/4 (0.162 mi.) | O129 | 220 |
| COMMERCIAL | 2417 HARRISON ST | SW 1/8 - 1/4 (0.162 mi.) | J130 | 223 |
| AUTO ELECTRICAL | 3221 20TH ST | SW 1/8 - 1/4 (0.165 mi.) | S136 | 233 |
| CCSF/SFFD/STATION #7 | 2300 FOLSOM ST | W 1/8 - 1/4 (0.220 mi.) | Y172 | 276 |
| PG&E HARRISON/TREAT STREET YAR | 2225 FOLSOM ST | W 1/8 - 1/4 (0.222 mi.) | AA181 | 292 |
| RMM-LONESTAR | 386 ALABAMA ST | NNW 1/8 - 1/4 (0.224 mi.) | AD187 | 304 |
| 3057 17TH ST | 3057 17TH ST | NW 1/8 - 1/4 (0.236 mi.) | AB203 | 328 |
| 2030 HARRISON ST | 2030 HARRISON ST | NNW 1/8 - 1/4 (0.248 mi.) | AD224 | 355 |
| MR. RAYMOND WONG | 2156 FOLSOM ST | WNW 1/8 - 1/4 (0.249 mi.) | AG232 | 365 |

***State and tribal voluntary cleanup sites***

VCP: Contains low threat level properties with either confirmed or unconfirmed releases and the project proponents have request that DTSC oversee investigation and/or cleanup activities and have agreed to provide coverage for DTSC's costs.

A review of the VCP list, as provided by EDR, and dated 12/05/2012 has revealed that there is 1 VCP

site within approximately 0.5 miles of the target property.

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| *DEHARO/RHODE ISLAND LIVE/WORK* | *BETWEEN 17TH/DEHARO & 1* | *NE 1/4 - 1/2 (0.486 mi.)* | *BK317* | *624* |

**ADDITIONAL ENVIRONMENTAL RECORDS**

***Local Lists of Hazardous waste / Contaminated Sites***

HIST Cal-Sites: Formerly known as ASPIS, this database contains both known and potential hazardous substance sites. The source is the California Department of Toxic Substance Control. No longer updated by the state agency. It has been replaced by ENVIROSTOR.

A review of the HIST Cal-Sites list, as provided by EDR, and dated 08/08/2005 has revealed that there are 2 HIST Cal-Sites sites within approximately 1 mile of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| *2222 LIMITED* | *2222 24TH STREET* | *SE 1/2 - 1 (0.694 mi.)* | *BL328* | *653* |

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| *CONSOLIDATED IRON WORKS* | *634 TOWNSEND STREET* | *NNE 1/2 - 1 (0.830 mi.)* | *334* | *669* |

***Local Lists of Registered Storage Tanks***

CA FID UST: The Facility Inventory Database contains active and inactive underground storage tank locations. The source is the State Water Resource Control Board.

A review of the CA FID UST list, as provided by EDR, and dated 10/31/1994 has revealed that there are 28 CA FID UST sites within approximately 0.25 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| VACANT | 2031 BRYANT ST | NE 0 - 1/8 (0.007 mi.) | A1 | 8 |
| *VACANT* | *620 YORK ST* | *ENE 0 - 1/8 (0.060 mi.)* | *F43* | *68* |
| BAY GUARDIAN NEWSPAPER | 2700 19TH ST | ESE 0 - 1/8 (0.063 mi.) | C45 | 71 |
| *PARAMOUNT PRESS* | *2701 18TH ST* | *NE 0 - 1/8 (0.065 mi.)* | *G51* | *79* |
| *BUSINESS FURNITURE AND DESIGN* | *2650 18TH ST* | *NE 0 - 1/8 (0.083 mi.)* | *G67* | *109* |
| *BEST FOODS A UNIT OF CPC NORTH* | *1890 BRYANT ST* | *N 1/8 - 1/4 (0.127 mi.)* | *N95* | *146* |
| *VACANT* | *2601 MARIPOSA ST* | *NNE 1/8 - 1/4 (0.131 mi.)* | *L98* | *153* |
| *NOW DESIGNS OF SAN FRANCISCO* | *540 HAMPSHIRE ST* | *NE 1/8 - 1/4 (0.139 mi.)* | *P102* | *161* |
| *ROSE EXTERMINATOR* | *626 POTRERO AVE* | *ENE 1/8 - 1/4 (0.151 mi.)* | *Q110* | *180* |
| *ABBOTT ELECTRIC CORP.* | *1850 BRYANT ST* | *N 1/8 - 1/4 (0.160 mi.)* | *N117* | *198* |
| **PUC/MUNI/POTRERO DIV* | *2500 MARIPOSA ST* | *NE 1/8 - 1/4 (0.162 mi.)* | *P127* | *217* |
| *SF NEON INC.* | *690 POTRERO AVE* | *E 1/8 - 1/4 (0.168 mi.)* | *T138* | *236* |
| *ALART PLUMBING, INC.* | *445 HAMPSHIRE ST* | *NE 1/8 - 1/4 (0.176 mi.)* | *U142* | *240* |
| *MIRAGE INVESTMENT, INC.* | *2451 HARRISON ST* | *SSW 1/8 - 1/4 (0.192 mi.)* | *V150* | *254* |
| *OROWHEAT BAKING CO.* | *1798 BRYANT ST* | *N 1/8 - 1/4 (0.207 mi.)* | *X161* | *264* |
| *VACANT BUILDING* | *375 ALABAMA ST* | *NNW 1/8 - 1/4 (0.232 mi.)* | *AD195* | *319* |
| *ANDERSON, ROWE & BUCKLEY, INC.* | *2501 HARRISON ST* | *SSW 1/8 - 1/4 (0.243 mi.)* | *AH207* | *333* |
| *JOHN OCONNELL COMMTY COLLEGE C* | *2095 21ST ST* | *SSW 1/8 - 1/4 (0.244 mi.)* | *AH214* | *344* |

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| *CIVIC CENTER TOWING INC* | *2947 18TH ST* | *NW 0 - 1/8 (0.041 mi.)* | *B16* | *27* |

# EXECUTIVE SUMMARY

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| *HERTZ-PENSKE TRUCK LEASING INC* | *2955 18TH ST* | *NW 0 - 1/8 (0.044 mi.)* | *B27* | *47* |
| *PEERLESS LINEN* | *550 FLORIDA ST* | *NW 0 - 1/8 (0.045 mi.)* | *D31* | *54* |
| *ERIE AUTO REPAIR SHOP* | *3014 18TH ST* | *WNW 0 - 1/8 (0.072 mi.)* | *D56* | *88* |
| *PEERLESS LINEN SERVICE* | *570 ALABAMA ST* | *NW 0 - 1/8 (0.080 mi.)* | *D65* | *105* |
| *BEKIN'S MOVING & STORAGE* | *3130 20TH ST* | *SW 0 - 1/8 (0.114 mi.)* | *J80* | *126* |
| *VACANT LOT* | *3221 20TH ST* | *SW 1/8 - 1/4 (0.165 mi.)* | *S135* | *230* |
| **SFFD/FIRE STATION #7* | *2300 FOLSOM ST* | *W 1/8 - 1/4 (0.220 mi.)* | *Y170* | *270* |
| *PG&E HARRISON/TREAT STREET YD* | *2225 FOLSOM ST* | *W 1/8 - 1/4 (0.222 mi.)* | *AA179* | *287* |
| *RMC-LONESTAR (ALABAMA PLANT)* | *386 ALABAMA ST* | *NNW 1/8 - 1/4 (0.224 mi.)* | *AD190* | *312* |

HIST UST: Historical UST Registered Database.

A review of the HIST UST list, as provided by EDR, and dated 10/15/1990 has revealed that there are 11 HIST UST sites within approximately 0.25 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| *BEST FOODS A UNIT OF CPC NORTH* | *1890 BRYANT ST* | *N 1/8 - 1/4 (0.127 mi.)* | *N95* | *146* |
| *ABBETT ELECTRIC CORP* | *1850 BRYANT ST* | *N 1/8 - 1/4 (0.160 mi.)* | *N116* | *192* |
| ALART PLUMBING, INC. | 445 HAMPSHIRE ST | NE 1/8 - 1/4 (0.176 mi.) | U144 | 246 |
| ANDERSON, ROWE & BUCKLEY, INC. | 2501 HARRISON ST | SSW 1/8 - 1/4 (0.243 mi.) | AH211 | 340 |

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| HERTZ-PENSKE TRUCK LEASING, IN | 2955 - 18TH ST. | NW 0 - 1/8 (0.044 mi.) | B23 | 40 |
| PEERLESS LINEN SERVICE | 575 ALABAMA ST | NW 0 - 1/8 (0.077 mi.) | D63 | 101 |
| BEKINS MOVING & STORAGE | 3130 20TH ST | SW 0 - 1/8 (0.114 mi.) | J77 | 122 |
| (SHOTWELL SVC. CENTER) | 536 TREAT AVE | WNW 1/8 - 1/4 (0.163 mi.) | R132 | 225 |
| *FIRE STATION #7* | *2300 FOLSOM ST* | *W 1/8 - 1/4 (0.220 mi.)* | *Y169* | *269* |
| *FOLSOM COMPLEX* | *2225 FOLSOM ST* | *W 1/8 - 1/4 (0.222 mi.)* | *AA180* | *290* |
| SAN FRANCISCO BATCH PLANT | 386 ALABAMA ST | NNW 1/8 - 1/4 (0.224 mi.) | AD188 | 308 |

SWEEPS UST: Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

A review of the SWEEPS UST list, as provided by EDR, and dated 06/01/1994 has revealed that there are 27 SWEEPS UST sites within approximately 0.25 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| *VACANT* | *620 YORK ST* | *ENE 0 - 1/8 (0.060 mi.)* | *F43* | *68* |
| BAY GUARDIAN NEWSPAPER | 2700 19TH AVE | ESE 0 - 1/8 (0.063 mi.) | C46 | 71 |
| *PARAMOUNT PRESS* | *2701 18TH ST* | *NE 0 - 1/8 (0.065 mi.)* | *G51* | *79* |
| *BUSINESS FURNITURE AND DESIGN* | *2650 18TH ST* | *NE 0 - 1/8 (0.083 mi.)* | *G67* | *109* |
| *BEST FOODS* | *1890 BRYANT ST* | *N 1/8 - 1/4 (0.127 mi.)* | *N94* | *144* |
| *VACANT* | *2601 MARIPOSA ST* | *NNE 1/8 - 1/4 (0.131 mi.)* | *L98* | *153* |
| *NOW DESIGNS OF SAN FRANCISCO* | *540 HAMPSHIRE ST* | *NE 1/8 - 1/4 (0.139 mi.)* | *P102* | *161* |
| *ROSE EXTERMINATOR* | *626 POTRERO AVE* | *ENE 1/8 - 1/4 (0.151 mi.)* | *Q110* | *180* |
| *ABBOTT ELECTRIC CORP.* | *1850 BRYANT ST* | *N 1/8 - 1/4 (0.160 mi.)* | *N117* | *198* |
| **PUC/MUNI/POTRERO DIV* | *2500 MARIPOSA ST* | *NE 1/8 - 1/4 (0.162 mi.)* | *P127* | *217* |
| *SF NEON INC.* | *690 POTRERO AVE* | *E 1/8 - 1/4 (0.168 mi.)* | *T138* | *236* |
| *ALART PLUMBING, INC.* | *445 HAMPSHIRE ST* | *NE 1/8 - 1/4 (0.176 mi.)* | *U142* | *240* |

# EXECUTIVE SUMMARY

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| MIRAGE INVESTMENT, INC. | 2451 HARRISON ST | SSW 1/8 - 1/4 (0.192 mi.) | V150 | 254 |
| OROWHEAT BAKING CO. | 1798 BRYANT ST | N 1/8 - 1/4 (0.207 mi.) | X161 | 264 |
| VACANT BUILDING | 375 ALABAMA ST | NNW 1/8 - 1/4 (0.232 mi.) | AD195 | 319 |
| ANDERSON, ROWE & BUCKLEY, INC. | 2501 HARRISON ST | SSW 1/8 - 1/4 (0.243 mi.) | AH207 | 333 |
| JOHN O'CONELL SCHOOL | 2905 21ST ST | SSW 1/8 - 1/4 (0.244 mi.) | AH215 | 346 |

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| CIVIC CENTER TOWING INC | 2947 18TH ST | NW 0 - 1/8 (0.041 mi.) | B16 | 27 |
| HERTZ-PENSKE TRUCK LEASING INC | 2955 18TH ST | NW 0 - 1/8 (0.044 mi.) | B27 | 47 |
| PEERLESS LINEN | 550 FLORIDA ST | NW 0 - 1/8 (0.045 mi.) | D31 | 54 |
| ERIE AUTO REPAIR SHOP | 3014 18TH ST | WNW 0 - 1/8 (0.072 mi.) | D56 | 88 |
| PEERLESS LINEN SERVICE | 570 ALABAMA ST | NW 0 - 1/8 (0.080 mi.) | D65 | 105 |
| BEKIN'S MOVING & STORAGE | 3130 20TH ST | SW 0 - 1/8 (0.114 mi.) | J80 | 126 |
| VACANT LOT | 3221 20TH ST | SW 1/8 - 1/4 (0.165 mi.) | S135 | 230 |
| *SFFD/FIRE STATION #7 | 2300 FOLSOM ST | W 1/8 - 1/4 (0.220 mi.) | Y170 | 270 |
| PG&E HARRISON/TREAT STREET YD | 2225 FOLSOM ST | W 1/8 - 1/4 (0.222 mi.) | AA179 | 287 |
| RMC-LONESTAR (ALABAMA PLANT) | 386 ALABAMA ST | NNW 1/8 - 1/4 (0.224 mi.) | AD190 | 312 |

***Local Land Records***

DEED: The use of recorded land use restrictions is one of the methods the DTSC uses to protect the public from unsafe exposures to hazardous substances and wastes.

A review of the DEED list, as provided by EDR, and dated 12/10/2012 has revealed that there is 1 DEED site within approximately 0.5 miles of the target property.

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| DEHARO/RHODE ISLAND LIVE/WORK | BETWEEN 17TH/DEHARO & 1 | NE 1/4 - 1/2 (0.486 mi.) | BK317 | 624 |

***Other Ascertainable Records***

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 02/12/2013 has revealed that there is 1 RCRA NonGen / NLR site within approximately 0.25 miles of the target property.

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| LONE STAR CEMENT | 386 ALABAMA | NNW 1/8 - 1/4 (0.224 mi.) | AD191 | 314 |

# EXECUTIVE SUMMARY

FUDS: The Listing includes locations of Formerly Used Defense Sites Properties where the US Army Corps Of Engineers is actively working or will take necessary cleanup actions.

A review of the FUDS list, as provided by EDR, and dated 12/31/2011 has revealed that there is 1 FUDS site within approximately 1 mile of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| FORT MASON PORT OF EMBARKATION | | SSW 1/4 - 1/2 (0.281 mi.) | AH244 | 406 |

HIST CORTESE: The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CALSITES]. This listing is no longer updated by the state agency.

A review of the HIST CORTESE list, as provided by EDR, and dated 04/01/2001 has revealed that there are 66 HIST CORTESE sites within approximately 0.5 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| *JACK KEENEY PROPERTY* | *2031 BRYANT STREET* | *NE 0 - 1/8 (0.009 mi.)* | *A3* | *13* |
| *MOORE EARTH CO.* | *2747 19TH ST* | *ESE 0 - 1/8 (0.043 mi.)* | *C21* | *35* |
| *YORK STREET STUDIO HOA* | *620 YORK ST* | *ENE 0 - 1/8 (0.060 mi.)* | *F44* | *69* |
| *GROSVENOR PROPRTIES, LTD* | *2700 19TH ST* | *ESE 0 - 1/8 (0.063 mi.)* | *C48* | *73* |
| MOORE EARTH COMPANY | 720 50 YORK | ESE 0 - 1/8 (0.072 mi.) | F62 | 101 |
| *BUSINESS FURNITURE & DESIGN* | *2650 18TH ST* | *NE 0 - 1/8 (0.083 mi.)* | *G69* | *115* |
| *MOORE EARTH COMPANY (FORMER)* | *2850 20TH ST.* | *SSE 0 - 1/8 (0.115 mi.)* | *H83* | *131* |
| *CPC BEST FOODS* | *1890 1900 BRYANT* | *N 1/8 - 1/4 (0.127 mi.)* | *N96* | *150* |
| *NOW DESIGNS* | *540 HAMPSHIRE STREET* | *NE 1/8 - 1/4 (0.139 mi.)* | *P103* | *165* |
| *ABBETT ELECTRIC CORP* | *1850 BRYANT ST* | *N 1/8 - 1/4 (0.160 mi.)* | *N116* | *192* |
| *TRALA PARTNERSHIP* | *445 HAMPSHIRE STREET* | *NE 1/8 - 1/4 (0.176 mi.)* | *U143* | *241* |
| *NETWORK COURIER SERVICES* | *2440 MARIPOSA STREET* | *NE 1/8 - 1/4 (0.188 mi.)* | *P148* | *251* |
| *VACANT LOT* | *1800 BRYANT STREET* | *N 1/8 - 1/4 (0.201 mi.)* | *X157* | *261* |
| *ANDERSON ROWE & BUCKLEY INC.* | *2501 HARRISON STREET* | *SSW 1/8 - 1/4 (0.243 mi.)* | *AH209* | *337* |
| *JOHN O'CONELL SCHOOL* | *2905 21ST ST* | *SSW 1/8 - 1/4 (0.244 mi.)* | *AH215* | *346* |
| *UNION OIL SS# 0053* | *401 POTRERO AVE* | *NE 1/4 - 1/2 (0.268 mi.)* | *AE238* | *374* |
| *PERFORMANCE SHELL OIL #2, JOE* | *388 POTRERO AVE* | *NNE 1/4 - 1/2 (0.275 mi.)* | *AK240* | *383* |
| *COMMERCIAL PROPERTY* | *3330 20TH ST* | *WSW 1/4 - 1/2 (0.278 mi.)* | *AF243* | *402* |
| *LION BLDG.* | *2525 16TH ST* | *NNW 1/4 - 1/2 (0.291 mi.)* | *AM246* | *412* |
| *SPCA* | *2500 16TH ST* | *N 1/4 - 1/2 (0.293 mi.)* | *AM249* | *418* |
| *ALL TIRE* | *359 POTRERO AVE* | *NNE 1/4 - 1/2 (0.297 mi.)* | *AK250* | *420* |
| *UNITED AUTO BODY* | *3360 20TH ST* | *WSW 1/4 - 1/2 (0.312 mi.)* | *AN252* | *425* |
| *Not reported* | *2300 16TH ST* | *NNE 1/4 - 1/2 (0.316 mi.)* | *255* | *433* |
| *DALE'S AUTO SERVICE* | *376 UTAH STREET* | *NE 1/4 - 1/2 (0.320 mi.)* | *AP258* | *444* |
| *CHEVRON STATION #9-9906* | *302 POTRERO AVE* | *NNE 1/4 - 1/2 (0.337 mi.)* | *262* | *457* |
| *POTRERO SERVICE STATION* | *998 POTRERO AVE* | *SSE 1/4 - 1/2 (0.368 mi.)* | *AS268* | *474* |
| *W.L. BIPES CO. INC.* | *2040 17TH ST* | *NE 1/4 - 1/2 (0.416 mi.)* | *AY286* | *527* |
| *CONTINENTAL BAKING CO.* | *1525 BRYANT STREET* | *N 1/4 - 1/2 (0.448 mi.)* | *BB293* | *546* |
| *LICK-WILMERDING HIGH SCHOOL* | *450 RHODE ISLAND AVE* | *ENE 1/4 - 1/2 (0.463 mi.)* | *BD299* | *578* |
| *SIEGEL'S* | *2360 MISSION STREET* | *WSW 1/4 - 1/2 (0.463 mi.)* | *BE302* | *584* |
| *DUTRO MAT COMPANY* | *2675 FOLSOM STREET* | *SSW 1/4 - 1/2 (0.469 mi.)* | *BH306* | *594* |
| *ALAN SAGETALYAN* | *1100 POTRERO AVE* | *SSE 1/4 - 1/2 (0.472 mi.)* | *BJ311* | *606* |
| EMBARCADERO MORT COMPANY | 3070 90 23RD | SSW 1/4 - 1/2 (0.481 mi.) | BG314 | 618 |
| *CONTINENTAL BAKING CO.* | *2454 ALAMEDA ST* | *N 1/4 - 1/2 (0.481 mi.)* | *315* | *618* |

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| *EIRO AUTO REPAIR* | *3014 18TH ST* | *WNW 0 - 1/8 (0.072 mi.)* | *D57* | *89* |
| *PEERLESS LINEN COMPANY* | *570 ALABAMA ST.* | *NW 0 - 1/8 (0.080 mi.)* | *D66* | *106* |

# EXECUTIVE SUMMARY

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| *UCSF/FM* | *3130 20TH ST* | *SW 0 - 1/8 (0.114 mi.)* | *J81* | *127* |
| *HOA - 2170 HARRISON STREET* | *2170 HARRISON STREET* | *NW 0 - 1/8 (0.124 mi.)* | *K92* | *142* |
| *VITLIN/ROSS PROPERTIES* | *3131 19TH ST* | *W 1/8 - 1/4 (0.137 mi.)* | *O100* | *156* |
| PROJECT ARTAUD | 479 99 ALABAMA | NNW 1/8 - 1/4 (0.146 mi.) | M106 | 170 |
| *JOHN O'CONNEL TECH SCHOOL* | *3200 20TH ST..* | *SW 1/8 - 1/4 (0.148 mi.)* | *J108* | *173* |
| *LOSKUTOFF PROPERTY* | *2407 HARRISON STREET* | *SW 1/8 - 1/4 (0.154 mi.)* | *J111* | *185* |
| *WESTERN HEATING & PLUMBING* | *600 TREAT STREET* | *W 1/8 - 1/4 (0.162 mi.)* | *O123* | *210* |
| PG & E TREAT | 536 TREAT | WNW 1/8 - 1/4 (0.163 mi.) | R131 | 225 |
| *SFFD STATION #7* | *2300 FOLSOM ST* | *W 1/8 - 1/4 (0.220 mi.)* | *Y171* | *271* |
| *PIKE PROPERTY* | *3057 17TH ST* | *NW 1/8 - 1/4 (0.236 mi.)* | *AB204* | *330* |
| *LILLI ANN PROPERTIES* | *2030 HARRISON STREET* | *NNW 1/8 - 1/4 (0.248 mi.)* | *AD225* | *357* |
| *KIMMEL COMPANY* | *2140 70 FOLSOM* | *WNW 1/4 - 1/2 (0.257 mi.)* | *AG235* | *367* |
| *VIACOM* | *3070 17TH ST* | *NW 1/4 - 1/2 (0.261 mi.)* | *AJ237* | *372* |
| *SHOTWELL COMPLEX* | *3235 18TH STREET* | *WNW 1/4 - 1/2 (0.275 mi.)* | *AL242* | *392* |
| *TCI - SAN FRANCISCO* | *2055 FOLSOM STREET* | *NW 1/4 - 1/2 (0.314 mi.)* | *AO253* | *429* |
| *SIMONETTA NERI PROPERTY* | *307 SHOTWELL STREET* | *WNW 1/4 - 1/2 (0.325 mi.)* | *AQ259* | *446* |
| *KILPATRICK'S BAKERY INC* | *2030 FOLSOM ST* | *NW 1/4 - 1/2 (0.338 mi.)* | *AO263* | *462* |
| *COMMERCIAL / RETAIL* | *2779 16TH ST* | *NW 1/4 - 1/2 (0.348 mi.)* | *AR264* | *465* |
| *J. SCHMIDT CHOCOLATE FACTORY* | *2000 FOLSOM STREET* | *NW 1/4 - 1/2 (0.364 mi.)* | *AR266* | *469* |
| *CCSF MUNI-HARRISON FACILITY* | *1940 HARRISON STREET* | *NNW 1/4 - 1/2 (0.372 mi.)* | *AT269* | *477* |
| *KILPATRICK'S BAKERY INC.* | *1990 FOLSOM STREET* | *NW 1/4 - 1/2 (0.374 mi.)* | *AR271* | *481* |
| *SUPER 7 #23972* | *595 S VAN NESS AVE* | *WNW 1/4 - 1/2 (0.386 mi.)* | *AU276* | *494* |
| *BODE GRAVEL CO.* | *250 FLORIDA STREET* | *N 1/4 - 1/2 (0.387 mi.)* | *AV278* | *498* |
| *CAL TRANS MATERIALS LAB DIST 4* | *325 SAN BRUNO AVE* | *NE 1/4 - 1/2 (0.389 mi.)* | *AW279* | *500* |
| *CUMMINS WEST INC SVC DEPT* | *1960 FOLSOM* | *NW 1/4 - 1/2 (0.401 mi.)* | *AX280* | *504* |
| *CALTRANS DISTRICT 4* | *295 SAN BRUNO AVE* | *NE 1/4 - 1/2 (0.411 mi.)* | *AW284* | *515* |
| *INTERIOR RESOURCES* | *360 KANSAS STREET* | *NE 1/4 - 1/2 (0.446 mi.)* | *AY291* | *538* |
| *R J MCGLENNON COMPANY INCORPOR* | *198 UTAH STREET* | *NNE 1/4 - 1/2 (0.449 mi.)* | *BC294* | *548* |
| *CHARLES HENRY CO. (FORMER)* | *145 CAPP STREET* | *WNW 1/4 - 1/2 (0.470 mi.)* | *BI308* | *598* |
| *JOHNSON PROPERTY (FORMERLY)* | *375 RHODE ISLAND AVE* | *ENE 1/4 - 1/2 (0.493 mi.)* | *BK318* | *630* |

Notify 65: Listings of all Proposition 65 incidents reported to counties by the State Water Resources Control Board and the Regional Water Quality Control Board. This database is no longer updated by the reporting agency.

A review of the Notify 65 list, as provided by EDR, and dated 10/21/1993 has revealed that there are 7 Notify 65 sites within approximately 1 mile of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| *UNKNOWN* | *3101 MISSION STREET* | *SSW 1/2 - 1 (0.964 mi.)* | *337* | *679* |

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| Not reported | 307 SHOTWELL STREET | WNW 1/4 - 1/2 (0.325 mi.) | AQ260 | 449 |
| *UNKNOWN* | *145 CAPP STREET* | *WNW 1/4 - 1/2 (0.470 mi.)* | *BI309* | *599* |
| *ARCO STATION #444* | *1798 MISSION STREET* | *NW 1/2 - 1 (0.691 mi.)* | *327* | *652* |
| *THE GLIDDEN COMPANY* | *1000 16TH STREET* | *ENE 1/2 - 1 (0.809 mi.)* | *331* | *666* |
| UNKOWN | 1200 17TH STREET | ENE 1/2 - 1 (0.835 mi.) | 335 | 674 |
| *FORMER FLAIR ELECTRO SALES* | *516 TOWNSEND STREET* | *NE 1/2 - 1 (0.986 mi.)* | *338* | *681* |

DRYCLEANERS: A list of drycleaner related facilities that have EPA ID numbers. These are facilities with certain SIC codes: power laundries, family and commercial; garment pressing and cleaners' agents; linen supply; coin-operated laundries and cleaning; drycleaning plants except rugs; carpet and upholster cleaning; industrial launderers; laundry and garment services.

A review of the DRYCLEANERS list, as provided by EDR, and dated 12/11/2012 has revealed that there is 1 DRYCLEANERS site within approximately 0.25 miles of the target property.

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| *DAVID FAMILY ALLEN TRUST* | *550 FLORIDA ST* | *NW 0 - 1/8 (0.045 mi.)* | *D29* | *50* |

**EDR HIGH RISK HISTORICAL RECORDS**

***EDR Exclusive Records***

EDR US Hist Auto Stat: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR US Hist Auto Stat list, as provided by EDR, has revealed that there are 34 EDR US Hist Auto Stat sites within approximately 0.25 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| SAN FRANCISCO AUTO REPAIR CENT | 611 FLORIDA ST | NW 0 - 1/8 (0.016 mi.) | B9 | 18 |
| Not reported | 2850 20TH ST | SSE 0 - 1/8 (0.115 mi.) | H85 | 136 |
| VIC S SERVICE STATION | 600 POTRERO AVE | ENE 1/8 - 1/4 (0.170 mi.) | Q139 | 237 |
| EWING C E | 601 POTRERO AVE | ENE 1/8 - 1/4 (0.172 mi.) | Q140 | 238 |
| Not reported | 579 POTRERO AVE | ENE 1/8 - 1/4 (0.177 mi.) | Q145 | 247 |
| F & G AUTOMOTIVE REPAIR | 707 TREAT AVE | SW 1/8 - 1/4 (0.196 mi.) | S153 | 256 |
| BERTELSEN L T | 519 POTRERO AVE | NE 1/8 - 1/4 (0.197 mi.) | W154 | 257 |
| CRUZ GULF SERVICE | 501 POTRERO AVE | NE 1/8 - 1/4 (0.205 mi.) | W158 | 263 |
| FRANK & SAM PEERLESS SERVICE S | 1798 BRYANT | N 1/8 - 1/4 (0.206 mi.) | X159 | 263 |
| LOGAN S SERVICE | 2700 17TH | N 1/8 - 1/4 (0.206 mi.) | X160 | 264 |
| FRANK & SAM PEERLESS SERVICE S | 1798 BRYANT ST | N 1/8 - 1/4 (0.207 mi.) | X163 | 268 |
| ROBERT ALEXIS | 1790 BRYANT | N 1/8 - 1/4 (0.213 mi.) | X164 | 268 |
| ROBERT ALEXIS | 1790 BRYANT ST | N 1/8 - 1/4 (0.213 mi.) | X165 | 268 |
| Not reported | 375 ALABAMA ST | NNW 1/8 - 1/4 (0.232 mi.) | AD196 | 321 |
| Not reported | 450 POTRERO AVE | NE 1/8 - 1/4 (0.233 mi.) | AE197 | 321 |
| WERNER W A | 2381 FOLSOM ST | WSW 1/8 - 1/4 (0.235 mi.) | AF201 | 328 |
| FRANK S SHELL SERVICE | 2399 19TH ST | E 1/8 - 1/4 (0.236 mi.) | 202 | 328 |
| WERNER W A | 2381 FOLSOM | WSW 1/8 - 1/4 (0.238 mi.) | AF205 | 332 |
| Not reported | 2398 FOLSOM ST | WSW 1/8 - 1/4 (0.244 mi.) | AF216 | 350 |
| METRONICS | 2647 21ST ST | SSE 1/8 - 1/4 (0.248 mi.) | AI227 | 360 |

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| CELICA SALON | 729 FLORIDA ST | SSW 0 - 1/8 (0.048 mi.) | E38 | 64 |
| ERIE AUTO REPAIR | 3014 18TH | WNW 0 - 1/8 (0.072 mi.) | D55 | 87 |

# EXECUTIVE SUMMARY

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| ERIE AUTO REPAIR | 3014 18TH ST | WNW 0 - 1/8 (0.072 mi.) | D58 | 94 |
| ROX AUTOMOTIVE | 2345 HARRISON ST | SW 0 - 1/8 (0.120 mi.) | J90 | 140 |
| Not reported | 501 ALABAMA ST | NW 1/8 - 1/4 (0.126 mi.) | M93 | 144 |
| BOB S TRANSMISSION SERVICE | 605 TREAT AVE | W 1/8 - 1/4 (0.159 mi.) | O115 | 192 |
| WOLFE SERVICE STATION | 2297 FOLSOM ST | W 1/8 - 1/4 (0.218 mi.) | Y166 | 268 |
| WOLFE SERVICE STATION | 2289 FOLSOM ST | W 1/8 - 1/4 (0.218 mi.) | Y167 | 269 |
| Not reported | 2270 FOLSOM ST | W 1/8 - 1/4 (0.220 mi.) | Y176 | 286 |
| WOLFE SERVICE STATION | 2297 FOLSOM | W 1/8 - 1/4 (0.221 mi.) | Y177 | 286 |
| WOLF SERVICE STATION | 2289 FOLSOM | W 1/8 - 1/4 (0.221 mi.) | Y178 | 286 |
| Not reported | 2190 FOLSOM ST | WNW 1/8 - 1/4 (0.234 mi.) | AA200 | 327 |
| Not reported | 2170 FOLSOM ST | WNW 1/8 - 1/4 (0.242 mi.) | AG206 | 333 |
| IMPERIAL BODY SHOP | 2160 FOLSOM ST | WNW 1/8 - 1/4 (0.247 mi.) | AG220 | 352 |

EDR US Hist Cleaners: EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR US Hist Cleaners list, as provided by EDR, has revealed that there are 43 EDR US Hist Cleaners sites within approximately 0.25 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| ACE DYE WORKS | 2085 BRYANT | SE 0 - 1/8 (0.011 mi.) | A6 | 17 |
| ACE DYE WORKS | 2085 BRYANT ST | SE 0 - 1/8 (0.012 mi.) | A7 | 18 |
| HANSCO PACIFIC CARPET | 2014 BRYANT ST | NNE 0 - 1/8 (0.016 mi.) | A8 | 18 |
| SUNSET CARPET | 2101 BRYANT ST | SE 0 - 1/8 (0.026 mi.) | C11 | 22 |
| INDEPENDENT LAUNDRY | 2900 18TH | NNW 0 - 1/8 (0.027 mi.) | B12 | 22 |
| ODORLESS DRY CLEANING CO | 2900 18TH ST | NW 0 - 1/8 (0.028 mi.) | B13 | 22 |
| R B INSTALLATIONS | 2121 BRYANT ST | SSE 0 - 1/8 (0.042 mi.) | C20 | 35 |
| BARBE J B & SON | 2132 BRYANT | SSE 0 - 1/8 (0.051 mi.) | C40 | 66 |
| BARBE JOHN | 2132 BRYANT ST | SSE 0 - 1/8 (0.052 mi.) | C41 | 67 |
| CHAIR CANERS LIZARD PRODUCTS | 660 YORK ST CHAIR MFR | E 0 - 1/8 (0.060 mi.) | F42 | 68 |
| TURNER MARION CATERING | 613 YORK ST | ENE 0 - 1/8 (0.063 mi.) | F50 | 79 |
| CITY OF PARIS DYEING & CLEANIN | 2199 BRYANT ST | SSE 0 - 1/8 (0.108 mi.) | 73 | 118 |
| CENTRAL RUG & UPHOLSTERY CLEAN | 517 YORK | NNE 0 - 1/8 (0.120 mi.) | L88 | 140 |
| BAGDAD RUG & CLEANING CO | 517 YORK ST | NNE 0 - 1/8 (0.120 mi.) | L89 | 140 |
| RUSSELL FRANK | 2450 HARRISON | SSW 1/8 - 1/4 (0.192 mi.) | V151 | 255 |
| ECONOMY LAUNDRY | 2450 HARRISON ST | SSW 1/8 - 1/4 (0.193 mi.) | V152 | 256 |
| MELODY CLEANERS | 2800 21ST | S 1/8 - 1/4 (0.219 mi.) | Z168 | 269 |
| MISSION DEL AVIVAMIENTO | 2800 21ST ST | S 1/8 - 1/4 (0.220 mi.) | Z175 | 286 |
| UNO LAUNDERETTE | 2761 21ST ST | S 1/8 - 1/4 (0.223 mi.) | Z183 | 299 |
| Not reported | 2751 21ST ST | SSE 1/8 - 1/4 (0.223 mi.) | AC184 | 299 |
| FORTUNE CLEANERS | 2751 21ST ST I | SSE 1/8 - 1/4 (0.223 mi.) | AC186 | 304 |
| G SILVESTER PAUL CLEANERS | 2309 E BRYANT ST | SSE 1/8 - 1/4 (0.229 mi.) | AC192 | 316 |
| SILVESTER PAUL | 2309 BRYANT | SSE 1/8 - 1/4 (0.229 mi.) | AC193 | 316 |
| SYLVESTER PAUL | 2309 BRYANT ST | SSE 1/8 - 1/4 (0.234 mi.) | AC199 | 326 |
| ELMER S WASH & DRY | 2391 FOLSOM | WSW 1/8 - 1/4 (0.243 mi.) | AF212 | 341 |
| BAILEY A G | 2647 21ST ST | SSE 1/8 - 1/4 (0.248 mi.) | AI228 | 360 |

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| PEERLESS LAUNDRY & ZORIC CLEAN | 650 FLORIDA ST | W 0 - 1/8 (0.010 mi.) | B5 | 17 |

# EXECUTIVE SUMMARY

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| PEERLESS LAUNDRY | 550 FLORIDA AND 308 M | NW 0 - 1/8 (0.045 mi.) | D32 | 56 |
| THOMAS ALLEC CLEANERS & DYERS | 550 FLORIDA ST | NW 0 - 1/8 (0.045 mi.) | D33 | 56 |
| THOMAS ALLEC CLEANERS & DYERS | 550 FLORIDA | NW 0 - 1/8 (0.045 mi.) | D34 | 57 |
| PREMIER LAUNDRY & LINEN SUPPLY | 559 ALABAMA | NW 0 - 1/8 (0.086 mi.) | D70 | 117 |
| ODORLESS DRY CLEANING CO | 555 ALABAMA | NW 0 - 1/8 (0.089 mi.) | D71 | 117 |
| GREENBERG BERNARD | 3000 20TH ST | S 0 - 1/8 (0.110 mi.) | I75 | 120 |
| MART FRASER & EDWARDS | 2412 HARRISON ST | SW 1/8 - 1/4 (0.160 mi.) | J120 | 204 |
| NEW PARISIAN DYEING & CLEANING | 2164 FOLSOM | WNW 1/8 - 1/4 (0.245 mi.) | AG217 | 351 |
| NEW PARISIAN DYEING & CLEANING | 2162 FOLSOM | WNW 1/8 - 1/4 (0.246 mi.) | AG218 | 351 |
| NEW PARISIAN DYEING & CLEANING | 2163 FOLSOM | WNW 1/8 - 1/4 (0.246 mi.) | AG219 | 352 |
| NEW PARISIAN DYEING & CLEANING | 2160 FOLSOM | WNW 1/8 - 1/4 (0.247 mi.) | AG222 | 354 |
| NEW PARISIAN DYEING & CLEANING | 2161 FOLSOM | WNW 1/8 - 1/4 (0.247 mi.) | AG223 | 355 |
| NEW PARISIAN DYEING & CLEANING | 2159 FOLSOM | WNW 1/8 - 1/4 (0.249 mi.) | AG229 | 360 |
| NEW PARISIAN DYEING & CLEANING | 2158 FOLSOM | WNW 1/8 - 1/4 (0.249 mi.) | AG230 | 361 |
| NEW PARISIAN DYEING & CLEANING | 2157 FOLSOM | WNW 1/8 - 1/4 (0.250 mi.) | AG233 | 366 |
| NEW PARISIAN DYEING & CLEANING | 2156 FOLSOM | WNW 1/8 - 1/4 (0.250 mi.) | AG234 | 367 |

# EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 29 records.

| Site Name | Database(s) |
|---|---|
| FORMER CALAVO WAREHOUSE | HIST CORTESE |
| ROSE EXTERMINATORS | HIST CORTESE |
| PEERLESS LINEN | HIST UST, SWEEPS UST, HAZNET |
| VACANT | SWEEPS UST |
| CHEVRON #90087 | SWEEPS UST |
| PG&E GAS PLANT SAN FRANCISCO 502 1 | CERC-NFRAP |
| PG&E GAS PLANT SAN FRANCISCO 502 1 | CERC-NFRAP |
| CANDLESTICK PT STATE REC AREA | CERC-NFRAP |
| KNUDSON PARK | CERC-NFRAP |
| ISLAIS CREEK AREA | CERC-NFRAP |
| PG&E GAS PLANT SAN FRANCISCO 502 1 | CERC-NFRAP |
| BAY VIEW GREEN WASTE MGT. COMPANY | SWF/LF |
| SF PIER 98 INDIA BASIN | SWF/LF |
| C.J. FIGONE D. STORAGE | LUST |
| PG&E SHOTWELL COMPLEX | LUST |
| 3RD STREET LIGHT RAIL PROJECT SEG. | LUST |
| 3RD STREET LIGHT RAIL PROJECT SEG. | LUST |
| HOA - 2170 HARRISON STREET | LUST, HIST UST, HAZNET |
| KEN'S WHEEL SERVICE | LUST, HIST UST, HAZNET |
| MUNI ILLINOIS STREET SUB STATION | LUST |
| CCSF - PIER 80 | LUST |
| CONSTRUCTION SITE | UST |
| CCSF/MUNI/ILLINIOS STREET SUBSTATI | UST |
| PACIFIC BELL (TD-043) | HIST UST |
| P G AND E SAN FRANCISCO STATION E | RCRA-SQG, FINDS, HAZNET |
| GRIFFITHS INDUSTRIAL LUBS | RCRA NonGen / NLR, FINDS |
| UNDER THE BAY BRIDGE, AT THE INTER | ERNS |
| CATELLUS - MISSION BAY PROJECT | SLIC |
| SAN FRANCISCO MUNI, 24TH ST | SLIC |

# OVERVIEW MAP - 3554977.2s




- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- County Boundary
- Power transmission lines
- Oil & Gas pipelines from USGS
- National Wetland Inventory
- Areas of Concern

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

| | |
|---|---|
| SITE NAME: 2070 Bryant Streeet | CLIENT: PES Environmental, Inc. |
| ADDRESS: 2070 Bryant Streeet<br>San Francisco CA 94110 | CONTACT: Chris Baldassari |
| LAT/LONG: 37.761 / 122.4105 | INQUIRY #: 3554977.2s<br>DATE: March 22, 2013 2:46 pm |

Copyright © 2013 EDR, Inc. © 2010 Tele Atlas Rel. 07/2009.

# DETAIL MAP - 3554977.2s




Target Property

Sites at elevations higher than or equal to the target property

Sites at elevations lower than the target property

Manufactured Gas Plants

Sensitive Receptors

National Priority List Sites

Dept. Defense Sites

Indian Reservations BIA

Power transmission lines

Oil & Gas pipelines from USGS

Areas of Concern

0 1/16 1/8 1/4 Miles

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

| | |
|---|---|
| SITE NAME: 2070 Bryant Streeet | CLIENT: PES Environmental, Inc. |
| ADDRESS: 2070 Bryant Streeet<br>San Francisco CA 94110 | CONTACT: Chris Baldassari |
| LAT/LONG: 37.761 / 122.4105 | INQUIRY #: 3554977.2s<br>DATE: March 22, 2013 2:47 pm |

Copyright © 2013 EDR, Inc. © 2010 Tele Atlas Rel. 07/2009.

# MAP FINDINGS SUMMARY

| Database | Search Distance (Miles) | Target Property | < 1/8 | 1/8 - 1/4 | 1/4 - 1/2 | 1/2 - 1 | > 1 | Total Plotted |
|---|---|---|---|---|---|---|---|---|
| **STANDARD ENVIRONMENTAL RECORDS** | | | | | | | | |
| ***Federal NPL site list*** | | | | | | | | |
| NPL | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| Proposed NPL | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| NPL LIENS | TP | | NR | NR | NR | NR | NR | 0 |
| ***Federal Delisted NPL site list*** | | | | | | | | |
| Delisted NPL | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| ***Federal CERCLIS list*** | | | | | | | | |
| CERCLIS | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| FEDERAL FACILITY | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| ***Federal CERCLIS NFRAP site List*** | | | | | | | | |
| CERC-NFRAP | 0.500 | | 0 | 0 | 1 | NR | NR | 1 |
| ***Federal RCRA CORRACTS facilities list*** | | | | | | | | |
| CORRACTS | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| ***Federal RCRA non-CORRACTS TSD facilities list*** | | | | | | | | |
| RCRA-TSDF | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| ***Federal RCRA generators list*** | | | | | | | | |
| RCRA-LQG | 0.250 | | 1 | 1 | NR | NR | NR | 2 |
| RCRA-SQG | 0.250 | | 7 | 6 | NR | NR | NR | 13 |
| RCRA-CESQG | 0.250 | | 1 | 0 | NR | NR | NR | 1 |
| ***Federal institutional controls / engineering controls registries*** | | | | | | | | |
| US ENG CONTROLS | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| US INST CONTROL | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| LUCIS | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| ***Federal ERNS list*** | | | | | | | | |
| ERNS | TP | | NR | NR | NR | NR | NR | 0 |
| ***State- and tribal - equivalent NPL*** | | | | | | | | |
| RESPONSE | 1.000 | | 0 | 0 | 0 | 1 | NR | 1 |
| ***State- and tribal - equivalent CERCLIS*** | | | | | | | | |
| ENVIROSTOR | 1.000 | | 0 | 0 | 4 | 13 | NR | 17 |
| ***State and tribal landfill and/or solid waste disposal site lists*** | | | | | | | | |
| SWF/LF | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| ***State and tribal leaking storage tank lists*** | | | | | | | | |
| LUST | 0.500 | | 20 | 30 | 77 | NR | NR | 127 |

# MAP FINDINGS SUMMARY

| Database | Search Distance (Miles) | Target Property | < 1/8 | 1/8 - 1/4 | 1/4 - 1/2 | 1/2 - 1 | > 1 | Total Plotted |
|---|---|---|---|---|---|---|---|---|
| SLIC | 0.500 | | 0 | 1 | 1 | NR | NR | 2 |
| INDIAN LUST | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| ***State and tribal registered storage tank lists*** | | | | | | | | |
| UST | 0.250 | | 20 | 32 | NR | NR | NR | 52 |
| AST | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| INDIAN UST | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| FEMA UST | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| ***State and tribal voluntary cleanup sites*** | | | | | | | | |
| VCP | 0.500 | | 0 | 0 | 1 | NR | NR | 1 |
| INDIAN VCP | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| **ADDITIONAL ENVIRONMENTAL RECORDS** | | | | | | | | |
| ***Local Brownfield lists*** | | | | | | | | |
| US BROWNFIELDS | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| ***Local Lists of Landfill / Solid Waste Disposal Sites*** | | | | | | | | |
| ODI | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| DEBRIS REGION 9 | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| WMUDS/SWAT | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| SWRCY | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| HAULERS | TP | | NR | NR | NR | NR | NR | 0 |
| INDIAN ODI | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| ***Local Lists of Hazardous waste / Contaminated Sites*** | | | | | | | | |
| US CDL | TP | | NR | NR | NR | NR | NR | 0 |
| HIST Cal-Sites | 1.000 | | 0 | 0 | 0 | 2 | NR | 2 |
| SCH | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| Toxic Pits | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| CDL | TP | | NR | NR | NR | NR | NR | 0 |
| US HIST CDL | TP | | NR | NR | NR | NR | NR | 0 |
| ***Local Lists of Registered Storage Tanks*** | | | | | | | | |
| CA FID UST | 0.250 | | 11 | 17 | NR | NR | NR | 28 |
| HIST UST | 0.250 | | 3 | 8 | NR | NR | NR | 11 |
| SWEEPS UST | 0.250 | | 10 | 17 | NR | NR | NR | 27 |
| ***Local Land Records*** | | | | | | | | |
| LIENS 2 | TP | | NR | NR | NR | NR | NR | 0 |
| LIENS | TP | | NR | NR | NR | NR | NR | 0 |
| DEED | 0.500 | | 0 | 0 | 1 | NR | NR | 1 |
| ***Records of Emergency Release Reports*** | | | | | | | | |
| HMIRS | TP | | NR | NR | NR | NR | NR | 0 |
| CHMIRS | TP | | NR | NR | NR | NR | NR | 0 |
| LDS | TP | | NR | NR | NR | NR | NR | 0 |

# MAP FINDINGS SUMMARY

| Database | Search Distance (Miles) | Target Property | < 1/8 | 1/8 - 1/4 | 1/4 - 1/2 | 1/2 - 1 | > 1 | Total Plotted |
|---|---|---|---|---|---|---|---|---|
| MCS | TP | | NR | NR | NR | NR | NR | 0 |
| ***Other Ascertainable Records*** | | | | | | | | |
| RCRA NonGen / NLR | 0.250 | | 0 | 1 | NR | NR | NR | 1 |
| DOT OPS | TP | | NR | NR | NR | NR | NR | 0 |
| DOD | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| FUDS | 1.000 | | 0 | 0 | 1 | 0 | NR | 1 |
| CONSENT | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| ROD | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| UMTRA | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| US MINES | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| TRIS | TP | | NR | NR | NR | NR | NR | 0 |
| TSCA | TP | | NR | NR | NR | NR | NR | 0 |
| FTTS | TP | | NR | NR | NR | NR | NR | 0 |
| HIST FTTS | TP | | NR | NR | NR | NR | NR | 0 |
| SSTS | TP | | NR | NR | NR | NR | NR | 0 |
| ICIS | TP | | NR | NR | NR | NR | NR | 0 |
| PADS | TP | | NR | NR | NR | NR | NR | 0 |
| MLTS | TP | | NR | NR | NR | NR | NR | 0 |
| RADINFO | TP | | NR | NR | NR | NR | NR | 0 |
| FINDS | TP | | NR | NR | NR | NR | NR | 0 |
| RAATS | TP | | NR | NR | NR | NR | NR | 0 |
| RMP | TP | | NR | NR | NR | NR | NR | 0 |
| CA BOND EXP. PLAN | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| UIC | TP | | NR | NR | NR | NR | NR | 0 |
| NPDES | TP | | NR | NR | NR | NR | NR | 0 |
| Cortese | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| HIST CORTESE | 0.500 | | 11 | 17 | 38 | NR | NR | 66 |
| CUPA Listings | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| Notify 65 | 1.000 | | 0 | 0 | 2 | 5 | NR | 7 |
| DRYCLEANERS | 0.250 | | 1 | 0 | NR | NR | NR | 1 |
| WIP | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| ENF | TP | | NR | NR | NR | NR | NR | 0 |
| HAZNET | TP | | NR | NR | NR | NR | NR | 0 |
| EMI | TP | | NR | NR | NR | NR | NR | 0 |
| INDIAN RESERV | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| SCRD DRYCLEANERS | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| COAL ASH DOE | TP | | NR | NR | NR | NR | NR | 0 |
| COAL ASH EPA | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| HWT | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| HWP | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| Financial Assurance | TP | | NR | NR | NR | NR | NR | 0 |
| 2020 COR ACTION | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| US AIRS | TP | | NR | NR | NR | NR | NR | 0 |
| PRP | TP | | NR | NR | NR | NR | NR | 0 |
| WDS | TP | | NR | NR | NR | NR | NR | 0 |
| EPA WATCH LIST | TP | | NR | NR | NR | NR | NR | 0 |
| US FIN ASSUR | TP | | NR | NR | NR | NR | NR | 0 |
| PCB TRANSFORMER | TP | | NR | NR | NR | NR | NR | 0 |
| PROC | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| MWMP | 0.250 | | 0 | 0 | NR | NR | NR | 0 |

# MAP FINDINGS SUMMARY

| Database | Search Distance (Miles) | Target Property | < 1/8 | 1/8 - 1/4 | 1/4 - 1/2 | 1/2 - 1 | > 1 | Total Plotted |
|---|---|---|---|---|---|---|---|---|
| **EDR HIGH RISK HISTORICAL RECORDS** | | | | | | | | |
| ***EDR Exclusive Records*** | | | | | | | | |
| EDR MGP | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| EDR US Hist Auto Stat | 0.250 | | 6 | 28 | NR | NR | NR | 34 |
| EDR US Hist Cleaners | 0.250 | | 21 | 22 | NR | NR | NR | 43 |

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

**A1**
**NE**
**< 1/8**
**0.007 mi.**
**36 ft.**

**VACANT**
**2031 BRYANT ST**
**SAN FRANCISCO, CA 94107**

**CA FID UST** **S101591956**
**N/A**

**Site 1 of 7 in cluster A**

**Relative:**
**Higher**

**Actual:**
**38 ft.**

CA FID UST:

| | |
|---|---|
| Facility ID: | 38000231 |
| Regulated By: | UTNKA |
| Regulated ID: | Not reported |
| Cortese Code: | Not reported |
| SIC Code: | Not reported |
| Facility Phone: | 4150000000 |
| Mail To: | Not reported |
| Mailing Address: | 2031 BRYANT ST |
| Mailing Address 2: | Not reported |
| Mailing City,St,Zip: | SAN FRANCISCO 94107 |
| Contact: | Not reported |
| Contact Phone: | Not reported |
| DUNs Number: | Not reported |
| NPDES Number: | Not reported |
| EPA ID: | Not reported |
| Comments: | Not reported |
| Status: | Active |

---

**A2**
**East**
**< 1/8**
**0.009 mi.**
**48 ft.**

**PIXXON CORP**
**2055 BRYANT**
**SAN FRANCISCO, CA 94110**

**RCRA-SQG** **1001195336**
**FINDS** **CAR000019026**
**MANIFEST**
**HAZNET**

**Site 2 of 7 in cluster A**

**Relative:**
**Higher**

**Actual:**
**37 ft.**

RCRA-SQG:

| | |
|---|---|
| Date form received by agency: | 04/08/1997 |
| Facility name: | PIXXON CORP |
| Facility address: | 2055 BRYANT<br>SAN FRANCISCO, CA 94110 |
| EPA ID: | CAR000019026 |
| Mailing address: | BRYANT<br>SAN FRANCISCO, CA 94110 |
| Contact: | KENNETH LINKER |
| Contact address: | 2055 BRYANT<br>SAN FRANCISCO, CA 94110 |
| Contact country: | US |
| Contact telephone: | (415) 641-5407 |
| Contact email: | Not reported |
| EPA Region: | 09 |
| Classification: | Small Small Quantity Generator |
| Description: | Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time |

Owner/Operator Summary:

| | |
|---|---|
| Owner/operator name: | GENE JANSCETT |
| Owner/operator address: | 75 FOLSOM<br>SAN FRANCISCO, CA 94105 |
| Owner/operator country: | Not reported |
| Owner/operator telephone: | (415) 882-1768 |

**PIXXON CORP (Continued)** **1001195336**

Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110002916863

Environmental Interest/Information System
California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:
EPA ID: CAR000019026
Country: USA
Mailing Name: PIXXON CORP
Mailing Contact: KENNETH LINKER
Mailing Address: 2055 BRYANT ST
Mailing Address 2: Not reported
Mailing City: SAN FRANCISCO
Mailing State: CA
Mailing Zip: 94110
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 415-641-5407

**PIXXON CORP (Continued)** **1001195336**

| | |
|---|---|
| Document ID: | NYG1083627 |
| Manifest Status: | Not reported |
| Trans1 State ID: | NYD980769947 |
| Trans2 State ID: | Not reported |
| Generator Ship Date: | 01/25/1999 |
| Trans1 Recv Date: | 01/25/1999 |
| Trans2 Recv Date: | Not reported |
| TSD Site Recv Date: | 02/11/1999 |
| Part A Recv Date: | Not reported |
| Part B Recv Date: | Not reported |
| Generator EPA ID: | CAR000019026 |
| Trans1 EPA ID: | NYD045604964 |
| Trans2 EPA ID: | Not reported |
| TSDF ID: | Not reported |
| Waste Code: | D011 - SILVER 5.0 MG/L TCLP |
| Quantity: | 00300 |
| Units: | G - Gallons (liquids only)* (8.3 pounds) |
| Number of Containers: | 020 |
| Container Type: | DF - Fiberboard or plastic drums (glass) |
| Handling Method: | R Material recovery of more than 75 percent of the total material. |
| Specific Gravity: | 01.00 |
| Year: | 99 |

| | |
|---|---|
| Document ID: | NYG1356966 |
| Manifest Status: | Not reported |
| Trans1 State ID: | NYD980769947 |
| Trans2 State ID: | Not reported |
| Generator Ship Date: | 09/21/1998 |
| Trans1 Recv Date: | 09/21/1998 |
| Trans2 Recv Date: | Not reported |
| TSD Site Recv Date: | 10/07/1998 |
| Part A Recv Date: | Not reported |
| Part B Recv Date: | Not reported |
| Generator EPA ID: | CAR000019026 |
| Trans1 EPA ID: | NYD045604964 |
| Trans2 EPA ID: | Not reported |
| TSDF ID: | Not reported |
| Waste Code: | D011 - SILVER 5.0 MG/L TCLP |
| Quantity: | 00300 |
| Units: | G - Gallons (liquids only)* (8.3 pounds) |
| Number of Containers: | 020 |
| Container Type: | DF - Fiberboard or plastic drums (glass) |
| Handling Method: | T Chemical, physical, or biological treatment. |
| Specific Gravity: | 01.00 |
| Year: | 98 |

| | |
|---|---|
| Document ID: | NYG1358829 |
| Manifest Status: | Not reported |
| Trans1 State ID: | NYD980769947 |
| Trans2 State ID: | Not reported |
| Generator Ship Date: | 10/05/1998 |
| Trans1 Recv Date: | 10/05/1998 |
| Trans2 Recv Date: | Not reported |
| TSD Site Recv Date: | 11/23/1998 |
| Part A Recv Date: | Not reported |

**PIXXON CORP (Continued)** **1001195336**

| | |
|---|---|
| Part B Recv Date: | Not reported |
| Generator EPA ID: | CAR000019026 |
| Trans1 EPA ID: | NYD045604964 |
| Trans2 EPA ID: | Not reported |
| TSDF ID: | 11282PNY |
| Waste Code: | D011 - SILVER 5.0 MG/L TCLP |
| Quantity: | 00525 |
| Units: | G - Gallons (liquids only)* (8.3 pounds) |
| Number of Containers: | 035 |
| Container Type: | DF - Fiberboard or plastic drums (glass) |
| Handling Method: | R Material recovery of more than 75 percent of the total material. |
| Specific Gravity: | 01.00 |
| Year: | 98 |

| | |
|---|---|
| Document ID: | NYG1081575 |
| Manifest Status: | Not reported |
| Trans1 State ID: | NYD980769947 |
| Trans2 State ID: | Not reported |
| Generator Ship Date: | 12/22/1998 |
| Trans1 Recv Date: | 12/22/1998 |
| Trans2 Recv Date: | Not reported |
| TSD Site Recv Date: | 01/06/1999 |
| Part A Recv Date: | Not reported |
| Part B Recv Date: | Not reported |
| Generator EPA ID: | CAR000019026 |
| Trans1 EPA ID: | NYD045604964 |
| Trans2 EPA ID: | Not reported |
| TSDF ID: | Not reported |
| Waste Code: | D011 - SILVER 5.0 MG/L TCLP |
| Quantity: | 00405 |
| Units: | G - Gallons (liquids only)* (8.3 pounds) |
| Number of Containers: | 027 |
| Container Type: | DF - Fiberboard or plastic drums (glass) |
| Handling Method: | R Material recovery of more than 75 percent of the total material. |
| Specific Gravity: | 01.00 |
| Year: | 98 |

HAZNET:

| | |
|---|---|
| Year: | 2004 |
| Gepaid: | CAR000019026 |
| Contact: | GENE VAN SLETT |
| Telephone: | 4156415407 |
| Mailing Name: | Not reported |
| Mailing Address: | 75 FOLSOM ST APT 800 |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 94105 |
| Gen County: | San Francisco |
| TSD EPA ID: | CAD003963592 |
| TSD County: | Santa Clara |
| Waste Category: | Photochemicals/photoprocessing waste |
| Disposal Method: | Not reported |
| Tons: | 1.06 |
| Facility County: | Not reported |

| | |
|---|---|
| Year: | 2003 |
| Gepaid: | CAR000019026 |
| Contact: | GENE VAN SLETT |

**PIXXON CORP (Continued)** **1001195336**

Telephone: 4156415407
Mailing Name: Not reported
Mailing Address: 2055 BRYANT
Mailing City,St,Zip: S F, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAD003963592
TSD County: San Francisco
Waste Category: Photochemicals/photoprocessing waste
Disposal Method: Not reported
Tons: 2.56
Facility County: San Francisco

Year: 2003
Gepaid: CAR000019026
Contact: GENE VAN SLETT
Telephone: 4156415407
Mailing Name: Not reported
Mailing Address: 2055 BRYANT
Mailing City,St,Zip: S F, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAD003963592
TSD County: San Francisco
Waste Category: Photochemicals/photoprocessing waste
Disposal Method: Recycler
Tons: 4
Facility County: San Francisco

Year: 2002
Gepaid: CAR000019026
Contact: GENE VAN SLETT
Telephone: 4156415407
Mailing Name: Not reported
Mailing Address: 2055 BRYANT
Mailing City,St,Zip: S F, CA 941100000
Gen County: San Francisco
TSD EPA ID: Not reported
TSD County: Sacramento
Waste Category: Photochemicals/photoprocessing waste
Disposal Method: Transfer Station
Tons: 2.83
Facility County: Not reported

Year: 2002
Gepaid: CAR000019026
Contact: GENE VAN SLETT
Telephone: 4156415407
Mailing Name: Not reported
Mailing Address: 2055 BRYANT
Mailing City,St,Zip: S F, CA 941100000
Gen County: San Francisco
TSD EPA ID: Not reported
TSD County: Santa Clara
Waste Category: Metal sludge (Alkaline solution (pH >= 12.5) with metals)
Disposal Method: Recycler
Tons: 0.02
Facility County: Not reported

**PIXXON CORP (Continued)** **1001195336**

Click this hyperlink while viewing on your computer to access
9 additional CA_HAZNET: record(s) in the EDR Site Report.

**A3**
**NE**
**< 1/8**
**0.009 mi.**
**48 ft.**

**JACK KEENEY PROPERTY**
**2031 BRYANT STREET**
**SAN FRANCISCO, CA 94110**

**HIST CORTESE** **S101308241**
**LUST** **N/A**

**Site 3 of 7 in cluster A**

**Relative:**
**Higher**

**Actual:**
**38 ft.**

CORTESE:

| | |
|---|---|
| Region: | CORTESE |
| Facility County Code: | 38 |
| Reg By: | LTNKA |
| Reg Id: | 38-0189 |

LUST:

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607500163 |
| Latitude: | 37.7613569 |
| Longitude: | -122.409597 |
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |
| Status Date: | 11/15/1995 |
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | SC |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-0189 |
| LOC Case Number: | 10560 |
| File Location: | Not reported |
| Potential Media Affect: | Soil |
| Potential Contaminants of Concern: | Gasoline |
| Site History: | Not reported |

Click here to access the California GeoTracker records for this facility:

LUST:

| | |
|---|---|
| Global Id: | T0607500163 |
| Contact Type: | Regional Board Caseworker |
| Contact Name: | VIC PAL |
| Organization Name: | SAN FRANCISCO BAY RWQCB (REGION 2) |
| Address: | 1515 CLAY STREET, SUITE 1400 |
| City: | OAKLAND |
| Email: | vpal@waterboards.ca.gov |
| Phone Number: | Not reported |

| | |
|---|---|
| Global Id: | T0607500163 |
| Contact Type: | Local Agency Caseworker |
| Contact Name: | STEPHANIE CUSHING |
| Organization Name: | SAN FRANCISCO COUNTY LOP |
| Address: | 1390 MARKET STREET #210 |
| City: | SAN FRANCISCO |
| Email: | stephanie.cushing@sfdph.org |
| Phone Number: | Not reported |

LUST:

| | |
|---|---|
| Global Id: | T0607500163 |
| Action Type: | Other |

**JACK KEENEY PROPERTY (Continued)** **S101308241**

Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500163
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

LUST REG 2:
Region: 2
Facility Id: 38-0189
Facility Status: Case Closed
Case Number: 10560
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 38-0189
Facility Status: Case Closed
Case Number: 10560
Case Type: Soil only
Release Date: 10/25/1995
Discovered Date: 12/4/1989
Substance: Gasoline
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Close Tank
Report Date: 10/25/1995
Case Closed: 11/15/1995
Closed Date: 11/15/1995
Leak Source: Tank
Leak Cause: Structure Failure
Leak Confirmed: Not reported
Entered Date: 11/6/1995
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: Not reported
RP Address: Not reported
Operator: Not reported
Staff Initial: VP
Facility Staff: SC
Cross Street: 18TH ST

**JACK KEENEY PROPERTY (Continued)** **S101308241**

| | |
|---|---|
| NOR Date: | 11/6/1995 |
| MTBE Current: | Not reported |
| MTBE Current Date: | Not reported |
| MTBE: | NT |
| Maximum MTBE Soil: | Not reported |
| Maximum MTBE GW: | Not reported |
| MTBE DATE: | Not reported |
| Review Date: | Not reported |
| Workplan Submitted: | Not reported |
| Assessment Underway: | Not reported |
| Pollution Characterization: | Not reported |
| Corrective Action Plan: | Not reported |
| Remediation Underway: | Not reported |
| Monitoring Begun: | Not reported |
| Funding: | Federal |
| Interim Remediation: | No |
| Priority: | Not reported |
| Abatement: | No Action Required - incident is minor, requiring no remedial action |
| Enforcement Type: | NOR |
| Enforcement Due Date: | Not reported |
| Basin: | Downtown Basin |
| Beneficial Use: | No |
| Lat/Long: | Not reported |
| CUFID: | Not reported |
| Suspended: | No |
| Stopped Date: | 12/29/1989 |
| Free Product: | Yes |
| Depth to Grnd Wtr: | Not reported |
| Gradient: | Not reported |
| Benzene: | Not reported |
| Primary Substance: | Gasoline |
| Enforcement Type: | Not reported |
| Amount of Free Produce: | Not reported |
| Benzene Test: | Not reported |
| Maximum Soil GW: | Not reported |
| Max Soil Concentration: | Not reported |
| TPH Tested: | Not reported |
| Max TPH GW: | Not reported |
| Max TPH Soil: | Not reported |
| TPH Date: | Not reported |
| Block: | Not reported |
| Lot: | Not reported |
| Notify: | False |
| TPH Current: | Not reported |
| TPH Current Date: | Not reported |
| Grnd Wtr Qualifier: | Not reported |
| Soil Qualifier: | Not reported |
| Comments: | Not reported |
| Summary: | Not reported |

**A4**
**NE**
**< 1/8**
**0.009 mi.**
**48 ft.**

**VACANT**
**2031 BRYANT ST**
**SAN FRANCISCO, CA**

**UST U003982153**
**N/A**

**Site 4 of 7 in cluster A**

**Relative:**
**Higher**

**Actual:**
**38 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 24210 |
| Facility Status: | Not reported |
| Number Of Tanks: | 1 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | Not reported |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Not reported |
| Application Date: | 5/30/1989 |
| Application Name: | Not reported |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| | |
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 1/9/1990 |
| UST Close ID: | 578 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |

**VACANT (Continued)** **U003982153**

| | |
|---|---|
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**B5**
**West**
**< 1/8**
**0.010 mi.**
**51 ft.**

**PEERLESS LAUNDRY & ZORIC CLEANERS**
**650 FLORIDA ST**
**SAN FRANCISCO, CA**

**Site 1 of 17 in cluster B**

**EDR US Hist Cleaners** **1009182308**
**N/A**

**Relative:**
**Lower**

**Actual:**
**33 ft.**

EDR Historical Cleaners:

| | |
|---|---|
| Name: | PEERLESS LAUNDRY & ZORIC CLEANERS |
| Year: | 1977 |
| Type: | LAUNDRIES AND DRY CLEANERS |

---

**A6**
**SE**
**< 1/8**
**0.011 mi.**
**59 ft.**

**ACE DYE WORKS**
**2085 BRYANT**
**SAN FRANCISCO, CA**

**Site 5 of 7 in cluster A**

**EDR US Hist Cleaners** **1009179780**
**N/A**

**Relative:**
**Higher**

**Actual:**
**37 ft.**

EDR Historical Cleaners:

| | |
|---|---|
| Name: | ACE DYE WORKS |
| Year: | 1949 |
| Type: | CLEANERS AND DYERS |

**A7**
**SE**
**< 1/8**
**0.012 mi.**
**61 ft.**

**ACE DYE WORKS** — **EDR US Hist Cleaners** — **1009129473** / **N/A**
**2085 BRYANT ST**
**SAN FRANCISCO, CA**

**Site 6 of 7 in cluster A**

**Relative: Higher**
**Actual: 37 ft.**

EDR Historical Cleaners:
Name: ACE DYE WORKS
Year: 1949
Type: CLEANERS AND DYERS

---

**A8**
**NNE**
**< 1/8**
**0.016 mi.**
**87 ft.**

**HANSCO PACIFIC CARPET** — **EDR US Hist Cleaners** — **1009182701** / **N/A**
**2014 BRYANT ST**
**SAN FRANCISCO, CA**

**Site 7 of 7 in cluster A**

**Relative: Higher**
**Actual: 39 ft.**

EDR Historical Cleaners:
Name: HANSCO PACIFIC CARPET
Year: 1982
Type: CLEANERS

---

**B9**
**NW**
**< 1/8**
**0.016 mi.**
**87 ft.**

**SAN FRANCISCO AUTO REPAIR CENTER** — **EDR US Hist Auto Stat** — **1009000944** / **N/A**
**611 FLORIDA ST**
**SAN FRANCISCO, CA**

**Site 2 of 17 in cluster B**

**Relative: Higher**
**Actual: 34 ft.**

EDR Historical Auto Stations:
Name: SAN FRANCISCO AUTO REPAIR CENTER
Year: 1982
Type: AUTOMOBILE REPAIRING

Name: SAN FRANCISCO AUTO REPAIR CENTER
Year: 1982
Type: AUTOMOBILE REPAIRING

Name: SAN FRANCISCO AUTO REPAIR CENTER
Year: 1999
Address: 611 FLORIDA ST

Name: LEWIS JERRY SAN FRANCISCO AUTO REPAIR CENTER
Year: 2000
Address: 611 FLORIDA ST

Name: SAN FRANCISCO AUTO REPAIR CTR
Year: 2001
Address: 611 FLORIDA ST

Name: SAN FRANCISCO AUTO REPAIR CTR
Year: 2002
Address: 611 FLORIDA ST

Name: SAN FRANCISCO AUTO REPAIR CENTER
Year: 2005
Address: 611 FLORIDA ST

Name: SAN FRANCISCO AUTO REPAIR CENTER

**SAN FRANCISCO AUTO REPAIR CENTER (Continued)** **1009000944**

Year: 2006
Address: 611 FLORIDA ST

Name: SAN FRANCISCO AUTO REPAIR CENTER
Year: 2007
Address: 611 FLORIDA ST

Name: SAN FRANCISCO AUTO REPAIR CENTER
Year: 2008
Address: 611 FLORIDA ST

Name: SAN FRANCISCO AUTO REPAIR CENTER
Year: 2009
Address: 611 FLORIDA ST

Name: SAN FRANCISCO AUTO REPAIR CTR
Year: 2010
Address: 611 FLORIDA ST

Name: SAN FRANCISCO AUTO REPAIR CENTER
Year: 2011
Address: 611 FLORIDA ST

Name: SAN FRANCISCO AUTO REPAIR CENTER
Year: 2012
Address: 611 FLORIDA ST

---

**B10** **SAN FRANCISCO AUTO REPAIR SVC** **RCRA-SQG** **1000686550**
**NW** **611 FLORIDA ST** **FINDS** **CAD983638719**
**< 1/8** **SAN FRANCISCO, CA 94110** **HAZNET**
**0.016 mi.**
**87 ft.** **Site 3 of 17 in cluster B**

**Relative:**
**Higher**

**Actual:**
**34 ft.**

RCRA-SQG:
Date form received by agency: 06/01/1992
Facility name: SAN FRANCISCO AUTO REPAIR SVC
Facility address: 611 FLORIDA ST
SAN FRANCISCO, CA 94110
EPA ID: CAD983638719
Contact: CHRIS HARTMAN
Contact address: 611 FLORIDA ST
SAN FRANCISCO, CA 94110
Contact country: US
Contact telephone: (415) 285-8588
Contact email: Not reported
EPA Region: 09
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:
Owner/operator name: KATY BRONNER PRES
Owner/operator address: 611 FLORIDA ST
SAN FRANCISCO, CA 94110

**SAN FRANCISCO AUTO REPAIR SVC (Continued)** **1000686550**

Owner/operator country: Not reported
Owner/operator telephone: (415) 285-8588
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110002877977

Environmental Interest/Information System
California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

HAZNET:
Year: 1996
Gepaid: CAL000024089
Contact: LEWIS JERRY
Telephone: 0000000000
Mailing Name: Not reported
Mailing Address: 611 FLORIDA
Mailing City,St,Zip: SAN FRANCISCO, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAT080013352
TSD County: Los Angeles
Waste Category: Aqueous solution with total organic residues 10 percent or more
Disposal Method: Recycler

**SAN FRANCISCO AUTO REPAIR SVC (Continued)** **1000686550**

Tons: .2085
Facility County: San Francisco

Year: 1996
Gepaid: CAL000063293
Contact: GERALD LEWIS
Telephone: 4152858588
Mailing Name: Not reported
Mailing Address: 611 FLORIDA
Mailing City,St,Zip: SAN FRANCISCO, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAT080013352
TSD County: Los Angeles
Waste Category: Aqueous solution with total organic residues 10 percent or more
Disposal Method: Recycler
Tons: .4795
Facility County: San Francisco

Year: 1995
Gepaid: CAL000063293
Contact: GERALD LEWIS
Telephone: 4152858588
Mailing Name: Not reported
Mailing Address: 611 FLORIDA
Mailing City,St,Zip: SAN FRANCISCO, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAL980818645
TSD County: 0
Waste Category: Aqueous solution with total organic residues less than 10 percent
Disposal Method: Transfer Station
Tons: .2293
Facility County: San Francisco

Year: 1995
Gepaid: CAL000063293
Contact: GERALD LEWIS
Telephone: 4152858588
Mailing Name: Not reported
Mailing Address: 611 FLORIDA
Mailing City,St,Zip: SAN FRANCISCO, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAD980818645
TSD County: Kern
Waste Category: Aqueous solution with total organic residues less than 10 percent
Disposal Method: Transfer Station
Tons: .7088
Facility County: San Francisco

**C11**
**SE**
**< 1/8**
**0.026 mi.**
**137 ft.**

**SUNSET CARPET**
**2101 BRYANT ST**
**SAN FRANCISCO, CA**

**EDR US Hist Cleaners** **1009182424**
**N/A**

**Site 1 of 14 in cluster C**

**Relative:**
**Higher**

**Actual:**
**37 ft.**

EDR Historical Cleaners:
Name: SUNSET CARPET
Year: 1982
Type: CLEANERS

---

**B12**
**NNW**
**< 1/8**
**0.027 mi.**
**140 ft.**

**INDEPENDENT LAUNDRY**
**2900 18TH**
**SAN FRANCISCO, CA**

**EDR US Hist Cleaners** **1009177592**
**N/A**

**Site 4 of 17 in cluster B**

**Relative:**
**Higher**

**Actual:**
**35 ft.**

EDR Historical Cleaners:
Name: INDEPENDENT LAUNDRY
Year: 1930
Type: LAUNDRIES-STEAM

Name: INDEPENDENT LAUNDRY
Year: 1935
Type: LAUNDRIES-STEAM

Name: INDEPENDENT LAUNDRY
Year: 1940
Type: LAUNDRIES-STEAM

Name: INDEPENDENT LAUNDRY
Year: 1944
Type: LAUNDRIES-STEAM

Name: INDEPENDENT LAUNDRY
Year: 1949
Type: LAUNDRIES-STEAM

---

**B13**
**NW**
**< 1/8**
**0.028 mi.**
**150 ft.**

**ODORLESS DRY CLEANING CO**
**2900 18TH ST**
**SAN FRANCISCO, CA**

**EDR US Hist Cleaners** **1009127999**
**N/A**

**Site 5 of 17 in cluster B**

**Relative:**
**Higher**

**Actual:**
**34 ft.**

EDR Historical Cleaners:
Name: INDEPENDENT LAUNDRY
Year: 1930
Type: LAUNDRIES-STEA

Name: INDEPENDENT LAUNDRY
Year: 1935
Type: LAUNDRIES-STEA

Name: INDEPENDENT LAUNDRY
Year: 1935
Type: LAUNDRIES-STEA

Name: ODORLESS DRY CLEANING CO

**ODORLESS DRY CLEANING CO (Continued)** **1009127999**

Year: 1935
Type: CLOTHES PRESSERS AND CLEANER

Name: INDEPENDENT LAUNDRY
Year: 1940
Type: LAUNDRIES STEAM

Name: INDEPENDENT LAUNDRY
Year: 1944
Type: LAUNDRIES-STEAM

Name: INDEPENDENT LAUNDRY
Year: 1949
Type: LAUNDRIES-STEAM

---

**B14** **MISSION LANGUAGE** **UST U003904060**
**SW** **2929 19TH ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.037 mi.**
**197 ft.** **Site 6 of 17 in cluster B**

**Relative:** SAN FRANCISCO CO. UST:
**Lower**
Facility ID: 26423
Facility Status: Not reported
**Actual:** Number Of Tanks: 1
**27 ft.** Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: 1550 Wallace
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: L&W Environmental
Application Date: 12/14/2001
Application Name: George Wilson
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported
Local Tank Id: Not reported
Tank Manufacturer: Not reported
Compartmentalized Tank: Not reported
# Of Tank Compartments: Not reported
Date Tank Installed: Not reported
Tank Capacity: Not reported
Additional Desc: Not reported
Tank Use: Not reported
Petroleum Type: Not reported
Common Name: Not reported
Case Number: Not reported
Type Of Tank: Not reported
Primary Tank Material: Not reported

**MISSION LANGUAGE (Continued)** **U003904060**

| | |
|---|---|
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | Not reported |
| UST Close ID: | 4210 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgmd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**B15**
**SW**
**< 1/8**
**0.037 mi.**
**197 ft.**

**MISSION LANGUAGE SCHOOL**
**2929 19TH ST**
**SAN FRANCISCO, CA 94110**

**Site 7 of 17 in cluster B**

LUST **S105806133**
**N/A**

**Relative:**
**Lower**

**Actual:**
**27 ft.**

LUST:

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607515068 |
| Latitude: | 37.760061 |
| Longitude: | -122.41133 |

**MISSION LANGUAGE SCHOOL (Continued)** **S105806133**

| | |
|---|---|
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |
| Status Date: | 07/02/2002 |
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | AL |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-2163 |
| LOC Case Number: | 11493 |
| File Location: | Not reported |
| Potential Media Affect: | Soil |
| Potential Contaminants of Concern: | Heating Oil / Fuel Oil |
| Site History: | Not reported |

Click here to access the California GeoTracker records for this facility:

LUST:

| | |
|---|---|
| Global Id: | T0607515068 |
| Contact Type: | Local Agency Caseworker |
| Contact Name: | ALBERT LEE |
| Organization Name: | SAN FRANCISCO COUNTY LOP |
| Address: | 1390 MARKET STREET, #210 |
| City: | SAN FRANCISCO |
| Email: | albert.lee@sfdph.org |
| Phone Number: | Not reported |

| | |
|---|---|
| Global Id: | T0607515068 |
| Contact Type: | Regional Board Caseworker |
| Contact Name: | VIC PAL |
| Organization Name: | SAN FRANCISCO BAY RWQCB (REGION 2) |
| Address: | 1515 CLAY STREET, SUITE 1400 |
| City: | OAKLAND |
| Email: | vpal@waterboards.ca.gov |
| Phone Number: | Not reported |

LUST:

| | |
|---|---|
| Global Id: | T0607515068 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Reported |

| | |
|---|---|
| Global Id: | T0607515068 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Discovery |

| | |
|---|---|
| Global Id: | T0607515068 |
| Action Type: | ENFORCEMENT |
| Date: | 02/27/2002 |
| Action: | Notice of Responsibility |

LUST REG 2:

| | |
|---|---|
| Region: | 2 |
| Facility Id: | 38-2163 |
| Facility Status: | Case Closed |
| Case Number: | 11493 |
| How Discovered: | Not reported |

**MISSION LANGUAGE SCHOOL (Continued)** **S105806133**

Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: 1/8/2002
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 02-102-004
Facility Status: Case Closed
Case Number: 11493
Case Type: Soil only
Release Date: Not reported
Discovered Date: 1/8/2002
Substance: Heater Fuel
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Close Tank
Report Date: 1/8/2002
Case Closed: 7/2/2002
Closed Date: Not reported
Leak Source: Tank
Leak Cause: Corrosion
Leak Confirmed: 1/8/2002
Entered Date: 2/27/2002
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: Not reported
RP Address: Not reported
Operator: Rosario Anaya
Staff Initial: VP
Facility Staff: AL
Cross Street: Alabama
NOR Date: Not reported
MTBE Current: Not reported
MTBE Current Date: Not reported
MTBE: NRQ
Maximum MTBE Soil: Not reported
Maximum MTBE GW: Not reported
MTBE DATE: Not reported
Review Date: 3/4/2002
Workplan Submitted: Not reported
Assessment Underway: Not reported
Pollution Characterization: Not reported
Corrective Action Plan: Not reported
Remediation Underway: Not reported
Monitoring Begun: Not reported
Funding: Federal
Interim Remediation: No

**MISSION LANGUAGE SCHOOL (Continued)** **S105806133**

| | |
|---|---|
| Priority: | Low Priority Site |
| Abatement: | Excavate and Dispose - remove contaminated soil and dispose in approved site |
| Enforcement Type: | NOR |
| Enforcement Due Date: | 2/27/2002 |
| Basin: | DOWNTOWN |
| Beneficial Use: | No |
| Lat/Long: | Not reported |
| CUFID: | Not reported |
| Suspended: | No |
| Stopped Date: | 1/8/2002 |
| Free Product: | Not reported |
| Depth to Grnd Wtr: | Not reported |
| Gradient: | Not reported |
| Benzene: | Not reported |
| Primary Substance: | Not reported |
| Enforcement Type: | Not reported |
| Amount of Free Produce: | Not reported |
| Benzene Test: | ND |
| Maximum Soil GW: | Not reported |
| Max Soil Concentration: | Not reported |
| TPH Tested: | YES |
| Max TPH GW: | Not reported |
| Max TPH Soil: | 99 |
| TPH Date: | 1/8/2002 |
| Block: | Not reported |
| Lot: | Not reported |
| Notify: | False |
| TPH Current: | Not reported |
| TPH Current Date: | Not reported |
| Grnd Wtr Qualifier: | Not reported |
| Soil Qualifier: | Not reported |
| Comments: | Not reported |
| Summary: | 3/4/02 file review |

---

**B16**
**NW**
**< 1/8**
**0.041 mi.**
**217 ft.**

**CIVIC CENTER TOWING INC**
**2947 18TH ST**
**SAN FRANCISCO, CA 94110**

**CA FID UST** **S101592492**
**SWEEPS UST** **N/A**

**Site 8 of 17 in cluster B**

**Relative:**
**Lower**

**Actual:**
**32 ft.**

CA FID UST:

| | |
|---|---|
| Facility ID: | 38005323 |
| Regulated By: | UTNKA |
| Regulated ID: | Not reported |
| Cortese Code: | Not reported |
| SIC Code: | Not reported |
| Facility Phone: | 4156734242 |
| Mail To: | Not reported |
| Mailing Address: | 2947 - 18TH ST |
| Mailing Address 2: | Not reported |
| Mailing City,St,Zip: | SAN FRANCISCO 94110 |
| Contact: | Not reported |
| Contact Phone: | Not reported |
| DUNs Number: | Not reported |
| NPDES Number: | Not reported |
| EPA ID: | Not reported |
| Comments: | Not reported |

**CIVIC CENTER TOWING INC (Continued)** **S101592492**

Status: Active

SWEEPS UST:

| | |
|---|---|
| Status: | Active |
| Comp Number: | 3494 |
| Number: | 1 |
| Board Of Equalization: | Not reported |
| Referral Date: | 09-30-92 |
| Action Date: | 12-10-91 |
| Created Date: | 01-01-01 |
| Tank Status: | A |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-003494-000001 |
| Actv Date: | 09-30-92 |
| Capacity: | 8000 |
| Tank Use: | UNKNOWN |
| Stg: | P |
| Content: | DIESEL |
| Number Of Tanks: | 2 |

| | |
|---|---|
| Status: | Active |
| Comp Number: | 3494 |
| Number: | 1 |
| Board Of Equalization: | Not reported |
| Referral Date: | 09-30-92 |
| Action Date: | 12-10-91 |
| Created Date: | 01-01-01 |
| Tank Status: | A |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-003494-000002 |
| Actv Date: | 09-30-92 |
| Capacity: | 5000 |
| Tank Use: | UNKNOWN |
| Stg: | P |
| Content: | LEADED GASOL |
| Number Of Tanks: | Not reported |

---

**B17** **ATLAS & CIVIC CTR** **UST U003915740**
**NW** **2947 18TH ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.041 mi.**
**217 ft.** **Site 9 of 17 in cluster B**

**Relative:** SAN FRANCISCO CO. UST:
**Lower**

| | |
|---|---|
| Facility ID: | 14397 |
| Facility Status: | Not reported |
| Number Of Tanks: | Not reported |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | Not reported |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |

**Actual:**
**32 ft.**

**ATLAS & CIVIC CTR (Continued)** **U003915740**

| | |
|---|---|
| Applications: | Not reported |
| Application Date: | 5/18/1992 |
| Application Name: | Not reported |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |

| | |
|---|---|
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 6/23/1992 |
| UST Close ID: | 1003 |
| Type Of Spill Protection: | Not reported |

| | |
|---|---|
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |

**ATLAS & CIVIC CTR (Continued)** **U003915740**

| | |
|---|---|
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | 2/7/1995 |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**B18** **ALABAMA ST HOUSING ASSOCIATES** **LUST S108741915**
**NW** **2949 18TH ST** **HAZNET N/A**
**< 1/8** **SAN FRANCISCO, CA 94110**
**0.042 mi.**
**221 ft.** **Site 10 of 17 in cluster B**

**Relative:** **Lower**

**Actual:** **32 ft.**

LUST:

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607583909 |
| Latitude: | 37.761033 |
| Longitude: | -122.411506 |
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |
| Status Date: | 01/25/2010 |
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | SC |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-2447 |
| LOC Case Number: | 11786 |
| File Location: | Local Agency |
| Potential Media Affect: | Other Groundwater (uses other than drinking water) |
| Potential Contaminants of Concern: | Waste Oil / Motor / Hydraulic / Lubricating |
| Site History: | Not reported |

Click here to access the California GeoTracker records for this facility:

LUST:

| | |
|---|---|
| Global Id: | T0607583909 |
| Contact Type: | Local Agency Caseworker |
| Contact Name: | STEPHANIE CUSHING |
| Organization Name: | SAN FRANCISCO COUNTY LOP |
| Address: | 1390 MARKET STREET #210 |
| City: | SAN FRANCISCO |
| Email: | stephanie.cushing@sfdph.org |
| Phone Number: | Not reported |

LUST:

| | |
|---|---|
| Global Id: | T0607583909 |
| Action Type: | ENFORCEMENT |
| Date: | 10/07/2008 |
| Action: | File review |
| Global Id: | T0607583909 |
| Action Type: | ENFORCEMENT |
| Date: | 10/08/2008 |

**ALABAMA ST HOUSING ASSOCIATES (Continued)** **S108741915**

| | |
|---|---|
| Action: | Staff Letter |
| Global Id: | T0607583909 |
| Action Type: | ENFORCEMENT |
| Date: | 09/09/2009 |
| Action: | Meeting |
| Global Id: | T0607583909 |
| Action Type: | ENFORCEMENT |
| Date: | 06/30/2008 |
| Action: | File review |
| Global Id: | T0607583909 |
| Action Type: | ENFORCEMENT |
| Date: | 06/30/2008 |
| Action: | Staff Letter |
| Global Id: | T0607583909 |
| Action Type: | ENFORCEMENT |
| Date: | 02/15/2008 |
| Action: | * Verbal Communication |
| Global Id: | T0607583909 |
| Action Type: | ENFORCEMENT |
| Date: | 11/24/2009 |
| Action: | File review |
| Global Id: | T0607583909 |
| Action Type: | ENFORCEMENT |
| Date: | 01/22/2010 |
| Action: | File review |
| Global Id: | T0607583909 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Reported |
| Global Id: | T0607583909 |
| Action Type: | ENFORCEMENT |
| Date: | 06/29/2009 |
| Action: | Staff Letter |
| Global Id: | T0607583909 |
| Action Type: | ENFORCEMENT |
| Date: | 06/29/2009 |
| Action: | File review |
| Global Id: | T0607583909 |
| Action Type: | ENFORCEMENT |
| Date: | 01/25/2010 |
| Action: | Closure/No Further Action Letter |
| Global Id: | T0607583909 |
| Action Type: | ENFORCEMENT |
| Date: | 09/09/2009 |
| Action: | File review |

**ALABAMA ST HOUSING ASSOCIATES (Continued)** **S108741915**

Global Id: T0607583909
Action Type: ENFORCEMENT
Date: 09/09/2009
Action: LOP Case Closure Summary to RB

Global Id: T0607583909
Action Type: ENFORCEMENT
Date: 09/04/2009
Action: File review

Global Id: T0607583909
Action Type: ENFORCEMENT
Date: 02/02/2009
Action: File review

Global Id: T0607583909
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

Global Id: T0607583909
Action Type: REMEDIATION
Date: 01/01/1950
Action: Monitored Natural Attenuation

Global Id: T0607583909
Action Type: ENFORCEMENT
Date: 01/16/2007
Action: Notice of Responsibility

Global Id: T0607583909
Action Type: ENFORCEMENT
Date: 01/25/2010
Action: Closure/No Further Action Letter

Global Id: T0607583909
Action Type: ENFORCEMENT
Date: 11/25/2009
Action: Site Visit / Inspection / Sampling

Global Id: T0607583909
Action Type: ENFORCEMENT
Date: 09/05/2008
Action: Technical Correspondence / Assistance / Other

HAZNET:
Year: 2007
Gepaid: CAC002610963
Contact: DESIREE ESPINOZA
Telephone: 4154218605
Mailing Name: Not reported
Mailing Address: 26 O'FARRELL ST STE600
Mailing City,St,Zip: SAN FRANCISCO, CA 94108
Gen County: San Francisco
TSD EPA ID: CAL000161743
TSD County: Santa Clara

**ALABAMA ST HOUSING ASSOCIATES (Continued)** **S108741915**

| | |
|---|---|
| Waste Category: | Other organic solids |
| Disposal Method: | Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135) |
| Tons: | 0.3 |
| Facility County: | San Francisco |
| | |
| Year: | 2007 |
| Gepaid: | CAC002610963 |
| Contact: | DESIREE ESPINOZA |
| Telephone: | 4154218605 |
| Mailing Name: | Not reported |
| Mailing Address: | 26 O'FARRELL ST STE600 |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 94108 |
| Gen County: | San Francisco |
| TSD EPA ID: | CAT000646117 |
| TSD County: | Kings |
| Waste Category: | Contaminated soil from site clean-up |
| Disposal Method: | Landfill Or Surface Impoundment That Will Be Closed As Landfill( To Include On-Site Treatment And/Or Stabilization) |
| Tons: | 913.32 |
| Facility County: | San Francisco |
| | |
| Year: | 2007 |
| Gepaid: | CAC002610963 |
| Contact: | DESIREE ESPINOZA |
| Telephone: | 4154218605 |
| Mailing Name: | Not reported |
| Mailing Address: | 26 O'FARRELL ST STE600 |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 94108 |
| Gen County: | San Francisco |
| TSD EPA ID: | CAL000161743 |
| TSD County: | Santa Clara |
| Waste Category: | Unspecified oil-containing waste |
| Disposal Method: | Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135) |
| Tons: | 8.54 |
| Facility County: | San Francisco |
| | |
| Year: | 2006 |
| Gepaid: | CAC002610963 |
| Contact: | DESIREE ESPINOZA |
| Telephone: | 4154218605 |
| Mailing Name: | Not reported |
| Mailing Address: | 26 O'FARRELL ST STE600 |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 94108 |
| Gen County: | San Francisco |
| TSD EPA ID: | CAL000161743 |
| TSD County: | Santa Clara |
| Waste Category: | Other organic solids |
| Disposal Method: | Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135) |
| Tons: | 5 |
| Facility County: | San Francisco |

**B19** **VACANT LOT** **UST** **U004066912**
**NW** **2949 18TH ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.042 mi.**
**221 ft.** **Site 11 of 17 in cluster B**

**Relative:** SAN FRANCISCO CO. UST:
**Lower**

| | |
|---|---|
| Facility ID: | 30232 |
| Facility Status: | Not reported |
| **Actual:** Number Of Tanks: | 2 |
| **32 ft.** Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | 255 Shipley St |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Golden Gate Tank |
| Application Date: | 12/8/2006 |
| Application Name: | Tim Hallen |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| | |
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 3/20/2007 |
| UST Close ID: | 4889 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |

**VACANT LOT (Continued)** **U004066912**

| | |
|---|---|
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**C20** **R B INSTALLATIONS** **EDR US Hist Cleaners** **1009182836**
**SSE** **2121 BRYANT ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.042 mi.**
**224 ft.** **Site 2 of 14 in cluster C**

**Relative:**
**Higher**

**Actual:**
**37 ft.**

EDR Historical Cleaners:

| | |
|---|---|
| Name: | R B INSTALLATIONS |
| Year: | 1982 |
| Type: | CLEANERS |

---

**C21** **MOORE EARTH CO.** **HIST CORTESE** **S104889695**
**ESE** **2747 19TH ST** **LUST** **N/A**
**< 1/8** **SAN FRANCISCO, CA 94110**
**0.043 mi.**
**225 ft.** **Site 3 of 14 in cluster C**

**Relative:**
**Higher**

**Actual:**
**42 ft.**

CORTESE:

| | |
|---|---|
| Region: | CORTESE |
| Facility County Code: | 38 |
| Reg By: | LTNKA |
| Reg Id: | 38-0916 |

LUST:

| | |
|---|---|
| Region: | STATE |

**MOORE EARTH CO. (Continued)** **S104889695**

| | |
|---|---|
| Global Id: | T0607500811 |
| Latitude: | 37.7605004 |
| Longitude: | -122.4094846 |
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |
| Status Date: | 07/15/1997 |
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | AL |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-0916 |
| LOC Case Number: | 10829 |
| File Location: | Not reported |
| Potential Media Affect: | Soil |
| Potential Contaminants of Concern: | Diesel |
| Site History: | Not reported |

Click here to access the California GeoTracker records for this facility:

LUST:

| | |
|---|---|
| Global Id: | T0607500811 |
| Contact Type: | Regional Board Caseworker |
| Contact Name: | VIC PAL |
| Organization Name: | SAN FRANCISCO BAY RWQCB (REGION 2) |
| Address: | 1515 CLAY STREET, SUITE 1400 |
| City: | OAKLAND |
| Email: | vpal@waterboards.ca.gov |
| Phone Number: | Not reported |

| | |
|---|---|
| Global Id: | T0607500811 |
| Contact Type: | Local Agency Caseworker |
| Contact Name: | ALBERT LEE |
| Organization Name: | SAN FRANCISCO COUNTY LOP |
| Address: | 1390 MARKET STREET, #210 |
| City: | SAN FRANCISCO |
| Email: | albert.lee@sfdph.org |
| Phone Number: | Not reported |

LUST:

| | |
|---|---|
| Global Id: | T0607500811 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Reported |

| | |
|---|---|
| Global Id: | T0607500811 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Discovery |

LUST REG 2:

| | |
|---|---|
| Region: | 2 |
| Facility Id: | 38-0916 |
| Facility Status: | Case Closed |
| Case Number: | 10829 |
| How Discovered: | Not reported |
| Leak Cause: | Not reported |
| Leak Source: | Not reported |

**MOORE EARTH CO. (Continued)** **S104889695**

Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 38-0916
Facility Status: Case Closed
Case Number: 10829
Case Type: Soil only
Release Date: 2/26/1997
Discovered Date: 2/25/1997
Substance: Diesel
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Repair Tank
Report Date: 2/26/1997
Case Closed: 7/15/1997
Closed Date: 7/15/1997
Leak Source: Tank
Leak Cause: Structure Failure
Leak Confirmed: Not reported
Entered Date: 6/16/1997
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: Not reported
RP Address: Not reported
Operator: Not reported
Staff Initial: VP
Facility Staff: AL
Cross Street: BRYANT ST
NOR Date: 6/16/1997
MTBE Current: Not reported
MTBE Current Date: Not reported
MTBE: NT
Maximum MTBE Soil: Not reported
Maximum MTBE GW: Not reported
MTBE DATE: Not reported
Review Date: Not reported
Workplan Submitted: Not reported
Assessment Underway: Not reported
Pollution Characterization: Not reported
Corrective Action Plan: Not reported
Remediation Underway: Not reported
Monitoring Begun: Not reported
Funding: Not reported
Interim Remediation: Yes
Priority: Not reported
Abatement: Remove Free Product - remove floating product from water table,

**MOORE EARTH CO. (Continued)** **S104889695**

| | |
|---|---|
| | Excavate and Dispose - remove contaminated soil and dispose in approved site |
| Enforcement Type: | NOR |
| Enforcement Due Date: | Not reported |
| Basin: | Downtown Basin |
| Beneficial Use: | No |
| Lat/Long: | Not reported |
| CUFID: | Not reported |
| Suspended: | No |
| Stopped Date: | 2/25/1997 |
| Free Product: | No |
| Depth to Grnd Wtr: | Not reported |
| Gradient: | Not reported |
| Benzene: | Not reported |
| Primary Substance: | Diesel fuel oil |
| Enforcement Type: | Not reported |
| Amount of Free Produce: | Not reported |
| Benzene Test: | Not reported |
| Maximum Soil GW: | Not reported |
| Max Soil Concentration: | Not reported |
| TPH Tested: | Not reported |
| Max TPH GW: | Not reported |
| Max TPH Soil: | Not reported |
| TPH Date: | Not reported |
| Block: | Not reported |
| Lot: | Not reported |
| Notify: | False |
| TPH Current: | Not reported |
| TPH Current Date: | Not reported |
| Grnd Wtr Qualifier: | Not reported |
| Soil Qualifier: | Not reported |
| Comments: | Not reported |
| Summary: | Not reported |

---

**C22** **MOORE EARTH** **UST** **U003904074**
**ESE** **2747 19TH ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.043 mi.**
**225 ft.** **Site 4 of 14 in cluster C**

**Relative:**
**Higher**

**Actual:**
**42 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 21472 |
| Facility Status: | Not reported |
| Number Of Tanks: | 1 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | 255 Shipley Street |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Golden Gate Tank |
| Application Date: | 2/12/1997 |
| Application Name: | Tim Hallen |
| Action Type: | Not reported |

**MOORE EARTH (Continued)** **U003904074**

| | |
|---|---|
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 2/25/1997 |
| UST Close ID: | 2826 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | 6/3/1997 |
| Last Annual Monitoring Cert: | Not reported |

**MOORE EARTH (Continued)** **U003904074**

| | |
|---|---|
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**B23** **HERTZ-PENSKE TRUCK LEASING, IN** **HIST UST** **U001595392**
**NW** **2955 - 18TH ST.** **N/A**
**< 1/8** **SAN FRANCISCO, CA 94110**
**0.044 mi.**
**234 ft.** **Site 12 of 17 in cluster B**

**Relative:**
**Lower**

**Actual:**
**32 ft.**

HIST UST:

| | |
|---|---|
| Region: | STATE |
| Facility ID: | 00000004387 |
| Facility Type: | Other |
| Other Type: | TRUCK LEASING |
| Total Tanks: | 0003 |
| Contact Name: | MICHAEL J. DALY |
| Telephone: | 2153207000 |
| Owner Name: | CAL WESTERN STATES INSURANCE C |
| Owner Address: | P.O. BOX 959 |
| Owner City,St,Zip: | SACRAMENTO, CA 95804 |
| | |
| Tank Num: | 001 |
| Container Num: | 685-1 |
| Year Installed: | 1962 |
| Tank Capacity: | 00007000 |
| Tank Used for: | PRODUCT |
| Type of Fuel: | REGULAR |
| Tank Construction: | Not reported |
| Leak Detection: | Visual, Stock Inventor |
| | |
| Tank Num: | 002 |
| Container Num: | 685-2 |
| Year Installed: | 1962 |
| Tank Capacity: | 00007000 |
| Tank Used for: | PRODUCT |
| Type of Fuel: | DIESEL |
| Tank Construction: | Not reported |
| Leak Detection: | Visual, Stock Inventor |
| | |
| Tank Num: | 003 |
| Container Num: | 685-3 |
| Year Installed: | 1962 |
| Tank Capacity: | 00000500 |
| Tank Used for: | WASTE |
| Type of Fuel: | WASTE OIL |
| Tank Construction: | Not reported |
| Leak Detection: | Visual, Stock Inventor |

**B24**
**NW**
**< 1/8**
**0.044 mi.**
**234 ft.**

**PENSKE TRUCK LEASING CO. L.P.**
**2955 18TH ST**
**SAN FRANCISCO, CA 94110**

**UST U003111546**
**N/A**

**Site 13 of 17 in cluster B**

**Relative:**
**Lower**

**Actual:**
**32 ft.**

UST:
Facility ID: 8342
Latitude: 37.76167
Longitude: -122.4116

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 8342 |
| Facility Status: | Not reported |
| Number Of Tanks: | 3 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | 35 South Linden |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | TEC Accutite |
| Application Date: | 4/30/2001 |
| Application Name: | Ron Breckenridge |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| | |
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 5/16/2001 |
| UST Close ID: | 4134 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |

**PENSKE TRUCK LEASING CO. L.P. (Continued)** **U003111546**

| | |
|---|---|
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | 8/7/2001 |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

| | |
|---|---|
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | Not reported |
| UST Close ID: | 466 |

**PENSKE TRUCK LEASING CO. L.P. (Continued)** **U003111546**

| | |
|---|---|
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

| | |
|---|---|
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |

**PENSKE TRUCK LEASING CO. L.P. (Continued)** **U003111546**

| | |
|---|---|
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 11/8/2001 |
| UST Close ID: | 4191 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

**B25** **HERTZ-PENSKE TRUCK LEASING** **LUST** **S111760430**
**NW** **2955 18TH ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA 94110**
**0.044 mi.**
**234 ft.** **Site 14 of 17 in cluster B**

**Relative:**
**Lower**

**Actual:**
**32 ft.**

LUST:

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607500155 |
| Latitude: | 37.7616636 |
| Longitude: | -122.4116263 |
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |
| Status Date: | 01/26/1996 |
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | SC |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-0178 |
| LOC Case Number: | 10233 |
| File Location: | Not reported |
| Potential Media Affect: | Other Groundwater (uses other than drinking water) |
| Potential Contaminants of Concern: | Waste Oil / Motor / Hydraulic / Lubricating |
| Site History: | Not reported |

Click here to access the California GeoTracker records for this facility:

LUST:

| | |
|---|---|
| Global Id: | T0607500155 |
| Contact Type: | Regional Board Caseworker |
| Contact Name: | VIC PAL |
| Organization Name: | SAN FRANCISCO BAY RWQCB (REGION 2) |
| Address: | 1515 CLAY STREET, SUITE 1400 |
| City: | OAKLAND |
| Email: | vpal@waterboards.ca.gov |
| Phone Number: | Not reported |

| | |
|---|---|
| Global Id: | T0607500155 |
| Contact Type: | Local Agency Caseworker |
| Contact Name: | STEPHANIE CUSHING |
| Organization Name: | SAN FRANCISCO COUNTY LOP |
| Address: | 1390 MARKET STREET #210 |
| City: | SAN FRANCISCO |
| Email: | stephanie.cushing@sfdph.org |
| Phone Number: | Not reported |

LUST:

| | |
|---|---|
| Global Id: | T0607500155 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Reported |

| | |
|---|---|
| Global Id: | T0607500155 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Discovery |

**B26**
**NW**
**< 1/8**
**0.044 mi.**
**234 ft.**

**FORMER PENSKE TRUCK LEASING F.**
**2955 18TH ST**
**SAN FRANCISCO, CA 94110**

**LUST** **S111760439**
**N/A**

**Site 15 of 17 in cluster B**

**Relative:**
**Lower**

**Actual:**
**32 ft.**

LUST:

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607576873 |
| Latitude: | 37.76168 |
| Longitude: | -122.411609 |
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |
| Status Date: | 11/08/2001 |
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | SC |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-2104 |
| LOC Case Number: | 11478 |
| File Location: | Not reported |
| Potential Media Affect: | Other Groundwater (uses other than drinking water) |
| Potential Contaminants of Concern: | Gasoline |
| Site History: | Not reported |

Click here to access the California GeoTracker records for this facility:

LUST:

| | |
|---|---|
| Global Id: | T0607576873 |
| Contact Type: | Local Agency Caseworker |
| Contact Name: | STEPHANIE CUSHING |
| Organization Name: | SAN FRANCISCO COUNTY LOP |
| Address: | 1390 MARKET STREET #210 |
| City: | SAN FRANCISCO |
| Email: | stephanie.cushing@sfdph.org |
| Phone Number: | Not reported |

| | |
|---|---|
| Global Id: | T0607576873 |
| Contact Type: | Regional Board Caseworker |
| Contact Name: | VIC PAL |
| Organization Name: | SAN FRANCISCO BAY RWQCB (REGION 2) |
| Address: | 1515 CLAY STREET, SUITE 1400 |
| City: | OAKLAND |
| Email: | vpal@waterboards.ca.gov |
| Phone Number: | Not reported |

LUST:

| | |
|---|---|
| Global Id: | T0607576873 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Reported |

| | |
|---|---|
| Global Id: | T0607576873 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Discovery |

| | |
|---|---|
| Global Id: | T0607576873 |
| Action Type: | ENFORCEMENT |
| Date: | 11/14/2001 |

**FORMER PENSKE TRUCK LEASING F. (Continued)** **S111760439**

Action: Notice of Responsibility

---

**B27**
**NW**
**< 1/8**
**0.044 mi.**
**234 ft.**

**Relative:**
**Lower**

**Actual:**
**32 ft.**

**HERTZ-PENSKE TRUCK LEASING INC**
**2955 18TH ST**
**SAN FRANCISCO, CA 94110**

**CA FID UST** **S101630230**
**SWEEPS UST** **N/A**

**Site 16 of 17 in cluster B**

CA FID UST:

| | |
|---|---|
| Facility ID: | 38000007 |
| Regulated By: | UTNKA |
| Regulated ID: | Not reported |
| Cortese Code: | Not reported |
| SIC Code: | Not reported |
| Facility Phone: | 4156480770 |
| Mail To: | Not reported |
| Mailing Address: | RR 10 GRN HILLP O BO |
| Mailing Address 2: | Not reported |
| Mailing City,St,Zip: | SAN FRANCISCO 94110 |
| Contact: | Not reported |
| Contact Phone: | Not reported |
| DUNs Number: | Not reported |
| NPDES Number: | Not reported |
| EPA ID: | Not reported |
| Comments: | Not reported |
| Status: | Active |

SWEEPS UST:

| | |
|---|---|
| Status: | Not reported |
| Comp Number: | 8342 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-008342-000001 |
| Actv Date: | Not reported |
| Capacity: | 7000 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | 3 |

| | |
|---|---|
| Status: | Not reported |
| Comp Number: | 8342 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-008342-000002 |
| Actv Date: | Not reported |

**HERTZ-PENSKE TRUCK LEASING INC (Continued)** **S101630230**

| | |
|---|---|
| Capacity: | 7000 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | Not reported |
| | |
| Status: | Not reported |
| Comp Number: | 8342 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-008342-000003 |
| Actv Date: | Not reported |
| Capacity: | 500 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | Not reported |
| | |
| Status: | Active |
| Comp Number: | 8342 |
| Number: | 3 |
| Board Of Equalization: | Not reported |
| Referral Date: | 09-30-92 |
| Action Date: | 12-10-91 |
| Created Date: | 01-01-01 |
| Tank Status: | A |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-008342-000004 |
| Actv Date: | 09-30-92 |
| Capacity: | 10000 |
| Tank Use: | M.V. FUEL |
| Stg: | P |
| Content: | REG UNLEADED |
| Number Of Tanks: | 3 |
| | |
| Status: | Active |
| Comp Number: | 8342 |
| Number: | 3 |
| Board Of Equalization: | Not reported |
| Referral Date: | 09-30-92 |
| Action Date: | 12-10-91 |
| Created Date: | 01-01-01 |
| Tank Status: | A |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-008342-000005 |
| Actv Date: | 09-30-92 |
| Capacity: | 10000 |
| Tank Use: | UNKNOWN |
| Stg: | P |
| Content: | DIESEL |
| Number Of Tanks: | Not reported |

**HERTZ-PENSKE TRUCK LEASING INC (Continued)** **S101630230**

| | |
|---|---|
| Status: | Active |
| Comp Number: | 8342 |
| Number: | 3 |
| Board Of Equalization: | Not reported |
| Referral Date: | 09-30-92 |
| Action Date: | 12-10-91 |
| Created Date: | 01-01-01 |
| Tank Status: | A |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-008342-000006 |
| Actv Date: | 09-30-92 |
| Capacity: | 1000 |
| Tank Use: | OIL |
| Stg: | W |
| Content: | UNSPECIFIED |
| Number Of Tanks: | Not reported |

---

**B28** **PENSKE TRUCK LEASING CO** **RCRA-SQG** **1000383089**
**NW** **2955 18TH STREET** **FINDS** **CAD981661903**
**< 1/8** **SAN FRANCISCO, CA 94110**
**0.044 mi.**
**234 ft.** **Site 17 of 17 in cluster B**

**Relative:**
**Lower**

**Actual:**
**32 ft.**

RCRA-SQG:

| | |
|---|---|
| Date form received by agency: | 07/10/1991 |
| Facility name: | PENSKE TRUCK LEASING CO |
| Site name: | PENSKE TRUCK LEASING CO., L.P. |
| Facility address: | 2955 18TH STREET<br>SAN FRANCISCO, CA 941102004 |
| EPA ID: | CAD981661903 |
| Mailing address: | 62 SOUTH LINDEN AVENUE<br>SAN FRANCISCO, CA 940806476 |
| Contact: | JOSEPH E CELLURA |
| Contact address: | Not reported<br>Not reported |
| Contact country: | Not reported |
| Contact telephone: | (415) 873-5443 |
| Contact email: | Not reported |
| EPA Region: | 09 |
| Classification: | Small Small Quantity Generator |
| Description: | Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time |

Owner/Operator Summary:

| | |
|---|---|
| Owner/operator name: | CAL WESTERN LIFE |
| Owner/operator address: | NOT REQUIRED<br>NOT REQUIRED, ME 99999 |
| Owner/operator country: | Not reported |
| Owner/operator telephone: | (415) 555-1212 |
| Legal status: | Private |
| Owner/Operator Type: | Owner |
| Owner/Op start date: | Not reported |
| Owner/Op end date: | Not reported |

**PENSKE TRUCK LEASING CO (Continued)** **1000383089**

Owner/operator name: NOT REQUIRED
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: (415) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 10/07/1986
Facility name: PENSKE TRUCK LEASING CO
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110002741445

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

---

**D29** **DAVID FAMILY ALLEN TRUST** **DRYCLEANERS S103977882**
**NW** **550 FLORIDA ST** **HAZNET N/A**
**< 1/8** **SAN FRANCISCO, CA 94110**
**0.045 mi.**
**237 ft.** **Site 1 of 18 in cluster D**

**Relative:**
**Lower**

**Actual:**
**33 ft.**

DRYCLEANERS:
EPA Id: CAL000281556
NAICS Code: 812331
NAICS Description: Linen Supply

**DAVID FAMILY ALLEN TRUST (Continued)** **S103977882**

| | |
|---|---|
| SIC Code: | 7213 |
| SIC Description: | Linen Supply |
| Create Date: | 04/27/2004 |
| Facility Active: | No |
| Inactive Date: | 06/30/2006 |
| Facility Addr2: | Not reported |
| Owner Name: | MISSION LINEN SUPPLY |
| Owner Address: | 550 FLORIDA ST |
| Owner Address 2: | Not reported |
| Owner Telephone: | 4156215100 |
| Contact Name: | STEVEN O'CONNELL |
| Contact Address: | 550 FLORIDA ST |
| Contact Address 2: | Not reported |
| Contact Telephone: | 4156215100 |

HAZNET:

| | |
|---|---|
| Year: | 2011 |
| Gepaid: | CAC002676247 |
| Contact: | NOAH SNYDER |
| Telephone: | 4158211227 |
| Mailing Name: | Not reported |
| Mailing Address: | 650 ALABAMA ST STE 101 |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941102038 |
| Gen County: | Not reported |
| TSD EPA ID: | CAD981382732 |
| TSD County: | Not reported |
| Waste Category: | Asbestos containing waste |
| Disposal Method: | Landfill Or Surface Impoundment That Will Be Closed As Landfill( To Include On-Site Treatment And/Or Stabilization) |
| Tons: | 0.4 |
| Facility County: | San Francisco |

| | |
|---|---|
| Year: | 2011 |
| Gepaid: | CAC002676247 |
| Contact: | NOAH SNYDER |
| Telephone: | 4158211227 |
| Mailing Name: | Not reported |
| Mailing Address: | 650 ALABAMA ST STE 101 |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941102038 |
| Gen County: | Not reported |
| TSD EPA ID: | NVT330010000 |
| TSD County: | Not reported |
| Waste Category: | Other organic solids |
| Disposal Method: | Landfill Or Surface Impoundment That Will Be Closed As Landfill( To Include On-Site Treatment And/Or Stabilization) |
| Tons: | 0.375 |
| Facility County: | San Francisco |

| | |
|---|---|
| Year: | 2011 |
| Gepaid: | CAC002663249 |
| Contact: | MARK SAPOSNIK |
| Telephone: | 5303424110 |
| Mailing Name: | Not reported |
| Mailing Address: | PO BOX 1299 |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 94110 |
| Gen County: | Not reported |
| TSD EPA ID: | CAT080013352 |

**DAVID FAMILY ALLEN TRUST (Continued)** **S103977882**

| | |
|---|---|
| TSD County: | Not reported |
| Waste Category: | Unspecified oil-containing waste |
| Disposal Method: | Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect |
| Tons: | 5.004 |
| Facility County: | San Francisco |
| | |
| Year: | 2010 |
| Gepaid: | CAC002660344 |
| Contact: | NOAH SNYDER |
| Telephone: | 4158211227 |
| Mailing Name: | Not reported |
| Mailing Address: | 650 ALABAMA ST STE 101 |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941102038 |
| Gen County: | Not reported |
| TSD EPA ID: | CAD981382732 |
| TSD County: | Not reported |
| Waste Category: | Asbestos containing waste |
| Disposal Method: | Landfill Or Surface Impoundment That Will Be Closed As Landfill( To Include On-Site Treatment And/Or Stabilization) |
| Tons: | 12 |
| Facility County: | San Francisco |
| | |
| Year: | 2000 |
| Gepaid: | CAC001481736 |
| Contact: | MISSION LINEN SUPPLY |
| Telephone: | 4156215100 |
| Mailing Name: | Not reported |
| Mailing Address: | 550 FLORIDA STREET |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941100000 |
| Gen County: | San Francisco |
| TSD EPA ID: | CAD981382732 |
| TSD County: | 1 |
| Waste Category: | Asbestos containing waste |
| Disposal Method: | Disposal, Land Fill |
| Tons: | 6.7424 |
| Facility County: | San Francisco |

Click this hyperlink while viewing on your computer to access
2 additional CA_HAZNET: record(s) in the EDR Site Report.

---

**D30** **PEERLESS LINEN** **UST** **U003904224**
**NW** **550 FLORIDA ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.045 mi.**
**237 ft.** **Site 2 of 18 in cluster D**

**Relative:**
**Lower**

**Actual:**
**33 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 5784 |
| Facility Status: | Not reported |
| Number Of Tanks: | 1 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | Not reported |
| Mailing City,St,Zip: | Not reported |

**PEERLESS LINEN (Continued)** **U003904224**

| | |
|---|---|
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Not reported |
| Application Date: | 11/24/1986 |
| Application Name: | Not reported |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |

| | |
|---|---|
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 12/17/1986 |
| UST Close ID: | 436 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |

**PEERLESS LINEN (Continued)** **U003904224**

| | |
|---|---|
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**D31** **PEERLESS LINEN** **CA FID UST S101592541**
**NW** **550 FLORIDA ST** **SWEEPS UST N/A**
**< 1/8** **SAN FRANCISCO, CA 94110**
**0.045 mi.**
**237 ft.** **Site 3 of 18 in cluster D**

**Relative:**
**Lower**

**Actual:**
**33 ft.**

CA FID UST:

| | |
|---|---|
| Facility ID: | 38005394 |
| Regulated By: | UTNKA |
| Regulated ID: | Not reported |
| Cortese Code: | Not reported |
| SIC Code: | Not reported |
| Facility Phone: | 4156215100 |
| Mail To: | Not reported |
| Mailing Address: | 550 FLORIDA ST |
| Mailing Address 2: | Not reported |
| Mailing City,St,Zip: | SAN FRANCISCO 94110 |
| Contact: | Not reported |
| Contact Phone: | Not reported |
| DUNs Number: | Not reported |
| NPDES Number: | Not reported |
| EPA ID: | Not reported |
| Comments: | Not reported |
| Status: | Active |

SWEEPS UST:

| | |
|---|---|
| Status: | Not reported |
| Comp Number: | 5784 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-005784-000001 |
| Actv Date: | Not reported |
| Capacity: | 22000 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |

**PEERLESS LINEN (Continued)** **S101592541**

Number Of Tanks: 4

Status: Not reported
Comp Number: 5784
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Tank Status: Not reported
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-005784-000002
Actv Date: Not reported
Capacity: 550
Tank Use: UNKNOWN
Stg: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Status: Not reported
Comp Number: 5784
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Tank Status: Not reported
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-005784-000003
Actv Date: Not reported
Capacity: 550
Tank Use: UNKNOWN
Stg: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Status: Not reported
Comp Number: 5784
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Tank Status: Not reported
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-005784-000004
Actv Date: Not reported
Capacity: 550
Tank Use: UNKNOWN
Stg: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Status: Active
Comp Number: 5784
Number: 1
Board Of Equalization: Not reported

**PEERLESS LINEN (Continued)** **S101592541**

| | |
|---|---|
| Referral Date: | 09-30-92 |
| Action Date: | 12-10-91 |
| Created Date: | 01-01-01 |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | Not reported |
| Actv Date: | Not reported |
| Capacity: | Not reported |
| Tank Use: | Not reported |
| Stg: | Not reported |
| Content: | Not reported |
| Number Of Tanks: | Not reported |

---

**D32** **PEERLESS LAUNDRY** **EDR US Hist Cleaners** **1009183031**
**NW** **550 FLORIDA AND 308 MASON** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.045 mi.**
**237 ft.** **Site 4 of 18 in cluster D**

**Relative:** EDR Historical Cleaners:
**Lower**

| | |
|---|---|
| Name: | PEERLESS LAUNDRY |
| Year: | 1966 |
| Type: | LAUNDRIES |

**Actual:**
**33 ft.**

---

**D33** **THOMAS ALLEC CLEANERS & DYERS** **EDR US Hist Cleaners** **1009133638**
**NW** **550 FLORIDA ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.045 mi.**
**237 ft.** **Site 5 of 18 in cluster D**

**Relative:** EDR Historical Cleaners:
**Lower**

| | |
|---|---|
| Name: | PEERLESS LAUNDRY |
| Year: | 1962 |
| Type: | LAUNDRIES |
| Name: | THOMAS-ALLEC CLEANERS & DYERS OFC |
| Year: | 1962 |
| Type: | CLEANERS AND DYERS |
| Name: | THOMAS-ALLEC CLEANERS & DYERS |
| Year: | 1966 |
| Type: | CLEANERS AND DYERS |
| Name: | PEERLESS LAUNDRY |
| Year: | 1966 |
| Type: | LAUNDRIES |
| Name: | THOMAS ALLEC CLEANERS C DYERS |
| Year: | 1971 |
| Type: | CLEANERS AND DYERS |
| Name: | THOMAS-ALLEC CLEANERS & DYERS |
| Year: | 1971 |
| Type: | CLEANERS AND DYERS |
| Name: | PEERLESS LAUNDRY & ZORIC CLEANERS |

**Actual:**
**33 ft.**

**THOMAS ALLEC CLEANERS & DYERS (Continued)** **1009133638**

Year: 1977
Type: LAUNDRIES AND DRY CLEANERS

Name: THOMAS ALLEC CLEANERS & DYERS
Year: 1977
Type: CLEANERS AND DYERS

Name: THOMAS-ALLEC CLEANERS & DYERS
Year: 1977
Type: CLEANERS AND DYERS

Name: PEERLESS LAUNDRY
Year: 1982
Type: LAUNDRIES AND DRY CLEANERS

Name: PEERLESS LAUNDRY
Year: 1982
Type: LAUNDRIES AND DRY CLEANERS

---

**D34** **THOMAS ALLEC CLEANERS & DYERS** **EDR US Hist Cleaners** **1009181216**
**NW** **550 FLORIDA** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.045 mi.**
**237 ft.** **Site 6 of 18 in cluster D**

**Relative:**
**Lower**

**Actual:**
**33 ft.**

EDR Historical Cleaners:
Name: NEW SAN FRANCISCO LAUNDRY
Year: 1953
Type: LAUNDRIES

Name: PEERLESS LAUNDRY
Year: 1958
Type: LAUNDRIES

Name: THOMAS ALLEC CLEANERS & DYERS OFC
Year: 1962
Type: CLEANERS AND DYERS

Name: PEERLESS LAUNDRY
Year: 1962
Type: LAUNDRIES

Name: THOMAS ALLEC CLEANERS & DYERS
Year: 1966
Type: CLEANERS AND DYERS

---

**C35** **BRYANT SQUARE, LLC** **RCRA-CESQG** **1012175466**
**SSE** **2125 BRYANT STREET** **CAC002612979**
**< 1/8** **SAN FRANCISCO, CA 94110**
**0.046 mi.**
**241 ft.** **Site 5 of 14 in cluster C**

**Relative:**
**Higher**

**Actual:**
**37 ft.**

RCRA-CESQG:
Date form received by agency: 07/17/2008
Facility name: BRYANT SQUARE, LLC
Facility address: 2125 BRYANT STREET

**BRYANT SQUARE, LLC (Continued)** **1012175466**

SAN FRANCISCO, CA 94110
EPA ID: CAC002612979
Contact: MATTHEW R TUVERSAN
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: (310) 450-2200
Telephone ext.: 126
Contact email: MTUVERSON@BYPALISADES.COM
EPA Region: 09
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:
Owner/operator name: BRYANT SQUARE, LLC
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 12/07/1957
Owner/Op end date: Not reported

Owner/operator name: BRYANT SQUARE, LLC
Owner/operator address: 212 MARINE ST. STC 100
SOUTH MONICA, CA 90405
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 12/07/1997
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No

**BRYANT SQUARE, LLC (Continued)** **1012175466**

Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Hazardous Waste Summary:
Waste code: D008
Waste name: LEAD

Violation Status: No violations found

---

**C36** **COMMERCIAL** **UST** **U004003582**
**SSE** **2125 BRYANT ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.046 mi.**
**241 ft.** **Site 6 of 14 in cluster C**

**Relative:**
**Higher**

**Actual:**
**37 ft.**

SAN FRANCISCO CO. UST:
Facility ID: 25439
Facility Status: Not reported
Number Of Tanks: 3
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: 255 Shipley St
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: Golden Gate Tank
Application Date: 11/2/2000
Application Name: Tracy Wallace
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported
Local Tank Id: Not reported
Tank Manufacturer: Not reported
Compartmentalized Tank: Not reported
# Of Tank Compartments: Not reported
Date Tank Installed: Not reported
Tank Capacity: Not reported
Additional Desc: Not reported
Tank Use: Not reported
Petroleum Type: Not reported
Common Name: Not reported
Case Number: Not reported
Type Of Tank: Not reported
Primary Tank Material: Not reported
Secondary Tank Material: Not reported

**COMMERCIAL (Continued)** **U004003582**

| | |
|---|---|
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 11/3/2000 |
| UST Close ID: | 4047 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**C37** **PILALASADES DEVELOPMENT GROUP** **LUST S104889610**
**SSE** **2125 BRYANT ST** **HAZNET N/A**
**< 1/8** **SAN FRANCISCO, CA 94110**
**0.046 mi.**
**241 ft.** **Site 7 of 14 in cluster C**

**Relative:** LUST:
**Higher**

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607559434 |
| **Actual:** Latitude: | 37.760152 |
| **37 ft.** Longitude: | -122.40998 |
| Case Type: | LUST Cleanup Site |

**PILALASADES DEVELOPMENT GROUP (Continued)** **S104889610**

| | |
|---|---|
| Status: | Completed - Case Closed |
| Status Date: | 06/21/2002 |
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | AL |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-2041 |
| LOC Case Number: | 11426 |
| File Location: | Not reported |
| Potential Media Affect: | Soil |
| Potential Contaminants of Concern: | Stoddard solvent / Mineral Spriits / Distillates |
| Site History: | Not reported |

Click here to access the California GeoTracker records for this facility:

LUST:

| | |
|---|---|
| Global Id: | T0607559434 |
| Contact Type: | Local Agency Caseworker |
| Contact Name: | ALBERT LEE |
| Organization Name: | SAN FRANCISCO COUNTY LOP |
| Address: | 1390 MARKET STREET, #210 |
| City: | SAN FRANCISCO |
| Email: | albert.lee@sfdph.org |
| Phone Number: | Not reported |

| | |
|---|---|
| Global Id: | T0607559434 |
| Contact Type: | Regional Board Caseworker |
| Contact Name: | VIC PAL |
| Organization Name: | SAN FRANCISCO BAY RWQCB (REGION 2) |
| Address: | 1515 CLAY STREET, SUITE 1400 |
| City: | OAKLAND |
| Email: | vpal@waterboards.ca.gov |
| Phone Number: | Not reported |

LUST:

| | |
|---|---|
| Global Id: | T0607559434 |
| Action Type: | ENFORCEMENT |
| Date: | 06/21/2002 |
| Action: | Closure/No Further Action Letter |

| | |
|---|---|
| Global Id: | T0607559434 |
| Action Type: | ENFORCEMENT |
| Date: | 04/11/2002 |
| Action: | Staff Letter |

| | |
|---|---|
| Global Id: | T0607559434 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Reported |

| | |
|---|---|
| Global Id: | T0607559434 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Discovery |

LUST REG 2:

| | |
|---|---|
| Region: | 2 |

**PILALASADES DEVELOPMENT GROUP (Continued)** **S104889610**

Facility Id: 38-2041
Facility Status: Case Closed
Case Number: 11426
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: 11/3/2000
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 02-101-004
Facility Status: Case Closed
Case Number: 11426
Case Type: Soil only
Release Date: Not reported
Discovered Date: 11/3/2000
Substance: Stoddard Solvent
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Close Tank
Report Date: 11/3/2000
Case Closed: 6/21/2002
Closed Date: Not reported
Leak Source: Tank
Leak Cause: Corrosion
Leak Confirmed: 11/3/2000
Entered Date: 1/19/2001
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: Not reported
RP Address: Not reported
Operator: Sharon Lee
Staff Initial: VP
Facility Staff: AL
Cross Street: 20th St
NOR Date: Not reported
MTBE Current: Not reported
MTBE Current Date: 11/3/2000
MTBE: YES
Maximum MTBE Soil: 800
Maximum MTBE GW: Not reported
MTBE DATE: 11/3/2000
Review Date: 6/19/2002
Workplan Submitted: Not reported
Assessment Underway: Not reported
Pollution Characterization: Not reported
Corrective Action Plan: Not reported

**PILALASADES DEVELOPMENT GROUP (Continued)** **S104889610**

| | |
|---|---|
| Remediation Underway: | Not reported |
| Monitoring Begun: | Not reported |
| Funding: | Federal |
| Interim Remediation: | No |
| Priority: | Low Priority Site |
| Abatement: | Excavate and Dispose - remove contaminated soil and dispose in approved site |
| Enforcement Type: | Informal Enforcement Actions,including Notices of Violations and Staff Enforcement Letters |
| Enforcement Due Date: | 4/11/2002 |
| Basin: | DOWNTOWN |
| Beneficial Use: | No |
| Lat/Long: | Not reported |
| CUFID: | Not reported |
| Suspended: | No |
| Stopped Date: | Not reported |
| Free Product: | Not reported |
| Depth to Grnd Wtr: | Not reported |
| Gradient: | Not reported |
| Benzene: | Not reported |
| Primary Substance: | Not reported |
| Enforcement Type: | Not reported |
| Amount of Free Produce: | Not reported |
| Benzene Test: | YES |
| Maximum Soil GW: | Not reported |
| Max Soil Concentration: | Not reported |
| TPH Tested: | YES |
| Max TPH GW: | Not reported |
| Max TPH Soil: | 490 |
| TPH Date: | 11/3/2000 |
| Block: | Not reported |
| Lot: | Not reported |
| Notify: | False |
| TPH Current: | Not reported |
| TPH Current Date: | Not reported |
| Grnd Wtr Qualifier: | Not reported |
| Soil Qualifier: | Not reported |
| Comments: | Not reported |
| Summary: | 1/22/01 request a |

HAZNET:

| | |
|---|---|
| Year: | 2007 |
| Gepaid: | CAC002612937 |
| Contact: | JUN FUJITA |
| Telephone: | 9254841919 |
| Mailing Name: | Not reported |
| Mailing Address: | 1416 2ND ST |
| Mailing City,St,Zip: | SANTA MONICA, CA 904012302 |
| Gen County: | San Francisco |
| TSD EPA ID: | UTC093012201 |
| TSD County: | 99 |
| Waste Category: | Contaminated soil from site clean-up |
| Disposal Method: | Landfill Or Surface Impoundment That Will Be Closed As Landfill( To Include On-Site Treatment And/Or Stabilization) |
| Tons: | 220 |
| Facility County: | San Francisco |

**E38** **CELICA SALON** **EDR US Hist Auto Stat** **1009002608**
**SSW** **729 FLORIDA ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.048 mi.**
**256 ft.** **Site 1 of 2 in cluster E**

**Relative:** EDR Historical Auto Stations:
**Lower** Name: CELICA SALON
Year: 1982
**Actual:** Type: AUTOMOBILE REPAIRING
**29 ft.**

Name: CELICA SALON
Year: 1982
Type: AUTOMOBILE REPAIRING

---

**E39** **WEICHHART STAMPING CO#** **RCRA-SQG** **1000170738**
**SSW** **730 FLORIDA ST** **FINDS** **CAD009138934**
**< 1/8** **SAN FRANCISCO, CA 94110**
**0.050 mi.**
**266 ft.** **Site 2 of 2 in cluster E**

**Relative:** RCRA-SQG:
**Lower** Date form received by agency: 09/01/1996
Facility name: WEICHHART STAMPING CO#
**Actual:** Facility address: 730 FLORIDA ST
**29 ft.** SAN FRANCISCO, CA 94110
EPA ID: CAD009138934
Contact: Not reported
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 09
Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:
Owner/operator name: JOHN M WEICHHART
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: (415) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NOT REQUIRED
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: (415) 555-1212
Legal status: Private

**WEICHHART STAMPING CO# (Continued)** **1000170738**

Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 09/03/1980
Facility name: WEICHHART STAMPING CO#
Classification: Large Quantity Generator

Facility Has Received Notices of Violations:
Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 10/07/1986
Date achieved compliance: 01/01/1987
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/20/1987
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:
Evaluation date: 10/07/1986
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 01/01/1987
Evaluation lead agency: State

FINDS:

Registry ID: 110002635364

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport,

**WEICHHART STAMPING CO# (Continued)** **1000170738**

and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

---

**C40** **BARBE J B & SON** **EDR US Hist Cleaners** **1009178373**
**SSE** **2132 BRYANT** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.051 mi.**
**269 ft.** **Site 8 of 14 in cluster C**

**Relative:**
**Higher**

**Actual:**
**37 ft.**

EDR Historical Cleaners:

| | |
|---|---|
| Name: | BARBE J B |
| Year: | 1930 |
| Type: | LAUNDRIES-HAND |
| Name: | BARBE J B |
| Year: | 1935 |
| Type: | LAUNDRIES-HAND |
| Name: | BARBE JOHN |
| Year: | 1940 |
| Type: | LAUNDRIES-HAND |
| Name: | BARBE J B & SON |
| Year: | 1944 |
| Type: | LAUNDRIES-HAND |
| Name: | SHING J G |
| Year: | 1949 |
| Type: | LAUNDRIES-CHINESE |
| Name: | AMERICAN WEST LAUNDRY |
| Year: | 1953 |
| Type: | LAUNDRIES |
| Name: | SON LEE LAUNDRY |
| Year: | 1958 |
| Type: | LAUNDRIES |
| Name: | SON LEE LAUNDRY |
| Year: | 1962 |
| Type: | LAUNDRIES |
| Name: | SON LEE LAUNDRY |
| Year: | 1966 |
| Type: | LAUNDRIES |

**C41**
**SSE**
**< 1/8**
**0.052 mi.**
**275 ft.**

**BARBE JOHN**
**2132 BRYANT ST**
**SAN FRANCISCO, CA**

**EDR US Hist Cleaners** **1009127919**
**N/A**

**Site 9 of 14 in cluster C**

**Relative:**
**Higher**

**Actual:**
**37 ft.**

EDR Historical Cleaners:

| | |
|---|---|
| Name: | BARBE J B |
| Year: | 1930 |
| Type: | LAUNDRIES-HAN |
| Name: | BARBE J B |
| Year: | 1935 |
| Type: | LAUNDRIES-HAN |
| Name: | BARBE J B |
| Year: | 1935 |
| Type: | LAUNDRIES-HAN |
| Name: | BARBE JOHN |
| Year: | 1940 |
| Type: | LAUNDRIES HAN |
| Name: | BARBE J B & SON |
| Year: | 1944 |
| Type: | LAUNDRIES-HAND |
| Name: | SHING J G |
| Year: | 1949 |
| Type: | LAUNDRIES-CHINESE |
| Name: | SON LEE LAUNDRY |
| Year: | 1958 |
| Type: | LAUNDRIES |
| Name: | SON LEE LAUNDRY |
| Year: | 1962 |
| Type: | LAUNDRIES |
| Name: | SON LEE LAUNDRY |
| Year: | 1966 |
| Type: | LAUNDRIES |
| Name: | SON LEE LAUNDRY |
| Year: | 1977 |
| Type: | LAUNDRIES AND DRY CLEANERS |
| Name: | SON LEE LAUNDRY |
| Year: | 1977 |
| Type: | LAUNDRIES AND DRY CLEANERS |

**F42**
**East**
**< 1/8**
**0.060 mi.**
**315 ft.**

**CHAIR CANERS LIZARD PRODUCTS**
**660 YORK ST CHAIR MFRS**
**SAN FRANCISCO, CA**

**EDR US Hist Cleaners** **1009181603**
**N/A**

**Site 1 of 8 in cluster F**

**Relative:**
**Higher**

**Actual:**
**45 ft.**

EDR Historical Cleaners:

| | |
|---|---|
| Name: | CHAIR CANERS LIZARD PRODUCTS |
| Year: | 1977 |
| Type: | CLEANERS |

---

**F43**
**ENE**
**< 1/8**
**0.060 mi.**
**317 ft.**

**VACANT**
**620 YORK ST**
**SAN FRANCISCO, CA 94110**

**CA FID UST** **S101592259**
**SWEEPS UST** **N/A**

**Site 2 of 8 in cluster F**

**Relative:**
**Higher**

**Actual:**
**44 ft.**

CA FID UST:

| | |
|---|---|
| Facility ID: | 38001954 |
| Regulated By: | UTNKA |
| Regulated ID: | Not reported |
| Cortese Code: | Not reported |
| SIC Code: | Not reported |
| Facility Phone: | 4150000000 |
| Mail To: | Not reported |
| Mailing Address: | 620 YORK ST |
| Mailing Address 2: | Not reported |
| Mailing City,St,Zip: | SAN FRANCISCO 94110 |
| Contact: | Not reported |
| Contact Phone: | Not reported |
| DUNs Number: | Not reported |
| NPDES Number: | Not reported |
| EPA ID: | Not reported |
| Comments: | Not reported |
| Status: | Active |

SWEEPS UST:

| | |
|---|---|
| Status: | Not reported |
| Comp Number: | 2112 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-002112-000001 |
| Actv Date: | Not reported |
| Capacity: | 1000 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | 1 |

| | |
|---|---|
| Status: | Active |
| Comp Number: | 2112 |
| Number: | 9 |
| Board Of Equalization: | Not reported |
| Referral Date: | 09-30-92 |

**VACANT (Continued)** **S101592259**

| | |
|---|---|
| Action Date: | 12-10-91 |
| Created Date: | 01-01-01 |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | Not reported |
| Actv Date: | Not reported |
| Capacity: | Not reported |
| Tank Use: | Not reported |
| Stg: | Not reported |
| Content: | Not reported |
| Number Of Tanks: | Not reported |

---

**F44** **YORK STREET STUDIO HOA** **HIST CORTESE S102435618**
**ENE** **620 YORK ST** **LUST N/A**
**< 1/8** **SAN FRANCISCO, CA 94110** **HAZNET**
**0.060 mi.**
**317 ft.** **Site 3 of 8 in cluster F**

**Relative:**
**Higher**

**Actual:**
**44 ft.**

CORTESE:

| | |
|---|---|
| Region: | CORTESE |
| Facility County Code: | 38 |
| Reg By: | LTNKA |
| Reg Id: | 38-0251 |

LUST:

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607500216 |
| Latitude: | 37.7615157 |
| Longitude: | -122.4091472 |
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |
| Status Date: | 11/28/1991 |
| Lead Agency: | SAN FRANCISCO BAY RWQCB (REGION 2) |
| Case Worker: | VP |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-0251 |
| LOC Case Number: | 38-0251 |
| File Location: | Not reported |
| Potential Media Affect: | Under Investigation |
| Potential Contaminants of Concern: | Gasoline |
| Site History: | Not reported |

Click here to access the California GeoTracker records for this facility:

LUST:

| | |
|---|---|
| Global Id: | T0607500216 |
| Contact Type: | Local Agency Caseworker |
| Contact Name: | UNK |
| Organization Name: | SAN FRANCISCO COUNTY LOP |
| Address: | Not reported |
| City: | r2 UNKNOWN |
| Email: | Not reported |
| Phone Number: | Not reported |

| | |
|---|---|
| Global Id: | T0607500216 |
| Contact Type: | Regional Board Caseworker |
| Contact Name: | VIC PAL |
| Organization Name: | SAN FRANCISCO BAY RWQCB (REGION 2) |

**YORK STREET STUDIO HOA (Continued)** **S102435618**

Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0607500216
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500216
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

Global Id: T0607500216
Action Type: Other
Date: 01/01/1950
Action: Leak Stopped

LUST REG 2:
Region: 2
Facility Id: 38-0251
Facility Status: Case Closed
Case Number: 38-0251
How Discovered: Tank Closure
Leak Cause: Structure Failure
Leak Source: Tank
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

HAZNET:
Year: 2007
Gepaid: CAC002624297
Contact: BLUE MUROV
Telephone: 5107326111
Mailing Name: Not reported
Mailing Address: 2711 18TH ST APT 9
Mailing City,St,Zip: SAN FRANCISCO, CA 94110
Gen County: San Francisco
TSD EPA ID: CAD028409019
TSD County: Los Angeles
Waste Category: Other inorganic solid waste
Disposal Method: Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.5
Facility County: San Francisco

**C45** **BAY GUARDIAN NEWSPAPER** **CA FID UST** **S101592617**
**ESE** **2700 19TH ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA 94110**
**0.063 mi.**
**332 ft.** **Site 10 of 14 in cluster C**

**Relative:**
**Higher**

**Actual:**
**46 ft.**

CA FID UST:

| | |
|---|---|
| Facility ID: | 38005497 |
| Regulated By: | UTNKA |
| Regulated ID: | Not reported |
| Cortese Code: | Not reported |
| SIC Code: | Not reported |
| Facility Phone: | 4150000000 |
| Mail To: | Not reported |
| Mailing Address: | 2700 19TH ST |
| Mailing Address 2: | Not reported |
| Mailing City,St,Zip: | SAN FRANCISCO 94110 |
| Contact: | Not reported |
| Contact Phone: | Not reported |
| DUNs Number: | Not reported |
| NPDES Number: | Not reported |
| EPA ID: | Not reported |
| Comments: | Not reported |
| Status: | Active |

---

**C46** **BAY GUARDIAN NEWSPAPER** **SWEEPS UST** **S106923131**
**ESE** **2700 19TH AVE** **N/A**
**< 1/8** **SAN FRANCISCO, CA 94110**
**0.063 mi.**
**332 ft.** **Site 11 of 14 in cluster C**

**Relative:**
**Higher**

**Actual:**
**46 ft.**

SWEEPS UST:

| | |
|---|---|
| Status: | Active |
| Comp Number: | 9417 |
| Number: | 9 |
| Board Of Equalization: | Not reported |
| Referral Date: | 09-30-92 |
| Action Date: | 12-10-91 |
| Created Date: | 01-01-01 |
| Tank Status: | A |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-009417-000001 |
| Actv Date: | 09-30-92 |
| Capacity: | 1000 |
| Tank Use: | UNKNOWN |
| Stg: | P |
| Content: | UNSPECIFIED |
| Number Of Tanks: | 1 |

**C47** **BAY GUARDIAN** **UST** **U003902939**
**ESE** **2700 19TH ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.063 mi.**
**332 ft.** **Site 12 of 14 in cluster C**

**Relative:**
**Higher**

**Actual:**
**46 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 9417 |
| Facility Status: | Not reported |
| Number Of Tanks: | 1 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | Not reported |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Not reported |
| Application Date: | 9/14/1990 |
| Application Name: | Not reported |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| | |
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | Not reported |
| UST Close ID: | 732 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |

**BAY GUARDIAN (Continued)** **U003902939**

| | |
|---|---|
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**C48** **GROSVENOR PROPRTIES, LTD** **HIST CORTESE** **S103648236**
**ESE** **2700 19TH ST** **LUST** **N/A**
**< 1/8** **SAN FRANCISCO, CA 94110** **HAZNET**
**0.063 mi.**
**332 ft.** **Site 13 of 14 in cluster C**

**Relative:**
**Higher**

**Actual:**
**46 ft.**

CORTESE:

| | |
|---|---|
| Region: | CORTESE |
| Facility County Code: | 38 |
| Reg By: | LTNKA |
| Reg Id: | 38-1150 |

LUST:

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607501038 |
| Latitude: | 37.76082 |
| Longitude: | -122.409372 |
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |
| Status Date: | 08/07/1996 |
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | MA |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-1150 |
| LOC Case Number: | 10669 |
| File Location: | Not reported |

**GROSVENOR PROPRTIES, LTD (Continued)** **S103648236**

Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline
Site History: Not reported

Click here to access the California GeoTracker records for this facility:

LUST:
Global Id: T0607501038
Contact Type: Local Agency Caseworker
Contact Name: MAMDOUH AWWAD
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET, #210
City: SAN FRANCISCO
Email: mamdouh.awwad@sfdph.org
Phone Number: Not reported

Global Id: T0607501038
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0607501038
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607501038
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

LUST REG 2:
Region: 2
Facility Id: 38-1150
Facility Status: Case Closed
Case Number: 10669
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO

**GROSVENOR PROPRTIES, LTD (Continued)** **S103648236**

| | |
|---|---|
| Facility ID: | 38-1150 |
| Facility Status: | Case Closed |
| Case Number: | 10669 |
| Case Type: | Soil only |
| Release Date: | 3/28/1996 |
| Discovered Date: | 3/28/1996 |
| Substance: | Gasoline |
| Substance Qty: | Not reported |
| How Discovered: | Tank Closure |
| How Stopped: | Repair Tank |
| Report Date: | 3/28/1996 |
| Case Closed: | 8/7/1996 |
| Closed Date: | 8/7/1996 |
| Leak Source: | Unknown |
| Leak Cause: | Unknown |
| Leak Confirmed: | 8/6/1996 |
| Entered Date: | 8/6/1996 |
| Number of Wells: | Not reported |
| Regional Board: | San Francisco Bay Region |
| Local Agency: | 38000 |
| Lead Agency: | Local Agency |
| Program: | LOP |
| Responsible Party: | Not reported |
| RP Address: | Not reported |
| Operator: | Not reported |
| Staff Initial: | VP |
| Facility Staff: | MA |
| Cross Street: | NEW YORK ST |
| NOR Date: | 8/6/1996 |
| MTBE Current: | Not reported |
| MTBE Current Date: | Not reported |
| MTBE: | NT |
| Maximum MTBE Soil: | Not reported |
| Maximum MTBE GW: | Not reported |
| MTBE DATE: | Not reported |
| Review Date: | Not reported |
| Workplan Submitted: | Not reported |
| Assessment Underway: | Not reported |
| Pollution Characterization: | Not reported |
| Corrective Action Plan: | Not reported |
| Remediation Underway: | Not reported |
| Monitoring Begun: | Not reported |
| Funding: | Federal |
| Interim Remediation: | No |
| Priority: | Not reported |
| Abatement: | No Action Required - incident is minor, requiring no remedial action |
| Enforcement Type: | NOR |
| Enforcement Due Date: | Not reported |
| Basin: | Downtown Basin |
| Beneficial Use: | No |
| Lat/Long: | Not reported |
| CUFID: | Not reported |
| Suspended: | No |
| Stopped Date: | 3/28/1996 |
| Free Product: | No |
| Depth to Grnd Wtr: | Not reported |
| Gradient: | Not reported |

**GROSVENOR PROPRTIES, LTD (Continued)** **S103648236**

| | |
|---|---|
| Benzene: | Not reported |
| Primary Substance: | Gasoline |
| Enforcement Type: | Not reported |
| Amount of Free Produce: | Not reported |
| Benzene Test: | Not reported |
| Maximum Soil GW: | Not reported |
| Max Soil Concentration: | Not reported |
| TPH Tested: | Not reported |
| Max TPH GW: | Not reported |
| Max TPH Soil: | Not reported |
| TPH Date: | Not reported |
| Block: | Not reported |
| Lot: | Not reported |
| Notify: | False |
| TPH Current: | Not reported |
| TPH Current Date: | Not reported |
| Grnd Wtr Qualifier: | Not reported |
| Soil Qualifier: | Not reported |
| Comments: | Not reported |
| Summary: | Not reported |

HAZNET:

| | |
|---|---|
| Year: | 1998 |
| Gepaid: | CAC001417280 |
| Contact: | GROSVENOR YORK ASSOCIATES |
| Telephone: | 0000000000 |
| Mailing Name: | Not reported |
| Mailing Address: | 160 SANSOME ST STE 800 |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941040000 |
| Gen County: | San Francisco |
| TSD EPA ID: | CAD028409019 |
| TSD County: | Los Angeles |
| Waste Category: | Other organic solids |
| Disposal Method: | Transfer Station |
| Tons: | .4214 |
| Facility County: | San Francisco |

| | |
|---|---|
| Year: | 1998 |
| Gepaid: | CAC001417280 |
| Contact: | GROSVENOR YORK ASSOCIATES |
| Telephone: | 0000000000 |
| Mailing Name: | Not reported |
| Mailing Address: | 160 SANSOME ST STE 800 |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941040000 |
| Gen County: | San Francisco |
| TSD EPA ID: | CAD981382732 |
| TSD County: | 1 |
| Waste Category: | Asbestos containing waste |
| Disposal Method: | Disposal, Land Fill |
| Tons: | .4214 |
| Facility County: | San Francisco |

| | |
|---|---|
| Year: | 1996 |
| Gepaid: | CAC001204856 |
| Contact: | GY ASSOC |
| Telephone: | 0000000000 |
| Mailing Name: | Not reported |

**GROSVENOR PROPRTIES, LTD (Continued)** **S103648236**

| | |
|---|---|
| Mailing Address: | 160 SANSOME ST 8TH FLOOR |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941040000 |
| Gen County: | San Francisco |
| TSD EPA ID: | CAD004771168 |
| TSD County: | San Francisco |
| Waste Category: | Other empty containers 30 gallons or more |
| Disposal Method: | Recycler |
| Tons: | .5000 |
| Facility County: | San Francisco |

| | |
|---|---|
| Year: | 1996 |
| Gepaid: | CAC001204856 |
| Contact: | GY ASSOC |
| Telephone: | 0000000000 |
| Mailing Name: | Not reported |
| Mailing Address: | 160 SANSOME ST 8TH FLOOR |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941040000 |
| Gen County: | San Francisco |
| TSD EPA ID: | CAD083166728 |
| TSD County: | Stanislaus |
| Waste Category: | Waste oil and mixed oil |
| Disposal Method: | Recycler |
| Tons: | .7297 |
| Facility County: | San Francisco |

---

**C49** **2700 19TH ST BLDG** **UST** **U003915258**
**ESE** **2700 19TH ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.063 mi.**
**332 ft.** **Site 14 of 14 in cluster C**

**Relative:**
**Higher**

**Actual:**
**46 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 10524 |
| Facility Status: | Not reported |
| Number Of Tanks: | 1 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | 255 Shipley Street |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Golden Gate Tank |
| Application Date: | 3/18/1996 |
| Application Name: | Jim Tracy |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |

| | |
|---|---|
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |

**2700 19TH ST BLDG (Continued)** **U003915258**

| | |
|---|---|
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 3/28/1996 |
| UST Close ID: | 2488 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | 7/18/1996 |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

**F50**
**ENE**
**< 1/8**
**0.063 mi.**
**334 ft.**

**TURNER MARION CATERING**
**613 YORK ST**
**SAN FRANCISCO, CA**

**EDR US Hist Cleaners** **1009181196**
**N/A**

**Site 4 of 8 in cluster F**

**Relative:**
**Higher**

**Actual:**
**44 ft.**

EDR Historical Cleaners:

| | |
|---|---|
| Name: | PURIER MARION CATERING |
| Year: | 1982 |
| Type: | CLEANERS |

---

**G51**
**NE**
**< 1/8**
**0.065 mi.**
**343 ft.**

**PARAMOUNT PRESS**
**2701 18TH ST**
**SAN FRANCISCO, CA 94110**

**CA FID UST** **S101592483**
**SWEEPS UST** **N/A**

**Site 1 of 5 in cluster G**

**Relative:**
**Higher**

**Actual:**
**44 ft.**

CA FID UST:

| | |
|---|---|
| Facility ID: | 38005312 |
| Regulated By: | UTNKA |
| Regulated ID: | Not reported |
| Cortese Code: | Not reported |
| SIC Code: | Not reported |
| Facility Phone: | 4150000000 |
| Mail To: | Not reported |
| Mailing Address: | 2701 18TH ST |
| Mailing Address 2: | Not reported |
| Mailing City,St,Zip: | SAN FRANCISCO 94110 |
| Contact: | Not reported |
| Contact Phone: | Not reported |
| DUNs Number: | Not reported |
| NPDES Number: | Not reported |
| EPA ID: | Not reported |
| Comments: | Not reported |
| Status: | Active |

SWEEPS UST:

| | |
|---|---|
| Status: | Not reported |
| Comp Number: | 3024 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-003024-000001 |
| Actv Date: | Not reported |
| Capacity: | 1 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | 1 |

| | |
|---|---|
| Status: | Active |
| Comp Number: | 3024 |
| Number: | 9 |
| Board Of Equalization: | Not reported |
| Referral Date: | 09-30-92 |

**PARAMOUNT PRESS (Continued)** **S101592483**

| | |
|---|---|
| Action Date: | 12-10-91 |
| Created Date: | 01-01-01 |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | Not reported |
| Actv Date: | Not reported |
| Capacity: | Not reported |
| Tank Use: | Not reported |
| Stg: | Not reported |
| Content: | Not reported |
| Number Of Tanks: | Not reported |

---

**G52** **PARAMOUNT PRESS** **UST** **U004003863**
**NE** **2701 18TH ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.065 mi.**
**343 ft.** **Site 2 of 5 in cluster G**

**Relative:**
**Higher**

**Actual:**
**44 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 3024 |
| Facility Status: | Not reported |
| Number Of Tanks: | 1 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | Not reported |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Not reported |
| Application Date: | 6/20/1989 |
| Application Name: | Not reported |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| | |
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |

**PARAMOUNT PRESS (Continued)** **U004003863**

| | |
|---|---|
| Date Closed: | 7/21/1989 |
| UST Close ID: | 103 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**D53** **600 ALABAMA STREET** **UST** **U003915558**
**WNW** **600 ALABAMA ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.065 mi.**
**343 ft.** **Site 7 of 18 in cluster D**

**Relative:** **Lower**

**Actual:** **29 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 23239 |
| Facility Status: | Not reported |
| Number Of Tanks: | 1 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |

**600 ALABAMA STREET (Continued)** **U003915558**

| | |
|---|---|
| 2nd Care Of Add: | Not reported |
| Mailing Address: | 255 Shipley Street |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Golden Gate Tank |
| Application Date: | 4/26/1999 |
| Application Name: | Randy McManus |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |

| | |
|---|---|
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 5/5/1999 |
| UST Close ID: | 3715 |
| Type Of Spill Protection: | Not reported |

| | |
|---|---|
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |

**600 ALABAMA STREET (Continued)** **U003915558**

| | |
|---|---|
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

**D54** **ERIE AUTO REPAIR** **UST** **U003916205**
**WNW** **3014 18TH ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.072 mi.**
**378 ft.** **Site 8 of 18 in cluster D**

**Relative:** **Lower**

**Actual:** **28 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 10467 |
| Facility Status: | Not reported |
| Number Of Tanks: | 2 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | 1550 Wallace Ave. |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | L&W Environmental |
| Application Date: | 12/16/1999 |
| Application Name: | George Wilson |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| | |
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |

**ERIE AUTO REPAIR (Continued)** **U003916205**

| | |
|---|---|
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 12/22/1999 |
| UST Close ID: | 3881 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

| | |
|---|---|
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |

**ERIE AUTO REPAIR (Continued)** **U003916205**

| | |
|---|---|
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | Not reported |
| UST Close ID: | 3605 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgmd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

**ERIE AUTO REPAIR (Continued)** **U003916205**

| | |
|---|---|
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 10/26/1998 |
| UST Close ID: | 3452 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |

**ERIE AUTO REPAIR (Continued)** **U003916205**

| | |
|---|---|
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

**D55** **ERIE AUTO REPAIR** **EDR US Hist Auto Stat** **1009070238**
**WNW** **3014 18TH** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.072 mi.**
**378 ft.** **Site 9 of 18 in cluster D**

**Relative:**
**Lower**

**Actual:**
**28 ft.**

EDR Historical Auto Stations:

| | |
|---|---|
| Name: | ERIE AUTO REPAIR |
| Year: | 1966 |
| Type: | AUTOMOBILE REPAIRING |
| Name: | ERIE AUTO REPAIR SHOP |
| Year: | 1999 |
| Address: | 3014 18TH ST |
| Name: | ERIE AUTO REPAIR SHOP |
| Year: | 2000 |
| Address: | 3014 18TH ST |
| Name: | ERIE AUTO REPAIR SHOP |
| Year: | 2001 |
| Address: | 3014 18TH ST |
| Name: | ERIE AUTO TRUCK REPAIR |
| Year: | 2002 |
| Address: | 3014 18TH ST |
| Name: | ERIE AUTO REPAIR SHOP |
| Year: | 2003 |
| Address: | 3014 18TH ST |
| Name: | A A QUALITY AUTO RECONSTRUCTION |
| Year: | 2005 |
| Address: | 3014 18TH ST |
| Name: | ERIE AUTO TRUCK REPAIR |
| Year: | 2006 |
| Address: | 3014 18TH ST |
| Name: | ERIE AUTO TRUCK REPAIR |
| Year: | 2007 |
| Address: | 3014 18TH ST |
| Name: | ERIE AUTO TRUCK REPAIR |
| Year: | 2008 |
| Address: | 3014 18TH ST |
| Name: | ERIE AUTO TRUCK REPAIR |
| Year: | 2009 |
| Address: | 3014 18TH ST |
| Name: | ERIE AUTOTRUCK REPAIR |
| Year: | 2010 |

**ERIE AUTO REPAIR (Continued)** **1009070238**

Address: 3014 18TH ST

Name: ERIE AUTOTRUCK REPAIR
Year: 2011
Address: 3014 18TH ST

Name: ERIE AUTOTRUCK REPAIR
Year: 2012
Address: 3014 18TH ST

---

**D56** **ERIE AUTO REPAIR SHOP** **CA FID UST 1000195375**
**WNW** **3014 18TH ST** **SWEEPS UST N/A**
**< 1/8** **SAN FRANCISCO, CA 94110**
**0.072 mi.**
**378 ft.** **Site 10 of 18 in cluster D**

**Relative:**
**Lower**

**Actual:**
**28 ft.**

CA FID UST:
Facility ID: 38004146
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4154314985
Mail To: Not reported
Mailing Address: 3014 - 18TH ST
Mailing Address 2: Not reported
Mailing City,St,Zip: SAN FRANCISCO 94110
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

SWEEPS UST:
Status: Active
Comp Number: 2821
Number: 1
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Tank Status: A
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-002821-000001
Actv Date: 09-30-92
Capacity: 500
Tank Use: M.V. FUEL
Stg: P
Content: REG UNLEADED
Number Of Tanks: 2

Status: Active
Comp Number: 2821
Number: 1
Board Of Equalization: Not reported

**ERIE AUTO REPAIR SHOP (Continued)** **1000195375**

| | |
|---|---|
| Referral Date: | 09-30-92 |
| Action Date: | 12-10-91 |
| Created Date: | 01-01-01 |
| Tank Status: | A |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-002821-000002 |
| Actv Date: | 09-30-92 |
| Capacity: | 250 |
| Tank Use: | OIL |
| Stg: | W |
| Content: | UNSPECIFIED |
| Number Of Tanks: | Not reported |

---

**D57** **EIRO AUTO REPAIR** **HIST CORTESE** **S104889631**
**WNW** **3014 18TH ST** **LUST** **N/A**
**< 1/8** **SAN FRANCISCO, CA 94110** **HAZNET**
**0.072 mi.**
**378 ft.** **Site 11 of 18 in cluster D**

**Relative:** **Lower**

**Actual:** **28 ft.**

CORTESE:

| | |
|---|---|
| Region: | CORTESE |
| Facility County Code: | 38 |
| Reg By: | LTNKA |
| Reg Id: | 01-100-002 |

LUST:

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607500001 |
| Latitude: | 37.761841 |
| Longitude: | -122.412553 |
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |
| Status Date: | 01/04/2000 |
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | SC |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-2119 |
| LOC Case Number: | 11333 |
| File Location: | Not reported |
| Potential Media Affect: | Soil |
| Potential Contaminants of Concern: | Gasoline |
| Site History: | Not reported |

Click here to access the California GeoTracker records for this facility:

LUST:

| | |
|---|---|
| Global Id: | T0607500001 |
| Contact Type: | Regional Board Caseworker |
| Contact Name: | VIC PAL |
| Organization Name: | SAN FRANCISCO BAY RWQCB (REGION 2) |
| Address: | 1515 CLAY STREET, SUITE 1400 |
| City: | OAKLAND |
| Email: | vpal@waterboards.ca.gov |
| Phone Number: | Not reported |

| | |
|---|---|
| Global Id: | T0607500001 |
| Contact Type: | Local Agency Caseworker |
| Contact Name: | STEPHANIE CUSHING |

**EIRO AUTO REPAIR (Continued)** **S104889631**

Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET #210
City: SAN FRANCISCO
Email: stephanie.cushing@sfdph.org
Phone Number: Not reported

LUST:
Global Id: T0607500001
Action Type: ENFORCEMENT
Date: 01/05/2000
Action: Notice of Responsibility

Global Id: T0607500001
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500001
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

Region: STATE
Global Id: SL0607534880
Latitude: 37.761841
Longitude: -122.412553
Case Type: LUST Cleanup Site
Status: Open - Eligible for Closure
Status Date: 11/19/2012
Lead Agency: SAN FRANCISCO COUNTY LOP
Case Worker: SC
Local Agency: SAN FRANCISCO COUNTY LOP
RB Case Number: 38-2302
LOC Case Number: 11641
File Location: Local Agency
Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Diesel, Waste Oil / Motor / Hydraulic / Lubricating
Site History: Need to destroy wells for closure Site is influenced by off site sources

Click here to access the California GeoTracker records for this facility:

LUST:
Global Id: SL0607534880
Contact Type: Regional Board Caseworker
Contact Name: NANCY KATYL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET
City: OAKLAND
Email: nkatyl@waterboards.ca.gov
Phone Number: Not reported

Global Id: SL0607534880
Contact Type: Local Agency Caseworker
Contact Name: ELYSE HEILSHORN
Organization Name: SAN FRANCISCO COUNTY LOP

**EIRO AUTO REPAIR (Continued)** **S104889631**

Address: 1390 Market Street Suite 210
City: SAN FRANCISCO
Email: elyse.heilshorn@sfdph.org
Phone Number: 4152523885

LUST:
Global Id: SL0607534880
Action Type: ENFORCEMENT
Date: 03/05/2012
Action: Staff Letter

Global Id: SL0607534880
Action Type: REMEDIATION
Date: 01/01/1950
Action: Free Product Removal

Global Id: SL0607534880
Action Type: ENFORCEMENT
Date: 11/01/2006
Action: Staff Letter

Global Id: SL0607534880
Action Type: ENFORCEMENT
Date: 06/19/2010
Action: File review

Global Id: SL0607534880
Action Type: ENFORCEMENT
Date: 09/02/2011
Action: Site Visit / Inspection / Sampling

Global Id: SL0607534880
Action Type: ENFORCEMENT
Date: 09/07/2011
Action: Staff Letter

Global Id: SL0607534880
Action Type: ENFORCEMENT
Date: 10/04/2011
Action: Staff Letter

Global Id: SL0607534880
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: SL0607534880
Action Type: REMEDIATION
Date: 01/01/1950
Action: Other (Use Description Field)

Global Id: SL0607534880
Action Type: ENFORCEMENT
Date: 09/27/2005
Action: Staff Letter

Global Id: SL0607534880

**EIRO AUTO REPAIR (Continued)** **S104889631**

Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

Global Id: SL0607534880
Action Type: ENFORCEMENT
Date: 09/29/2004
Action: Notice of Responsibility

Global Id: SL0607534880
Action Type: ENFORCEMENT
Date: 01/14/2005
Action: File review

LUST REG 2:
Region: 2
Facility Id: 38-2119
Facility Status: Case Closed
Case Number: 11333
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 02-100-002
Facility Status: Case Closed
Case Number: 11333
Case Type: Soil only
Release Date: Not reported
Discovered Date: 12/22/1999
Substance: Gasoline
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Close Tank
Report Date: 1/4/2000
Case Closed: 2/2/2001
Closed Date: Not reported
Leak Source: Tank
Leak Cause: Corrosion
Leak Confirmed: 12/22/1999
Entered Date: 1/5/2000
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP

**EIRO AUTO REPAIR (Continued)** **S104889631**

| | |
|---|---|
| Responsible Party: | Not reported |
| RP Address: | Not reported |
| Operator: | Ray Cashman |
| Staff Initial: | VP |
| Facility Staff: | SC |
| Cross Street: | Harrison |
| NOR Date: | 1/5/2000 |
| MTBE Current: | Not reported |
| MTBE Current Date: | 1/18/2000 |
| MTBE: | YES |
| Maximum MTBE Soil: | 0.006 |
| Maximum MTBE GW: | Not reported |
| MTBE DATE: | 1/18/2000 |
| Review Date: | 1/31/2001 |
| Workplan Submitted: | Not reported |
| Assessment Underway: | Not reported |
| Pollution Characterization: | Not reported |
| Corrective Action Plan: | Not reported |
| Remediation Underway: | 1/18/2000 |
| Monitoring Begun: | Not reported |
| Funding: | Federal |
| Interim Remediation: | No |
| Priority: | Low Priority Site |
| Abatement: | Excavate and Dispose - remove contaminated soil and dispose in approved site |
| Enforcement Type: | NOR |
| Enforcement Due Date: | 1/5/2000 |
| Basin: | Downtown Basin |
| Beneficial Use: | No |
| Lat/Long: | Not reported |
| CUFID: | Not reported |
| Suspended: | No |
| Stopped Date: | 12/22/1999 |
| Free Product: | Not reported |
| Depth to Grnd Wtr: | Not reported |
| Gradient: | Not reported |
| Benzene: | Not reported |
| Primary Substance: | Gasoline |
| Enforcement Type: | Not reported |
| Amount of Free Produce: | Not reported |
| Benzene Test: | YES |
| Maximum Soil GW: | Not reported |
| Max Soil Concentration: | Not reported |
| TPH Tested: | YES |
| Max TPH GW: | Not reported |
| Max TPH Soil: | 300 |
| TPH Date: | 12/22/1999 |
| Block: | Not reported |
| Lot: | Not reported |
| Notify: | False |
| TPH Current: | Not reported |
| TPH Current Date: | Not reported |
| Grnd Wtr Qualifier: | Not reported |
| Soil Qualifier: | Not reported |
| Comments: | Not reported |
| Summary: | Not reported |

**EIRO AUTO REPAIR (Continued)** **S104889631**

HAZNET:

| | |
|---|---|
| Year: | 2000 |
| Gepaid: | CAC002236129 |
| Contact: | CASHMAN RAY |
| Telephone: | 4154314985 |
| Mailing Name: | Not reported |
| Mailing Address: | 3014 18TH ST |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941102006 |
| Gen County: | San Francisco |
| TSD EPA ID: | CAL000161743 |
| TSD County: | Santa Clara |
| Waste Category: | Other organic solids |
| Disposal Method: | Transfer Station |
| Tons: | .3750 |
| Facility County: | San Francisco |

| | |
|---|---|
| Year: | 2000 |
| Gepaid: | CAC002236129 |
| Contact: | CASHMAN RAY |
| Telephone: | 4154314985 |
| Mailing Name: | Not reported |
| Mailing Address: | 3014 18TH ST |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941102006 |
| Gen County: | San Francisco |
| TSD EPA ID: | CAL000161743 |
| TSD County: | Santa Clara |
| Waste Category: | Unspecified oil-containing waste |
| Disposal Method: | Transfer Station |
| Tons: | .4587 |
| Facility County: | San Francisco |

---

**D58** **ERIE AUTO REPAIR** **EDR US Hist Auto Stat** **1009001455**
**WNW** **3014 18TH ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.072 mi.**
**378 ft.** **Site 12 of 18 in cluster D**

**Relative:**
**Lower**

**Actual:**
**28 ft.**

EDR Historical Auto Stations:

| | |
|---|---|
| Name: | ERIE AUTO REPAIR |
| Year: | 1966 |
| Type: | AUTOMOBILE REPAIRING |

| | |
|---|---|
| Name: | ERIE AUTC REPAIR |
| Year: | 1971 |
| Type: | AUTOMOBILE REPAIRING |

| | |
|---|---|
| Name: | ERIE AUTO REPAIR |
| Year: | 1971 |
| Type: | AUTOMOBILE REPAIRING |

| | |
|---|---|
| Name: | ERIE AUTO REPAIR |
| Year: | 1977 |
| Type: | AUTOMOBILE REPAIRING |

| | |
|---|---|
| Name: | ERIE AUTO REPAIR |
| Year: | 1977 |
| Type: | AUTOMOBILE REPAIRING |

**ERIE AUTO REPAIR (Continued)** **1009001455**

Name: ERIE AUTO REPAIR
Year: 1982
Type: AUTOMOBILE REPAIRING

Name: ERIE AUTO REPAIR
Year: 1982
Type: AUTOMOBILE REPAIRING

---

**F59** **THOMAS FETHERSTON** **RCRA-SQG 1000296454**
**ESE** **720 YORK ST #210** **FINDS CAD051696599**
**< 1/8** **SAN FRANCISCO, CA 94110** **HAZNET**
**0.072 mi.**
**380 ft.** **Site 5 of 8 in cluster F**

**Relative:**
**Higher**

**Actual:**
**45 ft.**

RCRA-SQG:
Date form received by agency: 09/01/1996
Facility name: THOMAS FETHERSTON
Facility address: 720 YORK ST #210
SAN FRANCISCO, CA 94110
EPA ID: CAD051696599
Contact: Not reported
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 09
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:
Owner/operator name: THOS FETHERSTON
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: (415) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NOT REQUIRED
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: (415) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No

**THOMAS FETHERSTON (Continued)** **1000296454**

Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 09/23/1985
Facility name: THOMAS FETHERSTON
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110002648564

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

HAZNET:
Year: 1997
Gepaid: CAD051696599
Contact: THOMAS FETHERSTON
Telephone: 4159214481
Mailing Name: Not reported
Mailing Address: 720 YORK ST
Mailing City,St,Zip: SAN FRANCISCO, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAD008302903
TSD County: Los Angeles
Waste Category: Oxygenated solvents (acetone, butanol, ethyl acetate, etc.)
Disposal Method: Recycler
Tons: .4950
Facility County: San Francisco

Year: 1994
Gepaid: CAD051696599
Contact: THOMAS FETHERSTON
Telephone: 4159214481
Mailing Name: Not reported
Mailing Address: 720 YORK ST

**THOMAS FETHERSTON (Continued)** **1000296454**

| | |
|---|---|
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941100000 |
| Gen County: | San Francisco |
| TSD EPA ID: | CAD008302903 |
| TSD County: | Los Angeles |
| Waste Category: | Oxygenated solvents (acetone, butanol, ethyl acetate, etc.) |
| Disposal Method: | Not reported |
| Tons: | .6880 |
| Facility County: | San Francisco |

---

**F60** **MOORE EARTH CO. (FORMERLY)** **LUST** **S106162505**
**ESE** **720-750 YORK STREET** **N/A**
**< 1/8** **SAN FRANCISCO, CA 94110**
**0.072 mi.**
**380 ft.** **Site 6 of 8 in cluster F**

**Relative:**
**Higher**

**Actual:**
**45 ft.**

LUST:

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607500964 |
| Latitude: | 37.760148 |
| Longitude: | -122.409146 |
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |
| Status Date: | 09/20/1999 |
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | CDM |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-1071 |
| LOC Case Number: | 10800 |
| File Location: | Not reported |
| Potential Media Affect: | Other Groundwater (uses other than drinking water) |
| Potential Contaminants of Concern: | Gasoline |
| Site History: | Not reported |

Click here to access the California GeoTracker records for this facility:

LUST:

| | |
|---|---|
| Global Id: | T0607500964 |
| Contact Type: | Local Agency Caseworker |
| Contact Name: | CDM |
| Organization Name: | SAN FRANCISCO COUNTY LOP |
| Address: | 101 GROVE STREET |
| City: | SAN FRANCISCO |
| Email: | Not reported |
| Phone Number: | Not reported |

| | |
|---|---|
| Global Id: | T0607500964 |
| Contact Type: | Regional Board Caseworker |
| Contact Name: | VIC PAL |
| Organization Name: | SAN FRANCISCO BAY RWQCB (REGION 2) |
| Address: | 1515 CLAY STREET, SUITE 1400 |
| City: | OAKLAND |
| Email: | vpal@waterboards.ca.gov |
| Phone Number: | Not reported |

LUST:

| | |
|---|---|
| Global Id: | T0607500964 |
| Action Type: | Other |
| Date: | 01/01/1950 |

**MOORE EARTH CO. (FORMERLY) (Continued)** **S106162505**

Action: Leak Reported

Global Id: T0607500964
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

LUST REG 2:
Region: 2
Facility Id: 38-1071
Facility Status: Case Closed
Case Number: 10800
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 38-1071
Facility Status: Case Closed
Case Number: 10800
Case Type: Other ground water affected
Release Date: 3/7/1997
Discovered Date: 2/28/1997
Substance: Gasoline
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Repair Tank
Report Date: 3/7/1997
Case Closed: 9/20/1999
Closed Date: 9/20/1999
Leak Source: Tank
Leak Cause: Unknown
Leak Confirmed: 7/30/1998
Entered Date: 10/22/1997
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: New RP = BRYANT
RP Address: Not reported
Operator: Not reported
Staff Initial: VP
Facility Staff: CDM
Cross Street: 19TH ST
NOR Date: 10/22/1997

**MOORE EARTH CO. (FORMERLY) (Continued)** **S106162505**

| | |
|---|---|
| MTBE Current: | Not reported |
| MTBE Current Date: | 11/25/1997 |
| MTBE: | ND |
| Maximum MTBE Soil: | Not reported |
| Maximum MTBE GW: | Not reported |
| MTBE DATE: | 11/25/1997 |
| Review Date: | 9/20/1999 |
| Workplan Submitted: | Not reported |
| Assessment Underway: | 11/25/1997 |
| Pollution Characterization: | Not reported |
| Corrective Action Plan: | Not reported |
| Remediation Underway: | Not reported |
| Monitoring Begun: | 6/1/1999 |
| Funding: | Federal |
| Interim Remediation: | Yes |
| Priority: | Moderate Priority Site |
| Abatement: | Excavate and Dispose - remove contaminated soil and dispose in approved site |
| Enforcement Type: | NOR |
| Enforcement Due Date: | Not reported |
| Basin: | Downtown Basin |
| Beneficial Use: | No |
| Lat/Long: | Not reported |
| CUFID: | Not reported |
| Suspended: | No |
| Stopped Date: | 2/25/1997 |
| Free Product: | No |
| Depth to Grnd Wtr: | Not reported |
| Gradient: | NW .006 |
| Benzene: | Not reported |
| Primary Substance: | Gasoline |
| Enforcement Type: | Not reported |
| Amount of Free Produce: | Not reported |
| Benzene Test: | YES |
| Maximum Soil GW: | Not reported |
| Max Soil Concentration: | <20 |
| TPH Tested: | YES |
| Max TPH GW: | Not reported |
| Max TPH Soil: | 6400 |
| TPH Date: | 11/25/1997 |
| Block: | Not reported |
| Lot: | Not reported |
| Notify: | False |
| TPH Current: | Not reported |
| TPH Current Date: | Not reported |
| Grnd Wtr Qualifier: | < |
| Soil Qualifier: | Not reported |
| Comments: | Not reported |
| Summary: | Updated 8/17/98. |

**F61** **MOORE EARTH** **UST** **U003916319**
**ESE** **720 YORK ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.072 mi.**
**380 ft.** **Site 7 of 8 in cluster F**

**Relative:** SAN FRANCISCO CO. UST:
**Higher**

| | |
|---|---|
| Facility ID: | 21473 |
| Facility Status: | Not reported |
| **Actual:** Number Of Tanks: | 1 |
| **45 ft.** Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | 255 Shipley Street |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Golden Gate Tank |
| Application Date: | 2/12/1997 |
| Application Name: | Tim Hallen |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| | |
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 2/25/1997 |
| UST Close ID: | 2828 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |

**MOORE EARTH (Continued)** U003916319

| | |
|---|---|
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | 9/10/1997 |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**F62**
**ESE**
**< 1/8**
**0.072 mi.**
**380 ft.**

**MOORE EARTH COMPANY** HIST CORTESE S104396894
**720 50 YORK** N/A
**SAN FRANCISCO, CA 94110**

**Site 8 of 8 in cluster F**

**Relative:**
**Higher**

**Actual:**
**45 ft.**

CORTESE:

| | |
|---|---|
| Region: | CORTESE |
| Facility County Code: | 38 |
| Reg By: | LTNKA |
| Reg Id: | 38-1071 |

---

**D63**
**NW**
**< 1/8**
**0.077 mi.**
**405 ft.**

**PEERLESS LINEN SERVICE** HIST UST U001595407
**575 ALABAMA ST** N/A
**SAN FRANCISCO, CA 94110**

**Site 13 of 18 in cluster D**

**Relative:**
**Lower**

**Actual:**
**29 ft.**

HIST UST:

| | |
|---|---|
| Region: | STATE |
| Facility ID: | 00000009040 |
| Facility Type: | Other |
| Other Type: | LAUNDRY (GARAGE) |
| Total Tanks: | 0003 |
| Contact Name: | S. A. SANTUCCI GENERAL MANAGER |

**PEERLESS LINEN SERVICE (Continued)** **U001595407**

Telephone: 4156215100
Owner Name: NEW SAN FRANCISCO LAUNDRY
Owner Address: 132 SOUTH MAPLE AVENUE
Owner City,St,Zip: SO. SAN FRANCISCO, CA 94080

Tank Num: 001
Container Num: 1
Year Installed: Not reported
Tank Capacity: 00002000
Tank Used for: PRODUCT
Type of Fuel: REGULAR
Tank Construction: Not reported
Leak Detection: None

Tank Num: 002
Container Num: 2
Year Installed: Not reported
Tank Capacity: 00001000
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Tank Construction: Not reported
Leak Detection: None

Tank Num: 003
Container Num: 3
Year Installed: Not reported
Tank Capacity: 00000500
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Tank Construction: Not reported
Leak Detection: None

---

**D64** **PEERLESS LINEN** **UST U003904225**
**NW** **570 ALABAMA ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.080 mi.**
**423 ft.** **Site 14 of 18 in cluster D**

**Relative:** SAN FRANCISCO CO. UST:
**Lower**
Facility ID: 22025
Facility Status: Not reported
**Actual:** Number Of Tanks: 3
**30 ft.** Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: 2484 Baumann
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: V.C.I. of
Application Date: 10/7/1997
Application Name: Verl K.
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported

**PEERLESS LINEN (Continued)** **U003904225**

| | |
|---|---|
| Yr Spill/Overfill Installed3: | Not reported |
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 12/18/1997 |
| UST Close ID: | 3047 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |

**PEERLESS LINEN (Continued)** **U003904225**

| | |
|---|---|
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

| | |
|---|---|
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 12/17/1986 |
| UST Close ID: | 408 |
| Type Of Spill Protection: | Not reported |

| | |
|---|---|
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |

**PEERLESS LINEN (Continued)** **U003904225**

| | |
|---|---|
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**D65** **PEERLESS LINEN SERVICE** **CA FID UST S101592058**
**NW** **570 ALABAMA ST** **SWEEPS UST N/A**
**< 1/8** **SAN FRANCISCO, CA 94110**
**0.080 mi.**
**423 ft.** **Site 15 of 18 in cluster D**

**Relative:**
**Lower**

**Actual:**
**30 ft.**

CA FID UST:

| | |
|---|---|
| Facility ID: | 38000420 |
| Regulated By: | UTNKA |
| Regulated ID: | Not reported |
| Cortese Code: | Not reported |
| SIC Code: | Not reported |
| Facility Phone: | 4150000000 |
| Mail To: | Not reported |
| Mailing Address: | 570 ALABAMA ST |
| Mailing Address 2: | Not reported |
| Mailing City,St,Zip: | SAN FRANCISCO 94110 |
| Contact: | Not reported |
| Contact Phone: | Not reported |
| DUNs Number: | Not reported |
| NPDES Number: | Not reported |
| EPA ID: | Not reported |
| Comments: | Not reported |
| Status: | Active |

SWEEPS UST:

| | |
|---|---|
| Status: | Not reported |
| Comp Number: | 3889 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-003889-000001 |
| Actv Date: | Not reported |
| Capacity: | 2000 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | 3 |

| | |
|---|---|
| Status: | Not reported |

**PEERLESS LINEN SERVICE (Continued)** **S101592058**

| | |
|---|---|
| Comp Number: | 3889 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-003889-000002 |
| Actv Date: | Not reported |
| Capacity: | 1000 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | Not reported |

| | |
|---|---|
| Status: | Not reported |
| Comp Number: | 3889 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-003889-000003 |
| Actv Date: | Not reported |
| Capacity: | 500 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | Not reported |

---

**D66**
**NW**
**< 1/8**
**0.080 mi.**
**423 ft.**

**PEERLESS LINEN COMPANY**
**570 ALABAMA ST.**
**SAN FRANCISCO, CA 94110**

**HIST CORTESE** **S104161879**
**LUST** **N/A**

**Site 16 of 18 in cluster D**

**Relative:**
**Lower**

**Actual:**
**30 ft.**

CORTESE:

| | |
|---|---|
| Region: | CORTESE |
| Facility County Code: | 38 |
| Reg By: | LTNKA |
| Reg Id: | 38-0385 |

LUST:

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607500338 |
| Latitude: | 37.762026 |
| Longitude: | -122.412336 |
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |
| Status Date: | 08/24/2007 |
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | MA |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-0385 |

**PEERLESS LINEN COMPANY (Continued)** **S104161879**

LOC Case Number: 10390
File Location: Local Agency
Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Gasoline
Site History: Not reported

Click here to access the California GeoTracker records for this facility:

LUST:
Global Id: T0607500338
Contact Type: Local Agency Caseworker
Contact Name: MAMDOUH AWWAD
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET, #210
City: SAN FRANCISCO
Email: mamdouh.awwad@sfdph.org
Phone Number: Not reported

Global Id: T0607500338
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0607500338
Action Type: ENFORCEMENT
Date: 07/21/2004
Action: Meeting

Global Id: T0607500338
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500338
Action Type: ENFORCEMENT
Date: 09/26/2005
Action: Staff Letter

Global Id: T0607500338
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

LUST REG 2:
Region: 2
Facility Id: 38-0385
Facility Status: Post remedial action monitoring
Case Number: 10390
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported

**PEERLESS LINEN COMPANY (Continued)** **S104161879**

Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 10/21/1986
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: 1/28/2003

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 38-0385
Facility Status: Not reported
Case Number: 10390
Case Type: Soil only
Release Date: 10/21/1986
Discovered Date: 10/21/1986
Substance: Gasoline
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Close Tank
Report Date: 10/21/1986
Case Closed: Not reported
Closed Date: Not reported
Leak Source: Tank
Leak Cause: Structure Failure
Leak Confirmed: Not reported
Entered Date: 3/27/1995
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: PEERLESS LINEN CO.
RP Address: Not reported
Operator: Not reported
Staff Initial: VP
Facility Staff: MA
Cross Street: 18TH ST
NOR Date: 3/27/1995
MTBE Current: Not reported
MTBE Current Date: Not reported
MTBE: YES
Maximum MTBE Soil: Not reported
Maximum MTBE GW: Not reported
MTBE DATE: Not reported
Review Date: Not reported
Workplan Submitted: 11/9/1995
Assessment Underway: Not reported
Pollution Characterization: Not reported
Corrective Action Plan: Not reported
Remediation Underway: Not reported
Monitoring Begun: Not reported
Funding: Federal
Interim Remediation: No
Priority: Not reported
Abatement: No Action Taken - no action has as yet been taken at the site

**PEERLESS LINEN COMPANY (Continued)** **S104161879**

| | |
|---|---|
| Enforcement Type: | NOR |
| Enforcement Due Date: | Not reported |
| Basin: | Downtown Basin |
| Beneficial Use: | No |
| Lat/Long: | Not reported |
| CUFID: | Not reported |
| Suspended: | No |
| Stopped Date: | 5/20/1986 |
| Free Product: | No |
| Depth to Grnd Wtr: | Not reported |
| Gradient: | SW |
| Benzene: | Not reported |
| Primary Substance: | Gasoline |
| Enforcement Type: | Not reported |
| Amount of Free Produce: | Not reported |
| Benzene Test: | YES |
| Maximum Soil GW: | Not reported |
| Max Soil Concentration: | Not reported |
| TPH Tested: | Not reported |
| Max TPH GW: | Not reported |
| Max TPH Soil: | 2680 |
| TPH Date: | Not reported |
| Block: | Not reported |
| Lot: | Not reported |
| Notify: | False |
| TPH Current: | Not reported |
| TPH Current Date: | Not reported |
| Grnd Wtr Qualifier: | Not reported |
| Soil Qualifier: | Not reported |
| Comments: | Not reported |
| Summary: | Not reported |

---

**G67**
**NE**
**< 1/8**
**0.083 mi.**
**436 ft.**

**BUSINESS FURNITURE AND DESIGN** **LUST S101591889**
**2650 18TH ST** **CA FID UST N/A**
**SAN FRANCISCO, CA 94110** **SWEEPS UST**

**Site 3 of 5 in cluster G**

**Relative:**
**Higher**

**Actual:**
**45 ft.**

LUST REG 2:

| | |
|---|---|
| Region: | 2 |
| Facility Id: | 38-0450 |
| Facility Status: | Case Closed |
| Case Number: | 10095 |
| How Discovered: | Not reported |
| Leak Cause: | Not reported |
| Leak Source: | Not reported |
| Date Leak Confirmed: | Not reported |
| Oversight Program: | LUST |
| Prelim. Site Assesment Wokplan Submitted: | Not reported |
| Preliminary Site Assesment Began: | Not reported |
| Pollution Characterization Began: | Not reported |
| Pollution Remediation Plan Submitted: | Not reported |
| Date Remediation Action Underway: | Not reported |
| Date Post Remedial Action Monitoring Began: | Not reported |

SAN FRANCISCO CO. LUST:

| | |
|---|---|
| Region: | SAN FRANCISCO |

**BUSINESS FURNITURE AND DESIGN (Continued)** **S101591889**

| | |
|---|---|
| Facility ID: | 38-0450 |
| Facility Status: | Case Closed |
| Case Number: | 10095 |
| Case Type: | Other ground water affected |
| Release Date: | 10/15/1991 |
| Discovered Date: | 10/15/1991 |
| Substance: | Gasoline |
| Substance Qty: | Not reported |
| How Discovered: | Tank Closure |
| How Stopped: | Close Tank |
| Report Date: | 10/15/1991 |
| Case Closed: | 6/27/1997 |
| Closed Date: | 6/27/1997 |
| Leak Source: | Tank |
| Leak Cause: | Structure Failure |
| Leak Confirmed: | 10/15/1992 |
| Entered Date: | 9/17/1992 |
| Number of Wells: | Not reported |
| Regional Board: | San Francisco Bay Region |
| Local Agency: | 38000 |
| Lead Agency: | Local Agency |
| Program: | LOP |
| Responsible Party: | Not reported |
| RP Address: | Not reported |
| Operator: | Not reported |
| Staff Initial: | VP |
| Facility Staff: | AL |
| Cross Street: | HAMPSHIRE ST |
| NOR Date: | 9/17/1992 |
| MTBE Current: | Not reported |
| MTBE Current Date: | Not reported |
| MTBE: | NT |
| Maximum MTBE Soil: | Not reported |
| Maximum MTBE GW: | Not reported |
| MTBE DATE: | Not reported |
| Review Date: | Not reported |
| Workplan Submitted: | Not reported |
| Assessment Underway: | Not reported |
| Pollution Characterization: | Not reported |
| Corrective Action Plan: | Not reported |
| Remediation Underway: | Not reported |
| Monitoring Begun: | Not reported |
| Funding: | Federal |
| Interim Remediation: | Yes |
| Priority: | Not reported |
| Abatement: | Excavate and Dispose - remove contaminated soil and dispose in approved site, Remove Free Product - remove floating product from water table |
| Enforcement Type: | NOR |
| Enforcement Due Date: | 9/17/1992 |
| Basin: | Downtown Basin |
| Beneficial Use: | No |
| Lat/Long: | Not reported |
| CUFID: | Not reported |
| Suspended: | No |
| Stopped Date: | 10/15/1991 |
| Free Product: | No |

**BUSINESS FURNITURE AND DESIGN (Continued)** **S101591889**

| | |
|---|---|
| Depth to Grnd Wtr: | Not reported |
| Gradient: | Not reported |
| Benzene: | Not reported |
| Primary Substance: | Gasoline |
| Enforcement Type: | Not reported |
| Amount of Free Produce: | Not reported |
| Benzene Test: | YES |
| Maximum Soil GW: | Not reported |
| Max Soil Concentration: | Not reported |
| TPH Tested: | Not reported |
| Max TPH GW: | Not reported |
| Max TPH Soil: | Not reported |
| TPH Date: | Not reported |
| Block: | Not reported |
| Lot: | Not reported |
| Notify: | False |
| TPH Current: | Not reported |
| TPH Current Date: | Not reported |
| Grnd Wtr Qualifier: | Not reported |
| Soil Qualifier: | Not reported |
| Comments: | Not reported |
| Summary: | Not reported |

CA FID UST:

| | |
|---|---|
| Facility ID: | 38000097 |
| Regulated By: | UTNKA |
| Regulated ID: | Not reported |
| Cortese Code: | Not reported |
| SIC Code: | Not reported |
| Facility Phone: | 4150000000 |
| Mail To: | Not reported |
| Mailing Address: | 2650 18TH ST |
| Mailing Address 2: | Not reported |
| Mailing City,St,Zip: | SAN FRANCISCO 94110 |
| Contact: | Not reported |
| Contact Phone: | Not reported |
| DUNs Number: | Not reported |
| NPDES Number: | Not reported |
| EPA ID: | Not reported |
| Comments: | Not reported |
| Status: | Active |

SWEEPS UST:

| | |
|---|---|
| Status: | Not reported |
| Comp Number: | 2883 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-002883-000001 |
| Actv Date: | Not reported |
| Capacity: | 5000 |
| Tank Use: | UNKNOWN |

**BUSINESS FURNITURE AND DESIGN (Continued)** **S101591889**

| | |
|---|---|
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | 6 |
| | |
| Status: | Not reported |
| Comp Number: | 2883 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-002883-000002 |
| Actv Date: | Not reported |
| Capacity: | 1000 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | Not reported |
| | |
| Status: | Not reported |
| Comp Number: | 2883 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-002883-000003 |
| Actv Date: | Not reported |
| Capacity: | 1000 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | Not reported |
| | |
| Status: | Not reported |
| Comp Number: | 2883 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-002883-000004 |
| Actv Date: | Not reported |
| Capacity: | 1000 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | Not reported |
| | |
| Status: | Not reported |
| Comp Number: | 2883 |

**BUSINESS FURNITURE AND DESIGN (Continued)** **S101591889**

| | |
|---|---|
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-002883-000005 |
| Actv Date: | Not reported |
| Capacity: | 1000 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | Not reported |

| | |
|---|---|
| Status: | Not reported |
| Comp Number: | 2883 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-002883-000006 |
| Actv Date: | Not reported |
| Capacity: | 550 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | Not reported |

| | |
|---|---|
| Status: | Active |
| Comp Number: | 2883 |
| Number: | 9 |
| Board Of Equalization: | Not reported |
| Referral Date: | 09-30-92 |
| Action Date: | 12-10-91 |
| Created Date: | 01-01-01 |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | Not reported |
| Actv Date: | Not reported |
| Capacity: | Not reported |
| Tank Use: | Not reported |
| Stg: | Not reported |
| Content: | Not reported |
| Number Of Tanks: | Not reported |

**G68**
**NE**
**< 1/8**
**0.083 mi.**
**436 ft.**

**BUSINESS FURNITURE**
**2650 18TH ST**
**SAN FRANCISCO, CA**

**Site 4 of 5 in cluster G**

**UST** **U004003485**
**N/A**

**Relative:**
**Higher**

**Actual:**
**45 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 2883 |
| Facility Status: | Not reported |
| Number Of Tanks: | 1 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | Not reported |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Not reported |
| Application Date: | 10/2/1991 |
| Application Name: | Not reported |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| | |
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | Not reported |
| UST Close ID: | 913 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |

**BUSINESS FURNITURE (Continued)** **U004003485**

| | |
|---|---|
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**G69**
**NE**
**< 1/8**
**0.083 mi.**
**436 ft.**

**BUSINESS FURNITURE & DESIGN**
**2650 18TH ST**
**SAN FRANCISCO, CA 94110**

**HIST CORTESE** **S104572490**
**LUST** **N/A**
**HAZNET**

**Site 5 of 5 in cluster G**

**Relative:**
**Higher**

**Actual:**
**45 ft.**

CORTESE:

| | |
|---|---|
| Region: | CORTESE |
| Facility County Code: | 38 |
| Reg By: | LTNKA |
| Reg Id: | 38-0450 |

LUST:

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607500401 |
| Latitude: | 37.762116 |
| Longitude: | -122.408827 |
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |
| Status Date: | 06/27/1997 |
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | AL |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-0450 |
| LOC Case Number: | 10095 |
| File Location: | Not reported |

**BUSINESS FURNITURE & DESIGN (Continued)** **S104572490**

Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Gasoline
Site History: Not reported

Click here to access the California GeoTracker records for this facility:

LUST:
Global Id: T0607500401
Contact Type: Local Agency Caseworker
Contact Name: ALBERT LEE
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET, #210
City: SAN FRANCISCO
Email: albert.lee@sfdph.org
Phone Number: Not reported

Global Id: T0607500401
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0607500401
Action Type: ENFORCEMENT
Date: 09/17/1992
Action: Notice of Responsibility

Global Id: T0607500401
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500401
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

HAZNET:
Year: 1999
Gepaid: CAC002219881
Contact: STEVE THEMIS
Telephone: 4158642929
Mailing Name: Not reported
Mailing Address: 2650 18TH ST
Mailing City,St,Zip: SAN FRANCISCO, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAD981382732
TSD County: 1
Waste Category: Asbestos containing waste
Disposal Method: Disposal, Land Fill
Tons: 1.1799
Facility County: San Francisco

**D70** **PREMIER LAUNDRY & LINEN SUPPLY CO** **EDR US Hist Cleaners** **1009181065**
**NW** **559 ALABAMA** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.086 mi.**
**453 ft.** **Site 17 of 18 in cluster D**

**Relative:** EDR Historical Cleaners:
**Lower** Name: PREMIER LAUNDRY & LINEN SUPPLY CO
Year: 1953
**Actual:** Type: LAUNDRIES
**30 ft.**

---

**D71** **ODORLESS DRY CLEANING CO** **EDR US Hist Cleaners** **1009179671**
**NW** **555 ALABAMA** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.089 mi.**
**468 ft.** **Site 18 of 18 in cluster D**

**Relative:** EDR Historical Cleaners:
**Lower** Name: ODORLESS DRY CLEANING CO
Year: 1930
**Actual:** Type: CLOTHES PRESSERS AND CLEANERS
**30 ft.**

---

**H72** **R AND R ABELINE** **RCRA-SQG** **1000309852**
**SE** **750 YORK ST #12** **FINDS** **CAD982521999**
**< 1/8** **SAN FRANCISCO, CA 94110**
**0.090 mi.**
**474 ft.** **Site 1 of 4 in cluster H**

**Relative:** RCRA-SQG:
**Higher** Date form received by agency: 11/27/1989
Facility name: R AND R ABELINE
**Actual:** Facility address: 750 YORK ST #12
**45 ft.** SAN FRANCISCO, CA 94110
EPA ID: CAD982521999
Mailing address: YORK ST #12
SAN FRANCISCO, CA 94110
Contact: ENVIRONMENTAL MANAGER
Contact address: 750 YORK ST #12
SAN FRANCISCO, CA 94110
Contact country: US
Contact telephone: (415) 282-7477
Contact email: Not reported
EPA Region: 09
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:
Owner/operator name: RICHARD RUSTICO
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: (415) 555-1212
Legal status: Private
Owner/Operator Type: Owner

**R AND R ABELINE (Continued)** **1000309852**

Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NOT REQUIRED
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: (415) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110002841033

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

---

**73**
**SSE**
**< 1/8**
**0.108 mi.**
**572 ft.**

**CITY OF PARIS DYEING & CLEANING WORKS** **EDR US Hist Cleaners** **1009130283**
**2199 BRYANT ST** **N/A**
**SAN FRANCISCO, CA**

**Relative:**
**Higher**

**Actual:**
**37 ft.**

EDR Historical Cleaners:
Name: CITY OF PARIS DYEING & CLEANING WORKS
Year: 1925
Type: CLOTHES CLEANERS AND DYER

**I74** **COMMERCIAL PROPERTY** **LUST** **S106567588**
**South** **3000 20TH STREET** **N/A**
**< 1/8** **SAN FRANCISCO, CA 94110**
**0.110 mi.**
**582 ft.** **Site 1 of 3 in cluster I**

**Relative:**
**Lower**

**Actual:**
**30 ft.**

LUST:

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607533055 |
| Latitude: | 37.759362 |
| Longitude: | -122.41125 |
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |
| Status Date: | 10/29/2004 |
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | MA |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-2292 |
| LOC Case Number: | 11631 |
| File Location: | Local Agency |
| Potential Media Affect: | Other Groundwater (uses other than drinking water) |
| Potential Contaminants of Concern: | Heating Oil / Fuel Oil, Stoddard solvent / Mineral Spriits / Distillates |
| Site History: | Not reported |

Click here to access the California GeoTracker records for this facility:

LUST:

| | |
|---|---|
| Global Id: | T0607533055 |
| Contact Type: | Local Agency Caseworker |
| Contact Name: | MAMDOUH AWWAD |
| Organization Name: | SAN FRANCISCO COUNTY LOP |
| Address: | 1390 MARKET STREET, #210 |
| City: | SAN FRANCISCO |
| Email: | mamdouh.awwad@sfdph.org |
| Phone Number: | Not reported |

| | |
|---|---|
| Global Id: | T0607533055 |
| Contact Type: | Regional Board Caseworker |
| Contact Name: | NANCY KATYL |
| Organization Name: | SAN FRANCISCO BAY RWQCB (REGION 2) |
| Address: | 1515 CLAY STREET |
| City: | OAKLAND |
| Email: | nkatyl@waterboards.ca.gov |
| Phone Number: | Not reported |

LUST:

| | |
|---|---|
| Global Id: | T0607533055 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Reported |

| | |
|---|---|
| Global Id: | T0607533055 |
| Action Type: | REMEDIATION |
| Date: | 01/01/1950 |
| Action: | Excavation |

| | |
|---|---|
| Global Id: | T0607533055 |
| Action Type: | REMEDIATION |

**COMMERCIAL PROPERTY (Continued)** **S106567588**

Date: 01/01/1950
Action: Excavation

Global Id: T0607533055
Action Type: ENFORCEMENT
Date: 07/13/2004
Action: Notice of Responsibility

Global Id: T0607533055
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

Global Id: T0607533055
Action Type: Other
Date: 01/01/1950
Action: Leak Stopped

LUST REG 2:
Region: 2
Facility Id: 38-2292
Facility Status: Leak being confirmed
Case Number: 11631
How Discovered: Tank Closure
Leak Cause: Corrosion
Leak Source: Tank
Date Leak Confirmed: 6/1/2004
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

---

**I75 South**
**< 1/8**
**0.110 mi.**
**582 ft.**

**GREENBERG BERNARD**
**3000 20TH ST**
**SAN FRANCISCO, CA**

**EDR US Hist Cleaners** **1009130335**
**N/A**

**Site 2 of 3 in cluster I**

**Relative: Lower**

**Actual: 30 ft.**

EDR Historical Cleaners:
Name: CITY OF PARIS DYEING & CLEANING WORKS
Year: 1935
Type: CLOTHES PRESSERS AND CLEANER

Name: KALAJIAN CHAS
Year: 1940
Type: CLOTHES PRESSERS AND CLEANER

Name: GREENBERG BERNARD
Year: 1944
Type: CLOTHES-PRESSERS AND CLEANERS

**I76** **COMMERCIAL** **UST** **U003966121**
**South** **3000 20TH ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.110 mi.**
**582 ft.** **Site 3 of 3 in cluster I**

**Relative:**
**Lower**

**Actual:**
**30 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 28810 |
| Facility Status: | Not reported |
| Number Of Tanks: | 6 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | 1550 Wallace Av |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | L&W Environmental |
| Application Date: | 5/26/2004 |
| Application Name: | George Wilson |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| | |
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | Not reported |
| UST Close ID: | 4575 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |

**COMMERCIAL (Continued)** **U003966121**

| | |
|---|---|
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**J77** **BEKINS MOVING & STORAGE** **HIST UST** **U001595382**
**SW** **3130 20TH ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA 94110**
**0.114 mi.**
**604 ft.** **Site 1 of 17 in cluster J**

**Relative:**
**Lower**

**Actual:**
**28 ft.**

HIST UST:

| | |
|---|---|
| Region: | STATE |
| Facility ID: | 00000063602 |
| Facility Type: | Other |
| Other Type: | MOVING & STORAGE |
| Total Tanks: | 0002 |
| Contact Name: | JOE GRIEGO |
| Telephone: | 4158216650 |
| Owner Name: | THE BEKINS COMPANY |
| Owner Address: | 777 FLOWER ST. |
| Owner City,St,Zip: | GLENDALE, CA 91201 |
| | |
| Tank Num: | 001 |
| Container Num: | 056-001 |
| Year Installed: | Not reported |
| Tank Capacity: | 00008000 |
| Tank Used for: | PRODUCT |
| Type of Fuel: | REGULAR |
| Tank Construction: | Not reported |
| Leak Detection: | Stock Inventor |

**BEKINS MOVING & STORAGE (Continued)** **U001595382**

Tank Num: 002
Container Num: 056-002
Year Installed: Not reported
Tank Capacity: 00002500
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Tank Construction: Not reported
Leak Detection: Stock Inventor

---

**J78** **KOCH INVESTMENT CO.** **LUST** **S102441132**
**SW** **3130 20TH ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA 94110**
**0.114 mi.**
**604 ft.** **Site 2 of 17 in cluster J**

**Relative:**
**Lower**

**Actual:**
**28 ft.**

LUST REG 2:
Region: 2
Facility Id: 38-0423
Facility Status: Case Closed
Case Number: 10235
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 38-0423
Facility Status: Case Closed
Case Number: 10235
Case Type: Soil only
Release Date: 3/18/1987
Discovered Date: 3/2/1987
Substance: Diesel
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Close Tank
Report Date: 3/18/1987
Case Closed: 5/4/1994
Closed Date: 5/4/1994
Leak Source: Tank
Leak Cause: Structure Failure
Leak Confirmed: 1/29/1988
Entered Date: 3/11/1995
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: Not reported

**KOCH INVESTMENT CO. (Continued)** **S102441132**

| | |
|---|---|
| RP Address: | Not reported |
| Operator: | Not reported |
| Staff Initial: | VP |
| Facility Staff: | SC |
| Cross Street: | HARRISON ST |
| NOR Date: | 3/11/1995 |
| MTBE Current: | Not reported |
| MTBE Current Date: | Not reported |
| MTBE: | NT |
| Maximum MTBE Soil: | Not reported |
| Maximum MTBE GW: | Not reported |
| MTBE DATE: | Not reported |
| Review Date: | Not reported |
| Workplan Submitted: | Not reported |
| Assessment Underway: | Not reported |
| Pollution Characterization: | Not reported |
| Corrective Action Plan: | Not reported |
| Remediation Underway: | Not reported |
| Monitoring Begun: | Not reported |
| Funding: | Federal |
| Interim Remediation: | Yes |
| Priority: | Not reported |
| Abatement: | Excavate and Dispose - remove contaminated soil and dispose in approved site |
| Enforcement Type: | NOR |
| Enforcement Due Date: | Not reported |
| Basin: | Downtown Basin |
| Beneficial Use: | No |
| Lat/Long: | Not reported |
| CUFID: | Not reported |
| Suspended: | No |
| Stopped Date: | 1/29/1988 |
| Free Product: | No |
| Depth to Grnd Wtr: | Not reported |
| Gradient: | Not reported |
| Benzene: | Not reported |
| Primary Substance: | Diesel fuel oil |
| Enforcement Type: | Not reported |
| Amount of Free Produce: | Not reported |
| Benzene Test: | Not reported |
| Maximum Soil GW: | Not reported |
| Max Soil Concentration: | Not reported |
| TPH Tested: | Not reported |
| Max TPH GW: | Not reported |
| Max TPH Soil: | Not reported |
| TPH Date: | Not reported |
| Block: | Not reported |
| Lot: | Not reported |
| Notify: | False |
| TPH Current: | Not reported |
| TPH Current Date: | Not reported |
| Grnd Wtr Qualifier: | Not reported |
| Soil Qualifier: | Not reported |
| Comments: | Not reported |
| Summary: | Not reported |

**J79** **UNIVERSITY OF CALIFORNIA SAN FRANCISCO** **RCRA-SQG** **1000431678**
**SW** **3130 20TH ST** **FINDS** **CAD982361586**
**< 1/8** **SAN FRANCISCO, CA 94143**
**0.114 mi.**
**604 ft.** **Site 3 of 17 in cluster J**

**Relative:**
**Lower**

**Actual:**
**28 ft.**

RCRA-SQG:

| | |
|---|---|
| Date form received by agency: | 09/01/1996 |
| Facility name: | UNIVERSITY OF CALIFORNIA SAN FRANCISCO |
| Facility address: | 3130 20TH ST<br>SAN FRANCISCO, CA 94143 |
| EPA ID: | CAD982361586 |
| Mailing address: | 50 MEDICAL CTR WY<br>SAN FRANCISCO, CA 94143 |
| Contact: | Not reported |
| Contact address: | Not reported<br>Not reported |
| Contact country: | Not reported |
| Contact telephone: | Not reported |
| Contact email: | Not reported |
| EPA Region: | 09 |
| Classification: | Small Small Quantity Generator |
| Description: | Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time |

Owner/Operator Summary:

| | |
|---|---|
| Owner/operator name: | NOT REQUIRED |
| Owner/operator address: | NOT REQUIRED<br>NOT REQUIRED, ME 99999 |
| Owner/operator country: | Not reported |
| Owner/operator telephone: | (415) 555-1212 |
| Legal status: | State |
| Owner/Operator Type: | Operator |
| Owner/Op start date: | Not reported |
| Owner/Op end date: | Not reported |

| | |
|---|---|
| Owner/operator name: | REGENTS OF UNIV OF CALIF |
| Owner/operator address: | NOT REQUIRED<br>NOT REQUIRED, ME 99999 |
| Owner/operator country: | Not reported |
| Owner/operator telephone: | (415) 555-1212 |
| Legal status: | State |
| Owner/Operator Type: | Owner |
| Owner/Op start date: | Not reported |
| Owner/Op end date: | Not reported |

Handler Activities Summary:

| | |
|---|---|
| U.S. importer of hazardous waste: | No |
| Mixed waste (haz. and radioactive): | No |
| Recycler of hazardous waste: | No |
| Transporter of hazardous waste: | No |
| Treater, storer or disposer of HW: | No |
| Underground injection activity: | No |
| On-site burner exemption: | No |
| Furnace exemption: | No |

**UNIVERSITY OF CALIFORNIA SAN FRANCISCO (Continued)** **1000431678**

Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 08/30/1989
Facility name: UNIVERSITY OF CALIFORNIA SAN FRANCISCO
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110009544190

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

---

**J80** **BEKIN'S MOVING & STORAGE** **CA FID UST S101592085**
**SW** **3130 20TH ST** **SWEEPS UST N/A**
**< 1/8** **SAN FRANCISCO, CA 94100**
**0.114 mi.**
**604 ft.** **Site 4 of 17 in cluster J**

**Relative:**
**Lower**

**Actual:**
**28 ft.**

CA FID UST:
Facility ID: 38000457
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4150000000
Mail To: Not reported
Mailing Address: 3130 20TH ST
Mailing Address 2: Not reported
Mailing City,St,Zip: SAN FRANCISCO 94100
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

SWEEPS UST:
Status: Not reported
Comp Number: 8100
Number: Not reported

**BEKIN'S MOVING & STORAGE (Continued)** **S101592085**

| | |
|---|---|
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-008100-000001 |
| Actv Date: | Not reported |
| Capacity: | 3000 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | 2 |

| | |
|---|---|
| Status: | Not reported |
| Comp Number: | 8100 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-008100-000002 |
| Actv Date: | Not reported |
| Capacity: | 3000 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | Not reported |

---

**J81** **UCSF/FM** **HIST CORTESE** **S100947346**
**SW** **3130 20TH ST** **LUST** **N/A**
**< 1/8** **SAN FRANCISCO, CA 94143** **HAZNET**
**0.114 mi.**
**604 ft.** **Site 5 of 17 in cluster J**

**Relative:**
**Lower**

**Actual:**
**28 ft.**

CORTESE:

| | |
|---|---|
| Region: | CORTESE |
| Facility County Code: | 38 |
| Reg By: | LTNKA |
| Reg Id: | 38-0423 |

LUST:

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607500375 |
| Latitude: | 37.759429 |
| Longitude: | -122.41206 |
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |
| Status Date: | 05/04/1994 |
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | SC |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-0423 |
| LOC Case Number: | 10235 |
| File Location: | Not reported |

**UCSF/FM (Continued)** **S100947346**

Potential Media Affect: Soil
Potential Contaminants of Concern: Diesel
Site History: Not reported

Click here to access the California GeoTracker records for this facility:

LUST:
Global Id: T0607500375
Contact Type: Local Agency Caseworker
Contact Name: STEPHANIE CUSHING
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET #210
City: SAN FRANCISCO
Email: stephanie.cushing@sfdph.org
Phone Number: Not reported

Global Id: T0607500375
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0607500375
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500375
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

HAZNET:
Year: 2005
Gepaid: CAD982361586
Contact: EUGENE LAU-DIRECTOR
Telephone: 4154761300
Mailing Name: Not reported
Mailing Address: 50 MEDICAL CENTER WAY
Mailing City,St,Zip: SAN FRANCISCO, CA 000000000
Gen County: San Francisco
TSD EPA ID: CAD059494310
TSD County: Santa Clara
Waste Category: Laboratory waste chemicals
Disposal Method: Transfer Station
Tons: 0.01
Facility County: Not reported

Year: 2003
Gepaid: CAD982361586
Contact: EUGENE LAU-DIRECTOR
Telephone: 4154761300

**UCSF/FM (Continued)** **S100947346**

Mailing Name: Not reported
Mailing Address: 50 MEDICAL CENTER WAY
Mailing City,St,Zip: SAN FRANCISCO, CA 0
Gen County: San Francisco
TSD EPA ID: CAD059494310
TSD County: San Francisco
Waste Category: Laboratory waste chemicals
Disposal Method: Transfer Station
Tons: 0
Facility County: San Francisco

Year: 2003
Gepaid: CAD982361586
Contact: EUGENE LAU-DIRECTOR
Telephone: 4154761300
Mailing Name: Not reported
Mailing Address: 50 MEDICAL CENTER WAY
Mailing City,St,Zip: SAN FRANCISCO, CA 0
Gen County: San Francisco
TSD EPA ID: CAD059494310
TSD County: San Francisco
Waste Category: Laboratory waste chemicals
Disposal Method: Disposal, Other
Tons: 0.04
Facility County: San Francisco

Year: 2002
Gepaid: CAD982361586
Contact: ARA TAHMASSIAN
Telephone: 4154762210
Mailing Name: Not reported
Mailing Address: 50 MEDICAL CENTER WAY
Mailing City,St,Zip: SAN FRANCISCO, CA 000000000
Gen County: San Francisco
TSD EPA ID: Not reported
TSD County: 99
Waste Category: Unspecified oil-containing waste
Disposal Method: Treatment, Incineration
Tons: 0.04
Facility County: Not reported

Year: 1997
Gepaid: CAD982361586
Contact: REGENTS OF UNIVERSITY OF CAL
Telephone: 5109879220
Mailing Name: Not reported
Mailing Address: 50 MEDICAL CENTER WAY
Mailing City,St,Zip: SAN FRANCISCO, CA 000000000
Gen County: San Francisco
TSD EPA ID: CAD050806850
TSD County: Los Angeles
Waste Category: Waste oil and mixed oil
Disposal Method: Transfer Station
Tons: .0417
Facility County: San Francisco

**UCSF/FM (Continued)** **S100947346**

Click this hyperlink while viewing on your computer to access
13 additional CA_HAZNET: record(s) in the EDR Site Report.

**J82** **BEKIN'S MOVING &** **UST** **U003902951**
**SW** **3130 20TH ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.114 mi.**
**604 ft.** **Site 6 of 17 in cluster J**

**Relative:** **Lower**

**Actual:** **28 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 8100 |
| Facility Status: | Not reported |
| Number Of Tanks: | 1 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | Not reported |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Not reported |
| Application Date: | 12/9/1987 |
| Application Name: | Not reported |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| | |
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 1/29/1988 |
| UST Close ID: | 30 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |

**BEKIN'S MOVING & (Continued)** **U003902951**

| | |
|---|---|
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**H83** **MOORE EARTH COMPANY (FORMER)** **HIST CORTESE S104025407**
**SSE** **2850 20TH ST.** **LUST N/A**
**< 1/8** **SAN FRANCISCO, CA 94110**
**0.115 mi.**
**609 ft.** **Site 2 of 4 in cluster H**

**Relative:**
**Higher**

**Actual:**
**41 ft.**

CORTESE:

| | |
|---|---|
| Region: | CORTESE |
| Facility County Code: | 38 |
| Reg By: | LTNKA |
| Reg Id: | 38-1093 |

LUST:

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607500985 |
| Latitude: | 37.7592385 |
| Longitude: | -122.409325 |
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |
| Status Date: | 09/09/1997 |
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | AL |

**MOORE EARTH COMPANY (FORMER) (Continued)** **S104025407**

Local Agency: SAN FRANCISCO COUNTY LOP
RB Case Number: 38-1093
LOC Case Number: 10901
File Location: Not reported
Potential Media Affect: Soil
Potential Contaminants of Concern: Diesel
Site History: Not reported

Click here to access the California GeoTracker records for this facility:

LUST:
Global Id: T0607500985
Contact Type: Local Agency Caseworker
Contact Name: ALBERT LEE
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET, #210
City: SAN FRANCISCO
Email: albert.lee@sfdph.org
Phone Number: Not reported

Global Id: T0607500985
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0607500985
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500985
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

LUST REG 2:
Region: 2
Facility Id: 38-1093
Facility Status: Case Closed
Case Number: 10901
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

**MOORE EARTH COMPANY (FORMER) (Continued)** **S104025407**

SAN FRANCISCO CO. LUST:

| | |
|---|---|
| Region: | SAN FRANCISCO |
| Facility ID: | 38-1093 |
| Facility Status: | Case Closed |
| Case Number: | 10901 |
| Case Type: | Soil only |
| Release Date: | 9/9/1997 |
| Discovered Date: | 9/15/1997 |
| Substance: | Diesel |
| Substance Qty: | Not reported |
| How Discovered: | Tank Closure |
| How Stopped: | Repair Tank |
| Report Date: | 9/9/1997 |
| Case Closed: | 5/10/2001 |
| Closed Date: | Not reported |
| Leak Source: | Unknown |
| Leak Cause: | Unknown |
| Leak Confirmed: | 12/19/1997 |
| Entered Date: | 12/19/1997 |
| Number of Wells: | Not reported |
| Regional Board: | San Francisco Bay Region |
| Local Agency: | 38000 |
| Lead Agency: | Local Agency |
| Program: | LOP |
| Responsible Party: | BRYANT SQUARE |
| RP Address: | Not reported |
| Operator: | Not reported |
| Staff Initial: | VP |
| Facility Staff: | AL |
| Cross Street: | YORK ST |
| NOR Date: | 12/19/1997 |
| MTBE Current: | Not reported |
| MTBE Current Date: | Not reported |
| MTBE: | NT |
| Maximum MTBE Soil: | Not reported |
| Maximum MTBE GW: | Not reported |
| MTBE DATE: | Not reported |
| Review Date: | 5/7/2001 |
| Workplan Submitted: | Not reported |
| Assessment Underway: | Not reported |
| Pollution Characterization: | Not reported |
| Corrective Action Plan: | Not reported |
| Remediation Underway: | Not reported |
| Monitoring Begun: | Not reported |
| Funding: | Federal |
| Interim Remediation: | Yes |
| Priority: | Not reported |
| Abatement: | Excavate and Dispose - remove contaminated soil and dispose in approved site |
| Enforcement Type: | NOR |
| Enforcement Due Date: | Not reported |
| Basin: | Downtown Basin |
| Beneficial Use: | No |
| Lat/Long: | Not reported |
| CUFID: | Not reported |
| Suspended: | No |
| Stopped Date: | 9/9/1997 |

**MOORE EARTH COMPANY (FORMER) (Continued)** **S104025407**

| | |
|---|---|
| Free Product: | No |
| Depth to Grnd Wtr: | Not reported |
| Gradient: | Not reported |
| Benzene: | Not reported |
| Primary Substance: | Diesel fuel oil |
| Enforcement Type: | Not reported |
| Amount of Free Produce: | Not reported |
| Benzene Test: | ND |
| Maximum Soil GW: | ND |
| Max Soil Concentration: | Not reported |
| TPH Tested: | ND |
| Max TPH GW: | Not reported |
| Max TPH Soil: | Not reported |
| TPH Date: | Not reported |
| Block: | Not reported |
| Lot: | Not reported |
| Notify: | False |
| TPH Current: | Not reported |
| TPH Current Date: | Not reported |
| Grnd Wtr Qualifier: | Not reported |
| Soil Qualifier: | Not reported |
| Comments: | Not reported |
| Summary: | The tank was in |

---

**H84** **2850 20TH ST** **UST** **U003915282**
**SSE** **2850 20TH ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.115 mi.**
**609 ft.** **Site 3 of 4 in cluster H**

**Relative:**
**Higher**

**Actual:**
**41 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 21934 |
| Facility Status: | Not reported |
| Number Of Tanks: | 1 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | 255 Shipley Street |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Golden Gate Tank |
| Application Date: | 8/26/1997 |
| Application Name: | Tim Hallen |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| | |
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |

**2850 20TH ST (Continued)** **U003915282**

| | |
|---|---|
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 9/9/1997 |
| UST Close ID: | 3009 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | 11/7/1997 |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

H85
SSE
< 1/8
0.115 mi.
609 ft.

2850 20TH ST
SAN FRANCISCO, CA 94110

EDR US Hist Auto Stat 1015389623
N/A

Site 4 of 4 in cluster H

Relative:
Higher

Actual:
41 ft.

EDR Historical Auto Stations:

| | |
|---|---|
| Name: | GEORGES AUTO REPAIR |
| Year: | 1999 |
| Address: | 2850 20TH ST |
| Name: | GEORGES AUTO REPAIR |
| Year: | 2000 |
| Address: | 2850 20TH ST |

---

K86
WNW
< 1/8
0.116 mi.
610 ft.

SAN FRANCISCO SERVICE CENTER
2180 HARRISON STREET
SAN FRANCISCO, CA 94110

RCRA-LQG 1000196959
CAD981460306

Site 1 of 3 in cluster K

Relative:
Lower

Actual:
26 ft.

RCRA-LQG:

| | |
|---|---|
| Date form received by agency: | 03/01/2008 |
| Facility name: | SAN FRANCISCO SERVICE CENTER |
| Facility address: | 2180 HARRISON STREET<br>SAN FRANCISCO, CA 94110 |
| EPA ID: | CAD981460306 |
| Mailing address: | PG&E DIRECTOR OF ENVIRONMENTAL<br>77 BEALE STREET, MAILCODE B24A<br>SAN FRANCISCO, CA 94105 |
| Contact: | DONALD R GILBERT |
| Contact address: | Not reported<br>Not reported |
| Contact country: | Not reported |
| Contact telephone: | (925) 974-4170 |
| Contact email: | DRG3@PGE.COM |
| EPA Region: | 09 |
| Land type: | Private |
| Classification: | Large Quantity Generator |
| Description: | Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time |

Owner/Operator Summary:

| | |
|---|---|
| Owner/operator name: | PACIFIC GAS AND ELECTRIC COMPANY |
| Owner/operator address: | Not reported<br>Not reported |
| Owner/operator country: | US |
| Owner/operator telephone: | Not reported |
| Legal status: | Private |

**SAN FRANCISCO SERVICE CENTER (Continued)** **1000196959**

Owner/Operator Type: Operator
Owner/Op start date: 01/01/1924
Owner/Op end date: Not reported

Owner/operator name: PACIFIC GAS AND ELECTRIC COMPANY
Owner/operator address: BEALE STREET
SAN FRANCISCO, CA 94105
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/01/1924
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 02/27/2002
Facility name: SAN FRANCISCO SERVICE CENTER
Classification: Small Quantity Generator

Date form received by agency: 02/27/2002
Facility name: SAN FRANCISCO SERVICE CENTER
Classification: Large Quantity Generator

Date form received by agency: 10/12/2000
Facility name: SAN FRANCISCO SERVICE CENTER
Classification: Large Quantity Generator

Date form received by agency: 11/30/1990
Facility name: SAN FRANCISCO SERVICE CENTER
Site name: P G & E HARRISON YARD
Classification: Small Quantity Generator

Date form received by agency: 04/03/1990
Facility name: SAN FRANCISCO SERVICE CENTER
Site name: PG&E/HARRISON-TREAT STREET YARD
Classification: Large Quantity Generator

Hazardous Waste Summary:
Waste code: D001

**SAN FRANCISCO SERVICE CENTER (Continued)** **1000196959**

Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D008
Waste name: LEAD

Waste code: D018
Waste name: BENZENE

Waste code: F003
Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 04/12/2010
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

---

**L87** **COMMERCIAL** **LUST S112273490**
**NNE** **517-519 YORK ST.** **N/A**
**< 1/8** **SAN FRANCISCO, CA 94110**
**0.119 mi.**
**626 ft.** **Site 1 of 5 in cluster L**

**Relative:** LUST:
**Higher**
Region: STATE
Global Id: T10000004471
**Actual:** Latitude: 37.7627293
**48 ft.** Longitude: -122.40925
Case Type: LUST Cleanup Site
Status: Completed - Case Closed
Status Date: 12/10/2012
Lead Agency: SAN FRANCISCO COUNTY LOP
Case Worker: EH
Local Agency: SAN FRANCISCO COUNTY LOP
RB Case Number: Not reported
LOC Case Number: 11990
File Location: Local Agency
Potential Media Affect: Not reported
Potential Contaminants of Concern: Gasoline
Site History: Over excavtion of contaminated soil remediated release

**COMMERCIAL (Continued)** **S112273490**

Click here to access the California GeoTracker records for this facility:

LUST:

| | |
|---|---|
| Global Id: | T10000004471 |
| Contact Type: | Local Agency Caseworker |
| Contact Name: | ELYSE HEILSHORN |
| Organization Name: | SAN FRANCISCO COUNTY LOP |
| Address: | 1390 Market Street Suite 210 |
| City: | SAN FRANCISCO |
| Email: | elyse.heilshorn@sfdph.org |
| Phone Number: | 4152523885 |

LUST:

| | |
|---|---|
| Global Id: | T10000004471 |
| Action Type: | ENFORCEMENT |
| Date: | 12/07/2012 |
| Action: | File Review - Closure |
| Global Id: | T10000004471 |
| Action Type: | ENFORCEMENT |
| Date: | 12/10/2012 |
| Action: | LOP Case Closure Summary to RB |
| Global Id: | T10000004471 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Stopped |
| Global Id: | T10000004471 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Reported |
| Global Id: | T10000004471 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Discovery |
| Global Id: | T10000004471 |
| Action Type: | ENFORCEMENT |
| Date: | 12/05/2012 |
| Action: | Notice of Responsibility - #11990 |
| Global Id: | T10000004471 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Began |

**L88** **CENTRAL RUG & UPHOLSTERY CLEANING CO INC** **EDR US Hist Cleaners** **1009180714**
**NNE** **517 YORK** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.120 mi.**
**634 ft.** **Site 2 of 5 in cluster L**

**Relative:** EDR Historical Cleaners:
**Higher**
Name: CENTRAL RUG & UPHOLSTERY CLEANING CO INC
Year: 1962
**Actual:** Type: CARPET AND RUG CLEANERS
**48 ft.**

Name: CENTRAL RUG & UPHOLSTERY CLEANING CO INC
Year: 1966
Type: CARPET AND RUG CLEANERS

---

**L89** **BAGDAD RUG & CLEANING CO** **EDR US Hist Cleaners** **1009180546**
**NNE** **517 YORK ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.120 mi.**
**634 ft.** **Site 3 of 5 in cluster L**

**Relative:** EDR Historical Cleaners:
**Higher**
Name: RED CARPET SUPPLY & EQUIPMENT CO
Year: 1977
**Actual:** Type: CARPET AND RUG CLEANERS
**48 ft.**

Name: BAGDAD RUG & CLEANING CO
Year: 1977
Type: CARPET AND RUG CLEANERS

Name: CENTRAL RUG & UPHOLSTERING CLEANING CO INC
Year: 1977
Type: CARPET AND RUG CLEANERS

Name: BAGDAD RUG & CLEANING CO
Year: 1977
Type: CARPET AND RUG CLEANERS

Name: CENTRAL RUG & UPHOLSTERING CLEANING CO INC
Year: 1977
Type: CARPET AND RUG CLEANERS

Name: RED CARPET SUPPLY & EQUIPMENT CO
Year: 1977
Type: CARPET AND RUG CLEANERS

---

**J90** **ROX AUTOMOTIVE** **EDR US Hist Auto Stat** **1009000938**
**SW** **2345 HARRISON ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.120 mi.**
**636 ft.** **Site 7 of 17 in cluster J**

**Relative:** EDR Historical Auto Stations:
**Lower**
Name: ROX AUTOMOTIVE
Year: 1971
**Actual:** Type: AUTOMOBILE REPAIRING
**28 ft.**

Name: ROX AUTOMOTIVE

**ROX AUTOMOTIVE (Continued)** **1009000938**

Year: 1977
Type: AUTOMOBILE REPAIRING

Name: ROX AUTOMOTIVE (DIV OF BELL INDUSTRIES)
Year: 1977
Type: AUTOMOBILE REPAIRING

Name: ROX AUTOMOTIVE
Year: 1982
Type: AUTOMOBILE REPAIRING

Name: ROX AUTOMOTIVE (DIV OF BELL INDUSTRIES)
Year: 1982
Type: AUTOMOBILE REPAIRING

---

**K91** **2170 HARRISON ST** **UST** **U003915151**
**NW** **2170 HARRISON ST** **N/A**
**< 1/8** **SAN FRANCISCO, CA**
**0.124 mi.**
**653 ft.** **Site 2 of 3 in cluster K**

**Relative:**
**Lower**

**Actual:**
**26 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 21093 |
| Facility Status: | Not reported |
| Number Of Tanks: | 1 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | 255 Shipley Street |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Golden Gate Tank |
| Application Date: | 6/14/1996 |
| Application Name: | Jim Tracy |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| | |
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |

**2170 HARRISON ST (Continued)** **U003915151**

| | |
|---|---|
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 6/17/1996 |
| UST Close ID: | 2589 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgmd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | 10/25/1996 |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**K92** **HOA - 2170 HARRISON STREET** **HIST CORTESE** **S103969736**
**NW** **2170 HARRISON STREET** **LUST** **N/A**
**< 1/8** **SAN FRANCISCO, CA 94110** **HAZNET**
**0.124 mi.**
**653 ft.** **Site 3 of 3 in cluster K**

**Relative:** CORTESE:
**Lower**

| | |
|---|---|
| Region: | CORTESE |
| Facility County Code: | 38 |
| Reg By: | LTNKA |
| Reg Id: | 38-0850 |

**Actual:**
**26 ft.**

**HOA - 2170 HARRISON STREET (Continued)** **S103969736**

LUST:

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607500745 |
| Latitude: | 37.762549 |
| Longitude: | -122.413253 |
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |
| Status Date: | 12/19/1996 |
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | SC |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-0850 |
| LOC Case Number: | 10673 |
| File Location: | Not reported |
| Potential Media Affect: | Soil |
| Potential Contaminants of Concern: | Diesel |
| Site History: | Not reported |

Click here to access the California GeoTracker records for this facility:

LUST:

| | |
|---|---|
| Global Id: | T0607500745 |
| Contact Type: | Regional Board Caseworker |
| Contact Name: | VIC PAL |
| Organization Name: | SAN FRANCISCO BAY RWQCB (REGION 2) |
| Address: | 1515 CLAY STREET, SUITE 1400 |
| City: | OAKLAND |
| Email: | vpal@waterboards.ca.gov |
| Phone Number: | Not reported |

| | |
|---|---|
| Global Id: | T0607500745 |
| Contact Type: | Local Agency Caseworker |
| Contact Name: | STEPHANIE CUSHING |
| Organization Name: | SAN FRANCISCO COUNTY LOP |
| Address: | 1390 MARKET STREET #210 |
| City: | SAN FRANCISCO |
| Email: | stephanie.cushing@sfdph.org |
| Phone Number: | Not reported |

LUST:

| | |
|---|---|
| Global Id: | T0607500745 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Reported |

| | |
|---|---|
| Global Id: | T0607500745 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Discovery |

HAZNET:

| | |
|---|---|
| Year: | 1996 |
| Gepaid: | CAC001299248 |
| Contact: | JOSEPH IMBELLONI |
| Telephone: | 4156477333 |

**HOA - 2170 HARRISON STREET (Continued)** **S103969736**

Mailing Name: Not reported
Mailing Address: 3260 19TH STREET
Mailing City,St,Zip: SAN FRANCISCO, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAD980887418
TSD County: 1
Waste Category: Waste oil and mixed oil
Disposal Method: Recycler
Tons: 1.2510
Facility County: San Francisco

---

**M93** **EDR US Hist Auto Stat** **1015523747**
**NW** **501 ALABAMA ST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110**
**0.126 mi.**
**664 ft.** **Site 1 of 4 in cluster M**

**Relative:**
**Lower**

**Actual:**
**31 ft.**

EDR Historical Auto Stations:
Name: ARTEC MOTORSPORT
Year: 2006
Address: 501 ALABAMA ST

---

**N94** **BEST FOODS** **HIST FTTS** **1008175685**
**North** **1890 BRYANT ST** **SWEEPS UST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110**
**0.127 mi.**
**669 ft.** **Site 1 of 7 in cluster N**

**Relative:**
**Higher**

**Actual:**
**51 ft.**

HIST FTTS INSP:
Inspection Number: 1989042101968 1
Region: 09
Inspection Date: Not reported
Inspector: GRISIER
Violation occurred: Yes
Investigation Type: Section 6 PCB Federal Conducted
Investigation Reason: Neutral Scheme, Region
Legislation Code: TSCA
Facility Function: User

SWEEPS UST:
Status: Not reported
Comp Number: 5716
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Tank Status: Not reported
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-005716-000001
Actv Date: Not reported
Capacity: 12000
Tank Use: UNKNOWN
Stg: PRODUCT
Content: UNSPECIFIED

**BEST FOODS (Continued)** **1008175685**

Number Of Tanks: 4

Status: Not reported
Comp Number: 5716
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Tank Status: Not reported
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-005716-000002
Actv Date: Not reported
Capacity: 500
Tank Use: UNKNOWN
Stg: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Status: Not reported
Comp Number: 5716
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Tank Status: Not reported
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-005716-000003
Actv Date: Not reported
Capacity: 500
Tank Use: UNKNOWN
Stg: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Status: Not reported
Comp Number: 5716
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Tank Status: Not reported
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-005716-000004
Actv Date: Not reported
Capacity: 1500
Tank Use: UNKNOWN
Stg: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Status: Active
Comp Number: 5716
Number: 9
Board Of Equalization: Not reported

**BEST FOODS (Continued)** **1008175685**

| | |
|---|---|
| Referral Date: | 09-30-92 |
| Action Date: | 12-10-91 |
| Created Date: | 01-01-01 |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | Not reported |
| Actv Date: | Not reported |
| Capacity: | Not reported |
| Tank Use: | Not reported |
| Stg: | Not reported |
| Content: | Not reported |
| Number Of Tanks: | Not reported |

---

**N95**
**North**
**1/8-1/4**
**0.127 mi.**
**669 ft.**

**BEST FOODS A UNIT OF CPC NORTH AMER** — RCRA-SQG 1000392066
**1890 BRYANT ST** — FINDS CAD009131665
**SAN FRANCISCO, CA 94110** — CA FID UST, UST, HIST UST

**Site 2 of 7 in cluster N**

**Relative:**
**Higher**

**Actual:**
**51 ft.**

RCRA-SQG:

| | |
|---|---|
| Date form received by agency: | 09/01/1996 |
| Facility name: | BEST FOODS A UNIT OF CPC NORTH AMER |
| Facility address: | 1890 BRYANT ST<br>SAN FRANCISCO, CA 94110 |
| EPA ID: | CAD009131665 |
| Mailing address: | PO BOX 8000 INTL PLAZA<br>ENGLEWOOD CLIFFS, NJ 07632 |
| Contact: | Not reported |
| Contact address: | Not reported<br>Not reported |
| Contact country: | Not reported |
| Contact telephone: | Not reported |
| Contact email: | Not reported |
| EPA Region: | 09 |
| Land type: | Facility is not located on Indian land. Additional information is not known. |
| Classification: | Small Small Quantity Generator |
| Description: | Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time |

Owner/Operator Summary:

| | |
|---|---|
| Owner/operator name: | CPC INTERNATIONAL |
| Owner/operator address: | NOT REQUIRED<br>NOT REQUIRED, ME 99999 |
| Owner/operator country: | Not reported |
| Owner/operator telephone: | (415) 555-1212 |
| Legal status: | Private |
| Owner/Operator Type: | Owner |
| Owner/Op start date: | Not reported |
| Owner/Op end date: | Not reported |
| Owner/operator name: | NOT REQUIRED |
| Owner/operator address: | NOT REQUIRED<br>NOT REQUIRED, ME 99999 |
| Owner/operator country: | Not reported |

**BEST FOODS A UNIT OF CPC NORTH AMER (Continued)** **1000392066**

Owner/operator telephone: (415) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 02/27/1985
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

FINDS:

Registry ID: 110002146570

Environmental Interest/Information System

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

US EPA TRIS (Toxics Release Inventory System) contains information from facilities on the amounts of over 300 listed toxic chemicals that these facilities release directly to air, water, land, or that are transported off-site.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**BEST FOODS A UNIT OF CPC NORTH AMER (Continued)** **1000392066**

CA FID UST:

| | |
|---|---|
| Facility ID: | 38003511 |
| Regulated By: | UTNKA |
| Regulated ID: | Not reported |
| Cortese Code: | Not reported |
| SIC Code: | Not reported |
| Facility Phone: | 4150000000 |
| Mail To: | Not reported |
| Mailing Address: | 1890 BRYANT ST |
| Mailing Address 2: | Not reported |
| Mailing City,St,Zip: | SAN FRANCISCO 94110 |
| Contact: | Not reported |
| Contact Phone: | Not reported |
| DUNs Number: | Not reported |
| NPDES Number: | Not reported |
| EPA ID: | Not reported |
| Comments: | Not reported |
| Status: | Active |

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 5716 |
| Facility Status: | Not reported |
| Number Of Tanks: | 1 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | Not reported |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Not reported |
| Application Date: | 7/16/1990 |
| Application Name: | Not reported |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |

| | |
|---|---|
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |

**BEST FOODS A UNIT OF CPC NORTH AMER (Continued)** **1000392066**

Secondary Tank Material: Not reported
Tank Interior Lining: Not reported
Date Interior Lining Install: Not reported
Date Closed: Not reported
UST Close ID: 697
Type Of Spill Protection: Not reported
Date Alarm Overfill Protection Installed: Not reported
Date Ball Float Overfill Protection Installed: Not reported
Date Fill Tube Shut Overfill Protection Installed: Not reported
Overfill Protection Exempt: Not reported
Othr Tnk Corrosive Prtctn: Not reported
Date Corrosive Prtctn Install: Not reported
Tank Leak Detection (single walled): Not reported
Tank Leak Detection (double wall): Not reported
Estimated Date Last Used: Not reported
Estimated Qty Of Substance Remaining: Not reported
Tank Filled With Inert Material: Not reported
Piping System Type ( Underground ): Not reported
Piping System Type ( Aboveground ): Not reported
Piping Construction (Underground): Not reported
Piping Manufacturer (Underground): Not reported
Piping Construction (Aboveground): Not reported
Piping Manufacturer (Aboveground): Not reported
Piping Material & Corrosion Protection (Underground): Not reported
Piping Material & Corrosion Protection (Aboveground): Not reported
Piping Leak Detection (Undrgrnd - Single Wall): Not reported
Piping Leak Detection (2nd Contained): Not reported
Piping Leak Detection (Emrgncy Gnrtrs): Not reported
Pipe Integrity Test, Underground: Not reported
Piping Leak Detection (Aboveground - Single Wall): Not reported
Piping Leak Detection (Underground - 2nd Contained): Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs): Not reported
Pipe Integrity Test, Aboveground: Not reported
Date Dispenser Containment Installed: Not reported
Dispenser Containment Type: Not reported
Date Certified (Tank Unit): Not reported
Certified Date: Not reported
Last Annual Monitoring Cert: Not reported
2nd Containment Test: Not reported
Spill Containment Present: Not reported
Drop Tube Present: Not reported
Striker Plate Present: Not reported
Alarm Present: Not reported
Ball Float Present: Not reported
Fill Tube Present: Not reported
Other Tank Leak Detection Present: Not reported

HIST UST:
Region: STATE
Facility ID: 00000058931
Facility Type: Other
Other Type: CONSUMER FOODS
Total Tanks: 0001
Contact Name: G. BLEFFERT, PLANT MANAGER
Telephone: 4158637300
Owner Name: CPC INTERNATIONAL
Owner Address: INTERNATIONAL PLAZA

**BEST FOODS A UNIT OF CPC NORTH AMER (Continued)** **1000392066**

Owner City,St,Zip: ENGLEWOOD CLIFFS, NJ 07632

Tank Num: 001
Container Num: 1
Year Installed: 1942
Tank Capacity: 00012000
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Tank Construction: Not reported
Leak Detection: Visual, Stock Inventor

---

**N96** **CPC BEST FOODS** **HIST CORTESE S105026210**
**North** **1890 1900 BRYANT** **LUST N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110**
**0.127 mi.**
**672 ft.** **Site 3 of 7 in cluster N**

**Relative:** CORTESE:
**Higher** Region: CORTESE
Facility County Code: 38
**Actual:** Reg By: LTNKA
**51 ft.** Reg Id: 38-0122

LUST:
Region: STATE
Global Id: T0607500109
Latitude: 37.763366
Longitude: -122.40932
Case Type: LUST Cleanup Site
Status: Completed - Case Closed
Status Date: 09/18/1991
Lead Agency: SAN FRANCISCO BAY RWQCB (REGION 2)
Case Worker: VP
Local Agency: SAN FRANCISCO COUNTY LOP
RB Case Number: 38-0122
LOC Case Number: 38-0122
File Location: Not reported
Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Gasoline
Site History: Not reported

Click here to access the California GeoTracker records for this facility:

LUST:
Global Id: T0607500109
Contact Type: Local Agency Caseworker
Contact Name: UNK
Organization Name: SAN FRANCISCO COUNTY LOP
Address: Not reported
City: r2 UNKNOWN
Email: Not reported
Phone Number: Not reported

Global Id: T0607500109
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400

**CPC BEST FOODS (Continued)** **S105026210**

City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0607500109
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500109
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

Global Id: T0607500109
Action Type: Other
Date: 01/01/1950
Action: Leak Stopped

LUST REG 2:
Region: 2
Facility Id: 38-0122
Facility Status: Case Closed
Case Number: 38-0122
How Discovered: Tank Closure
Leak Cause: Structure Failure
Leak Source: Tank
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 1/1/1990
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

---

**L97** **SOUTHERN PACIFIC** **UST U004051284**
**NNE** **2601 MARIPOSA ST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.131 mi.**
**690 ft.** **Site 4 of 5 in cluster L**

**Relative:**
**Higher**

**Actual:**
**49 ft.**

SAN FRANCISCO CO. UST:
Facility ID: 24807
Facility Status: Not reported
Number Of Tanks: 1
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported

**SOUTHERN PACIFIC (Continued)** **U004051284**

Permit Expiration Date: Not reported
Applications: Not reported
Application Date: 4/24/1986
Application Name: Not reported
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported
Local Tank Id: Not reported
Tank Manufacturer: Not reported
Compartmentalized Tank: Not reported
# Of Tank Compartments: Not reported
Date Tank Installed: Not reported
Tank Capacity: Not reported
Additional Desc: Not reported
Tank Use: Not reported
Petroleum Type: Not reported
Common Name: Not reported
Case Number: Not reported
Type Of Tank: Not reported
Primary Tank Material: Not reported
Secondary Tank Material: Not reported
Tank Interior Lining: Not reported
Date Interior Lining Install: Not reported
Date Closed: 2/24/1989
UST Close ID: 479
Type Of Spill Protection: Not reported
Date Alarm Overfill Protection Installed: Not reported
Date Ball Float Overfill Protection Installed: Not reported
Date Fill Tube Shut Overfill Protection Installed: Not reported
Overfill Protection Exempt: Not reported
Othr Tnk Corrosive Prtctn: Not reported
Date Corrosive Prtctn Install: Not reported
Tank Leak Detection (single walled): Not reported
Tank Leak Detection (double wall): Not reported
Estimated Date Last Used: Not reported
Estimated Qty Of Substance Remaining: Not reported
Tank Filled With Inert Material: Not reported
Piping System Type ( Underground ): Not reported
Piping System Type ( Aboveground ): Not reported
Piping Construction (Underground): Not reported
Piping Manufacturer (Underground): Not reported
Piping Construction (Aboveground): Not reported
Piping Manufacturer (Aboveground): Not reported
Piping Material & Corrosion Protection (Underground): Not reported
Piping Material & Corrosion Protection (Aboveground): Not reported
Piping Leak Detection (Undrgrnd - Single Wall): Not reported
Piping Leak Detection (2nd Contained): Not reported
Piping Leak Detection (Emrgncy Gnrtrs): Not reported
Pipe Integrity Test, Underground: Not reported
Piping Leak Detection (Aboveground - Single Wall): Not reported
Piping Leak Detection (Underground - 2nd Contained): Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs): Not reported
Pipe Integrity Test, Aboveground: Not reported

**SOUTHERN PACIFIC (Continued)** **U004051284**

| | |
|---|---|
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**L98** **VACANT** **CA FID UST S101591979**
**NNE** **2601 MARIPOSA ST** **SWEEPS UST N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110**
**0.131 mi.**
**690 ft.** **Site 5 of 5 in cluster L**

**Relative:**
**Higher**

**Actual:**
**49 ft.**

CA FID UST:

| | |
|---|---|
| Facility ID: | 38000286 |
| Regulated By: | UTNKA |
| Regulated ID: | Not reported |
| Cortese Code: | Not reported |
| SIC Code: | Not reported |
| Facility Phone: | 4150000000 |
| Mail To: | Not reported |
| Mailing Address: | 2601 MARIPOSA ST |
| Mailing Address 2: | Not reported |
| Mailing City,St,Zip: | SAN FRANCISCO 94110 |
| Contact: | Not reported |
| Contact Phone: | Not reported |
| DUNs Number: | Not reported |
| NPDES Number: | Not reported |
| EPA ID: | Not reported |
| Comments: | Not reported |
| Status: | Active |

SWEEPS UST:

| | |
|---|---|
| Status: | Not reported |
| Comp Number: | 1949 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-001949-000001 |
| Actv Date: | Not reported |
| Capacity: | 1000 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | 1 |

**VACANT (Continued)** **S101591979**

| | |
|---|---|
| Status: | Active |
| Comp Number: | 1949 |
| Number: | 9 |
| Board Of Equalization: | Not reported |
| Referral Date: | 09-30-92 |
| Action Date: | 12-10-91 |
| Created Date: | 01-01-01 |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | Not reported |
| Actv Date: | Not reported |
| Capacity: | Not reported |
| Tank Use: | Not reported |
| Stg: | Not reported |
| Content: | Not reported |
| Number Of Tanks: | Not reported |

---

**O99** **COMMERCIAL** **UST** **U003903425**
**West** **3131 19TH ST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.137 mi.**
**722 ft.** **Site 1 of 7 in cluster O**

**Relative:**
**Lower**

**Actual:**
**26 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 24072 |
| Facility Status: | Not reported |
| Number Of Tanks: | Not reported |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | Not reported |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Not reported |
| Application Date: | 5/28/1993 |
| Application Name: | Not reported |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| | |
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |

**COMMERCIAL (Continued)** **U003903425**

| | |
|---|---|
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 6/18/1993 |
| UST Close ID: | 1331 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | 11/18/1994 |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

**O100** **VITLIN/ROSS PROPERTIES** **HIST CORTESE S100853463**
**West** **3131 19TH ST** **LUST N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110**
**0.137 mi.**
**722 ft.** **Site 2 of 7 in cluster O**

**Relative:**
**Lower**

**Actual:**
**26 ft.**

CORTESE:

| | |
|---|---|
| Region: | CORTESE |
| Facility County Code: | 38 |
| Reg By: | LTNKA |
| Reg Id: | 38-0884 |

LUST:

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607500779 |
| Latitude: | 37.760463 |
| Longitude: | -122.413347 |
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |
| Status Date: | 05/13/1997 |
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | SC |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-0884 |
| LOC Case Number: | 10794 |
| File Location: | Not reported |
| Potential Media Affect: | Other Groundwater (uses other than drinking water) |
| Potential Contaminants of Concern: | Gasoline |
| Site History: | Not reported |

Click here to access the California GeoTracker records for this facility:

LUST:

| | |
|---|---|
| Global Id: | T0607500779 |
| Contact Type: | Regional Board Caseworker |
| Contact Name: | VIC PAL |
| Organization Name: | SAN FRANCISCO BAY RWQCB (REGION 2) |
| Address: | 1515 CLAY STREET, SUITE 1400 |
| City: | OAKLAND |
| Email: | vpal@waterboards.ca.gov |
| Phone Number: | Not reported |

| | |
|---|---|
| Global Id: | T0607500779 |
| Contact Type: | Local Agency Caseworker |
| Contact Name: | STEPHANIE CUSHING |
| Organization Name: | SAN FRANCISCO COUNTY LOP |
| Address: | 1390 MARKET STREET #210 |
| City: | SAN FRANCISCO |
| Email: | stephanie.cushing@sfdph.org |
| Phone Number: | Not reported |

LUST:

| | |
|---|---|
| Global Id: | T0607500779 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Reported |

| | |
|---|---|
| Global Id: | T0607500779 |
| Action Type: | Other |

**VITLIN/ROSS PROPERTIES (Continued)** **S100853463**

Date: 01/01/1950
Action: Leak Discovery

LUST REG 2:
Region: 2
Facility Id: 38-0884
Facility Status: Case Closed
Case Number: 10794
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 38-0884
Facility Status: Case Closed
Case Number: 10794
Case Type: Other ground water affected
Release Date: 12/6/1994
Discovered Date: 11/2/1994
Substance: Gasoline
Substance Qty: Not reported
How Discovered: Not reported
How Stopped: Remove Contents
Report Date: 12/6/1994
Case Closed: 5/13/1997
Closed Date: 5/13/1997
Leak Source: Tank
Leak Cause: Overfill
Leak Confirmed: Not reported
Entered Date: 3/20/1997
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: Not reported
RP Address: Not reported
Operator: Not reported
Staff Initial: VP
Facility Staff: SC
Cross Street: HARRISON ST
NOR Date: 3/20/1997
MTBE Current: Not reported
MTBE Current Date: Not reported
MTBE: NT
Maximum MTBE Soil: Not reported

**VITLIN/ROSS PROPERTIES (Continued)** **S100853463**

| | |
|---|---|
| Maximum MTBE GW: | Not reported |
| MTBE DATE: | Not reported |
| Review Date: | Not reported |
| Workplan Submitted: | Not reported |
| Assessment Underway: | Not reported |
| Pollution Characterization: | Not reported |
| Corrective Action Plan: | Not reported |
| Remediation Underway: | Not reported |
| Monitoring Begun: | Not reported |
| Funding: | Not reported |
| Interim Remediation: | Yes |
| Priority: | Not reported |
| Abatement: | Excavate and Dispose - remove contaminated soil and dispose in approved site |
| Enforcement Type: | NOR |
| Enforcement Due Date: | Not reported |
| Basin: | Downtown Basin |
| Beneficial Use: | No |
| Lat/Long: | Not reported |
| CUFID: | Not reported |
| Suspended: | No |
| Stopped Date: | 6/18/1993 |
| Free Product: | No |
| Depth to Grnd Wtr: | Not reported |
| Gradient: | Not reported |
| Benzene: | Not reported |
| Primary Substance: | Gasoline |
| Enforcement Type: | Not reported |
| Amount of Free Produce: | Not reported |
| Benzene Test: | ND |
| Maximum Soil GW: | ND |
| Max Soil Concentration: | Not reported |
| TPH Tested: | Not reported |
| Max TPH GW: | Not reported |
| Max TPH Soil: | Not reported |
| TPH Date: | Not reported |
| Block: | Not reported |
| Lot: | Not reported |
| Notify: | False |
| TPH Current: | Not reported |
| TPH Current Date: | Not reported |
| Grnd Wtr Qualifier: | Not reported |
| Soil Qualifier: | Not reported |
| Comments: | Not reported |
| Summary: | Not reported |

---

**P101** **NOW DESIGNS OF SAN** **UST** **U004003835**
**NE** **540 HAMPSHIRE ST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.139 mi.**
**732 ft.** **Site 1 of 9 in cluster P**

**Relative:**
**Higher**

**Actual:**
**50 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 8267 |
| Facility Status: | Not reported |
| Number Of Tanks: | 1 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |

**NOW DESIGNS OF SAN (Continued)** **U004003835**

| | |
|---|---|
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | Not reported |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Not reported |
| Application Date: | 4/11/1991 |
| Application Name: | Not reported |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |

| | |
|---|---|
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 8/28/1991 |
| UST Close ID: | 839 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |

**NOW DESIGNS OF SAN (Continued)** **U004003835**

| | |
|---|---|
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

| | |
|---|---|
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 8/28/1991 |
| UST Close ID: | 802 |
| Type Of Spill Protection: | Not reported |

| | |
|---|---|
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |

**NOW DESIGNS OF SAN (Continued)** **U004003835**

| | |
|---|---|
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**P102**
**NE**
**1/8-1/4**
**0.139 mi.**
**732 ft.**

**NOW DESIGNS OF SAN FRANCISCO** **LUST S101591972**
**540 HAMPSHIRE ST** **CA FID UST N/A**
**SAN FRANCISCO, CA 94110** **SWEEPS UST**

**Site 2 of 9 in cluster P**

**Relative:**
**Higher**

**Actual:**
**50 ft.**

LUST REG 2:

| | |
|---|---|
| Region: | 2 |
| Facility Id: | 38-0221 |
| Facility Status: | Case Closed |
| Case Number: | 10094 |
| How Discovered: | Not reported |
| Leak Cause: | Not reported |
| Leak Source: | Not reported |
| Date Leak Confirmed: | Not reported |
| Oversight Program: | LUST |
| Prelim. Site Assesment Wokplan Submitted: | Not reported |
| Preliminary Site Assesment Began: | Not reported |
| Pollution Characterization Began: | Not reported |
| Pollution Remediation Plan Submitted: | Not reported |
| Date Remediation Action Underway: | Not reported |
| Date Post Remedial Action Monitoring Began: | Not reported |

SAN FRANCISCO CO. LUST:

| | |
|---|---|
| Region: | SAN FRANCISCO |
| Facility ID: | 38-0221 |
| Facility Status: | Case Closed |
| Case Number: | 10094 |
| Case Type: | Other ground water affected |
| Release Date: | 12/14/1988 |

**NOW DESIGNS OF SAN FRANCISCO (Continued)** **S101591972**

| | |
|---|---|
| Discovered Date: | 5/28/1991 |
| Substance: | Gasoline |
| Substance Qty: | Not reported |
| How Discovered: | Tank Closure |
| How Stopped: | Close Tank |
| Report Date: | 12/14/1988 |
| Case Closed: | 5/3/1994 |
| Closed Date: | 5/3/1994 |
| Leak Source: | Tank |
| Leak Cause: | Structure Failure |
| Leak Confirmed: | Not reported |
| Entered Date: | 9/17/1992 |
| Number of Wells: | Not reported |
| Regional Board: | San Francisco Bay Region |
| Local Agency: | 38000 |
| Lead Agency: | Local Agency |
| Program: | LOP |
| Responsible Party: | Not reported |
| RP Address: | Not reported |
| Operator: | Not reported |
| Staff Initial: | VP |
| Facility Staff: | AL |
| Cross Street: | 18TH ST |
| NOR Date: | 9/17/1992 |
| MTBE Current: | Not reported |
| MTBE Current Date: | Not reported |
| MTBE: | NT |
| Maximum MTBE Soil: | Not reported |
| Maximum MTBE GW: | Not reported |
| MTBE DATE: | Not reported |
| Review Date: | Not reported |
| Workplan Submitted: | Not reported |
| Assessment Underway: | 7/19/1991 |
| Pollution Characterization: | 7/22/1991 |
| Corrective Action Plan: | Not reported |
| Remediation Underway: | Not reported |
| Monitoring Begun: | Not reported |
| Funding: | Federal |
| Interim Remediation: | Yes |
| Priority: | Not reported |
| Abatement: | Excavate and Dispose - remove contaminated soil and dispose in approved site |
| Enforcement Type: | NOR |
| Enforcement Due Date: | 9/17/1992 |
| Basin: | Downtown Basin |
| Beneficial Use: | No |
| Lat/Long: | Not reported |
| CUFID: | Not reported |
| Suspended: | No |
| Stopped Date: | 7/19/1991 |
| Free Product: | No |
| Depth to Grnd Wtr: | Not reported |
| Gradient: | Not reported |
| Benzene: | Not reported |
| Primary Substance: | Gasoline |
| Enforcement Type: | Not reported |
| Amount of Free Produce: | Not reported |

**NOW DESIGNS OF SAN FRANCISCO (Continued)** **S101591972**

| | |
|---|---|
| Benzene Test: | YES |
| Maximum Soil GW: | Not reported |
| Max Soil Concentration: | Not reported |
| TPH Tested: | Not reported |
| Max TPH GW: | Not reported |
| Max TPH Soil: | Not reported |
| TPH Date: | Not reported |
| Block: | Not reported |
| Lot: | Not reported |
| Notify: | False |
| TPH Current: | Not reported |
| TPH Current Date: | Not reported |
| Grnd Wtr Qualifier: | Not reported |
| Soil Qualifier: | Not reported |
| Comments: | Not reported |
| Summary: | Not reported |

CA FID UST:

| | |
|---|---|
| Facility ID: | 38000263 |
| Regulated By: | UTNKA |
| Regulated ID: | Not reported |
| Cortese Code: | Not reported |
| SIC Code: | Not reported |
| Facility Phone: | 4150000000 |
| Mail To: | Not reported |
| Mailing Address: | 540 HAMPSHIRE ST |
| Mailing Address 2: | Not reported |
| Mailing City,St,Zip: | SAN FRANCISCO 94110 |
| Contact: | Not reported |
| Contact Phone: | Not reported |
| DUNs Number: | Not reported |
| NPDES Number: | Not reported |
| EPA ID: | Not reported |
| Comments: | Not reported |
| Status: | Active |

SWEEPS UST:

| | |
|---|---|
| Status: | Not reported |
| Comp Number: | 8267 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-008267-000001 |
| Actv Date: | Not reported |
| Capacity: | 1000 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | 3 |

| | |
|---|---|
| Status: | Not reported |
| Comp Number: | 8267 |

**NOW DESIGNS OF SAN FRANCISCO (Continued)** **S101591972**

| | |
|---|---|
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-008267-000002 |
| Actv Date: | Not reported |
| Capacity: | 550 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | Not reported |

| | |
|---|---|
| Status: | Not reported |
| Comp Number: | 8267 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-008267-000003 |
| Actv Date: | Not reported |
| Capacity: | 550 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | Not reported |

| | |
|---|---|
| Status: | Active |
| Comp Number: | 8267 |
| Number: | 9 |
| Board Of Equalization: | Not reported |
| Referral Date: | 09-30-92 |
| Action Date: | 12-10-91 |
| Created Date: | 01-01-01 |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | Not reported |
| Actv Date: | Not reported |
| Capacity: | Not reported |
| Tank Use: | Not reported |
| Stg: | Not reported |
| Content: | Not reported |
| Number Of Tanks: | Not reported |

**P103** **NOW DESIGNS** **HIST CORTESE** **U003530621**
**NE** **540 HAMPSHIRE STREET** **LUST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110** **HAZNET**
**0.139 mi.**
**732 ft.** **Site 3 of 9 in cluster P**

**Relative:**
**Higher**

**Actual:**
**50 ft.**

CORTESE:
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-0221

LUST:
Region: STATE
Global Id: T0607500189
Latitude: 37.762756
Longitude: -122.407184
Case Type: LUST Cleanup Site
Status: Completed - Case Closed
Status Date: 05/03/1994
Lead Agency: SAN FRANCISCO COUNTY LOP
Case Worker: AL
Local Agency: SAN FRANCISCO COUNTY LOP
RB Case Number: 38-0221
LOC Case Number: 10094
File Location: Not reported
Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Gasoline
Site History: Not reported

Click here to access the California GeoTracker records for this facility:

LUST:
Global Id: T0607500189
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

Global Id: T0607500189
Contact Type: Local Agency Caseworker
Contact Name: ALBERT LEE
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET, #210
City: SAN FRANCISCO
Email: albert.lee@sfdph.org
Phone Number: Not reported

LUST:
Global Id: T0607500189
Action Type: ENFORCEMENT
Date: 09/17/1992
Action: Notice of Responsibility

Global Id: T0607500189
Action Type: Other

**NOW DESIGNS (Continued)** **U003530621**

Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500189
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

HAZNET:
Year: 2010
Gepaid: CAC002658265
Contact: BEAU AMBUR
Telephone: 4157286620
Mailing Name: Not reported
Mailing Address: 540 HAMPSHIRE ST
Mailing City,St,Zip: SAN FRANCISCO, CA 94110
Gen County: Not reported
TSD EPA ID: NVT330010000
TSD County: Not reported
Waste Category: Alkaline solution without metals pH >= 12.5
Disposal Method: Landfill Or Surface Impoundment That Will Be Closed As Landfill( To Include On-Site Treatment And/Or Stabilization)
Tons: 0.2
Facility County: San Francisco

---

**M104** **PROJECT ARTAUD** **UST** **U003904467**
**NNW** **479 ALABAMA ST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.146 mi.**
**771 ft.** **Site 2 of 4 in cluster M**

**Relative:**
**Lower**

**Actual:**
**31 ft.**

SAN FRANCISCO CO. UST:
Facility ID: 23271
Facility Status: Not reported
Number Of Tanks: 2
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: 1550 Wallace
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: L & W
Application Date: 5/17/1999
Application Name: George Wilson
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported
Local Tank Id: Not reported

**PROJECT ARTAUD (Continued)** **U003904467**

| | |
|---|---|
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 5/24/1999 |
| UST Close ID: | 3738 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |

**PROJECT ARTAUD (Continued)** **U003904467**

Other Tank Leak Detection Present: Not reported

---

**M105**
**NNW**
**1/8-1/4**
**0.146 mi.**
**771 ft.**

**PROJECT ARTAUD** **LUST** **S106162115**
**479-499 ALABAMA ST** **N/A**
**SAN FRANCISCO, CA 94110**

**Site 3 of 4 in cluster M**

**Relative:**
**Lower**

**Actual:**
**31 ft.**

LUST:

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607501274 |
| Latitude: | 37.7629299 |
| Longitude: | -122.4121548 |
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |
| Status Date: | 06/29/1999 |
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | AL |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-1389 |
| LOC Case Number: | 11247 |
| File Location: | Not reported |
| Potential Media Affect: | Soil |
| Potential Contaminants of Concern: | Gasoline |
| Site History: | Not reported |

Click here to access the California GeoTracker records for this facility:

LUST:

| | |
|---|---|
| Global Id: | T0607501274 |
| Contact Type: | Local Agency Caseworker |
| Contact Name: | ALBERT LEE |
| Organization Name: | SAN FRANCISCO COUNTY LOP |
| Address: | 1390 MARKET STREET, #210 |
| City: | SAN FRANCISCO |
| Email: | albert.lee@sfdph.org |
| Phone Number: | Not reported |

| | |
|---|---|
| Global Id: | T0607501274 |
| Contact Type: | Regional Board Caseworker |
| Contact Name: | VIC PAL |
| Organization Name: | SAN FRANCISCO BAY RWQCB (REGION 2) |
| Address: | 1515 CLAY STREET, SUITE 1400 |
| City: | OAKLAND |
| Email: | vpal@waterboards.ca.gov |
| Phone Number: | Not reported |

LUST:

| | |
|---|---|
| Global Id: | T0607501274 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Reported |

| | |
|---|---|
| Global Id: | T0607501274 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Discovery |

**PROJECT ARTAUD (Continued)** **S106162115**

LUST REG 2:

| | |
|---|---|
| Region: | 2 |
| Facility Id: | 38-1389 |
| Facility Status: | Case Closed |
| Case Number: | 11247 |
| How Discovered: | Not reported |
| Leak Cause: | Not reported |
| Leak Source: | Not reported |
| Date Leak Confirmed: | Not reported |
| Oversight Program: | LUST |
| Prelim. Site Assesment Wokplan Submitted: | Not reported |
| Preliminary Site Assesment Began: | Not reported |
| Pollution Characterization Began: | Not reported |
| Pollution Remediation Plan Submitted: | Not reported |
| Date Remediation Action Underway: | Not reported |
| Date Post Remedial Action Monitoring Began: | Not reported |

SAN FRANCISCO CO. LUST:

| | |
|---|---|
| Region: | SAN FRANCISCO |
| Facility ID: | 38-1389 |
| Facility Status: | Case Closed |
| Case Number: | 11247 |
| Case Type: | Soil only |
| Release Date: | 5/24/1999 |
| Discovered Date: | 5/24/1999 |
| Substance: | Gasoline |
| Substance Qty: | Not reported |
| How Discovered: | Tank Closure |
| How Stopped: | Close Tank |
| Report Date: | 5/24/1999 |
| Case Closed: | 6/29/1999 |
| Closed Date: | 6/29/1999 |
| Leak Source: | Tank |
| Leak Cause: | Corrosion |
| Leak Confirmed: | Not reported |
| Entered Date: | 6/28/1999 |
| Number of Wells: | Not reported |
| Regional Board: | San Francisco Bay Region |
| Local Agency: | 38000 |
| Lead Agency: | Local Agency |
| Program: | LOP |
| Responsible Party: | Bruce L. Bigelow |
| RP Address: | Not reported |
| Operator: | Not reported |
| Staff Initial: | VP |
| Facility Staff: | AL |
| Cross Street: | MARIPOSA ST |
| NOR Date: | 6/28/1999 |
| MTBE Current: | Not reported |
| MTBE Current Date: | Not reported |
| MTBE: | ND |
| Maximum MTBE Soil: | Not reported |
| Maximum MTBE GW: | Not reported |
| MTBE DATE: | Not reported |
| Review Date: | Not reported |
| Workplan Submitted: | Not reported |

**PROJECT ARTAUD (Continued)** **S106162115**

| | |
|---|---|
| Assessment Underway: | Not reported |
| Pollution Characterization: | Not reported |
| Corrective Action Plan: | Not reported |
| Remediation Underway: | Not reported |
| Monitoring Begun: | Not reported |
| Funding: | R |
| Interim Remediation: | Yes |
| Priority: | Not reported |
| Abatement: | Excavate and Dispose - remove contaminated soil and dispose in approved site |
| Enforcement Type: | NOR |
| Enforcement Due Date: | Not reported |
| Basin: | Downtown Basin |
| Beneficial Use: | No |
| Lat/Long: | Not reported |
| CUFID: | Not reported |
| Suspended: | No |
| Stopped Date: | 5/24/1999 |
| Free Product: | No |
| Depth to Grnd Wtr: | Not reported |
| Gradient: | Not reported |
| Benzene: | Not reported |
| Primary Substance: | Gasoline |
| Enforcement Type: | Not reported |
| Amount of Free Produce: | Not reported |
| Benzene Test: | YES |
| Maximum Soil GW: | Not reported |
| Max Soil Concentration: | Not reported |
| TPH Tested: | Not reported |
| Max TPH GW: | Not reported |
| Max TPH Soil: | Not reported |
| TPH Date: | Not reported |
| Block: | Not reported |
| Lot: | Not reported |
| Notify: | False |
| TPH Current: | Not reported |
| TPH Current Date: | Not reported |
| Grnd Wtr Qualifier: | Not reported |
| Soil Qualifier: | Not reported |
| Comments: | Not reported |
| Summary: | 2 USTs; 280 gallon |

---

**M106** **PROJECT ARTAUD** **HIST CORTESE** **S104396833**
**NNW** **479 99 ALABAMA** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110**
**0.146 mi.**
**773 ft.** **Site 4 of 4 in cluster M**

**Relative:**
**Lower**

**Actual:**
**32 ft.**

CORTESE:

| | |
|---|---|
| Region: | CORTESE |
| Facility County Code: | 38 |
| Reg By: | LTNKA |
| Reg Id: | 38-1389 |

**J107** **SFUSD #921 - LAS** **UST** **U003916601**
**SW** **3200 20TH ST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.148 mi.**
**782 ft.** **Site 8 of 17 in cluster J**

**Relative:**
**Lower**

**Actual:**
**31 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 11630 |
| Facility Status: | Not reported |
| Number Of Tanks: | 3 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | 1351 42nd Avenue |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Peak Engineering, |
| Application Date: | 6/18/1998 |
| Application Name: | Bruce Giannini |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| | |
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 7/29/1998 |
| UST Close ID: | 3321 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |

**SFUSD #921 - LAS (Continued)** **U003916601**

| | |
|---|---|
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

| | |
|---|---|
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 7/6/1999 |
| UST Close ID: | 3763 |
| Type Of Spill Protection: | Not reported |

| | |
|---|---|
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |

**SFUSD #921 - LAS (Continued)** **U003916601**

| | |
|---|---|
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**J108** **JOHN O'CONNEL TECH SCHOOL** **HIST CORTESE** **S103283957**
**SW** **3200 20TH ST..** **LUST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110**
**0.148 mi.**
**782 ft.** **Site 9 of 17 in cluster J**

**Relative:**
**Lower**

**Actual:**
**31 ft.**

CORTESE:

| | |
|---|---|
| Region: | CORTESE |
| Facility County Code: | 38 |
| Reg By: | LTNKA |
| Reg Id: | 38-1123 |

LUST:

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607501012 |
| Latitude: | 37.759137 |
| Longitude: | -122.412673 |
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |
| Status Date: | 01/04/2013 |

**JOHN O'CONNEL TECH SCHOOL (Continued)** **S103283957**

| | |
|---|---|
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | AL |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-1123 |
| LOC Case Number: | 10993 |
| File Location: | Not reported |
| Potential Media Affect: | Other Groundwater (uses other than drinking water), Soil, Under Investigation |
| Potential Contaminants of Concern: | Heating Oil / Fuel Oil |
| Site History: | 7.10.2010 additional data needed from school district for review. 8.20.2010 site reivew for additional investigation to detemine if groundwater has been impacted 8.10.12 need to obtain UST removal report from SFUSD 12.20.12 received UST removal report 12.28.12 UST removal report indicated 3rd UST found; overexcavation of impacted soil; confirmatory soil samples taken under direction of SFDPH. contamination substantially reduced to very low residual concentrations. |

Click here to access the California GeoTracker records for this facility:

LUST:

| | |
|---|---|
| Global Id: | T0607501012 |
| Contact Type: | Local Agency Caseworker |
| Contact Name: | ALBERT LEE |
| Organization Name: | SAN FRANCISCO COUNTY LOP |
| Address: | 1390 MARKET STREET, #210 |
| City: | SAN FRANCISCO |
| Email: | albert.lee@sfdph.org |
| Phone Number: | Not reported |

LUST:

| | |
|---|---|
| Global Id: | T0607501012 |
| Action Type: | RESPONSE |
| Date: | 02/17/2011 |
| Action: | Verbal Communication |
| | |
| Global Id: | T0607501012 |
| Action Type: | ENFORCEMENT |
| Date: | 01/04/2013 |
| Action: | Site Visit / Inspection / Sampling |
| | |
| Global Id: | T0607501012 |
| Action Type: | ENFORCEMENT |
| Date: | 08/10/2012 |
| Action: | Technical Correspondence / Assistance / Other |
| | |
| Global Id: | T0607501012 |
| Action Type: | ENFORCEMENT |
| Date: | 01/04/2013 |
| Action: | Closure/No Further Action Letter - #10993 |
| | |
| Global Id: | T0607501012 |
| Action Type: | ENFORCEMENT |
| Date: | 09/07/2012 |
| Action: | File review |
| | |
| Global Id: | T0607501012 |

**JOHN O'CONNEL TECH SCHOOL (Continued)** **S103283957**

Action Type: ENFORCEMENT
Date: 01/31/2007
Action: * Verbal Communication

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 10/04/2012
Action: Closure/No Further Action Letter - #10019

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 01/03/2013
Action: File Review - Closure

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 01/04/2013
Action: LOP Case Closure Summary to RB

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 01/04/2013
Action: Closure/No Further Action Letter

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 12/27/2012
Action: File review

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 08/14/2012
Action: Technical Correspondence / Assistance / Other

Global Id: T0607501012
Action Type: RESPONSE
Date: 11/29/2012
Action: Verbal Communication

Global Id: T0607501012
Action Type: RESPONSE
Date: 11/13/2012
Action: Verbal Communication

Global Id: T0607501012
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 02/02/2007
Action: File review

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 07/19/2010

**JOHN O'CONNEL TECH SCHOOL (Continued)** **S103283957**

Action: File review

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 08/18/2008
Action: File review

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 08/31/2012
Action: Technical Correspondence / Assistance / Other

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 09/24/2012
Action: Technical Correspondence / Assistance / Other

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 08/21/2012
Action: Staff Letter

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 08/21/2012
Action: Staff Letter - #10993

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 09/25/2012
Action: Staff Letter - #10993

Global Id: T0607501012
Action Type: Other
Date: 01/01/1950
Action: Leak Began

Global Id: T0607501012
Action Type: RESPONSE
Date: 12/20/2012
Action: Correspondence

Global Id: T0607501012
Action Type: RESPONSE
Date: 12/18/2012
Action: Verbal Communication

Global Id: T0607501012
Action Type: RESPONSE
Date: 12/28/2012
Action: Tank Removal Report / UST Sampling Report

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 12/28/2012
Action: File Review - Closure

**JOHN O'CONNEL TECH SCHOOL (Continued)** **S103283957**

Global Id: T0607501012
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

Global Id: T0607501012
Action Type: RESPONSE
Date: 08/14/2012
Action: Verbal Communication

Global Id: T0607501012
Action Type: Other
Date: 01/01/1950
Action: Leak Stopped

LUST REG 2:
Region: 2
Facility Id: 38-1123
Facility Status: Preliminary site assessment underway
Case Number: 10993
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 8/28/1998
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 38-1123
Facility Status: Not reported
Case Number: 10993
Case Type: Soil only
Release Date: 8/28/1998
Discovered Date: 6/24/1998
Substance: Heater Fuel
Substance Qty: Not reported
How Discovered: Other Means
How Stopped: Not reported
Report Date: 8/28/1998
Case Closed: Not reported
Closed Date: Not reported
Leak Source: Unknown
Leak Cause: Unknown
Leak Confirmed: Not reported
Entered Date: 6/25/1998
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency

**JOHN O'CONNEL TECH SCHOOL (Continued)** **S103283957**

| | |
|---|---|
| Program: | LOP |
| Responsible Party: | SF USD |
| RP Address: | Not reported |
| Operator: | Not reported |
| Staff Initial: | VP |
| Facility Staff: | AL |
| Cross Street: | HARRISON |
| NOR Date: | 6/25/1998 |
| MTBE Current: | Not reported |
| MTBE Current Date: | Not reported |
| MTBE: | NRQ |
| Maximum MTBE Soil: | Not reported |
| Maximum MTBE GW: | Not reported |
| MTBE DATE: | Not reported |
| Review Date: | 3/20/2002 |
| Workplan Submitted: | Not reported |
| Assessment Underway: | Not reported |
| Pollution Characterization: | Not reported |
| Corrective Action Plan: | Not reported |
| Remediation Underway: | Not reported |
| Monitoring Begun: | Not reported |
| Funding: | Federal |
| Interim Remediation: | Not reported |
| Priority: | Not reported |
| Abatement: | Excavate and Dispose - remove contaminated soil and dispose in approved site |
| Enforcement Type: | NOR |
| Enforcement Due Date: | Not reported |
| Basin: | Downtown Basin |
| Beneficial Use: | No |
| Lat/Long: | Not reported |
| CUFID: | Not reported |
| Suspended: | No |
| Stopped Date: | Not reported |
| Free Product: | No |
| Depth to Grnd Wtr: | Not reported |
| Gradient: | Not reported |
| Benzene: | Not reported |
| Primary Substance: | Fuel Oils Nos. 1 - |
| Enforcement Type: | Not reported |
| Amount of Free Produce: | Not reported |
| Benzene Test: | ND |
| Maximum Soil GW: | ND |
| Max Soil Concentration: | Not reported |
| TPH Tested: | Not reported |
| Max TPH GW: | Not reported |
| Max TPH Soil: | Not reported |
| TPH Date: | Not reported |
| Block: | Not reported |
| Lot: | Not reported |
| Notify: | False |
| TPH Current: | Not reported |
| TPH Current Date: | Not reported |
| Grnd Wtr Qualifier: | Not reported |
| Soil Qualifier: | Not reported |
| Comments: | Not reported |
| Summary: | 207,000 ppm motor |

**Q109** **ROSE EXTERMINATOR** **UST** **U003906023**
**ENE** **626 POTRERO AV** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.151 mi.**
**799 ft.** **Site 1 of 5 in cluster Q**

**Relative:**
**Higher**

**Actual:**
**54 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 2844 |
| Facility Status: | Not reported |
| Number Of Tanks: | 1 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | Not reported |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Not reported |
| Application Date: | 9/28/1989 |
| Application Name: | Not reported |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| | |
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 1/9/1990 |
| UST Close ID: | 157 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |

**ROSE EXTERMINATOR (Continued)** **U003906023**

| | |
|---|---|
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**Q110** **ROSE EXTERMINATOR** **LUST S101592183**
**ENE** **626 POTRERO AVE** **CA FID UST N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110** **SWEEPS UST**
**0.151 mi.**
**799 ft.** **Site 2 of 5 in cluster Q**

**Relative:** **Higher**

**Actual:** **54 ft.**

LUST:

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607500213 |
| Latitude: | 37.761667 |
| Longitude: | -122.407856 |
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |
| Status Date: | 04/07/2005 |
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | SC |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-0248 |
| LOC Case Number: | 10632 |
| File Location: | Not reported |
| Potential Media Affect: | Other Groundwater (uses other than drinking water) |
| Potential Contaminants of Concern: | Gasoline |
| Site History: | Not reported |

Click here to access the California GeoTracker records for this facility:

LUST:

**ROSE EXTERMINATOR (Continued)** **S101592183**

Global Id: T0607500213
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

Global Id: T0607500213
Contact Type: Local Agency Caseworker
Contact Name: STEPHANIE CUSHING
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET #210
City: SAN FRANCISCO
Email: stephanie.cushing@sfdph.org
Phone Number: Not reported

LUST:
Global Id: T0607500213
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500213
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

Global Id: T0607500213
Action Type: ENFORCEMENT
Date: 04/07/2005
Action: Closure/No Further Action Letter

LUST REG 2:
Region: 2
Facility Id: 38-0248
Facility Status: Post remedial action monitoring
Case Number: 10632
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: 5/2/1996

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 38-0248
Facility Status: Post remedial action monitoring

**ROSE EXTERMINATOR (Continued)** **S101592183**

| | |
|---|---|
| Case Number: | 10632 |
| Case Type: | Other ground water affected |
| Release Date: | 5/2/1996 |
| Discovered Date: | 10/12/1990 |
| Substance: | Gasoline |
| Substance Qty: | Not reported |
| How Discovered: | Tank Closure |
| How Stopped: | Close Tank |
| Report Date: | 5/2/1996 |
| Case Closed: | Not reported |
| Closed Date: | Not reported |
| Leak Source: | Tank |
| Leak Cause: | Structure Failure |
| Leak Confirmed: | Not reported |
| Entered Date: | 5/3/1996 |
| Number of Wells: | Not reported |
| Regional Board: | San Francisco Bay Region |
| Local Agency: | 38000 |
| Lead Agency: | Local Agency |
| Program: | LOP |
| Responsible Party: | TERMINIX |
| RP Address: | Not reported |
| Operator: | Not reported |
| Staff Initial: | VP |
| Facility Staff: | SC |
| Cross Street: | 18TH ST |
| NOR Date: | 5/3/1996 |
| MTBE Current: | Not reported |
| MTBE Current Date: | Not reported |
| MTBE: | NT |
| Maximum MTBE Soil: | Not reported |
| Maximum MTBE GW: | Not reported |
| MTBE DATE: | Not reported |
| Review Date: | Not reported |
| Workplan Submitted: | 3/22/1990 |
| Assessment Underway: | 7/19/1990 |
| Pollution Characterization: | Not reported |
| Corrective Action Plan: | Not reported |
| Remediation Underway: | Not reported |
| Monitoring Begun: | 6/11/1997 |
| Funding: | Federal |
| Interim Remediation: | No |
| Priority: | Not reported |
| Abatement: | No Action Taken - no action has as yet been taken at the site |
| Enforcement Type: | NOR |
| Enforcement Due Date: | Not reported |
| Basin: | Downtown Basin |
| Beneficial Use: | No |
| Lat/Long: | Not reported |
| CUFID: | Not reported |
| Suspended: | No |
| Stopped Date: | 3/22/1990 |
| Free Product: | No |
| Depth to Grnd Wtr: | 17 FEET |
| Gradient: | Not reported |
| Benzene: | Not reported |
| Primary Substance: | Gasoline |

**ROSE EXTERMINATOR (Continued)** **S101592183**

| | |
|---|---|
| Enforcement Type: | Not reported |
| Amount of Free Produce: | Not reported |
| Benzene Test: | YES |
| Maximum Soil GW: | Not reported |
| Max Soil Concentration: | Not reported |
| TPH Tested: | Not reported |
| Max TPH GW: | Not reported |
| Max TPH Soil: | Not reported |
| TPH Date: | Not reported |
| Block: | Not reported |
| Lot: | Not reported |
| Notify: | False |
| TPH Current: | Not reported |
| TPH Current Date: | Not reported |
| Grnd Wtr Qualifier: | Not reported |
| Soil Qualifier: | Not reported |
| Comments: | Not reported |
| Summary: | 5/2/96 [leak |

CA FID UST:

| | |
|---|---|
| Facility ID: | 38001221 |
| Regulated By: | UTNKA |
| Regulated ID: | Not reported |
| Cortese Code: | Not reported |
| SIC Code: | Not reported |
| Facility Phone: | 4150000000 |
| Mail To: | Not reported |
| Mailing Address: | 626 POTRERO AVE |
| Mailing Address 2: | Not reported |
| Mailing City,St,Zip: | SAN FRANCISCO 94110 |
| Contact: | Not reported |
| Contact Phone: | Not reported |
| DUNs Number: | Not reported |
| NPDES Number: | Not reported |
| EPA ID: | Not reported |
| Comments: | Not reported |
| Status: | Active |

SWEEPS UST:

| | |
|---|---|
| Status: | Not reported |
| Comp Number: | 2844 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-002844-000001 |
| Actv Date: | Not reported |
| Capacity: | 2000 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | 5 |

**ROSE EXTERMINATOR (Continued)** **S101592183**

| | |
|---|---|
| Status: | Not reported |
| Comp Number: | 2844 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-002844-000002 |
| Actv Date: | Not reported |
| Capacity: | 1000 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | Not reported |

| | |
|---|---|
| Status: | Not reported |
| Comp Number: | 2844 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-002844-000003 |
| Actv Date: | Not reported |
| Capacity: | 1000 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | Not reported |

| | |
|---|---|
| Status: | Not reported |
| Comp Number: | 2844 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-002844-000004 |
| Actv Date: | Not reported |
| Capacity: | 1000 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | Not reported |

| | |
|---|---|
| Status: | Not reported |
| Comp Number: | 2844 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |

**ROSE EXTERMINATOR (Continued)** **S101592183**

| | |
|---|---|
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-002844-000005 |
| Actv Date: | Not reported |
| Capacity: | 500 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | Not reported |

| | |
|---|---|
| Status: | Active |
| Comp Number: | 2844 |
| Number: | 9 |
| Board Of Equalization: | Not reported |
| Referral Date: | 09-30-92 |
| Action Date: | 12-10-91 |
| Created Date: | 01-01-01 |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | Not reported |
| Actv Date: | Not reported |
| Capacity: | Not reported |
| Tank Use: | Not reported |
| Stg: | Not reported |
| Content: | Not reported |
| Number Of Tanks: | Not reported |

---

**J111** **LOSKUTOFF PROPERTY** **HIST CORTESE** **S102432763**
**SW** **2407 HARRISON STREET** **LUST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110** **HAZNET**
**0.154 mi.**
**815 ft.** **Site 10 of 17 in cluster J**

**Relative:**
**Lower**

**Actual:**
**31 ft.**

CORTESE:

| | |
|---|---|
| Region: | CORTESE |
| Facility County Code: | 38 |
| Reg By: | LTNKA |
| Reg Id: | 38-0524 |

LUST:

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607500468 |
| Latitude: | 37.758744 |
| Longitude: | -122.412168 |
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |
| Status Date: | 02/14/1997 |
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | SC |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-0524 |
| LOC Case Number: | 10241 |
| File Location: | Not reported |
| Potential Media Affect: | Soil |
| Potential Contaminants of Concern: | Gasoline |
| Site History: | Not reported |

**LOSKUTOFF PROPERTY (Continued)** **S102432763**

Click here to access the California GeoTracker records for this facility:

LUST:
Global Id: T0607500468
Contact Type: Local Agency Caseworker
Contact Name: STEPHANIE CUSHING
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET #210
City: SAN FRANCISCO
Email: stephanie.cushing@sfdph.org
Phone Number: Not reported

Global Id: T0607500468
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0607500468
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500468
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

HAZNET:
Year: 1997
Gepaid: CAC000768112
Contact: VERA LOSKUTOFF
Telephone: 0000000000
Mailing Name: Not reported
Mailing Address: 999-C EDGEWATER BLVD, #135
Mailing City,St,Zip: FOSTER CITY, CA 944040000
Gen County: San Francisco
TSD EPA ID: NV0982358483
TSD County: 0
Waste Category: Unspecified oil-containing waste
Disposal Method: Not reported
Tons: 1.0008
Facility County: San Francisco

Year: 1995
Gepaid: CAC001047056
Contact: VERA
Telephone: 0000000000
Mailing Name: Not reported
Mailing Address: 999-C EDGEWATER BL. #135
Mailing City,St,Zip: FOSTER CITY, CA 944040000

**LOSKUTOFF PROPERTY (Continued)** **S102432763**

Gen County: San Francisco
TSD EPA ID: CAD004771168
TSD County: San Francisco
Waste Category: Other empty containers 30 gallons or more
Disposal Method: Recycler
Tons: 1.0000
Facility County: San Francisco

Year: 1995
Gepaid: CAC001047056
Contact: VERA
Telephone: 0000000000
Mailing Name: Not reported
Mailing Address: 999-C EDGEWATER BL. #135
Mailing City,St,Zip: FOSTER CITY, CA 944040000
Gen County: San Francisco
TSD EPA ID: CAD980887418
TSD County: 1
Waste Category: Waste oil and mixed oil
Disposal Method: Recycler
Tons: 4.3785
Facility County: San Francisco

---

**J112** **LOSKUTOFF PROPERTY** **LUST S102432765**
**SW** **2407 HARRISON STREET** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110**
**0.154 mi.**
**815 ft.** **Site 11 of 17 in cluster J**

**Relative:**
**Lower**

**Actual:**
**31 ft.**

LUST REG 2:
Region: 2
Facility Id: 38-0524
Facility Status: Case Closed
Case Number: 10241
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 38-0524
Facility Status: Case Closed
Case Number: 10241
Case Type: Soil only
Release Date: 10/6/1993
Discovered Date: 10/27/1993
Substance: Gasoline
Substance Qty: Not reported
How Discovered: Tank Closure

**LOSKUTOFF PROPERTY (Continued)** **S102432765**

| | |
|---|---|
| How Stopped: | Remove Contents |
| Report Date: | 10/6/1993 |
| Case Closed: | 2/14/1997 |
| Closed Date: | 2/14/1997 |
| Leak Source: | Tank |
| Leak Cause: | Structure Failure |
| Leak Confirmed: | 5/19/1995 |
| Entered Date: | 3/11/1995 |
| Number of Wells: | Not reported |
| Regional Board: | San Francisco Bay Region |
| Local Agency: | 38000 |
| Lead Agency: | Local Agency |
| Program: | LOP |
| Responsible Party: | Not reported |
| RP Address: | Not reported |
| Operator: | Not reported |
| Staff Initial: | VP |
| Facility Staff: | SC |
| Cross Street: | 20TH ST |
| NOR Date: | 3/11/1995 |
| MTBE Current: | Not reported |
| MTBE Current Date: | Not reported |
| MTBE: | NT |
| Maximum MTBE Soil: | Not reported |
| Maximum MTBE GW: | Not reported |
| MTBE DATE: | Not reported |
| Review Date: | Not reported |
| Workplan Submitted: | Not reported |
| Assessment Underway: | Not reported |
| Pollution Characterization: | Not reported |
| Corrective Action Plan: | Not reported |
| Remediation Underway: | Not reported |
| Monitoring Begun: | Not reported |
| Funding: | Federal |
| Interim Remediation: | Yes |
| Priority: | Not reported |
| Abatement: | Excavate and Dispose - remove contaminated soil and dispose in approved site |
| Enforcement Type: | 2A |
| Enforcement Due Date: | Not reported |
| Basin: | Downtown Basin |
| Beneficial Use: | No |
| Lat/Long: | Not reported |
| CUFID: | Not reported |
| Suspended: | No |
| Stopped Date: | 10/6/1993 |
| Free Product: | No |
| Depth to Grnd Wtr: | Not reported |
| Gradient: | Not reported |
| Benzene: | Not reported |
| Primary Substance: | Gasoline |
| Enforcement Type: | 2A |
| Amount of Free Produce: | Not reported |
| Benzene Test: | Not reported |
| Maximum Soil GW: | Not reported |
| Max Soil Concentration: | Not reported |
| TPH Tested: | Not reported |

**LOSKUTOFF PROPERTY (Continued)** **S102432765**

| | |
|---|---|
| Max TPH GW: | Not reported |
| Max TPH Soil: | Not reported |
| TPH Date: | Not reported |
| Block: | Not reported |
| Lot: | Not reported |
| Notify: | False |
| TPH Current: | Not reported |
| TPH Current Date: | Not reported |
| Grnd Wtr Qualifier: | Not reported |
| Soil Qualifier: | Not reported |
| Comments: | Not reported |
| Summary: | Not reported |

---

**J113** **COMMERCIAL** **UST** **U003903403**
**SW** **2407 HARRISON ST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.154 mi.**
**815 ft.** **Site 12 of 17 in cluster J**

**Relative:**
**Lower**

**Actual:**
**31 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 24624 |
| Facility Status: | Not reported |
| Number Of Tanks: | Not reported |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | Not reported |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Not reported |
| Application Date: | 9/29/1993 |
| Application Name: | Not reported |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| | |
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |

**COMMERCIAL (Continued)** **U003903403**

| | |
|---|---|
| Date Interior Lining Install: | Not reported |
| Date Closed: | 10/6/1993 |
| UST Close ID: | 1463 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | 2/4/1994 |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**J114** **2407 HARRISON ST** **UST U003915208**
**SW** **2407 HARRISON ST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.154 mi.**
**815 ft.** **Site 13 of 17 in cluster J**

**Relative:**
**Lower**

**Actual:**
**31 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 21599 |
| Facility Status: | Not reported |
| Number Of Tanks: | 1 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |

**2407 HARRISON ST (Continued)** **U003915208**

| | |
|---|---|
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | 255 Shipley Street |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Golden Gate Tank |
| Application Date: | 4/13/1995 |
| Application Name: | Jim Tracy |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |

| | |
|---|---|
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 5/1/1995 |
| UST Close ID: | 2006 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |

**2407 HARRISON ST (Continued)** **U003915208**

| | |
|---|---|
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | 6/16/1995 |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**O115** **BOB S TRANSMISSION SERVICE** **EDR US Hist Auto Stat** **1009001015**
**West** **605 TREAT AVE** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.159 mi.**
**840 ft.** **Site 3 of 7 in cluster O**

**Relative:** EDR Historical Auto Stations:
**Lower**

| | |
|---|---|
| Name: | BOB S TRANSMISSION SERVICE |
| Year: | 1977 |
| Type: | AUTOMOBILE REPAIRING |

**Actual:**
**26 ft.**

---

**N116** **ABBETT ELECTRIC CORP** **HIST CORTESE** **U001595371**
**North** **1850 BRYANT ST** **LUST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110** **HIST UST**
**0.160 mi.** **ENF**
**843 ft.** **Site 4 of 7 in cluster N** **HAZNET**

**Relative:** CORTESE:
**Higher**

| | |
|---|---|
| Region: | CORTESE |
| Facility County Code: | 38 |
| Reg By: | LTNKA |
| Reg Id: | 38-0686 |

**Actual:**
**58 ft.**

LUST:

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607500597 |
| Latitude: | 37.7637349 |
| Longitude: | -122.410794 |
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |
| Status Date: | 01/02/1996 |
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | AL |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-0686 |
| LOC Case Number: | 10554 |

**ABBETT ELECTRIC CORP (Continued)** **U001595371**

File Location: Not reported
Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline
Site History: Not reported

Click here to access the California GeoTracker records for this facility:

LUST:
Global Id: T0607500597
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

Global Id: T0607500597
Contact Type: Local Agency Caseworker
Contact Name: ALBERT LEE
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET, #210
City: SAN FRANCISCO
Email: albert.lee@sfdph.org
Phone Number: Not reported

LUST:
Global Id: T0607500597
Action Type: ENFORCEMENT
Date: 10/30/1995
Action: Notice of Responsibility

Global Id: T0607500597
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500597
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

HIST UST:
Region: STATE
Facility ID: 00000049695
Facility Type: Other
Other Type: ELECTRICAL CONTRACTO
Total Tanks: 0002
Contact Name: ROBERT CHERNOTSKY
Telephone: 4158647500
Owner Name: ABBETT ELECTRIC CORPORATION
Owner Address: 1850 BRYANT ST.
Owner City,St,Zip: SAN FRANCISCO, CA 94110

Tank Num: 001
Container Num: 1

**ABBETT ELECTRIC CORP (Continued)** **U001595371**

Year Installed: 1979
Tank Capacity: 00003000
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Tank Construction: Not reported
Leak Detection: Stock Inventor

Tank Num: 002
Container Num: 2
Year Installed: 1980
Tank Capacity: 00001000
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Tank Construction: Not reported
Leak Detection: Stock Inventor

ENF:
Region: 2
Facility Id: 206967
Agency Name: Abbett Electric Corporation
Place Type: Facility
Place Subtype: Not reported
Facility Type: Unknown
Agency Type: Privately-Owned Business
# Of Agencies: 1
Place Latitude: Not reported
Place Longitude: Not reported
SIC Code 1: Not reported
SIC Desc 1: Not reported
SIC Code 2: Not reported
SIC Desc 2: Not reported
SIC Code 3: Not reported
SIC Desc 3: Not reported
NAICS Code 1: Not reported
NAICS Desc 1: Not reported
NAICS Code 2: Not reported
NAICS Desc 2: Not reported
NAICS Code 3: Not reported
NAICS Desc 3: Not reported
# Of Places: 1
Source Of Facility: Reg Meas
Design Flow: Not reported
Threat To Water Quality: Not reported
Complexity: Not reported
Pretreatment: Not reported
Facility Waste Type: Not reported
Facility Waste Type 2: Not reported
Facility Waste Type 3: Not reported
Facility Waste Type 4: Not reported
Program: AGT
# Of Programs: 1
WDID: 2 38AGT409U
Reg Measure Id: 169337
Reg Measure Type: Unregulated
Region: 2
Order #: Not reported
Npdes# CA#: Not reported

**ABBETT ELECTRIC CORP (Continued)** **U001595371**

| | |
|---|---|
| Major-Minor: | Not reported |
| Npdes Type: | Not reported |
| Reclamation: | Not reported |
| Dredge Fill Fee: | Not reported |
| 301H: | Not reported |
| Application Fee Amt Received: | Not reported |
| Status: | Active |
| Status Date: | 06/17/2005 |
| Effective Date: | Not reported |
| Expiration/Review Date: | Not reported |
| Termination Date: | Not reported |
| WDR Review - Amend: | Not reported |
| WDR Review - Revise/Renew: | Not reported |
| WDR Review - Rescind: | Not reported |
| WDR Review - No Action Required: | Not reported |
| WDR Review - Pending: | Not reported |
| WDR Review - Planned: | Not reported |
| Status Enrollee: | N |
| Individual/General: | Not reported |
| Fee Code: | Not reported |
| Direction/Voice: | Passive |
| Enforcement Id(EID): | 238834 |
| Region: | 2 |
| Order / Resolution Number: | UNKNOWN |
| Enforcement Action Type: | Oral Communication |
| Effective Date: | 10/01/2001 |
| Adoption/Issuance Date: | Not reported |
| Achieve Date: | Not reported |
| Termination Date: | Not reported |
| ACL Issuance Date: | Not reported |
| EPL Issuance Date: | Not reported |
| Status: | Historical |
| Title: | Enforcement - 2 38AGT409U |
| Description: | Not reported |
| Program: | AGT |
| Latest Milestone Completion Date: | 12/13/2001 |
| # Of Programs1: | 1 |
| Total Assessment Amount: | 0 |
| Initial Assessed Amount: | 0 |
| Liability $ Amount: | 0 |
| Project $ Amount: | 0 |
| Liability $ Paid: | 0 |
| Project $ Completed: | 0 |
| Total $ Paid/Completed Amount: | 0 |

| | |
|---|---|
| Region: | 2 |
| Facility Id: | 206967 |
| Agency Name: | Abbett Electric Corporation |
| Place Type: | Facility |
| Place Subtype: | Not reported |
| Facility Type: | Unknown |
| Agency Type: | Privately-Owned Business |
| # Of Agencies: | 1 |
| Place Latitude: | Not reported |
| Place Longitude: | Not reported |
| SIC Code 1: | Not reported |
| SIC Desc 1: | Not reported |

**ABBETT ELECTRIC CORP (Continued)** **U001595371**

| | |
|---|---|
| SIC Code 2: | Not reported |
| SIC Desc 2: | Not reported |
| SIC Code 3: | Not reported |
| SIC Desc 3: | Not reported |
| NAICS Code 1: | Not reported |
| NAICS Desc 1: | Not reported |
| NAICS Code 2: | Not reported |
| NAICS Desc 2: | Not reported |
| NAICS Code 3: | Not reported |
| NAICS Desc 3: | Not reported |
| # Of Places: | 1 |
| Source Of Facility: | Reg Meas |
| Design Flow: | Not reported |
| Threat To Water Quality: | Not reported |
| Complexity: | Not reported |
| Pretreatment: | Not reported |
| Facility Waste Type: | Not reported |
| Facility Waste Type 2: | Not reported |
| Facility Waste Type 3: | Not reported |
| Facility Waste Type 4: | Not reported |
| Program: | AGT |
| # Of Programs: | 1 |
| WDID: | 2 38AGT409U |
| Reg Measure Id: | 169337 |
| Reg Measure Type: | Unregulated |
| Region: | 2 |
| Order #: | Not reported |
| Npdes# CA#: | Not reported |
| Major-Minor: | Not reported |
| Npdes Type: | Not reported |
| Reclamation: | Not reported |
| Dredge Fill Fee: | Not reported |
| 301H: | Not reported |
| Application Fee Amt Received: | Not reported |
| Status: | Active |
| Status Date: | 06/17/2005 |
| Effective Date: | Not reported |
| Expiration/Review Date: | Not reported |
| Termination Date: | Not reported |
| WDR Review - Amend: | Not reported |
| WDR Review - Revise/Renew: | Not reported |
| WDR Review - Rescind: | Not reported |
| WDR Review - No Action Required: | Not reported |
| WDR Review - Pending: | Not reported |
| WDR Review - Planned: | Not reported |
| Status Enrollee: | N |
| Individual/General: | Not reported |
| Fee Code: | Not reported |
| Direction/Voice: | Passive |
| Enforcement Id(EID): | 238836 |
| Region: | 2 |
| Order / Resolution Number: | UNKNOWN |
| Enforcement Action Type: | Staff Enforcement Letter |
| Effective Date: | 11/02/2001 |
| Adoption/Issuance Date: | Not reported |
| Achieve Date: | Not reported |
| Termination Date: | Not reported |

**ABBETT ELECTRIC CORP (Continued)** **U001595371**

| | |
|---|---|
| ACL Issuance Date: | Not reported |
| EPL Issuance Date: | Not reported |
| Status: | Historical |
| Title: | Enforcement - 2 38AGT409U |
| Description: | Not reported |
| Program: | AGT |
| Latest Milestone Completion Date: | Not reported |
| # Of Programs1: | 1 |
| Total Assessment Amount: | 0 |
| Initial Assessed Amount: | 0 |
| Liability $ Amount: | 0 |
| Project $ Amount: | 0 |
| Liability $ Paid: | 0 |
| Project $ Completed: | 0 |
| Total $ Paid/Completed Amount: | 0 |

HAZNET:

| | |
|---|---|
| Year: | 2008 |
| Gepaid: | CAL000102783 |
| Contact: | LES YOUNG/CONTROLLER |
| Telephone: | 4158647500 |
| Mailing Name: | Not reported |
| Mailing Address: | 1850 BRYANT ST |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941101407 |
| Gen County: | San Francisco |
| TSD EPA ID: | CA0000084517 |
| TSD County: | Sacramento |
| Waste Category: | Oxygenated solvents (acetone, butanol, ethyl acetate, etc.) |
| Disposal Method: | Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135) |
| Tons: | 0.0175 |
| Facility County: | San Francisco |

| | |
|---|---|
| Year: | 2007 |
| Gepaid: | CAL000102783 |
| Contact: | GREGORY ABBETT |
| Telephone: | 4158647500 |
| Mailing Name: | Not reported |
| Mailing Address: | 1850 BRYANT ST |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941101407 |
| Gen County: | San Francisco |
| TSD EPA ID: | CAD093459485 |
| TSD County: | Fresno |
| Waste Category: | Unspecified solvent mixture |
| Disposal Method: | Solvents Recovery |
| Tons: | 0.06 |
| Facility County: | San Francisco |

| | |
|---|---|
| Year: | 2007 |
| Gepaid: | CAL000102783 |
| Contact: | GREGORY ABBETT |
| Telephone: | 4158647500 |
| Mailing Name: | Not reported |
| Mailing Address: | 1850 BRYANT ST |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941101407 |
| Gen County: | San Francisco |
| TSD EPA ID: | TXD077603371 |

**ABBETT ELECTRIC CORP (Continued)** **U001595371**

TSD County: 99
Waste Category: Unspecified solvent mixture
Disposal Method: Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.05
Facility County: San Francisco

Year: 2007
Gepaid: CAL000102783
Contact: GREGORY ABBETT
Telephone: 4158647500
Mailing Name: Not reported
Mailing Address: 1850 BRYANT ST
Mailing City,St,Zip: SAN FRANCISCO, CA 941101407
Gen County: San Francisco
TSD EPA ID: CA0000084517
TSD County: Sacramento
Waste Category: Oxygenated solvents (acetone, butanol, ethyl acetate, etc.)
Disposal Method: Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.07
Facility County: San Francisco

Year: 2006
Gepaid: CAL000102783
Contact: GREGORY ABBETT
Telephone: 4158647500
Mailing Name: Not reported
Mailing Address: 1850 BRYANT ST
Mailing City,St,Zip: SAN FRANCISCO, CA 941101407
Gen County: San Francisco
TSD EPA ID: CA0000084517
TSD County: Sacramento
Waste Category: Oxygenated solvents (acetone, butanol, ethyl acetate, etc.)
Disposal Method: Transfer Station
Tons: 0.01
Facility County: San Francisco

Click this hyperlink while viewing on your computer to access
7 additional CA_HAZNET: record(s) in the EDR Site Report.

---

**N117** **ABBOTT ELECTRIC CORP.** **CA FID UST S101592300**
**North** **1850 BRYANT ST** **SWEEPS UST N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110**
**0.160 mi.**
**843 ft.** **Site 5 of 7 in cluster N**

**Relative:** CA FID UST:
**Higher**
Facility ID: 38002426
Regulated By: UTNKA
**Actual:** Regulated ID: Not reported
**58 ft.** Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4158647500
Mail To: Not reported
Mailing Address: 1850 BRYANT ST
Mailing Address 2: Not reported
Mailing City,St,Zip: SAN FRANCISCO 94110

**ABBOTT ELECTRIC CORP. (Continued)** **S101592300**

Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

SWEEPS UST:
Status: Active
Comp Number: 1501
Number: 1
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Tank Status: A
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-001501-000001
Actv Date: 09-30-92
Capacity: 3000
Tank Use: M.V. FUEL
Stg: P
Content: REG UNLEADED
Number Of Tanks: 2

Status: Active
Comp Number: 1501
Number: 1
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Tank Status: A
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-001501-000002
Actv Date: 09-30-92
Capacity: 1000
Tank Use: UNKNOWN
Stg: P
Content: DIESEL
Number Of Tanks: Not reported

---

**N118** **ABBETT ELECTRIC** **UST** **U004003399**
**North** **1850 BRYANT ST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.160 mi.**
**843 ft.** **Site 6 of 7 in cluster N**

**Relative:**
**Higher**

**Actual:**
**58 ft.**

SAN FRANCISCO CO. UST:
Facility ID: 1501
Facility Status: Not reported
Number Of Tanks: Not reported
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported

**ABBETT ELECTRIC (Continued)** **U004003399**

| | |
|---|---|
| 2nd Care Of Add: | Not reported |
| Mailing Address: | Not reported |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Not reported |
| Application Date: | 3/4/1993 |
| Application Name: | Not reported |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |

| | |
|---|---|
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 6/1/1993 |
| UST Close ID: | 1244 |
| Type Of Spill Protection: | Not reported |

| | |
|---|---|
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |

**ABBETT ELECTRIC (Continued)** **U004003399**

| | |
|---|---|
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | 11/8/1996 |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

| | |
|---|---|
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 10/27/1994 |
| UST Close ID: | 1851 |
| Type Of Spill Protection: | Not reported |

| | |
|---|---|
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |

**ABBETT ELECTRIC (Continued)** **U004003399**

| | |
|---|---|
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | 10/27/1995 |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**N119** **1X ABBETT ELECTRIC** **LUST S103946673**
**North** **1850 BRYANT STREET** **HAZNET N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110**
**0.160 mi.**
**843 ft.** **Site 7 of 7 in cluster N**

**Relative:**
**Higher**

**Actual:**
**58 ft.**

LUST REG 2:

| | |
|---|---|
| Region: | 2 |
| Facility Id: | 38-0686 |
| Facility Status: | Case Closed |
| Case Number: | 10554 |
| How Discovered: | Not reported |
| Leak Cause: | Not reported |
| Leak Source: | Not reported |
| Date Leak Confirmed: | Not reported |
| Oversight Program: | LUST |
| Prelim. Site Assesment Wokplan Submitted: | Not reported |
| Preliminary Site Assesment Began: | Not reported |
| Pollution Characterization Began: | Not reported |
| Pollution Remediation Plan Submitted: | Not reported |
| Date Remediation Action Underway: | Not reported |
| Date Post Remedial Action Monitoring Began: | Not reported |

SAN FRANCISCO CO. LUST:

| | |
|---|---|
| Region: | SAN FRANCISCO |
| Facility ID: | 38-0686 |
| Facility Status: | Case Closed |
| Case Number: | 10554 |
| Case Type: | Soil only |
| Release Date: | 11/9/1995 |
| Discovered Date: | 11/3/1994 |
| Substance: | Gasoline |

**1X ABBETT ELECTRIC (Continued)** **S103946673**

| | |
|---|---|
| Substance Qty: | Not reported |
| How Discovered: | Not reported |
| How Stopped: | Not reported |
| Report Date: | 10/27/1994 |
| Case Closed: | 1/2/1996 |
| Closed Date: | 1/2/1996 |
| Leak Source: | Tank |
| Leak Cause: | Not reported |
| Leak Confirmed: | 11/9/1995 |
| Entered Date: | 10/30/1995 |
| Number of Wells: | Not reported |
| Regional Board: | San Francisco Bay Region |
| Local Agency: | 38000 |
| Lead Agency: | Local Agency |
| Program: | LOP |
| Responsible Party: | Not reported |
| RP Address: | Not reported |
| Operator: | Not reported |
| Staff Initial: | VP |
| Facility Staff: | AL |
| Cross Street: | MARIPOSA ST |
| NOR Date: | 10/30/1995 |
| MTBE Current: | Not reported |
| MTBE Current Date: | Not reported |
| MTBE: | NT |
| Maximum MTBE Soil: | Not reported |
| Maximum MTBE GW: | Not reported |
| MTBE DATE: | Not reported |
| Review Date: | Not reported |
| Workplan Submitted: | Not reported |
| Assessment Underway: | 12/21/1995 |
| Pollution Characterization: | Not reported |
| Corrective Action Plan: | Not reported |
| Remediation Underway: | Not reported |
| Monitoring Begun: | Not reported |
| Funding: | Not reported |
| Interim Remediation: | Not reported |
| Priority: | Low Priority Site |
| Abatement: | Not reported |
| Enforcement Type: | NOR |
| Enforcement Due Date: | 10/30/1995 |
| Basin: | Downtown Basin |
| Beneficial Use: | No |
| Lat/Long: | Not reported |
| CUFID: | Not reported |
| Suspended: | No |
| Stopped Date: | Not reported |
| Free Product: | Not reported |
| Depth to Grnd Wtr: | Not reported |
| Gradient: | Not reported |
| Benzene: | Not reported |
| Primary Substance: | Gasoline, diesel |
| Enforcement Type: | Not reported |
| Amount of Free Produce: | Not reported |
| Benzene Test: | Not reported |
| Maximum Soil GW: | Not reported |
| Max Soil Concentration: | Not reported |

**1X ABBETT ELECTRIC (Continued)** **S103946673**

| | |
|---|---|
| TPH Tested: | Not reported |
| Max TPH GW: | Not reported |
| Max TPH Soil: | 580 |
| TPH Date: | Not reported |
| Block: | Not reported |
| Lot: | Not reported |
| Notify: | False |
| TPH Current: | Not reported |
| TPH Current Date: | Not reported |
| Grnd Wtr Qualifier: | Not reported |
| Soil Qualifier: | Not reported |
| Comments: | Not reported |
| Summary: | Not reported |

HAZNET:

| | |
|---|---|
| Year: | 1994 |
| Gepaid: | CAC000905104 |
| Contact: | THE ABBETTS |
| Telephone: | 0000000000 |
| Mailing Name: | Not reported |
| Mailing Address: | 1850 BRYANT STREET |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941100000 |
| Gen County: | San Diego |
| TSD EPA ID: | CAD083166728 |
| TSD County: | Stanislaus |
| Waste Category: | Unspecified oil-containing waste |
| Disposal Method: | Recycler |
| Tons: | .2085 |
| Facility County: | San Diego |

---

**J120** **MART FRASER & EDWARDS** **EDR US Hist Cleaners** **1009182196**
**SW** **2412 HARRISON ST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.160 mi.**
**846 ft.** **Site 14 of 17 in cluster J**

**Relative:** EDR Historical Cleaners:
**Lower**

| | |
|---|---|
| Name: | MART FRASER & EDWARDS |
| Year: | 1977 |
| Type: | CLEANERS |

**Actual:**
**32 ft.**

| | |
|---|---|
| Name: | FRASER & EDWARDS |
| Year: | 1982 |
| Type: | CLEANERS |

---

**J121** **CHARTER** **UST** **U003903243**
**SW** **2412 HARRISON ST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.160 mi.**
**846 ft.** **Site 15 of 17 in cluster J**

**Relative:** SAN FRANCISCO CO. UST:
**Lower**

| | |
|---|---|
| Facility ID: | 17987 |
| Facility Status: | Not reported |
| Number Of Tanks: | 1 |
| Owner/Operator Name: | Not reported |

**Actual:**
**32 ft.**

**CHARTER (Continued)** **U003903243**

| | |
|---|---|
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | 255 Shipley Street |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Golden Gate Tank |
| Application Date: | 7/7/2000 |
| Application Name: | Cathy Keller |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| | |
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | Not reported |
| UST Close ID: | 3993 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |

**CHARTER (Continued)** **U003903243**

| | |
|---|---|
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | 11/28/2001 |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**J122** **CHARTER CONSTRUCTION, INC.** **LUST U003747645**
**SW** **2412 HARRISON ST** **HAZNET N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110**
**0.160 mi.**
**846 ft.** **Site 16 of 17 in cluster J**

**Relative:**
**Lower**

**Actual:**
**32 ft.**

LUST:

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607548284 |
| Latitude: | 37.758645 |
| Longitude: | -122.412457 |
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |
| Status Date: | 11/28/2001 |
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | AL |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-2012 |
| LOC Case Number: | 11388 |
| File Location: | Not reported |
| Potential Media Affect: | Other Groundwater (uses other than drinking water) |
| Potential Contaminants of Concern: | Gasoline |
| Site History: | Not reported |

Click here to access the California GeoTracker records for this facility:

LUST:

| | |
|---|---|
| Global Id: | T0607548284 |
| Contact Type: | Local Agency Caseworker |
| Contact Name: | ALBERT LEE |
| Organization Name: | SAN FRANCISCO COUNTY LOP |
| Address: | 1390 MARKET STREET, #210 |
| City: | SAN FRANCISCO |
| Email: | albert.lee@sfdph.org |
| Phone Number: | Not reported |

**CHARTER CONSTRUCTION, INC. (Continued)** **U003747645**

Global Id: T0607548284
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0607548284
Action Type: ENFORCEMENT
Date: 08/21/2000
Action: Staff Letter

Global Id: T0607548284
Action Type: ENFORCEMENT
Date: 11/28/2002
Action: Closure/No Further Action Letter

Global Id: T0607548284
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607548284
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

LUST REG 2:
Region: 2
Facility Id: 38-2012
Facility Status: Case Closed
Case Number: 11388
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 7/27/2000
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 02-300-012
Facility Status: Case Closed
Case Number: 11388
Case Type: Other ground water affected
Release Date: Not reported
Discovered Date: 7/27/2000

**CHARTER CONSTRUCTION, INC. (Continued)** **U003747645**

| | |
|---|---|
| Substance: | Gasoline |
| Substance Qty: | Not reported |
| How Discovered: | Tank Closure |
| How Stopped: | Close Tank |
| Report Date: | 7/27/2000 |
| Case Closed: | 11/28/2001 |
| Closed Date: | Not reported |
| Leak Source: | Tank |
| Leak Cause: | Unknown |
| Leak Confirmed: | 7/27/2000 |
| Entered Date: | 8/17/2000 |
| Number of Wells: | Not reported |
| Regional Board: | San Francisco Bay Region |
| Local Agency: | 38000 |
| Lead Agency: | Local Agency |
| Program: | LOP |
| Responsible Party: | Not reported |
| RP Address: | Not reported |
| Operator: | Terence McManus |
| Staff Initial: | VP |
| Facility Staff: | AL |
| Cross Street: | 20th St. |
| NOR Date: | Not reported |
| MTBE Current: | 1/31/2001 |
| MTBE Current Date: | 7/27/2000 |
| MTBE: | ND |
| Maximum MTBE Soil: | Not reported |
| Maximum MTBE GW: | Not reported |
| MTBE DATE: | 7/27/2000 |
| Review Date: | 5/2/2001 |
| Workplan Submitted: | Not reported |
| Assessment Underway: | 11/2/2000 |
| Pollution Characterization: | Not reported |
| Corrective Action Plan: | Not reported |
| Remediation Underway: | Not reported |
| Monitoring Begun: | Not reported |
| Funding: | Federal |
| Interim Remediation: | No |
| Priority: | Low Priority Site |
| Abatement: | Excavate and Dispose - remove contaminated soil and dispose in approved site |
| Enforcement Type: | Informal Enforcement Actions,including Notices of Violations and Staff Enforcement Letters |
| Enforcement Due Date: | 8/21/2000 |
| Basin: | Not reported |
| Beneficial Use: | No |
| Lat/Long: | Not reported |
| CUFID: | Not reported |
| Suspended: | No |
| Stopped Date: | 7/27/2000 |
| Free Product: | Not reported |
| Depth to Grnd Wtr: | Not reported |
| Gradient: | Not reported |
| Benzene: | <1.0 |
| Primary Substance: | Not reported |
| Enforcement Type: | Not reported |
| Amount of Free Produce: | Not reported |
| Benzene Test: | YES |

**CHARTER CONSTRUCTION, INC. (Continued)** **U003747645**

| | |
|---|---|
| Maximum Soil GW: | Not reported |
| Max Soil Concentration: | Not reported |
| TPH Tested: | YES |
| Max TPH GW: | Not reported |
| Max TPH Soil: | Not reported |
| TPH Date: | 7/27/2000 |
| Block: | Not reported |
| Lot: | Not reported |
| Notify: | False |
| TPH Current: | <50 |
| TPH Current Date: | 1/31/2001 |
| Grnd Wtr Qualifier: | Not reported |
| Soil Qualifier: | Not reported |
| Comments: | Not reported |
| Summary: | 8/21/00request GW |

HAZNET:

| | |
|---|---|
| Year: | 2000 |
| Gepaid: | CAC002318681 |
| Contact: | CHARTER CONSTRUCTION INC |
| Telephone: | 0000000000 |
| Mailing Name: | Not reported |
| Mailing Address: | 2412 HARRISON ST |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941100000 |
| Gen County: | San Francisco |
| TSD EPA ID: | CAD009466392 |
| TSD County: | 7 |
| Waste Category: | Other empty containers 30 gallons or more |
| Disposal Method: | Recycler |
| Tons: | .3000 |
| Facility County: | San Francisco |

| | |
|---|---|
| Year: | 2000 |
| Gepaid: | CAC002318681 |
| Contact: | CHARTER CONSTRUCTION INC |
| Telephone: | 0000000000 |
| Mailing Name: | Not reported |
| Mailing Address: | 2412 HARRISON ST |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941100000 |
| Gen County: | San Francisco |
| TSD EPA ID: | NVD982358483 |
| TSD County: | 99 |
| Waste Category: | Waste oil and mixed oil |
| Disposal Method: | Recycler |
| Tons: | .9174 |
| Facility County: | San Francisco |

| | |
|---|---|
| Year: | 2000 |
| Gepaid: | CAC002318681 |
| Contact: | CHARTER CONSTRUCTION INC |
| Telephone: | 0000000000 |
| Mailing Name: | Not reported |
| Mailing Address: | 2412 HARRISON ST |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941100000 |
| Gen County: | San Francisco |
| TSD EPA ID: | CAL000161743 |
| TSD County: | Santa Clara |

**CHARTER CONSTRUCTION, INC. (Continued)** **U003747645**

Waste Category: Waste oil and mixed oil
Disposal Method: Recycler
Tons: .6672
Facility County: San Francisco

---

**O123** **WESTERN HEATING & PLUMBING** **HIST CORTESE** **S102441188**
**West** **600 TREAT STREET** **LUST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110** **HAZNET**
**0.162 mi.**
**853 ft.** **Site 4 of 7 in cluster O**

**Relative:**
**Lower**

**Actual:**
**26 ft.**

CORTESE:
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-0621

LUST:
Region: STATE
Global Id: T0607500542
Latitude: 37.760319
Longitude: -122.414085
Case Type: LUST Cleanup Site
Status: Completed - Case Closed
Status Date: 12/08/1995
Lead Agency: SAN FRANCISCO COUNTY LOP
Case Worker: SC
Local Agency: SAN FRANCISCO COUNTY LOP
RB Case Number: 38-0621
LOC Case Number: 10475
File Location: Not reported
Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Gasoline
Site History: Not reported

Click here to access the California GeoTracker records for this facility:

LUST:
Global Id: T0607500542
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

Global Id: T0607500542
Contact Type: Local Agency Caseworker
Contact Name: STEPHANIE CUSHING
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET #210
City: SAN FRANCISCO
Email: stephanie.cushing@sfdph.org
Phone Number: Not reported

LUST:

**WESTERN HEATING & PLUMBING (Continued)** **S102441188**

Global Id: T0607500542
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500542
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

HAZNET:
Year: 1995
Gepaid: CAC001129728
Contact: WESTERN PLUMBING & HEATING CO
Telephone: 0000000000
Mailing Name: Not reported
Mailing Address: 600 TREAT AVE
Mailing City,St,Zip: SAN FRANCISCO, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAD009466392
TSD County: 7
Waste Category: Other empty containers 30 gallons or more
Disposal Method: Recycler
Tons: 1.0000
Facility County: San Francisco

Year: 1995
Gepaid: CAC001129728
Contact: WESTERN PLUMBING & HEATING CO
Telephone: 0000000000
Mailing Name: Not reported
Mailing Address: 600 TREAT AVE
Mailing City,St,Zip: SAN FRANCISCO, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAL000048571
TSD County: Santa Clara
Waste Category: Waste oil and mixed oil
Disposal Method: Recycler
Tons: .5004
Facility County: San Francisco

Year: 1995
Gepaid: CAC001129728
Contact: WESTERN PLUMBING & HEATING CO
Telephone: 0000000000
Mailing Name: Not reported
Mailing Address: 600 TREAT AVE
Mailing City,St,Zip: SAN FRANCISCO, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAD043260702
TSD County: San Mateo
Waste Category: Unspecified oil-containing waste
Disposal Method: Recycler
Tons: .8340
Facility County: San Francisco

O124
West
1/8-1/4
0.162 mi.
853 ft.

**WESTERN HEATING & PLUMBING**
**600 TREAT STREET**
**SAN FRANCISCO, CA 94110**

LUST S104165327
N/A

**Site 5 of 7 in cluster O**

**Relative:**
**Lower**

**Actual:**
**26 ft.**

LUST REG 2:

| | |
|---|---|
| Region: | 2 |
| Facility Id: | 38-0621 |
| Facility Status: | Case Closed |
| Case Number: | 10475 |
| How Discovered: | Not reported |
| Leak Cause: | Not reported |
| Leak Source: | Not reported |
| Date Leak Confirmed: | Not reported |
| Oversight Program: | LUST |
| Prelim. Site Assesment Wokplan Submitted: | Not reported |
| Preliminary Site Assesment Began: | Not reported |
| Pollution Characterization Began: | Not reported |
| Pollution Remediation Plan Submitted: | Not reported |
| Date Remediation Action Underway: | Not reported |
| Date Post Remedial Action Monitoring Began: | Not reported |

SAN FRANCISCO CO. LUST:

| | |
|---|---|
| Region: | SAN FRANCISCO |
| Facility ID: | 38-0621 |
| Facility Status: | Case Closed |
| Case Number: | 10475 |
| Case Type: | Other ground water affected |
| Release Date: | 7/20/1995 |
| Discovered Date: | 7/20/1995 |
| Substance: | Gasoline |
| Substance Qty: | Not reported |
| How Discovered: | Tank Closure |
| How Stopped: | Remove Contents |
| Report Date: | 7/20/1995 |
| Case Closed: | 12/8/1995 |
| Closed Date: | 12/8/1995 |
| Leak Source: | Tank |
| Leak Cause: | Overfill |
| Leak Confirmed: | Not reported |
| Entered Date: | 7/10/1995 |
| Number of Wells: | Not reported |
| Regional Board: | San Francisco Bay Region |
| Local Agency: | 38000 |
| Lead Agency: | Local Agency |
| Program: | LOP |
| Responsible Party: | Not reported |
| RP Address: | Not reported |
| Operator: | Not reported |
| Staff Initial: | VP |
| Facility Staff: | SC |
| Cross Street: | 19TH ST |
| NOR Date: | 7/10/1995 |
| MTBE Current: | Not reported |
| MTBE Current Date: | Not reported |
| MTBE: | NT |
| Maximum MTBE Soil: | Not reported |
| Maximum MTBE GW: | Not reported |

**WESTERN HEATING & PLUMBING (Continued)** **S104165327**

| | |
|---|---|
| MTBE DATE: | Not reported |
| Review Date: | Not reported |
| Workplan Submitted: | Not reported |
| Assessment Underway: | Not reported |
| Pollution Characterization: | Not reported |
| Corrective Action Plan: | Not reported |
| Remediation Underway: | Not reported |
| Monitoring Begun: | Not reported |
| Funding: | Not reported |
| Interim Remediation: | Not reported |
| Priority: | Not reported |
| Abatement: | Not reported |
| Enforcement Type: | NOR |
| Enforcement Due Date: | Not reported |
| Basin: | Downtown Basin |
| Beneficial Use: | No |
| Lat/Long: | Not reported |
| CUFID: | Not reported |
| Suspended: | No |
| Stopped Date: | Not reported |
| Free Product: | No |
| Depth to Grnd Wtr: | Not reported |
| Gradient: | Not reported |
| Benzene: | Not reported |
| Primary Substance: | Gasoline |
| Enforcement Type: | Not reported |
| Amount of Free Produce: | Not reported |
| Benzene Test: | Not reported |
| Maximum Soil GW: | Not reported |
| Max Soil Concentration: | Not reported |
| TPH Tested: | Not reported |
| Max TPH GW: | Not reported |
| Max TPH Soil: | Not reported |
| TPH Date: | Not reported |
| Block: | Not reported |
| Lot: | Not reported |
| Notify: | False |
| TPH Current: | Not reported |
| TPH Current Date: | Not reported |
| Grnd Wtr Qualifier: | Not reported |
| Soil Qualifier: | Not reported |
| Comments: | Not reported |
| Summary: | 6/23/95 [leak |

---

**O125**
**West**
**1/8-1/4**
**0.162 mi.**
**853 ft.**

**WESTERN PLUMBING &**
**600 TREAT AV**
**SAN FRANCISCO, CA**

**Site 6 of 7 in cluster O**

UST U003906544
N/A

**Relative:**
**Lower**

**Actual:**
**26 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 6434 |
| Facility Status: | Not reported |
| Number Of Tanks: | 2 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |

**WESTERN PLUMBING & (Continued)** U003906544

| | |
|---|---|
| 2nd Care Of Add: | Not reported |
| Mailing Address: | 450 - 6th Street |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Bay Area Tank |
| Application Date: | 6/12/1995 |
| Application Name: | Tim Gallagher |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| | |
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 6/23/1995 |
| UST Close ID: | 2080 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |

**WESTERN PLUMBING & (Continued)** U003906544

| | |
|---|---|
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | 10/6/1995 |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**P126** **CCSF/PTD/MUNI/POTR** UST U003916042
**NE** **2500 MARIPOSA ST** N/A
**1/8-1/4** **SAN FRANCISCO, CA**
**0.162 mi.**
**857 ft.** **Site 4 of 9 in cluster P**

**Relative:** **Higher**

**Actual:** **55 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 9450 |
| Facility Status: | Not reported |
| Number Of Tanks: | 1 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | Not reported |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Not reported |
| Application Date: | 6/20/1991 |
| Application Name: | Not reported |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| | |
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |

**CCSF/PTD/MUNI/POTR (Continued)** **U003916042**

| | |
|---|---|
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | Not reported |
| UST Close ID: | 869 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

**P127** ***PUC/MUNI/POTRERO DIV** **CA FID UST S101592261**
**NE** **2500 MARIPOSA ST** **SWEEPS UST N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110** **HAZNET**
**0.162 mi.**
**857 ft.** **Site 5 of 9 in cluster P**

**Relative:**
**Higher**

**Actual:**
**55 ft.**

CA FID UST:

| | |
|---|---|
| Facility ID: | 38001968 |
| Regulated By: | UTNKA |
| Regulated ID: | Not reported |
| Cortese Code: | Not reported |
| SIC Code: | Not reported |
| Facility Phone: | 4155549254 |
| Mail To: | Not reported |
| Mailing Address: | 2500 MARIPOSA |
| Mailing Address 2: | Not reported |
| Mailing City,St,Zip: | SAN FRANCISCO 94110 |
| Contact: | Not reported |
| Contact Phone: | Not reported |
| DUNs Number: | Not reported |
| NPDES Number: | Not reported |
| EPA ID: | Not reported |
| Comments: | Not reported |
| Status: | Active |

SWEEPS UST:

| | |
|---|---|
| Status: | Not reported |
| Comp Number: | 9450 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-009450-000001 |
| Actv Date: | Not reported |
| Capacity: | 100 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | 1 |

| | |
|---|---|
| Status: | Active |
| Comp Number: | 9450 |
| Number: | 9 |
| Board Of Equalization: | Not reported |
| Referral Date: | 09-30-92 |
| Action Date: | 12-10-91 |
| Created Date: | 01-01-01 |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | Not reported |
| Actv Date: | Not reported |
| Capacity: | Not reported |
| Tank Use: | Not reported |
| Stg: | Not reported |
| Content: | Not reported |
| Number Of Tanks: | Not reported |

***PUC/MUNI/POTRERO DIV (Continued)** **S101592261**

HAZNET:

| | |
|---|---|
| Year: | 2011 |
| Gepaid: | CAD982008120 |
| Contact: | SCOTT NAKAMURA/HW PROG MGR |
| Telephone: | 4152523994 |
| Mailing Name: | Not reported |
| Mailing Address: | 1390 MARKET ST STE 210 |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941020000 |
| Gen County: | Not reported |
| TSD EPA ID: | CAD980884183 |
| TSD County: | Not reported |
| Waste Category: | Other organic solids |
| Disposal Method: | Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135) |
| Tons: | 1.7168 |
| Facility County: | San Francisco |

| | |
|---|---|
| Year: | 2011 |
| Gepaid: | CAD982008120 |
| Contact: | SCOTT NAKAMURA/HW PROG MGR |
| Telephone: | 4152523994 |
| Mailing Name: | Not reported |
| Mailing Address: | 1390 MARKET ST STE 210 |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941020000 |
| Gen County: | Not reported |
| TSD EPA ID: | CA0000084517 |
| TSD County: | Not reported |
| Waste Category: | Aqueous solution with total organic residues less than 10 percent |
| Disposal Method: | Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135) |
| Tons: | 8.7276 |
| Facility County: | San Francisco |

| | |
|---|---|
| Year: | 2010 |
| Gepaid: | CAD982008120 |
| Contact: | SCOTT NAKAMURA/HW PROG MGR |
| Telephone: | 4152523994 |
| Mailing Name: | Not reported |
| Mailing Address: | 1390 MARKET ST STE 210 |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941020000 |
| Gen County: | Not reported |
| TSD EPA ID: | CAD059494310 |
| TSD County: | Not reported |
| Waste Category: | Other organic solids |
| Disposal Method: | Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135) |
| Tons: | 0.6 |
| Facility County: | San Francisco |

| | |
|---|---|
| Year: | 2010 |
| Gepaid: | CAD982008120 |
| Contact: | SCOTT NAKAMURA/HW PROG MGR |
| Telephone: | 4152523994 |
| Mailing Name: | Not reported |
| Mailing Address: | 1390 MARKET ST STE 210 |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941020000 |
| Gen County: | Not reported |

***PUC/MUNI/POTRERO DIV (Continued)** **S101592261**

TSD EPA ID: NVD980895338
TSD County: Not reported
Waste Category: Other organic solids
Disposal Method: Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.3125
Facility County: San Francisco

Year: 2010
Gepaid: CAD982008120
Contact: SCOTT NAKAMURA/HW PROG MGR
Telephone: 4152523994
Mailing Name: Not reported
Mailing Address: 1390 MARKET ST STE 210
Mailing City,St,Zip: SAN FRANCISCO, CA 941020000
Gen County: Not reported
TSD EPA ID: CA0000084517
TSD County: Not reported
Waste Category: Aqueous solution with total organic residues less than 10 percent
Disposal Method: Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.2394
Facility County: San Francisco

Click this hyperlink while viewing on your computer to access
45 additional CA_HAZNET: record(s) in the EDR Site Report.

---

**P128** **POTRERO FACILITY** **RCRA-LQG** **1007199691**
**NE** **2500 MARIPOSA STREET** **CAD982008120**
**1/8-1/4** **SAN FRANCISCO, CA 94110**
**0.162 mi.**
**857 ft.** **Site 6 of 9 in cluster P**

**Relative:** RCRA-LQG:
**Higher** Date form received by agency: 06/24/2002
Facility name: POTRERO FACILITY
**Actual:** Facility address: 2500 MARIPOSA STREET
**55 ft.** SAN FRANCISCO, CA 94110
EPA ID: CAD982008120
Mailing address: 949 PRESIDIO AVENUE, ROOM 238
SAN FRANCISCO, CA 94115
Contact: PHILLIP A CALHOUN
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: (415) 923-6264
Contact email: PHIL_CALHOUN@CI.SF.CA.US
EPA Region: 09
Classification: Large Quantity Generator
Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting

**POTRERO FACILITY (Continued)** **1007199691**

from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Handler Activities Summary:
- U.S. importer of hazardous waste: No
- Mixed waste (haz. and radioactive): No
- Recycler of hazardous waste: No
- Transporter of hazardous waste: No
- Treater, storer or disposer of HW: No
- Underground injection activity: No
- On-site burner exemption: No
- Furnace exemption: No
- Used oil fuel burner: No
- Used oil processor: No
- User oil refiner: No
- Used oil fuel marketer to burner: No
- Used oil Specification marketer: No
- Used oil transfer facility: No
- Used oil transporter: No

Universal Waste Summary:
- Waste type: Batteries
- Accumulated waste on-site: Unknown
- Generated waste on-site: Yes

- Waste type: Lamps
- Accumulated waste on-site: Unknown
- Generated waste on-site: Yes

Historical Generators:
- Date form received by agency: 10/12/2000
- Facility name: POTRERO FACILITY
- Classification: Large Quantity Generator

- Date form received by agency: 03/17/1992
- Facility name: POTRERO FACILITY
- Site name: CCSF PUC MUNI POTRERO
- Classification: Large Quantity Generator

- Date form received by agency: 05/24/1990
- Facility name: POTRERO FACILITY
- Site name: SF MUNICIPAL RAILWAY PATRERO DIVISION
- Classification: Large Quantity Generator

- Violation Status: No violations found

---

**O129** **METKIN TOOL AND** **UST** **U004003793**
**WSW** **630 TREAT AV** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.162 mi.**
**857 ft.** **Site 7 of 7 in cluster O**

**Relative:**
**Lower**

**Actual:**
**26 ft.**

SAN FRANCISCO CO. UST:
- Facility ID: 7500
- Facility Status: Not reported
- Number Of Tanks: 2

**METKIN TOOL AND (Continued)** **U004003793**

| | |
|---|---|
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | 630 Treat Avenue |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Metkin Tool and |
| Application Date: | 6/30/1995 |
| Application Name: | Valerian P. Metkin |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |

| | |
|---|---|
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | Not reported |
| UST Close ID: | 2099 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |

**METKIN TOOL AND (Continued)** **U004003793**

| | |
|---|---|
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

| | |
|---|---|
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 10/30/1998 |
| UST Close ID: | 3344 |
| Type Of Spill Protection: | Not reported |

| | |
|---|---|
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |

**METKIN TOOL AND (Continued)** U004003793

| | |
|---|---|
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | 4/16/1999 |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**J130** **COMMERCIAL** UST U003864977
**SW** **2417 HARRISON ST** N/A
**1/8-1/4** **SAN FRANCISCO, CA**
**0.162 mi.**
**858 ft.** **Site 17 of 17 in cluster J**

**Relative:**
**Lower**

**Actual:**
**32 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 24625 |
| Facility Status: | Not reported |
| Number Of Tanks: | Not reported |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | Not reported |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Not reported |
| Application Date: | 2/22/1994 |
| Application Name: | Not reported |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| Tank ID: | Not reported |

**COMMERCIAL (Continued)** **U003864977**

| | |
|---|---|
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 3/2/1994 |
| UST Close ID: | 1608 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | 1/17/1995 |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |

**COMMERCIAL (Continued)** **U003864977**

Ball Float Present: Not reported
Fill Tube Present: Not reported
Other Tank Leak Detection Present: Not reported

---

**R131** **PG & E TREAT** **HIST CORTESE** **S102435160**
**WNW** **536 TREAT** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.163 mi.**
**863 ft.** **Site 1 of 4 in cluster R**

**Relative:** CORTESE:
**Lower** Region: CORTESE
Facility County Code: 38
**Actual:** Reg By: LTNKA
**24 ft.** Reg Id: 38-0238

---

**R132** **(SHOTWELL SVC. CENTER)** **HIST UST** **U001595365**
**WNW** **536 TREAT AVE** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110**
**0.163 mi.**
**863 ft.** **Site 2 of 4 in cluster R**

**Relative:** HIST UST:
**Lower** Region: STATE
Facility ID: 00000028239
**Actual:** Facility Type: Other
**24 ft.** Other Type: UTILITY
Total Tanks: 0006
Contact Name: W. H. LINDEMAN
Telephone: 4157814211
Owner Name: PACIFIC GAS AND ELECTRIC COMPA
Owner Address: 77 BEALE STREET
Owner City,St,Zip: SAN FRANCISCO, CA 94106

Tank Num: 001
Container Num: 6
Year Installed: Not reported
Tank Capacity: 00000200
Tank Used for: WASTE
Type of Fuel: WASTE OIL
Tank Construction: Not reported
Leak Detection: Stock Inventor

Tank Num: 002
Container Num: 5
Year Installed: Not reported
Tank Capacity: 00002000
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Tank Construction: Not reported
Leak Detection: Stock Inventor

Tank Num: 003
Container Num: 1
Year Installed: 1969
Tank Capacity: 00010000

**(SHOTWELL SVC. CENTER) (Continued)** **U001595365**

Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Tank Construction: 1/4 inches
Leak Detection: Stock Inventor

Tank Num: 004
Container Num: 2
Year Installed: 1972
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Tank Construction: 1/4 inches
Leak Detection: Stock Inventor

Tank Num: 005
Container Num: 3
Year Installed: Not reported
Tank Capacity: 00000000
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Tank Construction: Not reported
Leak Detection: Stock Inventor

Tank Num: 006
Container Num: 4
Year Installed: Not reported
Tank Capacity: 00000500
Tank Used for: WASTE
Type of Fuel: WASTE OIL
Tank Construction: Not reported
Leak Detection: Stock Inventor

---

**R133** **PG&E TREAT ST GARAGE** **RCRA-SQG 1000199080**
**WNW** **536 TREAT ST** **FINDS CAD981460249**
**1/8-1/4** **SAN FRANCISCO, CA 94110**
**0.163 mi.**
**863 ft.** **Site 3 of 4 in cluster R**

**Relative:** RCRA-SQG:
**Lower**
Date form received by agency: 09/01/1996
Facility name: PG&E TREAT ST GARAGE
**Actual:** Facility address: 536 TREAT ST
**24 ft.** SAN FRANCISCO, CA 94110
EPA ID: CAD981460249
Mailing address: 77 BEALE ST ATT H M HOWE
SAN FRANCISCO, CA 94106
Contact: Not reported
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 09
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of

**PG&E TREAT ST GARAGE (Continued)** **1000199080**

hazardous waste at any time

Owner/Operator Summary:
- Owner/operator name: NOT REQUIRED
- Owner/operator address: NOT REQUIRED
  NOT REQUIRED, ME 99999
- Owner/operator country: Not reported
- Owner/operator telephone: (415) 555-1212
- Legal status: Private
- Owner/Operator Type: Operator
- Owner/Op start date: Not reported
- Owner/Op end date: Not reported

- Owner/operator name: PG&E
- Owner/operator address: NOT REQUIRED
  NOT REQUIRED, ME 99999
- Owner/operator country: Not reported
- Owner/operator telephone: (415) 555-1212
- Legal status: Private
- Owner/Operator Type: Owner
- Owner/Op start date: Not reported
- Owner/Op end date: Not reported

Handler Activities Summary:
- U.S. Importer of hazardous waste: No
- Mixed waste (haz. and radioactive): No
- Recycler of hazardous waste: No
- Transporter of hazardous waste: No
- Treater, storer or disposer of HW: No
- Underground injection activity: No
- On-site burner exemption: No
- Furnace exemption: No
- Used oil fuel burner: No
- Used oil processor: No
- User oil refiner: No
- Used oil fuel marketer to burner: No
- Used oil Specification marketer: No
- Used oil transfer facility: No
- Used oil transporter: No

Historical Generators:
- Date form received by agency: 04/03/1990
- Facility name: PG&E TREAT ST GARAGE
- Classification: Large Quantity Generator

- Date form received by agency: 04/09/1986
- Facility name: PG&E TREAT ST GARAGE
- Classification: Large Quantity Generator

- Violation Status: No violations found

FINDS:

- Registry ID: 110002715152

Environmental Interest/Information System

**PG&E TREAT ST GARAGE (Continued)** **1000199080**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

---

**R134** **PG&E TREAT STREET COMPLEX** **LUST** **S103472665**
**WNW** **536 TREAT STREET** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110**
**0.163 mi.**
**863 ft.** **Site 4 of 4 in cluster R**

**Relative:**
**Lower**

**Actual:**
**24 ft.**

LUST REG 2:

| | |
|---|---|
| Region: | 2 |
| Facility Id: | 38-0238 |
| Facility Status: | Case Closed |
| Case Number: | 10226 |
| How Discovered: | Not reported |
| Leak Cause: | Not reported |
| Leak Source: | Not reported |
| Date Leak Confirmed: | Not reported |
| Oversight Program: | LUST |
| Prelim. Site Assesment Wokplan Submitted: | Not reported |
| Preliminary Site Assesment Began: | Not reported |
| Pollution Characterization Began: | Not reported |
| Pollution Remediation Plan Submitted: | Not reported |
| Date Remediation Action Underway: | Not reported |
| Date Post Remedial Action Monitoring Began: | Not reported |

SAN FRANCISCO CO. LUST:

| | |
|---|---|
| Region: | SAN FRANCISCO |
| Facility ID: | 38-0238 |
| Facility Status: | Case Closed |
| Case Number: | 10226 |
| Case Type: | Other ground water affected |
| Release Date: | 12/15/1987 |
| Discovered Date: | 12/9/1987 |
| Substance: | Gasoline |
| Substance Qty: | Not reported |
| How Discovered: | Tank Closure |
| How Stopped: | Close Tank |
| Report Date: | 12/15/1987 |
| Case Closed: | 8/26/1998 |
| Closed Date: | 8/26/1998 |
| Leak Source: | Tank |
| Leak Cause: | Structure Failure |
| Leak Confirmed: | Not reported |
| Entered Date: | 3/8/1994 |
| Number of Wells: | Not reported |
| Regional Board: | San Francisco Bay Region |
| Local Agency: | 38000 |
| Lead Agency: | Local Agency |
| Program: | LOP |
| Responsible Party: | PG &E |
| RP Address: | Not reported |

**PG&E TREAT STREET COMPLEX (Continued)** **S103472665**

| | |
|---|---|
| Operator: | Not reported |
| Staff Initial: | VP |
| Facility Staff: | SC |
| Cross Street: | 18TH ST |
| NOR Date: | 3/8/1994 |
| MTBE Current: | Not reported |
| MTBE Current Date: | Not reported |
| MTBE: | YES |
| Maximum MTBE Soil: | Not reported |
| Maximum MTBE GW: | Not reported |
| MTBE DATE: | Not reported |
| Review Date: | Not reported |
| Workplan Submitted: | 7/29/1996 |
| Assessment Underway: | Not reported |
| Pollution Characterization: | Not reported |
| Corrective Action Plan: | Not reported |
| Remediation Underway: | Not reported |
| Monitoring Begun: | Not reported |
| Funding: | Federal |
| Interim Remediation: | Yes |
| Priority: | Not reported |
| Abatement: | Remove Free Product - remove floating product from water table, Excavate and Dispose - remove contaminated soil and dispose in approved site |
| Enforcement Type: | 2A |
| Enforcement Due Date: | Not reported |
| Basin: | Downtown Basin |
| Beneficial Use: | No |
| Lat/Long: | Not reported |
| CUFID: | Not reported |
| Suspended: | No |
| Stopped Date: | 5/20/1986 |
| Free Product: | Yes |
| Depth to Grnd Wtr: | 6.75-10.35 |
| Gradient: | Not reported |
| Benzene: | Not reported |
| Primary Substance: | Gasoline |
| Enforcement Type: | 2A |
| Amount of Free Produce: | Not reported |
| Benzene Test: | YES |
| Maximum Soil GW: | Not reported |
| Max Soil Concentration: | Not reported |
| TPH Tested: | Not reported |
| Max TPH GW: | Not reported |
| Max TPH Soil: | Not reported |
| TPH Date: | Not reported |
| Block: | Not reported |
| Lot: | Not reported |
| Notify: | False |
| TPH Current: | Not reported |
| TPH Current Date: | Not reported |
| Grnd Wtr Qualifier: | Not reported |
| Soil Qualifier: | Not reported |
| Comments: | Not reported |
| Summary: | 12/15/87 [leak |

**S135**
**SW**
**1/8-1/4**
**0.165 mi.**
**873 ft.**

**VACANT LOT**
**3221 20TH ST**
**SAN FRANCISCO, CA 94110**

**CA FID UST S101592135**
**SWEEPS UST N/A**
**CHMIRS**

**Site 1 of 3 in cluster S**

**Relative:**
**Lower**

**Actual:**
**32 ft.**

CA FID UST:

| | |
|---|---|
| Facility ID: | 38000660 |
| Regulated By: | UTNKA |
| Regulated ID: | Not reported |
| Cortese Code: | Not reported |
| SIC Code: | Not reported |
| Facility Phone: | 4150000000 |
| Mail To: | Not reported |
| Mailing Address: | 3221 20TH ST |
| Mailing Address 2: | Not reported |
| Mailing City,St,Zip: | SAN FRANCISCO 94110 |
| Contact: | Not reported |
| Contact Phone: | Not reported |
| DUNs Number: | Not reported |
| NPDES Number: | Not reported |
| EPA ID: | Not reported |
| Comments: | Not reported |
| Status: | Active |

SWEEPS UST:

| | |
|---|---|
| Status: | Not reported |
| Comp Number: | 7491 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-007491-000001 |
| Actv Date: | Not reported |
| Capacity: | 560 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | 1 |

| | |
|---|---|
| Status: | Not reported |
| Comp Number: | 8406 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-008406-000001 |
| Actv Date: | Not reported |
| Capacity: | 1 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | 1 |

**VACANT LOT (Continued)** **S101592135**

Status: Active
Comp Number: 7491
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Tank Status: Not reported
Owner Tank Id: Not reported
Swrcb Tank Id: Not reported
Actv Date: Not reported
Capacity: Not reported
Tank Use: Not reported
Stg: Not reported
Content: Not reported
Number Of Tanks: Not reported

Status: Active
Comp Number: 8406
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Tank Status: Not reported
Owner Tank Id: Not reported
Swrcb Tank Id: Not reported
Actv Date: Not reported
Capacity: Not reported
Tank Use: Not reported
Stg: Not reported
Content: Not reported
Number Of Tanks: Not reported

CHMIRS:
OES Incident Number: '10-2745
OES notification: 05/02/2010
OES Date: Not reported
OES Time: Not reported
Incident Date: Not reported
**Date Completed: Not reported**
Property Use: Not reported
Agency Id Number: Not reported
Agency Incident Number: Not reported
Time Notified: Not reported
Time Completed: Not reported
Surrounding Area: Not reported
Estimated Temperature: Not reported
Property Management: Not reported
Special Studies 1: Not reported
Special Studies 2: Not reported
Special Studies 3: Not reported
Special Studies 4: Not reported
Special Studies 5: Not reported
Special Studies 6: Not reported
More Than Two Substances Involved?: Not reported
Resp Agncy Personel # Of Decontaminated: Not reported

**VACANT LOT (Continued)** **S101592135**

| | |
|---|---|
| Responding Agency Personel # Of Injuries: | Not reported |
| Responding Agency Personel # Of Fatalities: | Not reported |
| Others Number Of Decontaminated: | Not reported |
| Others Number Of Injuries: | Not reported |
| Others Number Of Fatalities: | Not reported |
| Vehicle Make/year: | Not reported |
| Vehicle License Number: | Not reported |
| Vehicle State: | Not reported |
| Vehicle Id Number: | Not reported |
| CA/DOT/PUC/ICC Number: | Not reported |
| Company Name: | Not reported |
| Reporting Officer Name/ID: | Not reported |
| Report Date: | Not reported |
| Comments: | Not reported |
| Facility Telephone: | Not reported |
| Waterway Involved: | No |
| Waterway: | Not reported |
| Spill Site: | Merchant/Business |
| Cleanup By: | Contractor |
| Containment: | Not reported |
| What Happened: | Not reported |
| Type: | Not reported |
| Measure: | Gal(s) |
| Other: | Not reported |
| Date/Time: | 1400 |
| Year: | 2010 |
| Agency: | PG&E |
| Incident Date: | 5/2/2010 |
| Admin Agency: | San Francisco County Health Department |
| Amount: | Not reported |
| Contained: | Yes |
| Site Type: | Not reported |
| E Date: | Not reported |
| Substance: | PCB Mineral Oil |
| Quantity Released: | 0.5 |
| BBLS: | Not reported |
| Cups: | Not reported |
| CUFT: | Not reported |
| Gallons: | Not reported |
| Grams: | Not reported |
| Pounds: | Not reported |
| Liters: | Not reported |
| Ounces: | Not reported |
| Pints: | Not reported |
| Quarts: | Not reported |
| Sheen: | Not reported |
| Tons: | Not reported |
| Unknown: | Not reported |
| Evacuations: | Not reported |
| Number of Injuries: | Not reported |
| Number of Fatalities: | Not reported |
| Description: | Caller states that a pole top transformer sprayed PCB mineral oil out on a tree and the ground. 30ppm PCBs. |

**S136** **AUTO ELECTRICAL** **UST** **U003902897**
**SW** **3221 20TH ST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.165 mi.**
**873 ft.** **Site 2 of 3 in cluster S**

**Relative:**
**Lower**

**Actual:**
**32 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 8406 |
| Facility Status: | Not reported |
| Number Of Tanks: | 1 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | Not reported |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Not reported |
| Application Date: | 8/13/1987 |
| Application Name: | Not reported |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| | |
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | Not reported |
| UST Close ID: | 29 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |

**AUTO ELECTRICAL (Continued)** **U003902897**

| | |
|---|---|
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**T137**
**East**
**1/8-1/4**
**0.168 mi.**
**889 ft.**

**SF NEON INC.**
**690 POTRERO AV**
**SAN FRANCISCO, CA**

**Site 1 of 2 in cluster T**

**UST** **U004004336**
**N/A**

**Relative:**
**Higher**

**Actual:**
**71 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 9163 |
| Facility Status: | Not reported |
| Number Of Tanks: | 1 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | Not reported |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Not reported |
| Application Date: | 4/5/1988 |
| Application Name: | Not reported |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |

**SF NEON INC. (Continued)** **U004004336**

| | |
|---|---|
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | Not reported |
| UST Close ID: | 510 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |

**SF NEON INC. (Continued)** **U004004336**

| | |
|---|---|
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

**T138** **SF NEON INC.** **CA FID UST S101592603**
**East** **690 POTRERO AVE** **SWEEPS UST N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94100**
**0.168 mi.**
**889 ft.** **Site 2 of 2 in cluster T**

**Relative:**
**Higher**

**Actual:**
**71 ft.**

CA FID UST:

| | |
|---|---|
| Facility ID: | 38005482 |
| Regulated By: | UTNKA |
| Regulated ID: | Not reported |
| Cortese Code: | Not reported |
| SIC Code: | Not reported |
| Facility Phone: | 4150000000 |
| Mail To: | Not reported |
| Mailing Address: | 690 POTRERO AVE |
| Mailing Address 2: | Not reported |
| Mailing City,St,Zip: | SAN FRANCISCO 94100 |
| Contact: | Not reported |
| Contact Phone: | Not reported |
| DUNs Number: | Not reported |
| NPDES Number: | Not reported |
| EPA ID: | Not reported |
| Comments: | Not reported |
| Status: | Active |

SWEEPS UST:

| | |
|---|---|
| Status: | Not reported |
| Comp Number: | 9163 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-009163-000001 |
| Actv Date: | Not reported |
| Capacity: | 500 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | 1 |

| | |
|---|---|
| Status: | Active |
| Comp Number: | 9163 |
| Number: | 9 |
| Board Of Equalization: | Not reported |
| Referral Date: | 09-30-92 |
| Action Date: | 12-10-91 |
| Created Date: | 01-01-01 |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |

**SF NEON INC. (Continued)** **S101592603**

| | |
|---|---|
| Swrcb Tank Id: | Not reported |
| Actv Date: | Not reported |
| Capacity: | Not reported |
| Tank Use: | Not reported |
| Stg: | Not reported |
| Content: | Not reported |
| Number Of Tanks: | Not reported |

---

**Q139** **VIC S SERVICE STATION** **EDR US Hist Auto Stat** **1009000773**
**ENE** **600 POTRERO AVE** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.170 mi.**
**898 ft.** **Site 3 of 5 in cluster Q**

**Relative:**
**Higher**

**Actual:**
**63 ft.**

EDR Historical Auto Stations:

| | |
|---|---|
| Name: | MIROLO DANL |
| Year: | 1940 |
| Type: | GASOLINE AND OIL SERVICE STATION |
| Name: | MIROLO DANL |
| Year: | 1940 |
| Type: | GASOLINE AND OIL SERVICE STATIONS |
| Name: | DAN S MOBILGAS STATION |
| Year: | 1953 |
| Type: | GASOLINE STATIONS |
| Name: | WALT S MOBILGAS SERVICE |
| Year: | 1958 |
| Type: | GASOLINE STATIONS |
| Name: | WALT S MOBILGAS SERVICE |
| Year: | 1958 |
| Type: | GASOLINE STATIONS |
| Name: | LAKES SERVICE STATION |
| Year: | 1962 |
| Type: | GASOLINE STATIONS |
| Name: | VIC S SERVICE STATION |
| Year: | 1966 |
| Type: | GASOLINE STATIONS |
| Name: | VIC S SERVICE STATION |
| Year: | 1966 |
| Type: | GASOLINE STATIONS |

**Q140**
**ENE**
**1/8-1/4**
**0.172 mi.**
**908 ft.**

**EWING C E**
**601 POTRERO AVE**
**SAN FRANCISCO, CA**

**EDR US Hist Auto Stat** **1008999223**
**N/A**

**Site 4 of 5 in cluster Q**

**Relative:**
**Higher**

**Actual:**
**64 ft.**

EDR Historical Auto Stations:

| | |
|---|---|
| Name: | EWING C E |
| Year: | 1935 |
| Type: | GASOLINE AND OIL SERVICE STATION |
| Name: | EWING C E |
| Year: | 1935 |
| Type: | GASOLINE AND OIL SERVICE STATION |
| Name: | EWING C E |
| Year: | 1935 |
| Type: | GASOLINE AND OIL SERVICE STATIONS |
| Name: | EWING C E |
| Year: | 1940 |
| Type: | GASOLINE AND OIL SERVICE STATIONS |
| Name: | EWING C E |
| Year: | 1940 |
| Type: | GASOLINE AND OIL SERVICE STATION |
| Name: | STORY GUY A |
| Year: | 1953 |
| Type: | GASOLINE STATIONS |

---

**U141**
**NE**
**1/8-1/4**
**0.176 mi.**
**931 ft.**

**ALART MECHANICAL**
**445 HAMPSHIRE ST**
**SAN FRANCISCO, CA**

**UST** **U003902804**
**N/A**

**Site 1 of 4 in cluster U**

**Relative:**
**Higher**

**Actual:**
**58 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 6592 |
| Facility Status: | Not reported |
| Number Of Tanks: | 4 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | 255 Shipley Street |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Golden Gate Tank |
| Application Date: | 10/17/1995 |
| Application Name: | Jim Tracy |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| Tank ID: | Not reported |

**ALART MECHANICAL (Continued)** **U003902804**

| | |
|---|---|
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 11/22/1995 |
| UST Close ID: | 2187 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | 2/22/1996 |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |

**ALART MECHANICAL (Continued)** **U003902804**

Ball Float Present: Not reported
Fill Tube Present: Not reported
Other Tank Leak Detection Present: Not reported

---

**U142** **ALART PLUMBING, INC.** **CA FID UST S101623251**
**NE** **445 HAMPSHIRE ST** **SWEEPS UST N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110**
**0.176 mi.**
**931 ft.** **Site 2 of 4 in cluster U**

**Relative:**
**Higher**

**Actual:**
**58 ft.**

CA FID UST:
Facility ID: 38003097
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4156215219
Mail To: Not reported
Mailing Address: 445 HAMPSHIRE ST
Mailing Address 2: Not reported
Mailing City,St,Zip: SAN FRANCISCO 94110
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

SWEEPS UST:
Status: Active
Comp Number: 6592
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Tank Status: A
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-006592-000001
Actv Date: 09-30-92
Capacity: 1000
Tank Use: M.V. FUEL
Stg: P
Content: REG UNLEADED
Number Of Tanks: 4

Status: Active
Comp Number: 6592
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Tank Status: A
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-006592-000002

**ALART PLUMBING, INC. (Continued)** **S101623251**

| | |
|---|---|
| Actv Date: | 09-30-92 |
| Capacity: | 1000 |
| Tank Use: | M.V. FUEL |
| Stg: | P |
| Content: | REG UNLEADED |
| Number Of Tanks: | Not reported |
| | |
| Status: | Active |
| Comp Number: | 6592 |
| Number: | 9 |
| Board Of Equalization: | Not reported |
| Referral Date: | 09-30-92 |
| Action Date: | 12-10-91 |
| Created Date: | 01-01-01 |
| Tank Status: | A |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-006592-000003 |
| Actv Date: | 09-30-92 |
| Capacity: | 4000 |
| Tank Use: | M.V. FUEL |
| Stg: | P |
| Content: | REG UNLEADED |
| Number Of Tanks: | Not reported |
| | |
| Status: | Active |
| Comp Number: | 6592 |
| Number: | 9 |
| Board Of Equalization: | Not reported |
| Referral Date: | 09-30-92 |
| Action Date: | 12-10-91 |
| Created Date: | 01-01-01 |
| Tank Status: | A |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-006592-000004 |
| Actv Date: | 09-30-92 |
| Capacity: | 2000 |
| Tank Use: | M.V. FUEL |
| Stg: | P |
| Content: | REG UNLEADED |
| Number Of Tanks: | Not reported |

---

**U143** **TRALA PARTNERSHIP** **HIST CORTESE** **S102439195**
**NE** **445 HAMPSHIRE STREET** **LUST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110** **HAZNET**
**0.176 mi.**
**931 ft.** **Site 3 of 4 in cluster U**

**Relative:**
**Higher**

**Actual:**
**58 ft.**

CORTESE:

| | |
|---|---|
| Region: | CORTESE |
| Facility County Code: | 38 |
| Reg By: | LTNKA |
| Reg Id: | 38-0712 |

LUST:

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607500621 |
| Latitude: | 37.763731 |

**TRALA PARTNERSHIP (Continued)** **S102439195**

| | |
|---|---|
| Longitude: | -122.408047 |
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |
| Status Date: | 03/28/1996 |
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | AL |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-0712 |
| LOC Case Number: | 10565 |
| File Location: | Not reported |
| Potential Media Affect: | Soil |
| Potential Contaminants of Concern: | Gasoline |
| Site History: | Not reported |

Click here to access the California GeoTracker records for this facility:

LUST:

| | |
|---|---|
| Global Id: | T0607500621 |
| Contact Type: | Regional Board Caseworker |
| Contact Name: | VIC PAL |
| Organization Name: | SAN FRANCISCO BAY RWQCB (REGION 2) |
| Address: | 1515 CLAY STREET, SUITE 1400 |
| City: | OAKLAND |
| Email: | vpal@waterboards.ca.gov |
| Phone Number: | Not reported |

| | |
|---|---|
| Global Id: | T0607500621 |
| Contact Type: | Local Agency Caseworker |
| Contact Name: | ALBERT LEE |
| Organization Name: | SAN FRANCISCO COUNTY LOP |
| Address: | 1390 MARKET STREET, #210 |
| City: | SAN FRANCISCO |
| Email: | albert.lee@sfdph.org |
| Phone Number: | Not reported |

LUST:

| | |
|---|---|
| Global Id: | T0607500621 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Reported |

| | |
|---|---|
| Global Id: | T0607500621 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Discovery |

LUST REG 2:

| | |
|---|---|
| Region: | 2 |
| Facility Id: | 38-0712 |
| Facility Status: | Case Closed |
| Case Number: | 10565 |
| How Discovered: | Not reported |
| Leak Cause: | Not reported |
| Leak Source: | Not reported |
| Date Leak Confirmed: | Not reported |
| Oversight Program: | LUST |

**TRALA PARTNERSHIP (Continued)** **S102439195**

Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:

| | |
|---|---|
| Region: | SAN FRANCISCO |
| Facility ID: | 38-0712 |
| Facility Status: | Case Closed |
| Case Number: | 10565 |
| Case Type: | Soil only |
| Release Date: | 11/2/1995 |
| Discovered Date: | 11/22/1995 |
| Substance: | Gasoline |
| Substance Qty: | Not reported |
| How Discovered: | Tank Closure |
| How Stopped: | Close Tank |
| Report Date: | 11/2/1995 |
| Case Closed: | 3/28/1996 |
| Closed Date: | 3/28/1996 |
| Leak Source: | Tank |
| Leak Cause: | Overfill |
| Leak Confirmed: | Not reported |
| Entered Date: | 11/29/1995 |
| Number of Wells: | Not reported |
| Regional Board: | San Francisco Bay Region |
| Local Agency: | 38000 |
| Lead Agency: | Local Agency |
| Program: | LOP |
| Responsible Party: | Not reported |
| RP Address: | Not reported |
| Operator: | Not reported |
| Staff Initial: | VP |
| Facility Staff: | AL |
| Cross Street: | 17TH ST |
| NOR Date: | 11/29/1995 |
| MTBE Current: | Not reported |
| MTBE Current Date: | Not reported |
| MTBE: | NT |
| Maximum MTBE Soil: | Not reported |
| Maximum MTBE GW: | Not reported |
| MTBE DATE: | Not reported |
| Review Date: | Not reported |
| Workplan Submitted: | 12/21/1995 |
| Assessment Underway: | Not reported |
| Pollution Characterization: | Not reported |
| Corrective Action Plan: | Not reported |
| Remediation Underway: | Not reported |
| Monitoring Begun: | Not reported |
| Funding: | Not reported |
| Interim Remediation: | Not reported |
| Priority: | Not reported |
| Abatement: | Not reported |
| Enforcement Type: | NOR |
| Enforcement Due Date: | Not reported |

**TRALA PARTNERSHIP (Continued)** **S102439195**

| | |
|---|---|
| Basin: | Downtown Basin |
| Beneficial Use: | No |
| Lat/Long: | Not reported |
| CUFID: | Not reported |
| Suspended: | No |
| Stopped Date: | Not reported |
| Free Product: | No |
| Depth to Grnd Wtr: | Not reported |
| Gradient: | Not reported |
| Benzene: | Not reported |
| Primary Substance: | Gasoline |
| Enforcement Type: | Not reported |
| Amount of Free Produce: | Not reported |
| Benzene Test: | Not reported |
| Maximum Soil GW: | Not reported |
| Max Soil Concentration: | Not reported |
| TPH Tested: | Not reported |
| Max TPH GW: | Not reported |
| Max TPH Soil: | Not reported |
| TPH Date: | Not reported |
| Block: | Not reported |
| Lot: | Not reported |
| Notify: | False |
| TPH Current: | Not reported |
| TPH Current Date: | Not reported |
| Grnd Wtr Qualifier: | Not reported |
| Soil Qualifier: | Not reported |
| Comments: | Not reported |
| Summary: | Not reported |

HAZNET:

| | |
|---|---|
| Year: | 2000 |
| Gepaid: | CAC002282425 |
| Contact: | ARTHUR BRUSCHERA |
| Telephone: | 4156215219 |
| Mailing Name: | Not reported |
| Mailing Address: | 445 HAMPSHIRE ST |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941101416 |
| Gen County: | San Francisco |
| TSD EPA ID: | CAD028409019 |
| TSD County: | Los Angeles |
| Waste Category: | Unspecified oil-containing waste |
| Disposal Method: | Not reported |
| Tons: | .4795 |
| Facility County: | San Francisco |

| | |
|---|---|
| Year: | 1995 |
| Gepaid: | CAC001055096 |
| Contact: | BRUSCHERA GALLIANO |
| Telephone: | 0000000000 |
| Mailing Name: | Not reported |
| Mailing Address: | 445 HAMPSHIRE ST |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941100000 |
| Gen County: | San Francisco |
| TSD EPA ID: | CAD083166728 |
| TSD County: | Stanislaus |
| Waste Category: | Unspecified oil-containing waste |

**TRALA PARTNERSHIP (Continued)** **S102439195**

Disposal Method: Recycler
Tons: 2.9190
Facility County: San Francisco

Year: 1995
Gepaid: CAC001055096
Contact: BRUSCHERA GALLIANO
Telephone: 0000000000
Mailing Name: Not reported
Mailing Address: 445 HAMPSHIRE ST
Mailing City,St,Zip: SAN FRANCISCO, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAD028409019
TSD County: Los Angeles
Waste Category: Unspecified organic liquid mixture
Disposal Method: Treatment, Tank
Tons: .6255
Facility County: San Francisco

Year: 1995
Gepaid: CAC001055096
Contact: BRUSCHERA GALLIANO
Telephone: 0000000000
Mailing Name: Not reported
Mailing Address: 445 HAMPSHIRE ST
Mailing City,St,Zip: SAN FRANCISCO, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAD004771168
TSD County: San Francisco
Waste Category: Other empty containers 30 gallons or more
Disposal Method: Disposal, Land Fill
Tons: 3.0000
Facility County: San Francisco

Year: 1995
Gepaid: CAC001055096
Contact: BRUSCHERA GALLIANO
Telephone: 0000000000
Mailing Name: Not reported
Mailing Address: 445 HAMPSHIRE ST
Mailing City,St,Zip: SAN FRANCISCO, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAD004771168
TSD County: San Francisco
Waste Category: Other empty containers 30 gallons or more
Disposal Method: Recycler
Tons: 1.0000
Facility County: San Francisco

Click this hyperlink while viewing on your computer to access additional CA_HAZNET: detail in the EDR Site Report.

**U144**
**NE**
**1/8-1/4**
**0.176 mi.**
**931 ft.**

**ALART PLUMBING, INC.**
**445 HAMPSHIRE ST**
**SAN FRANCISCO, CA 94110**

**HIST UST** **U001595372**
**N/A**

**Site 4 of 4 in cluster U**

**Relative:**
**Higher**

**Actual:**
**58 ft.**

HIST UST:

| | |
|---|---|
| Region: | STATE |
| Facility ID: | 00000063640 |
| Facility Type: | Other |
| Other Type: | CONTRACTOR |
| Total Tanks: | 0004 |
| Contact Name: | Not reported |
| Telephone: | 4156215219 |
| Owner Name: | ALART PLUMBING, INC. |
| Owner Address: | 445 HAMPSHIRE ST |
| Owner City,St,Zip: | SAN FRANCISCO, CA 94110 |
| | |
| Tank Num: | 001 |
| Container Num: | A-1 |
| Year Installed: | 1980 |
| Tank Capacity: | 00001000 |
| Tank Used for: | PRODUCT |
| Type of Fuel: | UNLEADED |
| Tank Construction: | Not reported |
| Leak Detection: | Stock Inventor, Pressure Test |
| | |
| Tank Num: | 002 |
| Container Num: | C-1 |
| Year Installed: | 1978 |
| Tank Capacity: | 00001000 |
| Tank Used for: | PRODUCT |
| Type of Fuel: | PREMIUM |
| Tank Construction: | Not reported |
| Leak Detection: | Stock Inventor, Pressure Test |
| | |
| Tank Num: | 003 |
| Container Num: | C-2 |
| Year Installed: | 1978 |
| Tank Capacity: | 00004000 |
| Tank Used for: | PRODUCT |
| Type of Fuel: | UNLEADED |
| Tank Construction: | Not reported |
| Leak Detection: | Stock Inventor, Pressure Test |
| | |
| Tank Num: | 004 |
| Container Num: | B-1 |
| Year Installed: | 1978 |
| Tank Capacity: | 00000500 |
| Tank Used for: | PRODUCT |
| Type of Fuel: | UNLEADED |
| Tank Construction: | Not reported |
| Leak Detection: | Stock Inventor, Pressure Test |

**Q145**
**ENE**
**1/8-1/4**
**0.177 mi.**
**933 ft.**

**579 POTRERO AVE**
**SAN FRANCISCO, CA 94110**

**Site 5 of 5 in cluster Q**

**EDR US Hist Auto Stat** **1015559669**
**N/A**

**Relative:**
**Higher**

**Actual:**
**65 ft.**

EDR Historical Auto Stations:

| | |
|---|---|
| Name: | K & K AUTO SERVICE & BODY |
| Year: | 1999 |
| Address: | 579 POTRERO AVE |
| Name: | K & K AUTO SERVICE & BODY |
| Year: | 2000 |
| Address: | 579 POTRERO AVE |
| Name: | K & K AUTO SERVICE |
| Year: | 2001 |
| Address: | 579 POTRERO AVE |
| Name: | K & K AUTO SERVICE |
| Year: | 2002 |
| Address: | 579 POTRERO AVE |
| Name: | K & K AUTO SERVICE & BODY |
| Year: | 2003 |
| Address: | 579 POTRERO AVE |
| Name: | K & K AUTO SERVICE & BODY |
| Year: | 2004 |
| Address: | 579 POTRERO AVE |
| Name: | K & K AUTO SERVICE & BODY |
| Year: | 2005 |
| Address: | 579 POTRERO AVE |
| Name: | K & K AUTO SERVICE & BODY |
| Year: | 2006 |
| Address: | 579 POTRERO AVE |
| Name: | K & K AUTO SERVICE & BODY |
| Year: | 2008 |
| Address: | 579 POTRERO AVE |
| Name: | K & K AUTO SERVICE & BODY |
| Year: | 2009 |
| Address: | 579 POTRERO AVE |
| Name: | K & K AUTO SVC & BODY |
| Year: | 2010 |
| Address: | 579 POTRERO AVE |
| Name: | K & K AUTO SERVICE & BODY |
| Year: | 2011 |
| Address: | 579 POTRERO AVE |
| Name: | POTRERO PERFORMANCE AUTO |
| Year: | 2012 |
| Address: | 579 POTRERO AVE |

**P146** **NETWORK COURIER** **UST** **U004003824**
**NE** **2440 MARIPOSA ST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.188 mi.**
**991 ft.** **Site 7 of 9 in cluster P**

**Relative:**
**Higher**

**Actual:**
**65 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 24806 |
| Facility Status: | Not reported |
| Number Of Tanks: | 1 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | Not reported |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Not reported |
| Application Date: | 12/15/1994 |
| Application Name: | Not reported |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| | |
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 12/30/1994 |
| UST Close ID: | 1915 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |

**NETWORK COURIER (Continued)** **U004003824**

| | |
|---|---|
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | 3/2/1995 |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**P147** **RUDY MARK MILLER** **LUST S102801605**
**NE** **2440 MARIPOSA STREET** **HAZNET N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110**
**0.188 mi.**
**991 ft.** **Site 8 of 9 in cluster P**

**Relative:**
**Higher**

**Actual:**
**65 ft.**

LUST REG 2:

| | |
|---|---|
| Region: | 2 |
| Facility Id: | 38-0548 |
| Facility Status: | Case Closed |
| Case Number: | 10719 |
| How Discovered: | Not reported |
| Leak Cause: | Not reported |
| Leak Source: | Not reported |
| Date Leak Confirmed: | Not reported |
| Oversight Program: | LUST |
| Prelim. Site Assesment Wokplan Submitted: | Not reported |
| Preliminary Site Assesment Began: | Not reported |
| Pollution Characterization Began: | Not reported |
| Pollution Remediation Plan Submitted: | Not reported |
| Date Remediation Action Underway: | Not reported |
| Date Post Remedial Action Monitoring Began: | Not reported |

SAN FRANCISCO CO. LUST:

| | |
|---|---|
| Region: | SAN FRANCISCO |
| Facility ID: | 38-0548 |

**RUDY MARK MILLER (Continued)** **S102801605**

| | |
|---|---|
| Facility Status: | Case Closed |
| Case Number: | 10719 |
| Case Type: | Soil only |
| Release Date: | 3/2/1995 |
| Discovered Date: | 2/17/1995 |
| Substance: | Gasoline |
| Substance Qty: | Not reported |
| How Discovered: | Not reported |
| How Stopped: | Not reported |
| Report Date: | 3/2/1995 |
| Case Closed: | 10/30/1996 |
| Closed Date: | 10/30/1996 |
| Leak Source: | Tank |
| Leak Cause: | Structure Failure |
| Leak Confirmed: | Not reported |
| Entered Date: | 10/29/1996 |
| Number of Wells: | Not reported |
| Regional Board: | San Francisco Bay Region |
| Local Agency: | 38000 |
| Lead Agency: | Local Agency |
| Program: | LOP |
| Responsible Party: | Not reported |
| RP Address: | Not reported |
| Operator: | Not reported |
| Staff Initial: | VP |
| Facility Staff: | AL |
| Cross Street: | HAMPSHIRE ST |
| NOR Date: | 10/29/1996 |
| MTBE Current: | Not reported |
| MTBE Current Date: | Not reported |
| MTBE: | NT |
| Maximum MTBE Soil: | Not reported |
| Maximum MTBE GW: | Not reported |
| MTBE DATE: | Not reported |
| Review Date: | Not reported |
| Workplan Submitted: | Not reported |
| Assessment Underway: | Not reported |
| Pollution Characterization: | Not reported |
| Corrective Action Plan: | Not reported |
| Remediation Underway: | Not reported |
| Monitoring Begun: | Not reported |
| Funding: | Federal |
| Interim Remediation: | Yes |
| Priority: | Low Priority Site |
| Abatement: | Excavate and Dispose - remove contaminated soil and dispose in approved site, Remove Free Product - remove floating product from water table |
| Enforcement Type: | NOR |
| Enforcement Due Date: | 10/29/1996 |
| Basin: | Downtown Basin |
| Beneficial Use: | No |
| Lat/Long: | Not reported |
| CUFID: | Not reported |
| Suspended: | No |
| Stopped Date: | Not reported |
| Free Product: | No |
| Depth to Grnd Wtr: | Not reported |

**RUDY MARK MILLER (Continued)** **S102801605**

| | |
|---|---|
| Gradient: | Not reported |
| Benzene: | Not reported |
| Primary Substance: | Gasoline |
| Enforcement Type: | Not reported |
| Amount of Free Produce: | Not reported |
| Benzene Test: | Not reported |
| Maximum Soil GW: | Not reported |
| Max Soil Concentration: | Not reported |
| TPH Tested: | Not reported |
| Max TPH GW: | Not reported |
| Max TPH Soil: | Not reported |
| TPH Date: | Not reported |
| Block: | Not reported |
| Lot: | Not reported |
| Notify: | False |
| TPH Current: | Not reported |
| TPH Current Date: | Not reported |
| Grnd Wtr Qualifier: | Not reported |
| Soil Qualifier: | Not reported |
| Comments: | Not reported |
| Summary: | Not reported |

HAZNET:

| | |
|---|---|
| Year: | 1995 |
| Gepaid: | CAC001008024 |
| Contact: | RUDY MARK MILLER |
| Telephone: | 0000000000 |
| Mailing Name: | Not reported |
| Mailing Address: | 2440 MARIPOSA STREET |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941100000 |
| Gen County: | San Francisco |
| TSD EPA ID: | CAL000048571 |
| TSD County: | Santa Clara |
| Waste Category: | Waste oil and mixed oil |
| Disposal Method: | Recycler |
| Tons: | 1.2510 |
| Facility County: | San Francisco |

---

**P148** **NETWORK COURIER SERVICES** **HIST CORTESE U003716620**
**NE** **2440 MARIPOSA STREET** **LUST N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110**
**0.188 mi.**
**991 ft.** **Site 9 of 9 in cluster P**

**Relative:**
**Higher**

**Actual:**
**65 ft.**

CORTESE:

| | |
|---|---|
| Region: | CORTESE |
| Facility County Code: | 38 |
| Reg By: | LTNKA |
| Reg Id: | 38-0548 |

LUST:

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607500487 |
| Latitude: | 37.763425 |
| Longitude: | -122.406606 |
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |

**NETWORK COURIER SERVICES (Continued)** **U003716620**

| | |
|---|---|
| Status Date: | 10/30/1996 |
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | AL |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-0548 |
| LOC Case Number: | 10719 |
| File Location: | Not reported |
| Potential Media Affect: | Soil |
| Potential Contaminants of Concern: | Gasoline |
| Site History: | Not reported |

Click here to access the California GeoTracker records for this facility:

LUST:

| | |
|---|---|
| Global Id: | T0607500487 |
| Contact Type: | Regional Board Caseworker |
| Contact Name: | VIC PAL |
| Organization Name: | SAN FRANCISCO BAY RWQCB (REGION 2) |
| Address: | 1515 CLAY STREET, SUITE 1400 |
| City: | OAKLAND |
| Email: | vpal@waterboards.ca.gov |
| Phone Number: | Not reported |

| | |
|---|---|
| Global Id: | T0607500487 |
| Contact Type: | Local Agency Caseworker |
| Contact Name: | ALBERT LEE |
| Organization Name: | SAN FRANCISCO COUNTY LOP |
| Address: | 1390 MARKET STREET, #210 |
| City: | SAN FRANCISCO |
| Email: | albert.lee@sfdph.org |
| Phone Number: | Not reported |

LUST:

| | |
|---|---|
| Global Id: | T0607500487 |
| Action Type: | ENFORCEMENT |
| Date: | 10/29/1996 |
| Action: | Notice of Responsibility |

| | |
|---|---|
| Global Id: | T0607500487 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Reported |

| | |
|---|---|
| Global Id: | T0607500487 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Discovery |

**V149** **MIRAGE INVESTMENT,** **UST** **U003904052**
**SSW** **2451 HARRISON ST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.192 mi.**
**1014 ft.** **Site 1 of 4 in cluster V**

**Relative:**
**Higher**

**Actual:**
**34 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 24626 |
| Facility Status: | Not reported |
| Number Of Tanks: | 1 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | Not reported |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Not reported |
| Application Date: | 4/23/1987 |
| Application Name: | Not reported |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| | |
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 5/6/1987 |
| UST Close ID: | 287 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |

**MIRAGE INVESTMENT, (Continued)** **U003904052**

| | |
|---|---|
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**V150**
**SSW**
**1/8-1/4**
**0.192 mi.**
**1014 ft.**

**MIRAGE INVESTMENT, INC.**
**2451 HARRISON ST**
**SAN FRANCISCO, CA 94110**

CA FID UST **S101592350**
SWEEPS UST **N/A**

**Site 2 of 4 in cluster V**

**Relative:**
**Higher**

**Actual:**
**34 ft.**

CA FID UST:

| | |
|---|---|
| Facility ID: | 38003489 |
| Regulated By: | UTNKA |
| Regulated ID: | Not reported |
| Cortese Code: | Not reported |
| SIC Code: | Not reported |
| Facility Phone: | 4150000000 |
| Mail To: | Not reported |
| Mailing Address: | 2451 HARRISON ST |
| Mailing Address 2: | Not reported |
| Mailing City,St,Zip: | SAN FRANCISCO 94110 |
| Contact: | Not reported |
| Contact Phone: | Not reported |
| DUNs Number: | Not reported |
| NPDES Number: | Not reported |
| EPA ID: | Not reported |
| Comments: | Not reported |
| Status: | Active |

SWEEPS UST:

**MIRAGE INVESTMENT, INC. (Continued)** **S101592350**

| | |
|---|---|
| Status: | Not reported |
| Comp Number: | 609 |
| Number: | Not reported |
| Board Of Equalization: | Not reported |
| Referral Date: | Not reported |
| Action Date: | Not reported |
| Created Date: | Not reported |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-000609-000001 |
| Actv Date: | Not reported |
| Capacity: | 280 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | 1 |

| | |
|---|---|
| Status: | Active |
| Comp Number: | 609 |
| Number: | 9 |
| Board Of Equalization: | Not reported |
| Referral Date: | 09-30-92 |
| Action Date: | 12-10-91 |
| Created Date: | 01-01-01 |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | Not reported |
| Actv Date: | Not reported |
| Capacity: | Not reported |
| Tank Use: | Not reported |
| Stg: | Not reported |
| Content: | Not reported |
| Number Of Tanks: | Not reported |

---

**V151** **RUSSELL FRANK** **EDR US Hist Cleaners** **1009177600**
**SSW** **2450 HARRISON** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.192 mi.**
**1016 ft.** **Site 3 of 4 in cluster V**

**Relative:** EDR Historical Cleaners:
**Higher**

| | |
|---|---|
| Name: | STANDARD LAUNDRY |
| Year: | 1930 |
| Type: | LAUNDRIES-STEAM |

**Actual:**
**34 ft.**

| | |
|---|---|
| Name: | PHOENIX LINEN SUPPLY & LAUNDRY CO |
| Year: | 1935 |
| Type: | LAUNDRIES-STEAM |

| | |
|---|---|
| Name: | RUSSELL FRANK |
| Year: | 1940 |
| Type: | LAUNDRIES-STEAM |

| | |
|---|---|
| Name: | ECONOMY LAUNDRY |
| Year: | 1940 |
| Type: | LAUNDRIES-STEAM |

**V152** **ECONOMY LAUNDRY** **EDR US Hist Cleaners** **1009129674**
**SSW** **2450 HARRISON ST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.193 mi.**
**1019 ft.** **Site 4 of 4 in cluster V**

**Relative:** EDR Historical Cleaners:
**Higher**
Name: STANDARD LAUNDRY
Year: 1930
**Actual:** Type: LAUNDRIES-STEA
**34 ft.**

Name: PHOENIX LINEN SUPPLY & LAUNDRY CO
Year: 1935
Type: LAUNDRIES-STEA

Name: PHOENIX LINEN SUPPLY & LAUNDRY CO
Year: 1935
Type: LAUNDRIES-STEA

Name: RUSSELL FRANK
Year: 1940
Type: LAUNDRIES STEAM

Name: ECONOMY LAUNDRY
Year: 1940
Type: LAUNDRIES STEAM

---

**S153** **F & G AUTOMOTIVE REPAIR** **EDR US Hist Auto Stat** **1009001469**
**SW** **707 TREAT AVE** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.196 mi.**
**1036 ft.** **Site 3 of 3 in cluster S**

**Relative:** EDR Historical Auto Stations:
**Higher**
Name: PARAMOUNT REPAIR SHOP
Year: 1925
**Actual:** Type: AUTOMOBILE REPAIRING
**34 ft.**

Name: PISCITELLO FRANK
Year: 1930
Type: AUTOMOBILE REPAIRING

Name: PISCITELLO FRANK
Year: 1930
Type: AUTOMOBILE REPAIRING

Name: PISCITELLO FRANK
Year: 1935
Type: AUTOMOBILE REPAIRING

Name: PISCITELLO FRANK
Year: 1935
Type: AUTOMOBILE REPAIRING

Name: ANDREWS JOHN
Year: 1940
Type: AUTOMOBILE REPAIRING

Name: ANDREWS JOHN
Year: 1940

**F & G AUTOMOTIVE REPAIR (Continued)** **1009001469**

Type: AUTOMOBILE REPAIRING

Name: ARNOLD W M
Year: 1944
Type: AUTOMOBILE GARAGES

Name: F & G AUTOMOTIVE REPAIR GARAGE
Year: 1949
Type: AUTOMOBILE REPAIRING

Name: F & G AUTO & EQUIPMENT REPAIR
Year: 1953
Type: AUTOMOBILE REPAIRING

Name: F & G AUTOMOTIVE REPAIR
Year: 1958
Type: AUTOMOBILE REPAIRING

Name: F & G AUTOMOTIVE REPAIR
Year: 1958
Type: AUTOMOBILE REPAIRING

Name: F & G AUTOMOTIVE REPAIR
Year: 1962
Type: AUTOMOBILE REPAIRING

Name: F&G AUTOMOTIVE REPAIR
Year: 1962
Type: AUTOMOBILE REPAIRING

Name: FRASER EDWARDS CO
Year: 1966
Type: AUTOMOBILE REPAIRING

Name: FRASER EDWARDS CO
Year: 1966
Type: AUTOMOBILE REPAIRING

Name: FRASER EDWARDS CO
Year: 1971
Type: AUTOMOBILE REPAIRING

---

**W154** **BERTELSEN L T** **EDR US Hist Auto Stat** **1008998305**
**NE** **519 POTRERO AVE** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.197 mi.**
**1040 ft.** **Site 1 of 3 in cluster W**

**Relative:**
**Higher**

**Actual:**
**70 ft.**

EDR Historical Auto Stations:

Name: BERTELSEN L T
Year: 1940
Type: AUTOMOBILE REPAIRING

Name: BERTELSEN L T
Year: 1940
Type: AUTOMOBILE REPAIRING

Name: BERTELSEN L T

**BERTELSEN L T (Continued)** **1008998305**

Year: 1949
Type: AUTOMOBILE REPAIRING

Name: BERTELSEN L T
Year: 1949
Type: AUTOMOBILE REPAIRING

---

**X155** **NICHIREN, SHOSHU,** **UST** **U003904108**
**North** **1800 BRYANT ST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.201 mi.**
**1062 ft.** **Site 1 of 10 in cluster X**

**Relative:**
**Higher**

**Actual:**
**58 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 21678 |
| Facility Status: | Not reported |
| Number Of Tanks: | 1 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | 3931 Luneman Road |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | William Dubovsky |
| Application Date: | 6/4/1997 |
| Application Name: | William Dubovsky |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| | |
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 7/31/1997 |
| UST Close ID: | 2950 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |

**NICHIREN, SHOSHU, (Continued)** **U003904108**

| | |
|---|---|
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

---

**X156** **VACANT LOT** **LUST S105244841**
**North** **1800 BRYANT STREET** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110**
**0.201 mi.**
**1062 ft.** **Site 2 of 10 in cluster X**

**Relative:** **Higher**

**Actual:** **58 ft.**

LUST REG 2:

| | |
|---|---|
| Region: | 2 |
| Facility Id: | 38-0937 |
| Facility Status: | Case Closed |
| Case Number: | 10868 |
| How Discovered: | Not reported |
| Leak Cause: | Not reported |
| Leak Source: | Not reported |
| Date Leak Confirmed: | Not reported |
| Oversight Program: | LUST |
| Prelim. Site Assesment Wokplan Submitted: | Not reported |
| Preliminary Site Assesment Began: | Not reported |
| Pollution Characterization Began: | Not reported |

**VACANT LOT (Continued)** **S105244841**

Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 38-0937
Facility Status: Case Closed
Case Number: 10868
Case Type: Soil only
Release Date: 8/8/1997
Discovered Date: 8/18/1997
Substance: Diesel
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Close Tank
Report Date: 8/8/1997
Case Closed: 10/7/1997
Closed Date: 10/7/1997
Leak Source: Unknown
Leak Cause: Unknown
Leak Confirmed: Not reported
Entered Date: 9/17/1997
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: REDMOND
RP Address: Not reported
Operator: Not reported
Staff Initial: VP
Facility Staff: MA
Cross Street: 17TH ST
NOR Date: 9/17/1997
MTBE Current: Not reported
MTBE Current Date: Not reported
MTBE: NT
Maximum MTBE Soil: Not reported
Maximum MTBE GW: Not reported
MTBE DATE: Not reported
Review Date: Not reported
Workplan Submitted: Not reported
Assessment Underway: Not reported
Pollution Characterization: Not reported
Corrective Action Plan: Not reported
Remediation Underway: Not reported
Monitoring Begun: Not reported
Funding: Federal
Interim Remediation: Yes
Priority: Not reported
Abatement: Remove Free Product - remove floating product from water table
Enforcement Type: NOR
Enforcement Due Date: Not reported
Basin: Downtown Basin
Beneficial Use: No
Lat/Long: Not reported

**VACANT LOT (Continued)** **S105244841**

| | |
|---|---|
| CUFID: | Not reported |
| Suspended: | No |
| Stopped Date: | 8/5/1997 |
| Free Product: | No |
| Depth to Grnd Wtr: | Not reported |
| Gradient: | Not reported |
| Benzene: | Not reported |
| Primary Substance: | Diesel fuel oil |
| Enforcement Type: | Not reported |
| Amount of Free Produce: | Not reported |
| Benzene Test: | ND |
| Maximum Soil GW: | ND |
| Max Soil Concentration: | Not reported |
| TPH Tested: | Not reported |
| Max TPH GW: | Not reported |
| Max TPH Soil: | Not reported |
| TPH Date: | Not reported |
| Block: | Not reported |
| Lot: | Not reported |
| Notify: | False |
| TPH Current: | Not reported |
| TPH Current Date: | Not reported |
| Grnd Wtr Qualifier: | Not reported |
| Soil Qualifier: | Not reported |
| Comments: | Not reported |
| Summary: | Not reported |

---

**X157** **VACANT LOT** **HIST CORTESE** **S103636927**
**North** **1800 BRYANT STREET** **LUST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110** **HAZNET**
**0.201 mi.**
**1062 ft.** **Site 3 of 10 in cluster X**

**Relative:**
**Higher**

**Actual:**
**58 ft.**

CORTESE:

| | |
|---|---|
| Region: | CORTESE |
| Facility County Code: | 38 |
| Reg By: | LTNKA |
| Reg Id: | 38-0937 |

LUST:

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607500831 |
| Latitude: | 37.764088 |
| Longitude: | -122.410828 |
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |
| Status Date: | 10/07/1997 |
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | MA |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-0937 |
| LOC Case Number: | 10868 |
| File Location: | Not reported |
| Potential Media Affect: | Soil |
| Potential Contaminants of Concern: | Diesel |
| Site History: | Not reported |

**VACANT LOT (Continued)** **S103636927**

Click here to access the California GeoTracker records for this facility:

LUST:

| | |
|---|---|
| Global Id: | T0607500831 |
| Contact Type: | Regional Board Caseworker |
| Contact Name: | VIC PAL |
| Organization Name: | SAN FRANCISCO BAY RWQCB (REGION 2) |
| Address: | 1515 CLAY STREET, SUITE 1400 |
| City: | OAKLAND |
| Email: | vpal@waterboards.ca.gov |
| Phone Number: | Not reported |

| | |
|---|---|
| Global Id: | T0607500831 |
| Contact Type: | Local Agency Caseworker |
| Contact Name: | MAMDOUH AWWAD |
| Organization Name: | SAN FRANCISCO COUNTY LOP |
| Address: | 1390 MARKET STREET, #210 |
| City: | SAN FRANCISCO |
| Email: | mamdouh.awwad@sfdph.org |
| Phone Number: | Not reported |

LUST:

| | |
|---|---|
| Global Id: | T0607500831 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Reported |

| | |
|---|---|
| Global Id: | T0607500831 |
| Action Type: | Other |
| Date: | 01/01/1950 |
| Action: | Leak Discovery |

HAZNET:

| | |
|---|---|
| Year: | 1997 |
| Gepaid: | CAC001166944 |
| Contact: | MICHAEL SPEAR |
| Telephone: | 9166214394 |
| Mailing Name: | Not reported |
| Mailing Address: | 208 MONTCALM |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941100000 |
| Gen County: | San Francisco |
| TSD EPA ID: | CAT080025711 |
| TSD County: | San Bernardino |
| Waste Category: | Waste oil and mixed oil |
| Disposal Method: | Recycler |
| Tons: | 1.5637 |
| Facility County: | San Francisco |

W158
NE
1/8-1/4
0.205 mi.
1083 ft.

CRUZ GULF SERVICE
501 POTRERO AVE
SAN FRANCISCO, CA

Database(s): EDR US Hist Auto Stat
EDR ID Number: 1009001582
EPA ID Number: N/A

Site 2 of 3 in cluster W

Relative:
Higher

Actual:
70 ft.

EDR Historical Auto Stations:

| | |
|---|---|
| Name: | EVERETT S SERVICE STATION |
| Year: | 1953 |
| Type: | GASOLINE STATIONS |
| Name: | EVERETT S SERVICE STATION |
| Year: | 1958 |
| Type: | GASOLINE STATIONS |
| Name: | EVERETT S SERVICE STATION |
| Year: | 1958 |
| Type: | GASOLINE STATIONS |
| Name: | RIVERA S SERVICE STATION |
| Year: | 1962 |
| Type: | GASOLINE STATIONS |
| Name: | CRUZ GULF SERVICE |
| Year: | 1966 |
| Type: | GASOLINE STATIONS |
| Name: | CRUZ GULF SERVICE |
| Year: | 1966 |
| Type: | GASOLINE STATIONS |
| Name: | CRUZ GULF SERVICE |
| Year: | 1971 |
| Type: | GASOLINE STATIONS |
| Name: | CRUZ GULF SERVICE |
| Year: | 1971 |
| Type: | GASOLINE STATIONS |
| Name: | CRUZ GULF SERVICE |
| Year: | 1977 |
| Type: | GASOLINE STATIONS |
| Name: | CRUZ GULF SERVICE |
| Year: | 1977 |
| Type: | GASOLINE STATIONS |

---

X159
North
1/8-1/4
0.206 mi.
1086 ft.

FRANK & SAM PEERLESS SERVICE STATION
1798 BRYANT
SAN FRANCISCO, CA

Database(s): EDR US Hist Auto Stat
EDR ID Number: 1009070000
EPA ID Number: N/A

Site 4 of 10 in cluster X

Relative:
Higher

Actual:
59 ft.

EDR Historical Auto Stations:

| | |
|---|---|
| Name: | FRANK & SAM PEERLESS SERVICE STATION |
| Year: | 1958 |
| Type: | GASOLINE STATIONS |
| Name: | JOHN S SIGNAL SERVICE STATION |
| Year: | 1962 |

**FRANK & SAM PEERLESS SERVICE STATION (Continued)** **1009070000**

Type: GASOLINE STATIONS

---

**X160** **LOGAN S SERVICE** **EDR US Hist Auto Stat** **1009069902**
**North** **2700 17TH** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.206 mi.**
**1086 ft.** **Site 5 of 10 in cluster X**

**Relative:**
**Higher**

**Actual:**
**59 ft.**

EDR Historical Auto Stations:
Name: LOGAN S SERVICE
Year: 1953
Type: GASOLINE STATIONS

---

**X161** **OROWHEAT BAKING CO.** **CA FID UST** **S101592145**
**North** **1798 BRYANT ST** **SWEEPS UST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110**
**0.207 mi.**
**1091 ft.** **Site 6 of 10 in cluster X**

**Relative:**
**Higher**

**Actual:**
**59 ft.**

CA FID UST:
Facility ID: 38000734
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4150000000
Mail To: Not reported
Mailing Address: 1798 BRYANT ST
Mailing Address 2: Not reported
Mailing City,St,Zip: SAN FRANCISCO 94110
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

SWEEPS UST:
Status: Not reported
Comp Number: 8248
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Tank Status: Not reported
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-008248-000001
Actv Date: Not reported
Capacity: 1000
Tank Use: UNKNOWN
Stg: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: 1

**OROWHEAT BAKING CO. (Continued)** **S101592145**

| | |
|---|---|
| Status: | Active |
| Comp Number: | 8248 |
| Number: | 9 |
| Board Of Equalization: | Not reported |
| Referral Date: | 09-30-92 |
| Action Date: | 12-10-91 |
| Created Date: | 01-01-01 |
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | Not reported |
| Actv Date: | Not reported |
| Capacity: | Not reported |
| Tank Use: | Not reported |
| Stg: | Not reported |
| Content: | Not reported |
| Number Of Tanks: | Not reported |

---

**X162** **OROWEAT BAKING** **UST** **U004003847**
**North** **1798 BRYANT ST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.207 mi.**
**1091 ft.** **Site 7 of 10 in cluster X**

**Relative:** **Higher**

**Actual:** **59 ft.**

SAN FRANCISCO CO. UST:

| | |
|---|---|
| Facility ID: | 8248 |
| Facility Status: | Not reported |
| Number Of Tanks: | 0 |
| Owner/Operator Name: | Not reported |
| Owner/Operator Title: | Not reported |
| Owner Name: | Not reported |
| Care Of Addr: | Not reported |
| 2nd Care Of Add: | Not reported |
| Mailing Address: | 100 Pine St, 10th |
| Mailing City,St,Zip: | Not reported |
| Permit Number: | Not reported |
| Permit Approved By: | Not reported |
| Permit Expiration Date: | Not reported |
| Applications: | Geomatrix |
| Application Date: | 2/4/1998 |
| Application Name: | Michael R. Keim |
| Action Type: | Not reported |
| Yr Spill/Overfill Installed1: | Not reported |
| Yr Spill/Overfill Installed2: | Not reported |
| Yr Spill/Overfill Installed3: | Not reported |
| | |
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |

**OROWEAT BAKING (Continued)** **U004003847**

| | |
|---|---|
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 2/10/1998 |
| UST Close ID: | 3158 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | 5/4/1998 |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

| | |
|---|---|
| Tank ID: | Not reported |
| Tank Test: | Not reported |
| Local Tank Id: | Not reported |
| Tank Manufacturer: | Not reported |
| Compartmentalized Tank: | Not reported |
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | Not reported |

**OROWEAT BAKING (Continued)** **U004003847**

| | |
|---|---|
| Tank Capacity: | Not reported |
| Additional Desc: | Not reported |
| Tank Use: | Not reported |
| Petroleum Type: | Not reported |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Not reported |
| Primary Tank Material: | Not reported |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Not reported |
| Date Interior Lining Install: | Not reported |
| Date Closed: | 1/11/1988 |
| UST Close ID: | 369 |
| Type Of Spill Protection: | Not reported |
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | Not reported |
| Othr Tnk Corrosive Prtctn: | Not reported |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Not reported |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | Not reported |
| Tank Filled With Inert Material: | Not reported |
| Piping System Type ( Underground ): | Not reported |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Not reported |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Not reported |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Not reported |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | Not reported |
| Dispenser Containment Type: | Not reported |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | Not reported |
| 2nd Containment Test: | Not reported |
| Spill Containment Present: | Not reported |
| Drop Tube Present: | Not reported |
| Striker Plate Present: | Not reported |
| Alarm Present: | Not reported |
| Ball Float Present: | Not reported |
| Fill Tube Present: | Not reported |
| Other Tank Leak Detection Present: | Not reported |

**X163** **FRANK & SAM PEERLESS SERVICE STATION** **EDR US Hist Auto Stat** **1009000976**
**North** **1798 BRYANT ST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.207 mi.**
**1091 ft.** **Site 8 of 10 in cluster X**

**Relative:** EDR Historical Auto Stations:
**Higher** Name: FRANK & SAM PEERLESS SERVICE STATION
Year: 1958
**Actual:** Type: GASOLINE STATIONS
**59 ft.**

---

**X164** **ROBERT ALEXIS** **EDR US Hist Auto Stat** **1009069036**
**North** **1790 BRYANT** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.213 mi.**
**1124 ft.** **Site 9 of 10 in cluster X**

**Relative:** EDR Historical Auto Stations:
**Higher** Name: ROBERT ALEXIS
Year: 1940
**Actual:** Type: GASOLINE AND OIL SERVICE STATIONS
**60 ft.**

---

**X165** **ROBERT ALEXIS** **EDR US Hist Auto Stat** **1008999599**
**North** **1790 BRYANT ST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.213 mi.**
**1126 ft.** **Site 10 of 10 in cluster X**

**Relative:** EDR Historical Auto Stations:
**Higher** Name: ROBERT ALEXIS
Year: 1940
**Actual:** Type: GASOLINE AND OIL SERVICE STATION
**60 ft.**

---

**Y166** **WOLFE SERVICE STATION** **EDR US Hist Auto Stat** **1008999529**
**West** **2297 FOLSOM ST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.218 mi.**
**1149 ft.** **Site 1 of 10 in cluster Y**

**Relative:** EDR Historical Auto Stations:
**Lower** Name: WOLFE SERVICE STATION
Year: 1935
**Actual:** Type: GASOLINE AND OIL SERVICE STATION
**27 ft.**

Name: WOLFE SERVICE STATION
Year: 1935
Type: GASOLINE AND OIL SERVICE STATION

**Y167** **WOLFE SERVICE STATION** **EDR US Hist Auto Stat** **1009001639**
**West** **2289 FOLSOM ST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.218 mi.**
**1150 ft.** **Site 2 of 10 in cluster Y**

**Relative:** EDR Historical Auto Stations:
**Lower** Name: WOLFE SERVICE STATION
Year: 1958
**Actual:** Type: GASOLINE STATIONS
**26 ft.**

---

**Z168** **MELODY CLEANERS** **EDR US Hist Cleaners** **1009181025**
**South** **2800 21ST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA**
**0.219 mi.**
**1154 ft.** **Site 1 of 3 in cluster Z**

**Relative:** EDR Historical Cleaners:
**Higher** Name: MELODY CLEANERS
Year: 1958
**Actual:** Type: CLEANERS AND DYERS
**38 ft.**

Name: MELODY CLEANERS
Year: 1962
Type: CLEANERS AND DYERS

Name: SUTTER MELODY CLEANERS
Year: 1966
Type: CLEANERS AND DYERS

---

**Y169** **FIRE STATION #7** **HIST UST** **U001595387**
**West** **2300 FOLSOM ST** **HAZNET** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110**
**0.220 mi.**
**1159 ft.** **Site 3 of 10 in cluster Y**

**Relative:** HIST UST:
**Lower** Region: STATE
Facility ID: 00000055048
**Actual:** Facility Type: Other
**27 ft.** Other Type: FIREFIGHTING
Total Tanks: 0002
Contact Name: JAMES EDWARDS
Telephone: 4156479894
Owner Name: CITY AND COUNTY OF SAN FRANCIS
Owner Address: 260 GOLDEN GATE AVENUE
Owner City,St,Zip: SAN FRANCISCO, CA 94102

Tank Num: 001
Container Num: #7-A
Year Installed: 1955
Tank Capacity: 00000550
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Tank Construction: 10 gauge
Leak Detection: Stock Inventor

Tank Num: 002

**FIRE STATION #7 (Continued)** **U001595387**

Container Num: #7-B
Year Installed: 1955
Tank Capacity: 00000550
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Tank Construction: 10 gauge
Leak Detection: Stock Inventor

HAZNET:
Year: 2006
Gepaid: CAC002609492
Contact: ROBERT BAGLEY
Telephone: 4155548376
Mailing Name: Not reported
Mailing Address: 2075 WILLIAMS ST
Mailing City,St,Zip: SAN LEANDRO, CA 945772305
Gen County: San Francisco
TSD EPA ID: CAD981382732
TSD County: Alameda
Waste Category: Asbestos containing waste
Disposal Method: M132
Tons: 3.37
Facility County: San Francisco

---

**Y170** ***SFFD/FIRE STATION #7** **CA FID UST S101591995**
**West** **2300 FOLSOM ST** **SWEEPS UST N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110**
**0.220 mi.**
**1159 ft.** **Site 4 of 10 in cluster Y**

**Relative:**
**Lower**

**Actual:**
**27 ft.**

CA FID UST:
Facility ID: 38000321
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4150000000
Mail To: Not reported
Mailing Address: 2300 FOLSOM ST
Mailing Address 2: Not reported
Mailing City,St,Zip: SAN FRANCISCO 94110
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

SWEEPS UST:
Status: Not reported
Comp Number: 6024
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported

***SFFD/FIRE STATION #7 (Continued)** **S101591995**

| | |
|---|---|
| Tank Status: | Not reported |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-006024-000002 |
| Actv Date: | Not reported |
| Capacity: | 550 |
| Tank Use: | UNKNOWN |
| Stg: | PRODUCT |
| Content: | UNSPECIFIED |
| Number Of Tanks: | 1 |

| | |
|---|---|
| Status: | Active |
| Comp Number: | 6024 |
| Number: | 9 |
| Board Of Equalization: | Not reported |
| Referral Date: | 09-30-92 |
| Action Date: | 12-10-91 |
| Created Date: | 01-01-01 |
| Tank Status: | A |
| Owner Tank Id: | Not reported |
| Swrcb Tank Id: | 38-000-006024-000001 |
| Actv Date: | 09-30-92 |
| Capacity: | 1000 |
| Tank Use: | M.V. FUEL |
| Stg: | P |
| Content: | REG UNLEADED |
| Number Of Tanks: | 1 |

---

**Y171** **SFFD STATION #7** **HIST CORTESE** **S103956659**
**West** **2300 FOLSOM ST** **LUST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94107** **HAZNET**
**0.220 mi.**
**1159 ft.** **Site 5 of 10 in cluster Y**

**Relative:**
**Lower**

**Actual:**
**27 ft.**

CORTESE:

| | |
|---|---|
| Region: | CORTESE |
| Facility County Code: | 38 |
| Reg By: | LTNKA |
| Reg Id: | 38-0286 |

| | |
|---|---|
| Region: | CORTESE |
| Facility County Code: | 38 |
| Reg By: | LTNKA |
| Reg Id: | 38-1097 |

LUST:

| | |
|---|---|
| Region: | STATE |
| Global Id: | T0607500989 |
| Latitude: | 37.76035 |
| Longitude: | -122.415055 |
| Case Type: | LUST Cleanup Site |
| Status: | Completed - Case Closed |
| Status Date: | 09/29/2008 |
| Lead Agency: | SAN FRANCISCO COUNTY LOP |
| Case Worker: | SC |
| Local Agency: | SAN FRANCISCO COUNTY LOP |
| RB Case Number: | 38-1097 |
| LOC Case Number: | 10818 |

**SFFD STATION #7 (Continued)** **S103956659**

File Location: Local Agency
Potential Media Affect: Soil
Potential Contaminants of Concern: Diesel
Site History: Not reported

Click here to access the California GeoTracker records for this facility:

LUST:
Global Id: T0607500989
Contact Type: Local Agency Caseworker
Contact Name: STEPHANIE CUSHING
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET #210
City: SAN FRANCISCO
Email: stephanie.cushing@sfdph.org
Phone Number: Not reported

Global Id: T0607500989
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0607500989
Action Type: ENFORCEMENT
Date: 08/04/2008
Action: LOP Case Closure Summary to RB

Global Id: T0607500989
Action Type: ENFORCEMENT
Date: 09/29/2008
Action: Closure/No Further Action Letter

Global Id: T0607500989
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500989
Action Type: ENFORCEMENT
Date: 01/14/2008
Action: Site Visit / Inspection / Sampling

Global Id: T0607500989
Action Type: ENFORCEMENT
Date: 01/15/2008
Action: Site Visit / Inspection / Sampling

Global Id: T0607500989
Action Type: ENFORCEMENT
Date: 07/23/2008
Action: File review

**SFFD STATION #7 (Continued)** **S103956659**

Global Id: T0607500989
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

Global Id: T0607500989
Action Type: ENFORCEMENT
Date: 08/13/2003
Action: File review

Region: STATE
Global Id: T0607500251
Latitude: 37.760262
Longitude: -122.413869
Case Type: LUST Cleanup Site
Status: Completed - Case Closed
Status Date: 03/21/1994
Lead Agency: SAN FRANCISCO COUNTY LOP
Case Worker: SC
Local Agency: SAN FRANCISCO COUNTY LOP
RB Case Number: 38-0286
LOC Case Number: 10167
File Location: Not reported
Potential Media Affect: Soil
Potential Contaminants of Concern: Diesel
Site History: Not reported

Click here to access the California GeoTracker records for this facility:

LUST:
Global Id: T0607500251
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

Global Id: T0607500251
Contact Type: Local Agency Caseworker
Contact Name: STEPHANIE CUSHING
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET #210
City: SAN FRANCISCO
Email: stephanie.cushing@sfdph.org
Phone Number: Not reported

LUST:
Global Id: T0607500251
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500251
Action Type: Other

**SFFD STATION #7 (Continued)** **S103956659**

Date: 01/01/1950
Action: Leak Discovery

LUST REG 2:
Region: 2
Facility Id: 38-1097
Facility Status: Leak being confirmed
Case Number: 10818
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: 5/2/1997
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 38-1097
Facility Status: Leak being confirmed
Case Number: 10818
Case Type: Soil only
Release Date: 5/2/1997
Discovered Date: 5/14/1997
Substance: Diesel
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Repair Tank
Report Date: 5/2/1997
Case Closed: Not reported
Closed Date: Not reported
Leak Source: Unknown
Leak Cause: Unknown
Leak Confirmed: 5/20/1997
Entered Date: 5/20/1997
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: Not reported
RP Address: Not reported
Operator: Not reported
Staff Initial: VP
Facility Staff: SC
Cross Street: 19TH ST
NOR Date: 5/20/1997
MTBE Current: Not reported
MTBE Current Date: Not reported
MTBE: NT
Maximum MTBE Soil: Not reported

**SFFD STATION #7 (Continued)** **S103956659**

| | |
|---|---|
| Maximum MTBE GW: | Not reported |
| MTBE DATE: | Not reported |
| Review Date: | Not reported |
| Workplan Submitted: | Not reported |
| Assessment Underway: | Not reported |
| Pollution Characterization: | Not reported |
| Corrective Action Plan: | Not reported |
| Remediation Underway: | Not reported |
| Monitoring Begun: | Not reported |
| Funding: | Federal |
| Interim Remediation: | No |
| Priority: | Not reported |
| Abatement: | No Action Taken - no action has as yet been taken at the site |
| Enforcement Type: | Informal Enforcement Actions,including Notices of Violations and Staff Enforcement Letters |
| Enforcement Due Date: | Not reported |
| Basin: | Downtown Basin |
| Beneficial Use: | No |
| Lat/Long: | Not reported |
| CUFID: | Not reported |
| Suspended: | No |
| Stopped Date: | 2/26/1997 |
| Free Product: | No |
| Depth to Grnd Wtr: | Not reported |
| Gradient: | Not reported |
| Benzene: | Not reported |
| Primary Substance: | Diesel fuel oil |
| Enforcement Type: | Not reported |
| Amount of Free Produce: | Not reported |
| Benzene Test: | Not reported |
| Maximum Soil GW: | Not reported |
| Max Soil Concentration: | Not reported |
| TPH Tested: | Not reported |
| Max TPH GW: | Not reported |
| Max TPH Soil: | Not reported |
| TPH Date: | Not reported |
| Block: | Not reported |
| Lot: | Not reported |
| Notify: | False |
| TPH Current: | Not reported |
| TPH Current Date: | Not reported |
| Grnd Wtr Qualifier: | Not reported |
| Soil Qualifier: | Not reported |
| Comments: | Not reported |
| Summary: | Not reported |

HAZNET:

| | |
|---|---|
| Year: | 1997 |
| Gepaid: | CAC000767248 |
| Contact: | CITY & COUNTY OF SF FIRE DEPT |
| Telephone: | 4155548376 |
| Mailing Name: | Not reported |
| Mailing Address: | 1680 MISSION ST |
| Mailing City,St,Zip: | SAN FRANCISCO, CA 941030000 |
| Gen County: | San Francisco |
| TSD EPA ID: | CAD980887418 |
| TSD County: | 1 |
| Waste Category: | Waste oil and mixed oil |

**SFFD STATION #7 (Continued)** **S103956659**

Disposal Method: Recycler
Tons: 1.0424
Facility County: San Francisco

Year: 1997
Gepaid: CAC000767248
Contact: CITY & COUNTY OF SF FIRE DEPT
Telephone: 4155548376
Mailing Name: Not reported
Mailing Address: 1680 MISSION ST
Mailing City,St,Zip: SAN FRANCISCO, CA 941030000
Gen County: San Francisco
TSD EPA ID: CAD009466392
TSD County: 7
Waste Category: Other empty containers 30 gallons or more
Disposal Method: Recycler
Tons: .2750
Facility County: San Francisco

---

**Y172** **CCSF/SFFD/STATION #7** **UST** **U003932330**
**West** **2300 FOLSOM ST** **N/A**
**1/8-1/4** **SAN FRANCISCO, CA 94110**
**0.220 mi.**
**1159 ft.** **Site 6 of 10 in cluster Y**

**Relative:**
**Lower**

**Actual:**
**27 ft.**

UST:
Facility ID: 6024
Latitude: 37.76035
Longitude: -122.4149

SAN FRANCISCO CO. UST:
Facility ID: 6024
Facility Status: Not reported
Number Of Tanks: Not reported
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: City & County of
Care Of Addr: SFFD HQ - Attn.
2nd Care Of Add: Not reported
Mailing Address: 698 02nd ST
Mailing City,St,Zip: San Francisco, CA 94107
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: Not reported
Application Date: Not reported
Application Name: Not reported
Action Type: 1
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: 1002
Tank Test: Not reported
Local Tank Id: 6024001002
Tank Manufacturer: Not reported
Compartmentalized Tank: No

**CCSF/SFFD/STATION #7 (Continued)** **U003932330**

| | |
|---|---|
| # Of Tank Compartments: | Not reported |
| Date Tank Installed: | 9/1/1997 |
| Tank Capacity: | 3000 |
| Additional Desc: | Not reported |
| Tank Use: | 1 |
| Petroleum Type: | Diesel |
| Common Name: | Not reported |
| Case Number: | Not reported |
| Type Of Tank: | Double wall |
| Primary Tank Material: | Fiberglass/plastic |
| Secondary Tank Material: | Not reported |
| Tank Interior Lining: | Unlined |
| Date Interior Lining Install: | Not reported |
| Date Closed: | Not reported |
| UST Close ID: | Not reported |
| Type Of Spill Protection: | spill containment |

| | |
|---|---|
| Date Alarm Overfill Protection Installed: | Not reported |
| Date Ball Float Overfill Protection Installed: | Not reported |
| Date Fill Tube Shut Overfill Protection Installed: | Not reported |
| Overfill Protection Exempt: | No |
| Othr Tnk Corrosive Prtctn: | Unknown |
| Date Corrosive Prtctn Install: | Not reported |
| Tank Leak Detection (single walled): | Not reported |
| Tank Leak Detection (double wall): | Continuous Interstitial Monitoring |
| Estimated Date Last Used: | Not reported |
| Estimated Qty Of Substance Remaining: | 0 |
| Tank Filled With Inert Material: | 0 |
| Piping System Type ( Underground ): | Pressure |
| Piping System Type ( Aboveground ): | Not reported |
| Piping Construction (Underground): | Double Wall |
| Piping Manufacturer (Underground): | Not reported |
| Piping Construction (Aboveground): | Not reported |
| Piping Manufacturer (Aboveground): | Not reported |
| Piping Material & Corrosion Protection (Underground): | Fiberglass |
| Piping Material & Corrosion Protection (Aboveground): | Not reported |
| Piping Leak Detection (Undrgrnd - Single Wall): | Not reported |
| Piping Leak Detection (2nd Contained): | Sump Sensor, Alarms ,Auto Shutoff For Leaks, Pressure, Auto Leak Detctr ,Flow Shutoff Or Restricn |
| Piping Leak Detection (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Underground: | Not reported |
| Piping Leak Detection (Aboveground - Single Wall): | Not reported |
| Piping Leak Detection (Underground - 2nd Contained): | Not reported |
| Piping Leak Detection Underground (Emrgncy Gnrtrs): | Not reported |
| Pipe Integrity Test, Aboveground: | Not reported |
| Date Dispenser Containment Installed: | 9/1/1997 |
| Dispenser Containment Type: | Continuous Dispenser Pan Sensor & Audible & Visual Alarms |
| Date Certified (Tank Unit): | Not reported |
| Certified Date: | Not reported |
| Last Annual Monitoring Cert: | 9/27/2007 |
| 2nd Containment Test: | 9/19/2007 |
| Spill Containment Present: | Yes |
| Drop Tube Present: | No |
| Striker Plate Present: | No |
| Alarm Present: | Yes |
| Ball Float Present: | No |
| Fill Tube Present: | Yes |
| Other Tank Leak Detection Present: | No |