Attachment B

Phase I and Phase II Environmental Site Assessments

PES Environmental, Inc.
Engineering & Environmental Services

A Report Prepared for:

Nick Podell Company
Four Embarcadero Center, Suite 2300
San Francisco, California 94111

PHASE I
ENVIRONMENTAL SITE ASSESSMENT
2044 THROUGH 2070 BRYANT STREET
SAN FRANCISCO, CALIFORNIA

JUNE 18, 2013

By:

Christopher J. Baldassari, P.G.
Senior Geologist

William W. Mast, P.G.
Principal Engineer

390.023.01.001

TABLE OF CONTENTS

LIST OF ILLUSTRATIONS iv

1.0 INTRODUCTION 1
1.1 Purpose and Scope of Work 1
1.2 Special Terms and Conditions 2
1.3 Limitations and Exceptions 2

2.0 SITE DESCRIPTION 2
2.1 Site Location and Description 2
2.2 Site and Vicinity Characteristics 2
2.3 Local Geology and Hydrogeology 3
2.4 Descriptions of Existing On-Site Structures and Improvements 3
2.4.1 Structures and Current Use 3
2.4.2 Other Improvements 4
2.5 Current Uses of Adjoining Properties 4
2.6 Past Uses of Property and Adjoining Properties 4
2.6.1 Historical Sources 5
2.6.2 Historical Review Summary 5
2.6.3 Interviews 6

3.0 PREVIOUS ENVIRONMENTAL DOCUMENTS 7

4.0 RECORDS REVIEW 7
4.1 Environmental Liens 7
4.2 Standard Environmental Record Sources 7
4.2.1 Subject Property Records 9
4.2.2 Surrounding Area 9

5.0 SITE INSPECTION 9
5.1 Methods 9
5.2 General Site Setting 10
5.3 Interior Observations 10
5.4 Underground and Aboveground Storage Tanks 12
5.5 Back-Up Generators 12
5.6 Elevators 12
5.7 Hydraulic Trash Compactors 12
5.8 Indications of Polychlorinated Biphenyls (PCBs) 12
5.9 Other Conditions 12
5.9.1 Asbestos 12
5.9.2 Radon 13
5.9.3 Solid Waste 13
5.9.4 Lead in Paint 13

6.0 SUMMARY AND CONCLUSIONS 13

TABLE OF CONTENTS
(Continued)

6.0 SUMMARY AND CONCLUSIONS 13
7.0 DATA GAPS 16
8.0 ADDITIONAL SERVICES 16
9.0 ENVIRONMENTAL PROFESSIONAL STATEMENT 16
10.0 REFERENCES 16

ILLUSTRATIONS

APPENDICES A – AERIAL PHOTOGRAPHS

B – SANBORN FIRE INSURANCE MAPS

C – HISTORICAL TOPOGRAPHIC MAPS

D – CITY DIRECTORY ABSTRACT

E – REGULATORY AGENCY DATABASE REPORT (PROVIDED ON CD-ROM)

F – RESUMES OF ENVIRONMENTAL PROFESSIONALS

DISTRIBUTION

LIST OF ILLUSTRATIONS

Plate 1	Site Location Map
Plate 2	Site Plan and Vicinity Map
Plates 3 – 19	Site Photographs

1.0 INTRODUCTION

1.1 Purpose and Scope of Work

This report presents the results of a Phase I Environmental Site Assessment (ESA) of the property located at 2044 through 2070 Bryant Street in San Francisco, California (the site or subject property). The site location is shown on Plate 1. PES Environmental, Inc. (PES) performed the Phase I ESA on behalf of Nick Podell Company (Podell) to compile and evaluate available information on existing environmental issues to assess for Recognized Environmental Conditions[1] (RECs) associated with the subject property. PES understands that Podell is evaluating purchase of the property and that this ESA is a component of its due diligence. We further understand that Podell intends to demolish the current structure and redevelop the site with subsurface parking and an above-grade residential structure.

The ESA was performed pursuant to our proposal (Reference No. 390.023.01.P01) and the Professional Service Agreement between PES and Podell dated January 2, 2013 (Agreement), and in general accordance with ASTM International guidelines for Phase I Environmental Site Assessments (ASTM E 1527-05). These guidelines comply with the U.S. Environmental Protection Agency's All Appropriate Inquiries (AAI) rule adopted in November 2005. The following tasks were conducted during this ESA:

- Federal, State and local agency databases were reviewed to identify nearby sites which have reported the use, storage, or release of hazardous materials;
- Regulatory agency records regarding the site and adjacent properties were reviewed;
- Historical information such as aerial photographs, Sanborn Fire Insurance maps, and historical topographic maps of the site and surrounding area were obtained and reviewed to evaluate prior land uses;
- Previous environmental reports prepared for the subject property were reviewed;
- Individuals with knowledge of the site were interviewed;
- An inspection of the site and a reconnaissance of surrounding properties were performed to assess the potential for contamination of the site from on-site or off-site sources. The site inspection was conducted by an environmental professional with qualifying experience; and

[1] A REC is defined in the ASTM International guidelines for Phase I Environmental Site Assessments (ASTM E 1527-05) as *"the presence or likely presence of any hazardous substances or petroleum products on a property under conditions that indicate an existing release, a past release, or a material threat of a release of any hazardous substances or petroleum products into structures on the property or into the ground, groundwater, or surface water of the property. ... The term is not intended to include de minimis conditions that generally do not present a threat to human health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate government agencies."*

- This report was prepared to present the results of the ESA investigation.

1.2 Special Terms and Conditions

The ESA activities were conducted in general accordance with ASTM E1527-05. There are no special terms or conditions for this project.

1.3 Limitations and Exceptions

This Phase I ESA was performed in accordance with practices and procedures generally accepted in the consulting environmental engineering field at the time they were performed. The findings, opinions, conclusions, and recommendations expressed herein are applicable as of the date the services were provided. Our professional judgment to assess the potential for contamination is based on limited data; no warranty is given or implied.

The Phase I ESA was prepared at the request of Podell as part of its due diligence for acquisition of the property and may be relied on only by Podell and as provided for in the Agreement. No other party may rely on this report without the express written permission of Podell and PES.

Additionally, PES was not provided information regarding the purchase price of the subject property nor prices of comparable properties in the site vicinity. In accordance with ASTM E 1527-05, an evaluation of the purchase price relative to those of comparable properties should be conducted by the user of this Phase I ESA, as applicable.

2.0 SITE DESCRIPTION

2.1 Site Location and Description

The subject property is comprised of a two-story main building consisting of one legal parcel covering approximately 0.98 acres and identified by San Francisco County Assessor's Parcel Number (APN) 4022-021. As indicated on Plate 2, the site is bounded to the north by commercial properties, to the east by Bryant Street, to the south by residences, and to the west by Florida Street. The site consists of three tenant spaces with mailing addresses of 2044, 2050, and 2060-2070 Bryant Street, San Francisco, California. The tenant spaces also have respective delivery addresses of 631, 633, and 681 Florida Street.

2.2 Site and Vicinity Characteristics

The site is zoned as Urban Mixed Use (UMU) and is located in a mixed commercial and residential area of the City and County of San Francisco.

According to the United States Geological Survey (USGS) *San Francisco North, California* Quadrangle 7.5-minute series topographic map produced in 1999, the site vicinity is situated at an elevation of approximately 30 feet above mean sea level (MSL). The site slopes toward the west.

2.3 Local Geology and Hydrogeology

A 2011 subsurface investigation performed at a Pacific Gas & Electric (PG&E) property located at Shotwell and Treat Street (approximately two blocks to the west of the subject property [575 feet west]) identified approximately 20 feet of dense, poorly-graded sands with and without silts and clays beneath the property (Stantec, Inc. [Stantec], 2011). The sand was generally underlain by silty and clayey sands. Groundwater was encountered at depths ranging between 2 and 12 feet below ground surface (bgs). However, it is unknown whether subsurface conditions beneath the PG&E property (located at an elevation of approximately 20 feet MSL) are similar to those observed at the subject property.

Portions of the eastern edge of the San Francisco Peninsula have also been subject to historic uncontrolled filling operations using debris and other artificial fills derived from the 1906 earthquake (and earlier) demolition. These artificial fills, which are typically comprised of sand, gravel, and silt, can contain rubble and debris (e.g. bricks, concrete, and wood) as well as materials containing high concentrations of lead and other metals. Such areas are designated as an "Article 20 Affected Block" and are subject to assessment under the City's Maher Ordinance (Article 20). Article 20 blocks are located two blocks west and two blocks north of the subject property. It is not known whether demolition debris or other uncontrolled fill is present beneath the site.

Groundwater flow near the site has been observed to be to the northwest. The nearest surface water is San Francisco Bay, located approximately 1.25 miles east of the site. However, the site is located approximately 0.1 miles east-southeast and slightly upland of the historic location of Mission Creek and Laguna Dolores wetlands prior to infill and urban development.

2.4 Descriptions of Existing On-Site Structures and Improvements

2.4.1 Structures and Current Use

The main two-story building covers the entire property and consists of a formed concrete wall and steel frame construction and concrete slab-on-grade floor. The building is divided into three tenant spaces. Current site addresses, occupants, and a brief summary of current uses are as follows:

- **2044 Bryant Street – Production Specialties**: an industrial machine shop that produces machine parts;
- **2050 Bryant Street – Commercial and office uses**: includes office uses, a vacant night club and music production space, and a metal fabrications shop; and

- **2060-2070 Bryant Street – American Conservatory Theater (ACT):** ACT stores, constructs, and fabricates items for use in theater productions.

Photographs of the subject property and vicinity are presented on Plates 3 through 19.

2.4.2 Other Improvements

Electricity and natural gas are supplied by Pacific Gas & Electric. Water and sewer services are provided by the City of San Francisco.

2.5 Current Uses of Adjoining Properties

A reconnaissance of the surrounding area was conducted to assess whether neighboring sites represent a potential environmental condition that could affect the subject property. The current uses of the adjoining properties as observed during PES' reconnaissance are summarized below.

Properties to the North

The site is bounded to the north by commercial properties, including Creative Flooring Design at 2014 Bryant Street, and San Francisco Auto Repair Center at 611 Florida Street.

Properties to the East

The site is bounded to the east by Bryant Street. Across Bryant Street are commercial properties including Left Space at 2055 Bryant Street, which rents artists work spaces, and Fitzgerald Furniture Company, an upholstery business, at 2750 19th Street.

Properties to the South

The site is bounded to the south by residences that front on Bryant Street, 19th Street, and Florida Street.

Properties to the West

The site is bounded to the west by Florida Street. Across Florida Street is a multi-story residential complex with ground-floor commercial uses.

2.6 Past Uses of Property and Adjoining Properties

Historical site use information was obtained through a review of aerial photographs, Sanborn Fire Insurance Maps, historical topographic maps, regulatory agency records, and the results of previous environmental investigations (see list of references in Section 10.0).

2.6.1 Historical Sources

- **Aerial Photographs** – Aerial photographs were obtained from Environmental Data Resources, Inc. (EDR) of Milford, Connecticut. Photos for the following years were obtained and reviewed: 1946, 1956, 1968, 1974, 1982, 1993, 1998, 2005, 2009, and 2010. A summary of the aerial photograph review and copies of the photographs are presented in Appendix A;

- **Sanborn Fire Insurance Maps** – Historical Sanborn Fire Insurance Maps were obtained from EDR for the following years: 1889, 1900, 1914, 1950, 1975, 1987, 1989, 1991, and 1999. A summary of the Sanborn Map review and copies of these maps are included in Appendix B;

- **Topographic Maps** – A variety of topographic maps of the subject property and vicinity were compiled by EDR. The following maps were included in the compilation: USGS *San Francisco, California* 15-minute series topographic maps produced in 1895, 1915 and 1948; and USGS *San Francisco North, California* 7.5-minute series topographic map produced in 1947, 1950, 1956, 1993, 1995 and photorevised in 1968 and 1973. A summary of the topographic maps review and copies of these maps are included in Appendix C;

- **City Directories** – A search of city directories was performed by EDR for the years 1910 through 2012 in approximately 5-year intervals. A summary of the city directories review and copies of the directory listings are presented in Appendix D;

- **City and County of San Francisco Records** – San Francisco Building Department (SFBD), San Francisco Fire Department (SFFD), and San Francisco County Department of Environmental Health (SFDPH) records were requested by PES to evaluate historical uses at the subject property; and

- **Historical Environmental Documents** – No copies of previous environmental reports for the subject property were provided.

2.6.2 Historical Review Summary

Subject Property

The following provides a summary of historical use information for the subject property based on available historical resources listed in the previous sections and as described in historical documents.

The earliest record for the site is a 1889 Sanborn map, which shows the site as developed with multiple single-family residences and a few remaining vacant lots. By 1914 the northern portion of the site (the current 2044 Bryant Street locations) is shown occupied by an iron works. A 1946 aerial photo and 1950 Sanborn map show the subject property in its current

configuration. The 1950 and 1975 Sanborn maps lists machine shop and auto body use in 2044 Bryant Street, steel warehousing in 2050 Bryant Street, and machinery warehousing at 2070 Bryant Street.

Numerous addresses have been associated with the subject property, including 633, 651, 675, 677, 679, and 683 Florida Street. Historical city directories list the subject property as occupied by the Marshall Company Central Iron Works from 1920 through 1930; the Modern Vehicle Company and Northern California Machine Tools from 1935 through 1966. Later listings (1977-1985) show the site occupied by light fixture warehousing and retail. ACT is listed at 681 Florida Street beginning in 1982, and from 1990 through 1993 a silk screen production company occupied 2050 Bryant Street. Klein Industries (Production Specialties) is listed as the occupant of 2044 Bryant Street in city directories from 2000 to 2012.

Subject Property Vicinity

The subject property vicinity has gone through development at similar periods of time as the subject property. The earliest Sanborn maps (1889 and 1900) show the subject property vicinity as primarily vacant with some residential and with a warehouse and school across Bryant Street. After the 1906 earthquake, directory listings and insurance maps show expanded commercial and industrial development in the vicinity of the Site, including clothing factories, a wool manufacturing warehouse, a brewing company, an engine & foundry company, a box factory, a dye works company, auto repair, laundry facilities, a cabinet shop, and a school. By 1968 the warehouse building to the west of the subject property was demolished and replaced with a smaller single structure. The multi-story residential complex across Florida Street (west of the subject property) was constructed between 2007 and 2008.

2.6.3 Interviews

Mr. Ian Reynolds, production manager for Production Specialties, was interviewed by Mr. Christopher Baldassari of PES on March 29, 2013. Mr. Reynolds indicated that he has been associated with the subject property since approximately 2009. Mr. Reynolds stated that the 2044 Bryant Street space had been used for machine shop-related purposes since the 1950s. He said that Production Specialties manufactures parts for machinery such as compressors, and generally produced finished parts from castings delivered to the site; however no casting is conducted onsite. Mr. Reynolds stated that Production Specialties utilizes various water-based cutting fluids and coolants, generally contained in individual machinery reservoirs. He indicated that the reservoir fluids are not regularly maintained but that new fluids are added as they run low. He said that the facility operates under an approved hazardous materials business plan (HMBP) and is periodically inspected by SFDPH and SFFD for compliance, but was not aware of any other environmental permits. Mr. Reynolds stated that hazardous waste generation at the site is limited to waste oil and coolant, which is accumulated in 55-gallon drums and subsequently transported for offsite disposal approximately once a year by Evergreen Environmental. He stated that used rags are accumulated in a drum and removed on a bi-weekly schedule by an outside vendor (Aramat). Mr. Reynolds further stated

that chemical uses at the site includes uses of cutting fluids and coolants, and petroleum-based solvents including kerosene for cleaning metal parts. He indicated that cutting fluid is reused frequently and is stored in a 55-gallon drum. Mr. Reynolds also stated that he was unaware of current or historical underground tanks at the site, was not aware of any potential environmental concerns associated with the subject property. He noted that no heating or cooling system (e.g., HVAC) is utilized at the site. He was not aware of any asbestos-containing materials O&M plan.

Mr. Lloyd Klein, the current property owner, was interviewed by Mr. Baldassari on June 14, 2013 about the potential presence of USTs at the subject property. Mr. Klein stated that he was unaware of any USTs at the site, nor were the presence of any USTs disclosed to him prior to purchasing the property in 1982.

3.0 PREVIOUS ENVIRONMENTAL DOCUMENTS

No environmental reports were made available to PES for review as part of this ESA.

4.0 RECORDS REVIEW

4.1 Environmental Liens

Based on review of an environmental database search conducted by EDR, there are no Federal Superfund (National Priority List [NPL]) liens or State deed restrictions associated with the subject property.

4.2 Standard Environmental Record Sources

The discussion presented in this section is based on available information provided by government agencies and various databases. An EDR report dated March 22, 2013 contains listings of sites located within a 1-mile radius, which were selected in accordance with ASTM E-1527-05 standards. This information is obtained from computerized databases of Federal, State, and local records. The EDR database report is included on CD-ROM as Appendix E.

The following regulatory agency databases were searched and reported in the EDR report:

- U.S. Environmental Protection Agency (U.S. EPA) – Comprehensive Environmental Response Compensation, and Liability Information System (CERCLIS);
- U.S. EPA – CERCLA NPL;
- U.S. EPA – CERCLA Proposed NPL;

- U.S. EPA – Superfund (CERCLA) Consent Decrees (CONSENT);
- U.S. EPA – CERCLA Records of Decision (ROD);
- U.S. EPA – CERCLA NPL Deletions;
- U.S. EPA – CERCLA No Further Remedial Action Planned Site (CERC-NFRAP);
- U.S. EPA - Facility Index System (FINDS);
- U.S. EPA – Emergency Response Notification System (ERNS);
- U.S. EPA– Hazardous Materials Information Reporting System (HMIRS);
- U.S. EPA – Material Licensing Tracking System (MLTS);
- U.S. EPA – Mines Master Tracking Index File (MINES);
- U.S. EPA – Federal Superfund Liens (NPL Liens);
- U.S. EPA – PCB Activity Database System (PADS);
- U.S. EPA – RCRA Administrative Action Tracking System (RAATS);
- U.S. EPA – Section 7 Tracking Systems (SSTS);
- U.S. EPA – Federal Insecticide, Fungicide, & Rodenticide Act (FIFRA)/Toxic Substance Control Act (TSCA) Tracking System (FTTS);
- U.S. EPA – Toxic Substances Control Act (TSCA);
- U.S. EPA – Resource Conservation and Recovery Information System (RCRAInfo), Treatment, Storage, or Disposal (TSD) facilities, and Small Quantity and Large Quantity Generators (SQG and LQG) of hazardous waste;
- U.S. EPA – Emergency Response Notification System (ERNS);
- U.S. EPA RCRA Corrective Action Report (CORRACTS);
- U.S. EPA Facility Index System (FINDS);
- U.S. EPA Toxic Chemical Release Inventory System (TRIS);
- California State Water Resources Control Board (SWRCB) – Leaking Underground Storage Tank Listing (LUST) sites including Indian Land;
- SWRCB UST;

- SWRCB – Voluntary Cleanup Sites (VCP); and
- SWRCB – Solid Waste Facilities (SWF/LF).

4.2.1 Subject Property Records

Database Listings

The EDR report did not identify any listings for the subject property.

Regulatory Agency Records

In addition to the records provided in the EDR report, PES also searched the following agency websites for environmental records related to the subject property:

- California State Water Resources Control Board's GeoTracker website located at http://geotracker.swrcb.ca.gov/; and
- DTSC's EnviroStor website located at http://www.envirostor.dtsc.ca.gov/public/default.asp.

The subject property was not listed on the referenced websites.

4.2.2 Surrounding Area

Several sites in the subject property vicinity are listed on hazardous materials release and/or storage databases. However, these properties are not expected to present significant environmental conditions to the subject property based on one or more of the following: (1) the listed property has received case closure by the appropriate regulatory agency; (2) the listed property is either cross gradient or down gradient of the subject property with respect to the inferred regional groundwater flow direction; (3) the listed property is a soils-only affected case; and (4) the listed property is located at too great a distance to represent a significant environmental condition with respect to the subject property.

5.0 SITE INSPECTION

5.1 Methods

An inspection of the subject property and site vicinity was conducted on March 29, 2013 by Christopher Baldassari of PES. With the exception of several living areas in 2050 Bryant Street, all areas were accessible and were inspected. Site photographs are presented on Plates 3 through 19.

5.2 General Site Setting

The subject property is comprised of a two-story warehouse building. The corrugated steel roof is supported by steel trusses, and the outer walls are made of formed reinforced concrete with concrete support pilasters. The eastern side of the building (fronting Bryant Street) and a portion of the northern side appear constructed of unreinforced brick and mortar. Mobile overhead hydraulic lifts comprised of steel beams riding on wall-mounted rails were observed in the 2050 and 2060-2070 Bryant Street spaces.

The building is divided into three occupied tenant spaces, which are generally comprised of open warehouse spaces with ancillary office spaces on the eastern sides of the building (Plate 2).

5.3 Interior Observations

2044 Bryant Street/631 Florida Street (Production Specialties): The space is currently used as an industrial machine shop. Rows of metal-working and -milling machinery were in operation during the inspection. The concrete floor surface was observed to have numerous cracks and widespread oily staining. Free fluids were observed on the floor adjacent to many of the machines (Plates 10 and 11). Observations of chemical use and storage included:

- Several 55-gallon drums of cutting fluids were present. The drums were horizontally on stands for use with dispensers (Plate 9, Photo 1); none of the observed drums were in secondary containment and staining and spills were observed on the concrete floor;

- Bench-scale chemicals consisting of various cutting fluids, lubricants, and metal cleaners (including cutting fluids identified as containing chlorinated hydrocarbons) were observed throughout the machinery workstations (Plate 10, Photo 1); these chemicals were observed stored in cabinets, workbenches, and on the floor throughout the site;

- Numerous unlabelled 5-gallon containers that had oily residues on the outside and appeared to have been used for waste storage were observed (Plate 11 Photo 2);

- Numerous unlabeled containers containing oily fluids were observed underneath machinery at the site;

- A 55-gallon drum was observed in use for on-site recycling cutting fluid. A hole cut in the side of the drum permitted pouring in used oil for later reuse;

- A 55-gallon drum of kerosene with a hand pump was observed in use (Plate 8, Photo 2); evidence of prior spillage was observed on the concrete floor surrounding the kerosene drum;

- A hazardous waste storage drum (with an accumulation start date of July 24, 2012) near the western side of the building (Plate 8, Photo 2). The drum was labeled as containing waste oil and coolant, and was stored on the concrete floor. No leaks from the drums were observed; and

- A possible UST fill port in the sidewalk was observed (Plate 19, Photo 2).

Metal shavings from the machining equipment were observed on the floor in widespread areas, and stored in several 55-gallon drums, reportedly for off-site recycling. A 2-gallon container of chromic acid and used fluorescent light tubes were observed in a storage room located in the northeastern portion of the tenant space. The second story was used for office purposes. *De minimis* quantities of cleaning supplies were observed adjacent to the first and second story bathrooms. Information on the possible UST fill port located in the sidewalk was unavailable at the time of inspection.

2050 Bryant Street: The tenant space was most recently used as a night club and performing arts center, and includes a bar area, art gallery space, and metal fabrication shop (Plates 12 through 14). Portions of the second story were used for office/residential purposes. Reportedly no hazardous wastes are generated or stored, and no environmental permits were available for review. Chemical use and storage observations included:

- Several small containers of chemicals were observed in the metal shop on a work bench and in a storage cage, and included petroleum-based naphtha and denatured alcohol (Plate 13, Photo 2); and

- Several medium-sized cylinders of compressed gas for welding, including oxygen and acetylene, were observed in a storage rack.

2060-2070 Bryant Street: The space was occupied by the ACT scene shop, which utilizes the premises for building, maintaining, and storing theater scenery props (Plates 15 through 19). Woodworking, metal working, and paint areas (including a spray booth) were observed. In the eastern portion of the space, both the first and second floors were being used for general office and storage purposes (Plate 19, Photo 1). With the exception of a metal working and storage area in the western portion of the space, a raised wooden floor was present over the concrete slab. Several small interior rooms were utilized for storage of woodworking (e.g., hardware, screws, nuts, and glues), paint, and light construction supplies. A large woodwork area was observed on the southern side of the space (Plate 15, Photo 1). To the western side (near Florida Street) a metal shop was observed (Plate 16, Photo 2); chemical use appeared limited to several small containers of petroleum-based solvents (e.g., WD-40). Several medium-sized cylinders of compressed gases (e.g., oxygen and acetylene) were observed in a storage rack.

A large prop-painting area was observed on the northern portion of the space (Plates 16 and 17). Several flammable cabinets were observed in use and contained many small containers of spray paint as well as chemicals including kerosene, acetone, denatured alcohol, varnishes, polyurethane coatings, mineral spirits, and methyl-ethyl-ketone (Plate 18, Photo 1). PES observed numerous one- and five-gallon containers of water-based paints in the prop-painting area.

5.4 Underground and Aboveground Storage Tanks

No evidence of existing USTs or ASTs was identified during the site inspection, with the exception of a possible UST fill port located in the sidewalk adjacent to Florida Street and outside the 631 Florida Street/2044 Bryant Street space.

5.5 Back-Up Generators

No back-up generators are present at the site.

5.6 Elevators

No elevators were identified on the site during the site inspection.

5.7 Hydraulic Trash Compactors

No trash compactors were observed on the site.

5.8 Indications of Polychlorinated Biphenyls (PCBs)

Pad-mounted transformers were not observed on the site. A pole mounted transformer was observed in front of 2060-2070 Bryant Street, and a transformer was observed on the opposite side of Florida Street across from the site. Several dry-cell transformers were observed inside 2044 Bryant Street.

5.9 Other Conditions

5.9.1 Asbestos

An assessment of asbestos-containing materials was not conducted as part of this Phase I ESA. Standards set by the Occupational Safety and Health Administration (OSHA) require building owners to presume that thermal system insulation (TSI) and surfacing ACM found in buildings constructed before 1981, and floor tile installed in buildings through 1981, are asbestos containing, unless demonstrated to be less than 1 percent asbestos through sampling. The rule does not permit an assumption to be made that a material does not contain asbestos in buildings constructed after 1980. However, since the late 1970s to early 1980s, asbestos has been removed or substituted for in all but a small number of construction products.

For example, asbestos is still used, although at low concentrations, in various mastics and roofing materials.

Based on the construction date of the subject property buildings (starting in 1914) asbestos may be present within the onsite building materials. A comprehensive asbestos survey is recommended prior to significant renovation or demolition activities so that these materials, if present, can be properly managed.

5.9.2 Radon

The National Radon Database includes radon information from U.S. EPA/State Residential Radon Surveys conducted between 1986 and 1992. The database includes test results from 14 sites within the subject property zip code area. The average value for radon level reported in this region was less than 0.100 pico curies per liter (pCi/L) of air for the first floor living area. This is lower than the U.S. EPA's recommended action level of 4 pCi/L.

The survey indicates that it is unlikely that radon levels in buildings on the subject property area are above the U.S. EPA action level.

5.9.3 Solid Waste

As noted in Section 5.3, metal shavings are present on the floor throughout the Production Specialties tenant space. No other concerns were observed with respect to solid waste disposal for the subject property.

5.9.4 Lead in Paint

A lead based paint survey was not conducted as part of this Phase I ESA. The Consumer Products Safety Commission limited lead content in residential paint to 0.06 percent (600 parts per million) in 1978. The use of paint containing greater than 0.06 percent lead was also prohibited in areas where consumers have direct access to painted surfaces. Because the construction date of the subject property buildings starts pre-dates 1978, a lead-based paint (LBP) survey is recommended prior to significant renovation or demolition activities so LBP, if present, can be properly managed.

6.0 SUMMARY AND CONCLUSIONS

The subject property consists of one legal parcel covering approximately 0.98 acres and containing one two-story building. The site has addresses of 2044, 2050, and 2060-2070 Bryant Street, and is located in the City and County of San Francisco. The site is bounded to the north by commercial properties including San Francisco Auto Repair and Creative Flooring Design, to the east by Bryant Street, to the south by residences, and to the west by Florida Street.

Historical research conducted for this ESA indicates the site was partially developed with single-family residences until sometime before 1914, at which time an iron works had been constructed on the northern half of the site. By 1946 the subject property was fully developed with the existing building. Currently the site is divided into three occupied tenant spaces; current uses at each address include a machine shop (Production Specialties at 2044 Bryant Street), a multi-purpose commercial-use site (2050 Bryant Street) and theater prop construction and storage (ACT Scenery Shop at 2060-2070 Bryant Street).

2044 Bryant Street: Observations of chemical use and storage inside of 2044 Bryant Street included drums of cutting oils, coolants, and kerosene, and small quantities of both petroleum- and chlorinated-hydrocarbon metal cleaning solvents. A drum labeled as containing hazardous waste oil and coolant was observed. Numerous small containers of used oils were observed throughout the space. Staining and spills on the concrete floor were present at and around machinery and chemical drum dispensers (i.e., cutting oils and kerosene). Site chemical use and storage is regulated under a current HMBP; however a copy of the HMBP was not available at the time of the inspection.

2050 Bryant Street: Small quantities of petroleum-based solvents and a small metal fabrication shop were present inside of 2050 Bryant Street. Section 8 Productions, which performed silk-screening, formerly occupied the space.

2060-2070 Bryant Street: The current theater prop-construction and storage uses included: utilization of woodworking areas with chemical uses including glues, wood-fillers, petroleum-based wood cleaning solvents, stains, and finishes; a metal shop with bench-scale quantities of petroleum-based metal cleaners; and a prop-painting areas with small containers of water-based paints and petroleum-based solvents and thinners stored in flammable cabinets. A small spray booth was also observed.

The subject property is not listed on any regulatory agency databases. In addition, based on a review of available environmental regulatory databases and regulatory agency records for adjacent and nearby properties, PES did not identify significant adjacent/nearby locations of environmental concern to the subject property.

We have performed a *Phase I Environmental Site Assessment* in conformance with the scope and limitations of ASTM Practice E 1527-05 of the property located at 2044 through 2070 Bryant Street in San Francisco, California, *the subject property*. Any exceptions to, or deletions from, this practice are described in Sections 1.2 and 1.3 of this report. This assessment revealed no evidence of recognized environmental condition in connection with the property except for the following:

- Based on: (1) the long-term site use at 2044 Bryant Street as a machine shop (since the 1950s or earlier) and associated usage of oils and metal-cleaning solvents at the site; (2) the use of other portions of the building for steel working, machine shops, and autobody repairs; and (3) evidence of staining and spills on the concrete floor of the 2044 Bryant space, taken as whole these observations constitute a REC due to the potential for releases of hazardous chemicals to the subsurface.

The following noteworthy observations were identified on the subject property during the Phase I ESA research and site inspection:

- Although the site is not located within a block designated by SFDPH as an "Article 20 Affected Block," it is anticipated that redevelopment or construction activities will result in the disturbance of 50 cubic yards or more of soil and the site will therefore be subject to the requirements of the San Francisco Public Health Code Article 22A. Requirements under Article 22A include submittal to SFDPH of site use history and soil analytical data to confirm the presence or absence of fill materials exhibiting characteristics of a hazardous waste. A site mitigation plan may be required to properly address and manage the fill materials, if encountered, during redevelopment;

- Various smaller containers of used oil were observed inside of 2044 Bryant Street. Additionally, used fluorescent lights and corrosive chemicals were observed in a storage room. As part of site housekeeping, it is recommended that the current property owner remove and appropriately dispose of these materials/containers in accordance with local, state and federal requirements;

- While historical environmental documentation regarding USTs at the subject property was not identified, a possible fill port in the sidewalk was observed. Based on a subsequent limited electromagnetic survey performed on June 11, 2013 by C. Cruz Sub-Surface Locators, Inc. of Milpitas, California, a metallic line was identified in-line with the possible fill port. The metallic line was identified extending underneath the sidewalk between the possible fill port and the edge of the building. Additional investigation should be conducted to confirm the presence of absence of a potentially undocumented UST that may be located beneath the floor slab of the subject property at the 2044 Bryant Street site;

- If Production Specialties will cease operations as part of this transaction, the Hazardous Materials Business Permit on file with the Local Oversight Program should be properly closed; and

- Based on the age of the building, there is a potential for the presence of asbestos- and/or lead-containing building materials. As significant renovation or demolition of the existing structure is contemplated as part of site redevelopment, a pre-demolition survey will be required so that these materials, if present, can be properly managed.

7.0 DATA GAPS

PES did not access all interior portions of 2050 Bryant Street (limited portions of the second-story residential area).

8.0 ADDITIONAL SERVICES

No additional services were provided during the preparation of this Phase I ESA.

9.0 ENVIRONMENTAL PROFESSIONAL STATEMENT

We declare that to the best of our professional knowledge and belief, we meet the definition of Environmental Professional as defined in §312.10 of 40 CFR 312.

We have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject property. We have developed and performed the all appropriate inquires in conformance with the standards and practices set forth in 40 CFR Part 312.

Resumes of the Environmental Professionals signing this report are presented in Appendix F.

10.0 REFERENCES

Stantec, Inc., 2011. *Follow-Up Investigation, Addendum to Additional Site Investigation Interim Report, Pacific Gas and Electric Company San Francisco Service Center, Shotwell and Treat Complexes, San Francisco, California.* November 11.

ILLUSTRATIONS



PES Environmental, Inc.
Engineering & Environmental Services

Site Location Map
Phase I Environmental Site Assessment
2044-2070 Bryant Street
San Francisco, California

PLATE
1

390.023.01.001	39002301001_ESA_1-2	CJB	6/13
JOB NUMBER	DRAWING NUMBER	REVIEWED BY	DATE



PES Environmental, Inc.
Engineering & Environmental Services

Site Plan and Vicinity Map
Phase I Environmental Site Assessment
2044-2070 Bryant Street
San Francisco, California

PLATE
2

390.023.01.001	39002301001_ESA_1-2	CJB	6/13
JOB NUMBER	DRAWING NUMBER	REVIEWED BY	DATE



Photo 1.
View to the south of the subject property building as seen from Bryant Street (Photo date: March 29, 2013).



Photo 2.
View to the southeast of the subject property building as seen from Florida Street (Photo date: March 29, 2013).



Photo 1.
View to the north of the subject property as seen from Florida Street
(Photo date: March 29, 2013).



Photo 2.
View of adjacent property as seen from Florida Street (north of subject property); occupied by San Francisco Auto Repair Center
(Photo date: March 29, 2013).

PES Environmental, Inc.
Engineering & Environmental Services

Site Photographs
Phase I Environmental Site Assessment
2044-2070 Bryant Street
San Francisco, California

PLATE
4

390.023.01.001	39002301001_photos.ai	CJB	6/13
JOB NUMBER	DRAWING NUMBER	REVIEWED BY	DATE



Photo 1.
View of southern side of subject property building as seen from Florida Street (Photo date: March 29, 2013).



Photo 2.
View looking across Florida Street of residential/commercial complex opposite subject property (Photo date: March 29, 2013).



Photo 1.
View across Bryant Street of commercial buildings opposite subject property (Photo date: March 29, 2013).



Photo 2.
View looking north on Bryant Street of residences adjacent to subject property (Photo date: March 29, 2013).



Photo 1.
View of interior of Production Specialties, located in northernmost tenant space of subject property (Photo date: March 29, 2013).



hoto 2.
View from upper offices of machine shop operations inside Production Specialties (Photo date: March 29, 2013).



Photo 1.
View of second floor office area inside Production Specialties
(Photo date: March 29, 2013).



Photo 2.
View inside of Production Specialties showing 55-gallon drum of kerosene with hand-pump and 55-gallon drums containing hazardous wastes comprised of used oils and coolants (Photo date: March 29, 2013).



Photo 1.
View of inverted 55-gallon drum of cutting oil with dispenser; floor is wet from apparent leaks and spills (Photo date: March 29, 2013).



Photo 2.
View of milling machinery inside Production Specialties (Photo date: March 29, 2013).



Photo 1.
View inside Production Specialties of cutting fluids stored on shelf, including several listed as containing chlorinated hydrocarbons (e.g., trichloroethylene) (Photo date: March 29, 2013).



Photo 2.
View of oily fluids on floor adjacent to cutting machine inside Production Specialties (Photo date: March 29, 2013).



Photo 1.
View of staining on floor adjacent to cutting machine inside Production Specialties (Photo date: March 29, 2013).



Photo 2.
View of floor staining adjacent to various cutting machine inside Production Specialties (Photo date: March 29, 2013).



Photo 1.
View inside Production Specialties (Photo date: March 29, 2013).



Photo 2.
View inside 2050 Bryant Street of bar and open floor area
(Photo date: March 29, 2013).



Photo 1.
View of entryway inside 2050 Bryant Street (Photo date: March 29, 2013).



Photo 2.
View of chemical storage area inside 2050 Bryant Street
(Photo date: March 29, 2013).



Photo 1.
Workbench inside 2050 Bryant Street (Photo date: March 29, 2013).



Photo 2.
Storage area inside 2050 Bryant Street (Photo date: March 29, 2013).



Photo 1.
View inside 2060-2070 Bryant Street (occupied by American Conservatory Theater) of theater prop storage and woodworking areas
(Photo date: March 29, 2013).



Photo 2.
View of metal fabrication storage and prop and scenery storage inside 2060-2070 Bryant Street (Photo date: March 29, 2013).



Photo 1.
View inside 2060-2070 Bryant Street of prop painting area
(Photo date: March 29, 2013).



Photo 2.
View of metal fabrication area inside 2060-2070 Bryant Street
(Photo date: March 29, 2013).



Photo 1.
View of sink adjacent to prop painting area inside 2060-2070 Bryant Street (Photo date: March 29, 2013).



Photo 2.
View of paint storage inside 2060-2070 Bryant Street (Photo date: March 29, 2013).



Photo 1.
View of typical office space inside 2060-2070 Bryant Street
(Photo date: March 29, 2013).



Photo 2.
View looking east of the 631 Florida Street tenant space at the subject property showing suspected fillport in sidewalk (Photo date: March 29, 2013).



Photo 1.
View inside 2060-2070 Bryant Street of flammable storage cabinets containing small quantities of water-based paints, petroleum-based solvents, alcohols, mineral spirits, acids, wood-filler, and polyurethane wood finishes (Photo date: March 29, 2013).



Photo 2.
View of woodworking area inside 2060-2070 Bryant Street (Photo date: March 29, 2013).

Appendix A
Historical Aerial Photographs Review
2044 Through 2070 Bryant Street
San Francisco, California

Subject Property

Date:	Photo Quality:	Comment:
1946	Fair	Subject Site appears developed with the existing building structure.
1956	Good	No notable change to subject property compared to 1946 photo.
1968	Fair	No notable change to subject property compared to 1956 photo.
1974	Poor	No notable change to subject property compared to 1968 photo.
1982	Poor	No notable change to subject property compared to 1974 photo.
1993	Fair	No notable change to subject property compared to 1982 photo.
1998	Fair	No notable change to subject property compared to 1993 photo.
2005	Good	No notable change to subject property compared to 1998 photo.
2009	Good	No notable change to subject property compared to 2005 photo.
2010	Good	No notable change to subject property compared to 2009 photo.

Adjacent Properties

Date:	Photo Quality:	Comment:
1946	Fair	The subject site vicinity is occupied by residential, commercial and industrial structures.
1956	Good	Subject site vicinity remains generally unchanged from 1946 photo. Highway 101 has been constructed just east of Potrero Avenue, approximately 1000 feet east of the subject site.
1968	Fair	A warehouse to the west of the subject site (across Florida Street) has been demolished and a single, smaller structure is now present
1974	Poor	No notable change to subject property vicinity compared to 1968 photo.
1982	Poor	No notable change to subject property vicinity compared to 1974 photo.
1993	Fair	No notable change to subject property vicinity compared to 1982 photo.
1998	Fair	No notable change to subject property vicinity compared to 1993 photo.
2005	Good	No notable change to subject property vicinity compared to 1998 photo.
2009	Good	A residential complex has been constructed to the west of the subject property (across Florida Street).
2010	Good	No notable change to subject property vicinity compared to 2009 photo.

APPENDIX A

AERIAL PHOTOGRAPHS


INQUIRY #: 3554977.5
YEAR: 1974
= 500'
N


INQUIRY #: 3554977.5
YEAR: 1982
= 500'
N

2070 Bryant Streeet
2070 Bryant Streeet
San Francisco, CA 94110

Inquiry Number: 3554977.5
March 27, 2013

The EDR Aerial Photo Decade Package

EDR® Environmental Data Resources Inc

440 Wheelers Farms Road
Milford, CT 06461
800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2013 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Date EDR Searched Historical Sources:

Aerial Photography March 27, 2013

Target Property:

2070 Bryant Streeet

San Francisco, CA 94110

Year	*Scale*	*Details*	*Source*
1946	Aerial Photograph. Scale: 1"=500'	Flight Year: 1946	Jack Ammann
1956	Aerial Photograph. Scale: 1"=500'	Flight Year: 1956	USGS
1968	Aerial Photograph. Scale: 1"=500'	Flight Year: 1968	USGS
1974	Aerial Photograph. Scale: 1"=500'	Flight Year: 1974	USGS
1982	Aerial Photograph. Scale: 1"=500'	Flight Year: 1982	USGS
1993	Aerial Photograph. Scale: 1"=500'	/DOQQ - acquisition dates: 1993	EDR
1998	Aerial Photograph. Scale: 1"=500'	Flight Year: 1998	USGS
2005	Aerial Photograph. Scale: 1"=500'	Flight Year: 2005	EDR
2009	Aerial Photograph. Scale: 1"=500'	Flight Year: 2009	EDR
2010	Aerial Photograph. Scale: 1"=500'	Flight Year: 2010	EDR


INQUIRY #: 3554977.5
YEAR: 1946
= 500'
N


INQUIRY #: 3554977.5
YEAR: 1956
= 500'
N


INQUIRY #: 3554977.5
YEAR: 1968
= 500'
N


INQUIRY #: 3554977.5
YEAR: 1993
= 500'
N


INQUIRY #: 3554977.5
YEAR: 1998
= 500'
N


INQUIRY #: 3554977.5
YEAR: 2005
= 500'
N


INQUIRY #: 3554977.5
YEAR: 2009
= 500'
N


INQUIRY #: 3554977.5
YEAR: 2010
= 500'
N

APPENDIX B

SANBORN FIRE INSURANCE MAPS

Appendix B
Historical Sanborn Fire Insurance Maps Review
2044 Through 2070 Bryant Street
San Francisco, California

Subject Property

Date	Comments:
1889	The map shows the subject site as developed with multiple dwellings, with several vacant lots.
1900	No notable change to subject property compared to 1889 map.
1914	The northern portion of the subject site is now occupied by an iron works with an associated steel warehouse. Residential units are still present at the southern portion of the subject site.
1950	The map shows the subject site structure as it appears today, residential dwellings at the southern portion of the site has been replaced by the warehouse building. Listed occupants include a machine & auto body shop, steel warehouse, and machinery warehouse and sales room.
1975	No notable change to subject property compared to 1950 map.
1987	Tenancy at subject site includes American Conservatory Theater Scene Shop (ACT).
1989	No notable change to subject property compared to 1987 map.
1991	No notable change to subject property compared to 1989 map.
1999	No notable change to subject property compared to 1991 map.

Adjacent Properties

Date	Comments:
1889	The Golden Gate Woolen Mfg Co. is shown to the east and southeast of the subject site. Properties west and northwest of the site are used as cattle yards and include one or two small structures. A school is shown east of the site across Bryant Street.
1900	Solano Street has been renamed 18th Street, and Butte Street has been renamed 19th Street No significant changes are shown compared to the 1889 map, with the exception that Union Brewing is shown on the property north of the subject site, across 18th Street.
1914	The Enterprise Foundry Co. now occupies the property west of the subject site across Florida Street. Korbel Box Factory (cigar boxes) now occupies the space immediately north of the subject site. Union Brewing Co. (across 18th Street) has expanded. A planning mill, laundry company, can company, and cabinet shop now occupies sites to the northwest (across 18th Street). A shoe factory, shirt factory, school, and laundry company now occupy sites to the west of the subject site (across Bryant Street).

Appendix B
Historical Sanborn Fire Insurance Maps Review
2044 Through 2070 Bryant Street
San Francisco, California

1950	Enterprise Engine & Foundry Co. has expanded to occupy the entire lot west of the site and a portion of the lot east of the site. Maypole Dye Works occupies the property southeast of the site across Bryant, and Remler Radio Co has moved in southeast of the site across 19th. A Steam laundry facility is shown on the map to the northeast of the site.
1975	North of site is now used for sheet metal works and storage. Enterprise Foundry Co. is replaced by a smaller Auto Repair business west of the site. The school east of the subject site (across Bryant Street) has been removed and replaced by a stationary supply warehouse.
1987	Changes to land use in the site vicinity include construction of a parking garage east of the site across Bryant Street.
1989	No notable change to subject property vicinity compared to 1987 map.
1991	No notable change to subject property vicinity compared to 1989 map.
1999	No notable change to subject property vicinity compared to 1991 map.

2070 Bryant Streeet
2070 Bryant Streeet
San Francisco, CA 94110

Inquiry Number: 3554977.3
March 22, 2013

Certified Sanborn® Map Report

EDR® Environmental Data Resources Inc

440 Wheelers Farms Road
Milford, CT 06461
800.352.0050
www.edrnet.com

Certified Sanborn® Map Report

3/22/13

Site Name:
2070 Bryant Streeet
2070 Bryant Streeet
San Francisco, CA 94110

Client Name:
PES Environmental, Inc.
1682 Novato Boulevard
Novato, CA 94947

EDR Inquiry # 3554977.3

Contact: Chris Baldassari

EDR® Environmental Data Resources Inc

The complete Sanborn Library collection has been searched by EDR, and fire insurance maps covering the target property location provided by PES Environmental, Inc. were identified for the years listed below. The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by Sanborn Library LLC, the copyright holder for the collection.

Certified Sanborn Results:

Site Name: 2070 Bryant Streeet
Address: 2070 Bryant Streeet
City, State, Zip: San Francisco, CA 94110
Cross Street:
P.O. # 390.023.01.001
Project: 2070 Bryant Street
Certification # 3A5A-4AC1-B19F

Sanborn® Library search results
Certification # 3A5A-4AC1-B19F

Maps Provided:

1999	1914
1991	1900
1989	1889
1987	
1975	
1950	

The Sanborn Library includes more than 1.2 million Sanborn fire insurance maps, which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- ✓ Library of Congress
- ✓ University Publications of America
- ✓ EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

PES Environmental, Inc. (the client) is permitted to make up to THREE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2013 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Sanborn Sheet Thumbnails

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.

1999 Source Sheets


Volume 6, Sheet 553


Volume 6, Sheet 554


Volume 6, Sheet 567


Volume 6, Sheet 568

1991 Source Sheets


Volume 6, Sheet 553


Volume 6, Sheet 554


Volume 6, Sheet 567


Volume 6, Sheet 568

1989 Source Sheets


Volume 6, Sheet 553


Volume 6, Sheet 554


Volume 6, Sheet 567


Volume 6, Sheet 568

1987 Source Sheets


Volume 6, Sheet 553


Volume 6, Sheet 554


Volume 6, Sheet 567


Volume 6, Sheet 568

1975 Source Sheets



Volume 6, Sheet 553



Volume 6, Sheet 554



Volume 6, Sheet 567



Volume 6, Sheet 568

1950 Source Sheets



Volume 6, Sheet 553



Volume 6, Sheet 554



Volume 6, Sheet 567



Volume 6, Sheet 568



Volume 1, Sheet xxxx

1914 Source Sheets



Volume 6, Sheet 553



Volume 6, Sheet 554



Volume 6, Sheet 567



Volume 6, Sheet 568

1900 Source Sheets



Volume 5, Sheet 523



Volume 5, Sheet 524



Volume 5, Sheet 525



Volume 5, Sheet 526

1889 Source Sheets



Volume 3, Sheet 74



Volume 3, Sheet 74



Volume 3, Sheet 75

1999 Certified Sanborn Map



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn, and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 3A5A-4AC1-B19F

Site Name	2070 Bryant Street
Address	2070 Bryant Street
City, ST, ZIP	San Francisco CA 94110
Client	PES Environmental, Inc
EDR Inquiry	3554977.3
Order Date	3/22/2013 3:15:02 PM
Certification #	3A5A-4AC1-B19F

Copyright 1999

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.





Volume 6, Sheet 553
Volume 6, Sheet 554
Volume 6, Sheet 567
Volume 6, Sheet 568

0 Feet 150 300 600

N

1991 Certified Sanborn Map



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn, and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 3A5A-4AC1-B19F

Site Name	2070 Bryant Street
Address	2070 Bryant Street
City, ST, ZIP	San Francisco CA 94110
Client	PES Environmental, Inc.
EDR Inquiry	3554977.3
Order Date	3/22/2013 3:15:02 PM
Certification #	3A5A-4AC1-B19F
Copyright	1991

This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.





Volume 6, Sheet 553
Volume 6, Sheet 554
Volume 6, Sheet 567
Volume 6, Sheet 568

0 Feet 150 300 600

N

1989 Certified Sanborn Map



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 3A5A-4AC1-B19F

Site Name	2070 Bryant Street
Address	2070 Bryant Street
City, ST, ZIP	San Francisco CA 94110
Client	PES Environmental, Inc
EDR Inquiry	3554977.3
Order Date	3/22/2013 3:15:02 PM
Certification #	3A5A-4AC1-B19F
Copyright	1989

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.





Volume 6, Sheet 553
Volume 6, Sheet 554
Volume 6, Sheet 567
Volume 6, Sheet 568

0 Feet 150 300 600

N

1987 Certified Sanborn Map



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 3A5A-4AC1-B19F

Site Name	2070 Bryant Street
Address	2070 Bryant Street
City, ST, ZIP	San Francisco CA 94110
Client	PES Environmental, Inc
EDR Inquiry	3554977.3
Order Date	3/22/2013 3:15:02 PM
Certification #	3A5A-4AC1-B19F
Copyright	1987

This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.





Volume 6, Sheet 553
Volume 6, Sheet 554
Volume 6, Sheet 567
Volume 6, Sheet 568

0 Feet 150 300 600

N

1975 Certified Sanborn Map



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 3A5A-4AC1-B19F

Site Name	2070 Bryant Street
Address	2070 Bryant Street
City, ST, ZIP	San Francisco CA 94110
Client	PES Environmental, Inc
EDR Inquiry	3554977.3
Order Date	3/22/2013 3:15:02 PM
Certification #	3A5A-4AC1-B19F
Copyright	1975

This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.





Volume 6, Sheet 553
Volume 6, Sheet 554
Volume 6, Sheet 567
Volume 6, Sheet 568

0 Feet 150 300 600

N

1950 Certified Sanborn Map



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 3A5A-4AC1-B19F

Site Name	2070 Bryant Street
Address	2070 Bryant Street
City, ST, ZIP	San Francisco CA 94110
Client	PES Environmental, Inc.
EDR Inquiry	3554977.3
Order Date	3/22/2013 3:15:02 PM
Certification #	3A5A-4AC1-B19F
Copyright	1950

This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.





Volume 6, Sheet 553
Volume 6, Sheet 554
Volume 6, Sheet 567
Volume 6, Sheet 568
Volume 1, Sheet xxxx

0 Feet 150 300 600

N

1914 Certified Sanborn Map



The certified Sanborn Library search results on this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC the copyright holder for the collection.

Site Name	2070 Bryant Street
Address	2070 Bryant Street
City, ST, ZIP	San Francisco CA 94110
Client	PES Environmental, Inc.
EDR Inquiry	3554977.3
Order Date	3/22/2013 3:15:02 PM
Certification #	3A5A-4AC1-B19F
Copyright	1914

This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.





Volume 6, Sheet 553
Volume 6, Sheet 554
Volume 6, Sheet 567
Volume 6, Sheet 568

0 Feet 150 300 600

N

1900 Certified Sanborn Map



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn, and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 3A5A-4AC1-B19F

Site Name	2070 Bryant Street
Address	2070 Bryant Street
City, ST, ZIP	San Francisco CA 94110
Client	PES Environmental, Inc
EDR Inquiry	3554977.3
Order Date	3/22/2013 3:15:02 PM
Certification #	3A5A-4AC1-B19F
Copyright	1900

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.





Volume 5, Sheet 523
Volume 5, Sheet 524
Volume 5, Sheet 525
Volume 5, Sheet 526

0 Feet 150 300 600

N

1889 Certified Sanborn Map



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name	2070 Bryant Street
Address	2070 Bryant Street
City, ST, ZIP	San Francisco CA 94110
Client:	PES Environmental, Inc.
EDR Inquiry	3554977.3
Order Date	3/22/2013 3:15:02 PM
Certification #	3A5A-4AC1-B19F
Copyright:	1889

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.





Volume 3, Sheet 74
Volume 3, Sheet 74
Volume 3, Sheet 75

0 Feet 150 300 600

N

APPENDIX C

HISTORICAL TOPOGRAPHIC MAPS

Appendix C
Historical Topographic Maps Review
2044 Through 2070 Bryant Street
San Francisco, California

Subject Property

Date	Comments:
1895	Site features not visible due to map scale.
1915	Site features not visible due to map scale.
1947	No notable site features illustrated on map.
1948	No notable change to subject property compared to the 1947 map.
1950	No notable change to subject property compared to the 1948 map.
1956	No notable change to subject property compared to the 1950 map.
1968	No notable change to subject property compared to the 1956 map.
1973	No notable change to subject property compared to the 1968 map.
1993	No notable change to subject property compared to the 1973 map.
1995	No notable change to subject property compared to the 1993 map.

Adjacent Properties

Date	Comments:
1895	Adjacent property features not visible due to map scale.
1915	Adjacent property features not visible due to map scale.
1947	The map shows the subject property vicinity to be developed as an urban area with no building footprints or notable features besides Potrero Ave. three blocks east of the subject site.
1948	No notable changes to the subject property vicinity compared to the 1947 map.
1950	No notable changes to the subject property vicinity compared to the 1948 map.
1956	The subject site vicinity's infrastructure has been improved with the construction of Highway 101 just east of Potrero Ave. (approximately 1,000 feet east of the subject site)
1968	No notable changes to the subject property vicinity compared to the 1956 map.
1973	No notable changes to the subject property vicinity compared to the 1968 map.
1993	No notable changes to the subject property vicinity compared to the 1973 map.
1995	No notable changes to the subject property vicinity compared to the 1995 map.

2070 Bryant Street
2070 Bryant Street
San Francisco, CA 94110

Inquiry Number: 3554977.4
March 22, 2013

EDR Historical Topographic Map Report

EDR® Environmental Data Resources Inc

440 Wheelers Farms Road
Milford, CT 06461
800.352.0050
www.edrnet.com

EDR Historical Topographic Map Report

Environmental Data Resources, Inc.s (EDR) Historical Topographic Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topographic Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the early 1900s.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2013 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Historical Topographic Map



N	TARGET QUAD NAME: SAN FRANCISCO MAP YEAR: 1895 SERIES: 15 SCALE: 1:62500	SITE NAME: 2070 Bryant Street ADDRESS: 2070 Bryant Street San Francisco, CA 94110 LAT/LONG: 37.761 / -122.4105	CLIENT: PES Environmental, Inc. CONTACT: Chris Baldassari INQUIRY#: 3554977.4 RESEARCH DATE: 03/22/2013

Historical Topographic Map



N			
	TARGET QUAD NAME SAN FRANCISCO MAP YEAR 1915 SERIES 15 SCALE 1:62500	SITE NAME: 2070 Bryant Street ADDRESS 2070 Bryant Street San Francisco, CA 94110 LAT/LONG: 37.761 / -122.4105	CLIENT: PES Environmental, Inc. CONTACT: Chris Baldassari INQUIRY#: 3554977.4 RESEARCH DATE 03/22/2013

Historical Topographic Map



N			
	TARGET QUAD NAME: SAN FRANCISCO NORTH MAP YEAR: 1947 SERIES: 7.5 SCALE: 1:24000	SITE NAME: 2070 Bryant Street ADDRESS: 2070 Bryant Street San Francisco, CA 94110 LAT/LONG: 37.761 / -122.4105	CLIENT: PES Environmental, Inc. CONTACT: Chris Baldassari INQUIRY#: 3554977.4 RESEARCH DATE: 03/22/2013

Historical Topographic Map



N	TARGET QUAD NAME: SAN FRANCISCO MAP YEAR: 1948 SERIES: 15 SCALE: 1:50000	SITE NAME 2070 Bryant Street ADDRESS 2070 Bryant Street San Francisco, CA 94110 LAT/LONG 37.761 / -122.4105	CLIENT: PES Environmental, Inc. CONTACT: Chris Baldassari INQUIRY#: 3554977.4 RESEARCH DATE: 03/22/2013

Historical Topographic Map


Nob Hill
Lafayette Square
Alamo Sq
Jefferson Sq
Playground
CIVIC CENTER
Post Office
Hamilton Sq
Girls HS
Park
Armory
Mission H.S
Mission Park
Mission Dolores
Franklin Sq
McKinley Sq
Potrero Hill
Playground
San Francisco General Hospital
Tanks
Tank
China Basin
AT&SF Freight Yd
Rincon Hill
Transbay Terminal
Ferry Building
Ferry Terminal
Union Sq
Hallidie Plaza
Stanford Ct
Sch
Gompers Trade Sch
Playground
Park
Hosp
Mission Playground
Rec
Rec Field
Rec Center
Rec Hall
Rec Pier
Rec Ground
Rec Ctr

Historical Topographic Map



N	TARGET QUAD NAME: SAN FRANCISCO NORTH MAP YEAR: 1956 SERIES: 7.5 SCALE: 1:24000	SITE NAME: 2070 Bryant Street ADDRESS: 2070 Bryant Street San Francisco, CA 94110 LAT/LONG: 37.761 / -122.4105	CLIENT: PES Environmental, Inc. CONTACT: Chris Baldassari INQUIRY#: 3554977.4 RESEARCH DATE: 03/22/2013

Historical Topographic Map



N			
	TARGET QUAD NAME: SAN FRANCISCO NORTH MAP YEAR: 1968 PHOTOREVISED FROM :1956 SERIES: 7.5 SCALE: 1:24000	SITE NAME: 2070 Bryant Street ADDRESS: 2070 Bryant Street San Francisco, CA 94110 LAT/LONG: 37.761 / -122.4105	CLIENT: PES Environmental, Inc. CONTACT: Chris Baldassari INQUIRY#: 3554977.4 RESEARCH DATE: 03/22/2013

Historical Topographic Map



N	TARGET QUAD NAME: SAN FRANCISCO NORTH MAP YEAR: 1973 PHOTOREVISED FROM :1956 SERIES: 7.5 SCALE: 1:24000	SITE NAME: 2070 Bryant Street ADDRESS: 2070 Bryant Street San Francisco, CA 94110 LAT/LONG: 37.761 / -122.4105	CLIENT: PES Environmental, Inc. CONTACT: Chris Baldassari INQUIRY#: 3554977.4 RESEARCH DATE: 03/22/2013

Historical Topographic Map


Lafayette Square
Alamo Square
Jefferson Square Playground
Mission
District
Franklin Square
Potrero
Dogpatch
China Basin
Central
Footscray
Footscray
Footscray
Park
Park
Park

Historical Topographic Map



N			
	TARGET QUAD NAME SAN FRANCISCO NORTH MAP YEAR 1995 SERIES 7 5 SCALE 1 24000	SITE NAME 2070 Bryant Street ADDRESS 2070 Bryant Street San Francisco, CA 94110 LAT/LONG. 37.761 / -122.4105	CLIENT: PES Environmental, Inc. CONTACT: Chris Baldassari INQUIRY#: 3554977.4 RESEARCH DATE: 03/22/2013

APPENDIX D

CITY DIRECTORY ABSTRACT

Appendix D
Historical City Directories Review
2044 Through 2070 Bryant Street
San Francisco, California

Historical and Current Subject Property Addresses

Date:	Listed Occupants Description:
2044 Bryant St.	
2012-2000	Klein Industries Inc. (Production Specialties)
1982-1971	Vacant
1962-1935	Modern Vehicle Co (truck body mfrs)
2050 Bryant St.	
2012-2000	Cellspace (crucible steel gallery)
1993-1990	A Section 8 Production (Silk Screens)
1985	Lighting Management Corp; San Francisco Metal Spinning; Urban Systems Pacific
1982	Sylvia Dick Lighting & Lamps Mfr.; San Francisco Metal Spinning
1977	Lightolier lighting fixtures mfg
1971-1962	Harron Rickard & Mc Cone Co of Northern California Machine Tools
1958-1953	Crucible Steel Co of Am
1935	Scott Paper Co.
1930-1920	Marshall Company Central Iron Works
2070 Bryant St.	
1966-1935	Harron Rickard & Mc Cone Co of Northern California Machine Tools
1925	Elmer FR; Raymond J MSNGRR
1915-1910	Ehrmann Frank J Liquors
633 Florida St.	
2000	Vacant
1993-1990	Production Specialties
651 Florida St.	
1915	Central Iron Works
671 Florida St.	
1910	Residential Use
675 Florida St.	
1962-1958	Modern Vehicle Co. repair shop
677 Florida St.	
1962-1958	Crucible Steel Co. of Am shop
1910	Residential Use
679 & 683 Florida St.	
1958	General Metals Corp Enterprise

Appendix D
Historical City Directories Review
2044 Through 2070 Bryant Street
San Francisco, California

681 Florida St.	
2000	Vacant
1982	Am Conservatory Theater Scene Shop
1962	Harron Rickard & McCone Co.
1958	First Western Machinery Co.

Adjacent Properties Listings of Environmental Interest

Date:	Listed Occupants Description:
2000 Bryant St.	
2012-2007	Tortilla Flats; 24Hr LockSmith
2001 Bryant St.	
2012-2007	Future Light Digital Workshops
2011 Bryant St.	
2000-1977	Nueva Castilla Iron Ornamental Iron & Steel
1971	Vacant
1966	Assoc Lighting Equip
1962-1953	Reliable Sht Mtl Co
2012 Bryant St.	
2006-1977	Security Service Iron Works (ornamental iron works)
1966	Vacant
1962	Modern Furniture and Cabinet Works mfrs
1958-1953	Gillette Mfg Co. (toy mfrs)
1920	Korbel Box Factory
2014 Bryant St.	
2012-1990	Creative Flooring Design
1985-1977	Hansco Pacific Carpet Retail
1971	Vacant
1966-1962	Tara Mfg Co (restr equip)
1958	Pinney F K Inc. Warehouse
1949-1930	Wooden Box & Novelty Co
1925	Karbel Joe Gar Box Min
1915-1910	Residential
2021 Bryant St.	
1962	Vacant
1958	Enterprise Engine & Machine Co. (special products section)

Appendix D
Historical City Directories Review
2044 Through 2070 Bryant Street
San Francisco, California

2028 Bryant St.	
2000-1910	Residential Use
2030 Bryant St.	
1982-1910	Residential Use
2035 Bryant St.	
1935	Buena School
2055 Bryant St.	
2007-2006	R J Muna Pictures
2000	Pixxon Inc
1993	Hoppe Imports
1982-1977	Pacfic Telephone Building
2066 Bryant St.	
1915-1910	Residential Use
2072 Bryant St.	
1925-1910	Residential Use
2080 Bryant St.	
2006-1910	Residential Use
2082 Bryant St.	
2006-1910	Residential Use
2085 Bryant St.	
1966	Vacant
1962-1949	Ace Dye Works
2098 Bryant St.	
2006-1925	Residential Use
1915-1910	Ryan Frank Thomas Liquors
2099 Bryant St.	
1971-1966	Vacant
1953	Oregon Worsted Co.
1949-1930	Maypole Dye Works (Manufacturer/Dyer of Worsted Yarns)
2108 Bryant St.	
2006-1910	Residential Use
2116 Bryant St.	
2006-1915	Residential Use

Appendix D
Historical City Directories Review
2044 Through 2070 Bryant Street
San Francisco, California

2122 Bryant St.	
2007-2006	FigurePlant
2000-1993	Liveco Heating & Sheet Metal Inc.
1985	Colan Heating & Sheet Metal Inc.
1982-1966	Reliable Sheet Metal
1962-1953	Symon Machine Works
1949	Bituminous Products & Application Co (Water Proofing)
2132 Bryant St.	
2000	Residential Use
1985	Security Service Iron Works (ornamental iron works)
1982	Vacant
1977-1958	Son Lee Laundry
1953	Am West Laundry
1944-1925	Barbe Rene Laundry
1920	Catbanneemme Laundry
2815 18th St.	
2007	Lutsko Associates
1990	San Francisco Metal Spinning
1985	Muller Petra
1982-1977	Selzee Incorporated Contractors
1971	Lytescape Inc Subsidiary of LightTolier
1966	Kustom Lighting and Mfg Co.
1958	Decia A J Plumbing, Heating & Ventilating Company
1953	Harron Rickard & McCone Co.
2700 19th St.	
2012	Haramis Brothers
2007-2006	Yama & Mar Design
2000	Swirl Inc.
1993	Double W Publications
1990-1977	San Francisco Bay Guardian Graphics
1971-1966	RGS Inc Wholesale Furniture
1962-1953	Reynard Press
1925	Shirt Factory
2708 19th St.	
1920	Independent Laundry

Appendix D
Historical City Directories Review
2044 Through 2070 Bryant Street
San Francisco, California

2745 19th St.	
1982-1977	Vacant
1971-1958	Pacific Felt Co.
2747 19th St.	
2012-2006	Tecta Associates
1993	Eureka Coffee Co.
2749 19th St.	
1990	Ay Morgan Construction Company
1985	Armstrong Finishing
2750 19th St.	
2012-1985	Fitzgerald Furniture
1982	Food Service Contractors Co. food serve and supply
1971-1953	National Store Fixture Co. Inc
2810 19th St.	
2006-1910	Residential Use
2814 19th St.	
2012-2006	Universal Café
1977	Thompson Robert Co.
1962-1953	Scala Radio Co.
1930	Klopper Aug Labr
2815 19th St.	
2006-1930	Residential Use
2817 19th St.	
2006-1925	Residential Use
2902 19th St.	
1962	Vacant
1958	General Metals Corp Enterprise
1940-1915	Enterprise Foundry Company
2903 19th St.	
1915-1910	The Gau Fixture Co.
650 Florida St.	
2012	Yellow Owl Workshop; Bike Kitchen; Lime Lab Inc.

Appendix D
Historical City Directories Review
2044 Through 2070 Bryant Street
San Francisco, California

685 Florida St.	
2000	Vacant
1993	All Tech Productions
1982-1977	Miller Battery Co.
1962	Am Steel Fabricators & Erectors
1958-1949	Paris Art Co (lamp mfrs)
1940	Briggs Founders Supplies & Equipment
689 Florida St.	
2006-2000	Residential Use
1990-1985	Sleuth Publications Graphics
1982-1977	Thompson Robert Co. Waterproofing
1971-1966	Vacant
1962-1958	Scala Radio Co.
1953-1910	Residential Use
691 Florida St.	
2007	Entermedia Network Co.
2006-1944	Residential Use
1944-1910	Flower Day; Residential Use
700 Florida St.	
1920-1910	Ehrmann Frank J Liquors
701 Florida St.	
1985-1915	Residential Use
702 Florida St.	
1971	Weichhart Stamping Co.
710 Florida St.	
2012	Debbie Does Dinner
1982-1977	American Wood & Metal Stripping Co (Furniture & Metal Stripping)
1962	Vacant
1958	Pelton Walter Wheel Shop
625 York St.	
2006-1910	Residential Use
639 York St.	
2007-1990	Pacific Coast Design
700-798 York St.	
1935	Pacific Felt Company Inc (Cotton felt for automobiles)

2070 Bryant Streeet
2070 Bryant Streeet
San Francisco, CA 94110

Inquiry Number: 3554977.6
March 22, 2013

The EDR-City Directory Abstract

EDR® Environmental Data Resources Inc

440 Wheelers Farms Road
Milford, CT 06461
800 352 0050
www.edrnet.com

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

City Directory Images

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2013 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1910 through 2012. This report compiles information gathered in this review by geocoding the latitude and longitude of properties identified and gathering information about properties within 332 feet of the target property.

A summary of the information obtained is provided in the text of this report.

RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

Year	Source	TP	Adjoining	Text Abstract	Source Image
2012	Cole Information Services	-	X	X	-
2007	Cole Information Services	-	X	X	-
2006	Haines Company, Inc.	-	X	X	-
2000	Haines & Company	-	X	X	-
1993	Pacific Bell	-	X	X	-
1990	Pacific Bell	-	X	X	-
1985	Pacific Bell	-	X	X	-
1982	R. L. Polk & Co.	-	X	X	-
1977	Pacific Telephone	-	X	X	-
1971	Pacific Telephone	-	X	X	-
1966	R. L. Polk & Co.	X	X	X	-
1962	R. L. Polk & Co.	-	X	X	-
1958	R. L. Polk & Co.	X	X	X	-
1953	R. L. Polk & Co.	X	X	X	-
1949	R. L. Polk & Co.	-	X	X	-
1944	R. L. Polk & Co.	X	X	X	-
1940	R. L. Polk & Co.	X	X	X	-
1935	R. L. Polk & Co.	X	X	X	-
1930	R. L. Polk & Co.	-	X	X	-
1925	R. L. Polk & Co.	X	X	X	-
1920	Pacific Telephone	-	X	X	-
1915	H. S. Crocker Co.	X	X	X	-
1910	H. S. Crocker Co.	X	X	X	-

FINDINGS

TARGET PROPERTY INFORMATION

ADDRESS

2070 Bryant Streeet
San Francisco, CA 94110

FINDINGS DETAIL

Target Property research detail.

BRYANT

2070 BRYANT

Year	Uses	Source
1925	RAYMOND J MSNGRR	R. L. Polk & Co.

BRYANT AVE

2070 BRYANT AVE

Year	Uses	Source
1925	ELMER FR	R. L. Polk & Co.

BRYANT ST

2070 BRYANT ST

Year	Uses	Source
1966	Harron Rickard &Mc Cone Co	R. L. Polk & Co.
	of Northern Cal tool	R. L. Polk & Co.
1958	Harron Rickard & McCono Co of Northern Calif mach tools	R. L. Polk & Co.
	Hurron Rickard & McCone Co of Northern Calif mach tools	R. L. Polk & Co.
1953	Harron Rickard & McCone Co	R. L. Polk & Co.
1944	HARRON RICKARD & MCCONE CO T W HARRON PRES F C EDMONDS V-PRES S S MORTON SE	R. L. Polk & Co.
1940	HARRON RICKARD & MCCONE CO T W HARRON PRES MACHY	R. L. Polk & Co.
1935	HARRON RICKARD & MCCONE CO T W HARRON PRES MACHY	R. L. Polk & Co.
1925	BRIES EDW WHLSEMN R	R. L. Polk & Co.
	DEBAR LOUIS LABR	R. L. Polk & Co.
	PRIES EDW C (CAROLINE)	R. L. Polk & Co.
	PRIES ELMER F SHIRTCTRR	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1915	Ehrmann Frank J liquors	H. S. Crocker Co.
	r	H. S. Crocker Co.
1910	Ehrmann Frank J liquors	H. S. Crocker Co.
	Mullen Ellen I Miss nurse Morton Hospital r	H. S. Crocker Co.
	Mullen Ellen widow r	H. S. Crocker Co.
	Mullen James F sec Hawley Mercantile Co r	H. S. Crocker Co.
	r	H. S. Crocker Co.

FINDINGS

ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

18TH

2815 18TH

Year	Uses	Source
1990	SAN FRANCISCO METAL SPINNING	Pacific Bell
1985	MULLER PETRA	Pacific Bell

18TH ST

2813 18TH ST

Year	Uses	Source
2012	HANDA KENZO ARCHITECT	Cole Information Services
	LUTSKO ASSOCIATES	Cole Information Services
2007	KENZO HANDA	Cole Information Services

2815 18TH ST

Year	Uses	Source
2007	LUTSKO ASSOCIATES	Cole Information Services
1982	Selzee Inc contr	R. L. Polk & Co.
1977	Selzee Inc contr	Pacific Telephone
1971	LYTESCAPE INC SUBSIDIARY OF LIGHTOLIER	Pacific Telephone
1966	Kustom Lighting & Mfg Co	R. L. Polk & Co.
1958	Decia A J Plmg Htg & Ventilating Co	R. L. Polk & Co.
	Champion Roofing Co	R. L. Polk & Co.
1953	Harron Rickard & McCone Co stge	R. L. Polk & Co.

2818 18TH ST

Year	Uses	Source
2000	No Current Listings	Haines & Company
1925	REED ROBT H BARBER	R. L. Polk & Co.
	REED ROBT H BARBER	R. L. Polk & Co.

2828 18TH ST

Year	Uses	Source
2012	1900 BRYANT ST INVESTORS	Cole Information Services
2006	EICONINC	Haines Company, Inc.

FINDINGS

2834 18TH ST

Year	Uses	Source
1930	MUNDSTOCK E L CANNERY WKRR	R. L. Polk & Co.

19H

2814 19H

Year	Uses	Source
1930	H	R. L. Polk & Co.

19TH

2700 19TH

Year	Uses	Source
1990	SAN FRANCISCO BAY GUARDIAN-GUARDIAN GRAPHICS	Pacific Bell
	SAN FRANCISCO BAY GUARDIAN	Pacific Bell
	SAN FRANCISCO BAY GUARDIAN	Pacific Bell
	SAN FRANCISCO BAY GUARDIAN	Pacific Bell
	SAN FRANCISCO BAY GUARDIAN	Pacific Bell
	DOUBLE W PUBLICATIONS	Pacific Bell
1985	SAN FRANCISCO BAY GUARDIAN-GUARDIAN GRAPHICS	Pacific Bell
	SAN FRANCISCO BAY GUARDIAN	Pacific Bell
	SAN FRANCISCO BAY GUARDIAN	Pacific Bell
	SAN FRANCISCO BAY GUARDIAN	Pacific Bell
	DOWNWIND PUBLICATIONS	Pacific Bell
	SAN FRANCISCO BAY GUARDIAN	Pacific Bell
1925	SHIRT FACTORY A N MAY MGR	R. L. Polk & Co.

2708 19TH

Year	Uses	Source
1920	INDEPENDTENTLAUNDRY	Pacific Telephone

2747 19TH

Year	Uses	Source
1990	EUREKA COFFEE CO LTD	Pacific Bell

2749 19TH

Year	Uses	Source
1990	AY MORGAN CONSTRUCTION CO	Pacific Bell
1985	ARMSTRONG FINISHING	Pacific Bell

FINDINGS

2750 19TH

Year	Uses	Source
1990	FITZGERALD JF FURNITURE CO	Pacific Bell
1985	FITZGERALD J F FURNITURE CO	Pacific Bell

2790 19TH

Year	Uses	Source
1990	HENSON ANTONIO	Pacific Bell

2800 19TH

Year	Uses	Source
1949	RIEMERR	R. L. Polk & Co.
	MOORE JOS M (NELLIE M) CARPH	R. L. Polk & Co.
1935	H	R. L. Polk & Co.
1930	GINELLI ALBT (STELLA) MACH H	R. L. Polk & Co.

2812 19TH

Year	Uses	Source
1949	R	R. L. Polk & Co.
1940	H	R. L. Polk & Co.
1915	Britton Louis J salsn r	H. S. Crocker Co.
1910	Klumann Adolph foreman r	H. S. Crocker Co.

2812 1/2 19TH

Year	Uses	Source
1925	BURI(E JAS TRUNLKMKRH	R. L. Polk & Co.

2813 19TH

Year	Uses	Source
1949	H	R. L. Polk & Co.
1925	PAULI KICHOLAS (MARIFG) LABH	R. L. Polk & Co.
1915	Wuesterfeld Chas millwkr r	H. S. Crocker Co.
	Wuesterfeld Jos driver r	H. S. Crocker Co.
	Wuesterfeld Julius J Sarah millwkr h	H. S. Crocker Co.

2814 19TH

Year	Uses	Source
1935	DOWLING JAS (JULIA F) PORTER SFHOSPH	R. L. Polk & Co.

FINDINGS

2815 19TH

Year	Uses	Source
1990	ROMERO C	Pacific Bell
	CHENG CFERILNO	Pacific Bell
1985	CHENG CEFERINO	Pacific Bell
1949	PONCATO VIRGINIAR	R. L. Polk & Co.
1915	Gau Philip Anna r	H. S. Crocker Co.

2817 19TH

Year	Uses	Source
1990	SHAPIRA ADAM	Pacific Bell
1925	LAND ALF (NELLLE) AUTTO MCLIH H	R. L. Polk & Co.
1910	Kerrigan James P teamster r	H. S. Crocker Co.

2828 19TH

Year	Uses	Source
1990	SAVOY A J	Pacific Bell
1985	SAVOY AJ	Pacific Bell

2899 19TH

Year	Uses	Source
1930	J (ETHEL) SLSMN H	R. L. Polk & Co.

2902 19TH

Year	Uses	Source
1940	JOHN G CO (ENTERPRISE FOUNDRY COMPANY) STOVE MFRS	R. L. Polk & Co.
1925	ENTERPRISE FOUNDRY CO CHARLES J P HOEHN PRES JAMES W HEANEY SEC A J MARTENS	R. L. Polk & Co.
1915	Martens A J cashr Enterprise Foundry Co r	H. S. Crocker Co.

2903 19TH

Year	Uses	Source
1915	Gau Fixture Co	H. S. Crocker Co.
1910	Gau Fixture Co The	H. S. Crocker Co.

2913 19TH

Year	Uses	Source
1915	Ahrens Fred Indywkr r	H. S. Crocker Co.
	Ahrens Annie wid Martin r	H. S. Crocker Co.
	Ahrens Albert driver r	H. S. Crocker Co.

FINDINGS

Year	Uses	Source
1915	Ahrens Martin bottler r	H. S. Crocker Co.
1910	Ahrens Martin trunkmkr r	H. S. Crocker Co.
	Ahrens Annie widow r	H. S. Crocker Co.

19TH AVE

2686 19TH AVE

Year	Uses	Source
2006	RESIDENT	Haines Company, Inc.
2000	MURPHYJames P	Haines & Company
	OMURPHYJas P	Haines & Company
1993	Murphy Jas P	Pacific Bell
	Murphy James P Jr	Pacific Bell
1990	MURPHY DAWN	Pacific Bell
	MURPHY JOS P	Pacific Bell
	MURPHY JAMES PJR	Pacific Bell
1985	MURPHY DAWN	Pacific Bell
	MURPHY JAS P	Pacific Bell
1982	Murphy James P	R. L. Polk & Co.
1977	Murphy James P	Pacific Telephone
1971	DONOHOE GEO W	Pacific Telephone
1966	Donohoe Geo WO	R. L. Polk & Co.
1962	Donohoe Geo W	R. L. Polk & Co.
1958	Donohoe Geo W	R. L. Polk & Co.
1953	Donobue Geo W	R. L. Polk & Co.
1949	GEO W (MARGT) INS R403	R. L. Polk & Co.
	WM B (NANCY) CLK R	R. L. Polk & Co.
1944	DONOHOE GEO W (MARGUERITE) INS BROKERR412	R. L. Polk & Co.
1940	GEO W (MARGUERITE A) ATTY F&CCO H	R. L. Polk & Co.

2690 19TH AVE

Year	Uses	Source
2006	RESIDENT	Haines Company, Inc.
2000	TANGJoan	Haines & Company
1985	HOSACK LENOIR	Pacific Bell
	HOSACK EDW S SR	Pacific Bell
1982	Hosack Edw S	R. L. Polk & Co.
1977	Hosack Edw S	Pacific Telephone

FINDINGS

Year	Uses	Source
1971	HOSACK EDW S	Pacific Telephone
1966	Bowman Silvina Mrs	R. L. Polk & Co.
1962	Bowman Silvina Mrs	R. L. Polk & Co.
1958	Bowman Silvinia Mrs	R. L. Polk & Co.
1953	Bowman Silvina	R. L. Polk & Co.
1949	BOWMAN WM A (EDNA) MECHR	R. L. Polk & Co.
	BOWMAN SILVINA MRSH	R. L. Polk & Co.
1944	CLAUDE (SHIRLEY) USN H	R. L. Polk & Co.
1940	SHIRLEY E MRS OFC MGR MISSION MERCHANTS NEWS INC R	R. L. Polk & Co.
	HARMAN CLAUDE A (SHIRLEY E) CIRC MGR MISSION MERCHANTS NEWSH	R. L. Polk & Co.

2691 19TH AVE

Year	Uses	Source
1940	SPALINGER JOHN I (MARY) REP GPCORPH	R. L. Polk & Co.

2694 19TH AVE

Year	Uses	Source
2000	HEAGNEYBrendan	Haines & Company
1993	Heagney Brendan	Pacific Bell
1990	HEAGNEY BRENDAN	Pacific Bell
1982	Bacis Wilma Mrs	R. L. Polk & Co.
1977	Bacis Louis J	Pacific Telephone
1971	BELL JOHN K	Pacific Telephone
1966	Campbell Steve W	R. L. Polk & Co.
1962	Campbell Steve W	R. L. Polk & Co.
1958	Campbeill Steve W O	R. L. Polk & Co.
1953	Campbell Steph	R. L. Polk & Co.
1949	CAMPBELL SUZANNE BEAUTY OPRR	R. L. Polk & Co.
	CAMPBELL STEVEN W (MABEL) COOK CITY PARK DEPTH	R. L. Polk & Co.
	CAMPBELL MARION TYPISTR	R. L. Polk & Co.
	CAMPBELL MABEL CLK CITY PARK DEPTR	R. L. Polk & Co.
1944	R	R. L. Polk & Co.
	CAMPBELL STEVEN W (MABEL) COOK CITY PARKS DEPTH	R. L. Polk & Co.
1940	CAMPBELL STEVE W (MABEL) CAFE MGR CITY PARKS DEPTH	R. L. Polk & Co.

FINDINGS

2698 19TH AVE

Year	Uses	Source
2006	RESIDENT	Haines Company, Inc.
2000	SASSERJoan	Haines & Company
	OMURPHYJas P	Haines & Company
	SAN FRANCISCO	Haines & Company
	WEALTH CODE	Haines & Company
1985	SASSER H L & JM	Pacific Bell
1982	Costa Carrier Service del serv	R. L. Polk & Co.
	Costa Wm R	R. L. Polk & Co.
	Sasser Howard	R. L. Polk & Co.
1977	Costa Wm R	Pacific Telephone
1971	COSTA WM R	Pacific Telephone
1966	Costa Wm R	R. L. Polk & Co.
1962	Costa Wm R	R. L. Polk & Co.
1958	Costa Wm R	R. L. Polk & Co.
1953	Selar Jos	R. L. Polk & Co.
1949	SCLAR JOS (GUSSIE) PNTRH	R. L. Polk & Co.
	ALBT C (PEGGY) MECHR	R. L. Polk & Co.
1944	SCLAR JOS (GOSSA) PNTRH	R. L. Polk & Co.

2730 19TH AVE

Year	Uses	Source
2000	No Current Listings	Haines & Company
1930	MCKEEHAN JERRY C ELK R	R. L. Polk & Co.
	IRVING C RH	R. L. Polk & Co.
1920	KEITH DONALD R	Pacific Telephone

2740 19TH AVE

Year	Uses	Source
1930	BARRANGON EVELYN G STEN U S CUSTOMSR	R. L. Polk & Co.
1920	P2TTISDRZILDAT R	Pacific Telephone

2750 19TH AVE

Year	Uses	Source
1940	WELLNITS CHAS H (MARIE) CARPR	R. L. Polk & Co.

2760 19TH AVE

Year	Uses	Source
2006	APTS	Haines Company, Inc.

FINDINGS

Year	Uses	Source
2006	ITSIKSON Igor	Haines Company, Inc.
	JACOBSON Eugene	Haines Company, Inc.
	JARDINEDonald	Haines Company, Inc.
	KARANTZALIS Philip	Haines Company, Inc.
	LAVELLEPhyllls	Haines Company, Inc.
	LAZARJohn	Haines Company, Inc.
	LIMSIN HU Helen	Haines Company, Inc.
	LITTLE Naoii	Haines Company, Inc.
	LUTZ Ronald	Haines Company, Inc.
	MCDEVITTSusan	Haines Company, Inc.
	NISCEA	Haines Company, Inc.
	PADILLATanas	Haines Company, Inc.
	PECKLERJosh	Haines Company, Inc.
	PETTUS David	Haines Company, Inc.
	OPODESTOJohn	Haines Company, Inc.
	REISMANAS	Haines Company, Inc.
	ROBERTL	Haines Company, Inc.
	ROSENBLATC	Haines Company, Inc.
	RUBINSHTEYN	Haines Company, Inc.
	Gennady	Haines Company, Inc.
	RUBINSHTEYN	Haines Company, Inc.
	Gennady	Haines Company, Inc.
	SHEKHTER Boris	Haines Company, Inc.
	SKERLBemnadette	Haines Company, Inc.
	STIEBERLeya	Haines Company, Inc.
	TAN Luls	Haines Company, Inc.
	UAN Oscar	Haines Company, Inc.
	VERECZKEI Joseph	Haines Company, Inc.
	a WANGYung	Haines Company, Inc.
	YING U	Haines Company, Inc.
	ZEHNDER LUnde	Haines Company, Inc.
2000	APARTMENTS	Haines & Company
	GREENBAUM Charles	Haines & Company
	GREENBAUM Miida	Haines & Company
	JACOBSON Eugene D	Haines & Company
	ROSENBLATChnstine	Haines & Company
	ROSENBLATSimon	Haines & Company
	VERECZKEI Joseph	Haines & Company

FINDINGS

Year	Uses	Source
2000	GO Patrick L	Haines & Company
1993	Mogami Nick	Pacific Bell
	Vereczkei Joseph	Pacific Bell
	Greenbaum Charles & Milda	Pacific Bell
	Go Patrick L	Pacific Bell
1990	BECKER I HAROLD A	Pacific Bell
	GREENBAUM CHARLES & MILDA	Pacific Bell

2770 19TH AVE

Year	Uses	Source
2006	APARTMENTS GOLDBERGB	Haines Company, Inc.
	GOLDBERGP	Haines Company, Inc.
	GONZALES Ramon	Haines Company, Inc.
	GREENBAUMChares	Haines Company, Inc.
	JARDINEDonald	Haines Company, Inc.
	KARANTZAUS Philip	Haines Company, Inc.
	LALANNEL	Haines Company, Inc.
	LAVELLEPD	Haines Company, Inc.
	MAINKERElaine	Haines Company, Inc.
	MASLACHH	Haines Company, Inc.
	o YAGUDAYEVA	Haines Company, Inc.
	Svetlana	Haines Company, Inc.
2000	CHANJiumsan Haew	Haines & Company
	APARTMENTS	Haines & Company
	ERANA Amada L	Haines & Company
	GOLDBERGB	Haines & Company
	GOLDBERG P	Haines & Company
	HELIN K L	Haines & Company
	JARDINE Donald	Haines & Company
	JARDINEJanica	Haines & Company
	LALANNEL	Haines & Company
	MASLACH H	Haines & Company
	OZERMAS	Haines & Company
	Pheung	Haines & Company
1993	Erana Amada L	Pacific Bell
1990	ERANA AMADA L	Pacific Bell
1985	ERANA AMADA L	Pacific Bell
1982	Sundby Geo	R. L. Polk & Co.
	Blakely Bryce E	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1982	Lee Francis K	R. L. Polk & Co.
	Erana Amanda L	R. L. Polk & Co.
	Sax Richd	R. L. Polk & Co.
	Way Daisy	R. L. Polk & Co.
	Larter R Brooks	R. L. Polk & Co.
	Sloban Milton	R. L. Polk & Co.

2780 19TH AVE

Year	Uses	Source
2006	o PARADIESMartha	Haines Company, Inc.
2000	CLARKJames W	Haines & Company
	SOOPaulino	Haines & Company
1993	GROVE THE	Pacific Bell
1982	Chandra Suriana	R. L. Polk & Co.
	Moll Leo F	R. L. Polk & Co.
	Sloban Shgri L	R. L. Polk & Co.
	Cope R	R. L. Polk & Co.
	Johnson E L	R. L. Polk & Co.

2790 19TH AVE

Year	Uses	Source
2006	APARTMENTS ABAYARamon	Haines Company, Inc.
	ABOm ZEnrique	Haines Company, Inc.
	BAKER Russell	Haines Company, Inc.
	BATES Sylvania	Haines Company, Inc.
	BENEDICTYvonne	Haines Company, Inc.
	B ERGMANN Kay	Haines Company, Inc.
	CATANZARIT Sergio	Haines Company, Inc.
	CHAN CHoe	Haines Company, Inc.
	CHUALIog	Haines Company, Inc.
	CLIFFORD Harry FJr	Haines Company, Inc.
	COTTONRalph	Haines Company, Inc.
	DEOCAMPO	Haines Company, Inc.
	Leonardo	Haines Company, Inc.
	GABERAlex	Haines Company, Inc.
	GABERMargarita	Haines Company, Inc.
	GO Barbara	Haines Company, Inc.
	HAYFORD Frank S	Haines Company, Inc.
	JARVISJEdward	Haines Company, Inc.

FINDINGS

Year	Uses	Source
2006	KORFMACHER	Haines Company, Inc.
	Blanche	Haines Company, Inc.
	LAZARJohn	Haines Company, Inc.
	MCGUIREJ	Haines Company, Inc.
	e MONTILLAAlberto	Haines Company, Inc.
	SUGARWIllam	Haines Company, Inc.
	TAN Lus	Haines Company, Inc.
	TERRYS	Haines Company, Inc.
2000	APARTMENTS	Haines & Company
	ABAYA Ramon	Haines & Company
	ABOITIZAnnabelle	Haines & Company
	ABOITIZLuis	Haines & Company
	BATES Sylvania Kwan	Haines & Company
	CLARFIELDP	Haines & Company
	COTTON Ralph A	Haines & Company
	DEOCAMPO Leonardo	Haines & Company
	GABERAlex	Haines & Company
	GABER Margarila	Haines & Company
	HAYFORDFRANKS	Haines & Company
	HAYFORD Frank S	Haines & Company
	SUGAR Marilyn	Haines & Company
	SUGAR William	Haines & Company
	TERRY S	Haines & Company
	VANVOORDEN Gilbert	Haines & Company
	WALL Robert R	Haines & Company
	YANG Bob Gun	Haines & Company
1993	Abaya Ramon	Pacific Bell
	Yue Albert	Pacific Bell
	Windeler F H	Pacific Bell
	Mendieta Jose & Pacita	Pacific Bell
	Sugar William & Marilyn	Pacific Bell
	Bergmann K L	Pacific Bell
	Lee Mrs Justa L	Pacific Bell
	Dorendaun Alejandro	Pacific Bell
	Mac Gugan Kirk & Thomas	Pacific Bell
	McDonald Loretta	Pacific Bell
	Cotton Ralph A	Pacific Bell
	Sunderaj N	Pacific Bell

FINDINGS

Year	Uses	Source
1993	Jones Gary	Pacific Bell
	Stenwick Wm P	Pacific Bell
	Hayford Frank S	Pacific Bell
	Cunningham Ralph J	Pacific Bell
	Galant Max	Pacific Bell
	De Ocampo Leonardo	Pacific Bell
1990	BABALLS WJ	Pacific Bell
	COTTON RALPH A	Pacific Bell
	CUNNINGHAM RALPH J	Pacific Bell
	DE OCAMPO LEONARDO	Pacific Bell
	GARBER ROCHELLE	Pacific Bell
	GROLITZER S	Pacific Bell
	HAYFORD FRANK S	Pacific Bell
	IGUAL MANUEL J	Pacific Bell
	LEE MRS JUSTA L	Pacific Bell
	MENDIETA JOSE & PACITA	Pacific Bell
	NELSON LINDA A	Pacific Bell
1985	BECKER HAROLD A	Pacific Bell
	BOHLEN H E	Pacific Bell
	CALDERON SANDRA	Pacific Bell
	CLARK B V MRS	Pacific Bell
	COTTON RALPH A	Pacific Bell
	DE VINO B	Pacific Bell
	DINNOCENZO JOS & NANCY	Pacific Bell
	IGUAL MANUEL J	Pacific Bell
	KORAN STEVE & DEBBIE	Pacific Bell
	LEE MRS JUSTA L	Pacific Bell
	MARTIN QUINTA A	Pacific Bell
	NAGGAR M	Pacific Bell
	SHERMAN JACK G	Pacific Bell
1982	Grove The apts	R. L. Polk & Co.
	Bohlen H E	R. L. Polk & Co.
	Lee Justa L Mrs	R. L. Polk & Co.
	Boland Frank L	R. L. Polk & Co.
	Farber Harry	R. L. Polk & Co.
	Crocker D R	R. L. Polk & Co.
	Leong Charles	R. L. Polk & Co.
	Licaros Marita	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1982	Ung Bee Kok	R. L. Polk & Co.
	Padilla Miguel A	R. L. Polk & Co.
	Lichaytoo B	R. L. Polk & Co.
	Igual Manuel J	R. L. Polk & Co.
	Windeler F H	R. L. Polk & Co.
	Yue Albert	R. L. Polk & Co.
	Hammer Hal	R. L. Polk & Co.
	Abaya Ramon	R. L. Polk & Co.
	Yap Rose	R. L. Polk & Co.
	Howell N J	R. L. Polk & Co.

2812 19TH AVE

Year	Uses	Source
1949	MULDOON MARY (WID E A)H	R. L. Polk & Co.

2819 19TH AVE

Year	Uses	Source
1949	R	R. L. Polk & Co.

2850 19TH AVE

Year	Uses	Source
2006	SCTTSH RTE A&ASR SAN FRAN SCTTSH	Haines Company, Inc.
	RTE NSNC CNTR	Haines Company, Inc.
	SCOTTISHRITEAI&	Haines Company, Inc.
	SCOTTISH RTE 415 664 4 S	Haines Company, Inc.
	CHLHD LNGE	Haines Company, Inc.
	DSODR	Haines Company, Inc.
	MASONICFRAT	Haines Company, Inc.
2000	MASONICFRATERNITY	Haines & Company
	SAN FRAN BODIES	Haines & Company
	SCOTTISHRITEA&ASR	Haines & Company
	SCOTTISHRITEINST	Haines & Company
1993	SCOTTISH RITE INSTITUTE FOR CHILDHOOD APHASIA	Pacific Bell
	S F BODIES AASR	Pacific Bell
	S F BODIES A A S R	Pacific Bell
1990	CALIFORNIA SCOTTISH RITES-BLUE LODGES	Pacific Bell
	SCOTTISH RITE INSTITUTE FOR CHILDHOOD APHASIA	Pacific Bell

FINDINGS

Year	Uses	Source
1985	CALIFORNIA SCOTTISH RITES-BLUE LODGES	Pacific Bell
	SCOTTISH RITE INSTITUTE FOR CHILDHOOD APHASIA	Pacific Bell
1982	California Bodies Scottish Rite	R. L. Polk & Co.
1977	California Bodies Scottish Rita	Pacific Telephone
1971	CALIFORNIA BODIES SCOTTISH RITE	Pacific Telephone
1966	Cal Bodies Scottish Rite	R. L. Polk & Co.
1935	BARRANGON EVELYN C MRS STEN U S CUSTOMSR	R. L. Polk & Co.
	CALIF JEAN L MRS (ARMSTRONG CARTER KENYON)R	R. L. Polk & Co.
	ROSSI MARY A MRS TCHR PUB SCHR	R. L. Polk & Co.
1930	HAWKINS CHAS A (MABEL) REAL ESTR810	R. L. Polk & Co.
	HAWVKINS R	R. L. Polk & Co.
1925	CLERICO COSTANSA FACTORVWKRR	R. L. Polk & Co.
	HAWKINS CHAS A PRES HAWKINS IMPROVEMENT COH	R. L. Polk & Co.
	HAWKINS JEANR	R. L. Polk & Co.
1920	HAWKINS CHAS A R	Pacific Telephone
1915	Hawkins Chas A Mrs prin Outdoor School r	H. S. Crocker Co.
1910	Lund Peter S gardener r	H. S. Crocker Co.

2900 19TH AVE

Year	Uses	Source
2006	IMAGEPACIFIC	Haines Company, Inc.
	CHOYWayland	Haines Company, Inc.
2000	IMAGE PACIFIC	Haines & Company
	SFONG Robart	Haines & Company
1982	Schwabe Albert L	R. L. Polk & Co.
1977	Schwabe Albert L	Pacific Telephone
1971	SCHWABE ALBERT L	Pacific Telephone
	SCHWABE NANCY	Pacific Telephone
1966	Wood Edna B	R. L. Polk & Co.
1962	Hazel Albert M R3	R. L. Polk & Co.
1958	Berti Lou Mrs	R. L. Polk & Co.
1953	Berti John M	R. L. Polk & Co.
1949	BERTI JOHN M (LULU) DIR A LEVY & J ZENTNER COH	R. L. Polk & Co.
1944	BEITI JOHN M (LUILA) WITH AL&JZCOH	R. L. Polk & Co.

FINDINGS

2901 19TH AVE

Year	Uses	Source
1953	Hallowell Seed	R. L. Polk & Co.
1949	DOHME JACK (ORIOLE J) BARTNDRH	R. L. Polk & Co.
	DOHME VIOLETTER	R. L. Polk & Co.
1944	LAGE ELEANORR	R. L. Polk & Co.
	LAGE CHAS E (GERTRUDE) REFRIG ENGH	R. L. Polk & Co.

2906 19TH AVE

Year	Uses	Source
2006	MIU Franklin	Haines Company, Inc.
2000	MIU Franklin	Haines & Company
1993	Chau Wai Kong	Pacific Bell
	Miu Franklin	Pacific Bell
1990	MIU FRANKLIN	Pacific Bell
	MIU FRANKLIN	Pacific Bell
1982	Chiang Ymg Chi	R. L. Polk & Co.
1977	Wiseman Carolyn Mrs	Pacific Telephone
1971	MISRACH NORMAN W	Pacific Telephone
1966	Misrach Norman W	R. L. Polk & Co.
1962	Misrach Norman W	R. L. Polk & Co.
1958	Misrach Norman W	R. L. Polk & Co.
1953	Misrach Norman W	R. L. Polk & Co.
1949	MISRACH NORMAN W (IDA) (MISRACK S)H	R. L. Polk & Co.

2912 19TH AVE

Year	Uses	Source
2006	e MAZZEIMaria	Haines Company, Inc.
	BLANCHARDJA	Haines Company, Inc.
2000	MAZZEIMaria	Haines & Company
1982	Schomer Lillian Mrs	R. L. Polk & Co.
1977	Schomer Lillian Mrs	Pacific Telephone
1971	SCHCMER LLOYD N	Pacific Telephone
1966	Schomer Lloyd N	R. L. Polk & Co.
1962	Schomer Lloyd N	R. L. Polk & Co.
1958	Schomer Loyd N	R. L. Polk & Co.
1953	Schomer Lloyd N	R. L. Polk & Co.
1949	SCHORMCR LLOYD N (LILLIAN) (J F SCHEMER & SONS)H	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1944	SCHOMER LLOYD N (LILLIAN) (J F SCHEMER & SONS)H	R. L. Polk & Co.
1940	SCHOMER LLOVD N (LILLIAN) (J F SCHOMER & SONS) R	R. L. Polk & Co.

19TH CORNER YORK

2700 19TH CORNER YORK

Year	Uses	Source
1944	CROWN MANUFACTURING CO INC R M MAY PRES A W NEWMAN V-PRES TR E FALK SEC-TRE	R. L. Polk & Co.
1940	CROWN MANUFACTURING CO INC R M MAY PRES A W NEWMAN V-PRES L E FALK SEC-TREA	R. L. Polk & Co.

19TH ST

2698 19TH ST

Year	Uses	Source
1990	SASSER H L & JM	Pacific Bell

2700 19TH ST

Year	Uses	Source
2012	HARAMIS BROTHERS	Cole Information Services
	B L A M	Cole Information Services
2007	YAMA & MAR DESIGN	Cole Information Services
2006	DESIGN	Haines Company, Inc.
	YAMAANDMAR	Haines Company, Inc.
	BLAM	Haines Company, Inc.
2000	SWIRLINC	Haines & Company
1993	DOUBLE W PUBLICATIONS	Pacific Bell
	HOLIDAY MAGIC	Pacific Bell
1982	Downwind Publications	R. L. Polk & Co.
	San Francisco Bay Guardian newspaper	R. L. Polk & Co.
1977	San Francisco Bay Guardian newspaper	Pacific Telephone
1971	R G S INC WHOL FURN	Pacific Telephone
1966	R G S Inc furn whol	R. L. Polk & Co.
1962	Reynard Press	R. L. Polk & Co.
1958	Reynard Press	R. L. Polk & Co.
1953	Reynard Press	R. L. Polk & Co.
	Logvy John B uphol	R. L. Polk & Co.

FINDINGS

2719 19TH ST

Year	Uses	Source
1971	VACANT	Pacific Telephone

2723 19TH ST

Year	Uses	Source
1971	SANCHEZ BERNARDO	Pacific Telephone

2745 19TH ST

Year	Uses	Source
1982	Vacant	R. L. Polk & Co.
1977	Vacant	Pacific Telephone
1971	PACIFIC FELT CO WHSE	Pacific Telephone
1966	Pac Felt Co whse	R. L. Polk & Co.
1962	Pac Felt Co vhse	R. L. Polk & Co.
1958	Pacific Felt Co whse	R. L. Polk & Co.

2747 19TH ST

Year	Uses	Source
2012	TECTA ASSOCIATES	Cole Information Services
	PATOCK FABRICATION	Cole Information Services
	WOLF STEVEN FINE ARTS	Cole Information Services
2007	TECTA ASSOCIATES	Cole Information Services
2006	TECTA ASSOCIATES	Haines Company, Inc.
2000	No Current Listings	Haines & Company
1993	THEODORAS	Pacific Bell
	EUREKA COFFEE CO LTD	Pacific Bell

2749 19TH ST

Year	Uses	Source
2000	No Current Listings	Haines & Company

2750 19TH ST

Year	Uses	Source
2012	FITZGERALD JF	Cole Information Services
2007	JF FITZGERALD FURNITURE INC	Cole Information Services
2006	FITZGERALD J F	Haines Company, Inc.
	FURNITURE CO	Haines Company, Inc.
2000	No Current Listings	Haines & Company
1993	FITZGERALD J F FURNITURE CO	Pacific Bell

FINDINGS

Year	Uses	Source
1982	Food Service Contractors Co food serv & sup	R. L. Polk & Co.
1971	NATIONAL STORE FIXTURE CO INC BLDG CONTR	Pacific Telephone
1966	Vacant	R. L. Polk & Co.
	Bryant intersectff	R. L. Polk & Co.
1962	Nati Store Fixtures Co Inc cabt	R. L. Polk & Co.
1958	Natl Store Fixture Co Inc	R. L. Polk & Co.
1953	Natl Store Fixture	R. L. Polk & Co.

2755 19TH ST

Year	Uses	Source
1982	Pacific Felt Whse	R. L. Polk & Co.

2760 19TH ST

Year	Uses	Source
1977	Food Service Contractors Co food serv & sup	Pacific Telephone

2800 19TH ST

Year	Uses	Source
1993	Gonzalez Lugarda	Pacific Bell
1982	Gonzalez Lugarda	R. L. Polk & Co.
1977	No Return	Pacific Telephone
1971	NO RETURN	Pacific Telephone
1966	Suminerville Chas	R. L. Polk & Co.
1962	Bravo Salvador	R. L. Polk & Co.
1958	Bravo Salvador	R. L. Polk & Co.
1953	Moore Jos M	R. L. Polk & Co.
1944	NORD CARL E (RUTH) MACH EE&FH	R. L. Polk & Co.
1935	ROY ANNER	R. L. Polk & Co.
1925	COCHRAN ARTHI (ELIZ) STOKOER S F F DR	R. L. Polk & Co.

2809 19TH ST

Year	Uses	Source
1971	GALLEGOS LUGAR	Pacific Telephone

2810 19TH ST

Year	Uses	Source
2006	PHELAN Daniel M	Haines Company, Inc.

FINDINGS

2812 19TH ST

Year	Uses	Source
2006	BRAUNSTEIN Aiel	Haines Company, Inc.
2000	WESTVerma	Haines & Company
1982	Vierra David	R. L. Polk & Co.
	De Alba Jose L	R. L. Polk & Co.
1977	Roscotti Lena	Pacific Telephone
1971	NO RETURN	Pacific Telephone
	THOMAS BARTHOLOMEW	Pacific Telephone
1966	Riordan Wm	R. L. Polk & Co.
	j Mandez Jesus	R. L. Polk & Co.
1962	Rodrigues Aladin S	R. L. Polk & Co.
	Sedeno John	R. L. Polk & Co.
1958	Rodriques Aladin S	R. L. Polk & Co.
	Colon Jos S	R. L. Polk & Co.
1953	Muldoon Mary Mrs	R. L. Polk & Co.
1949	GREATHOUSE SAMLR	R. L. Polk & Co.
	HANLEY JAR	R. L. Polk & Co.
	VO EDWR	R. L. Polk & Co.
	VOSS RONALDR	R. L. Polk & Co.
1944	COLLOSI LILLIAN E MRSH	R. L. Polk & Co.
1935	COLLOSI EVELYN S FOLDER CALIF CARD MFG COR	R. L. Polk & Co.
	COLLOSI ANNA MRSH	R. L. Polk & Co.
1925	RYAN THOS F MNDRH	R. L. Polk & Co.
	RYAN JOHN J MLDRR	R. L. Polk & Co.
	PROFUMNO FRANK (ROVITA) SHOE REPR	R. L. Polk & Co.
1910	Lukick Roko lab r	H. S. Crocker Co.
	Mabley Edward shoemkr r	H. S. Crocker Co.

2812 1/2 19TH ST

Year	Uses	Source
1944	STANYAN RAYMOND A (VERA) SHIPYDWKRH	R. L. Polk & Co.

2813 19TH ST

Year	Uses	Source
2006	a VOORHEES Robert	Haines Company, Inc.
2000	OVOORHEESRoberd	Haines & Company
1993	DIFFERENT WORLDS	Pacific Bell

FINDINGS

Year	Uses	Source
1982	Vacant	R. L. Polk & Co.
1977	Vacant	Pacific Telephone
1971	MASSARSKY SAMUEL	Pacific Telephone
1966	2813 15 Vacant	R. L. Polk & Co.
1962	Clark Kathleen Mrs	R. L. Polk & Co.
1958	Thompson Plasticraft	R. L. Polk & Co.
1944	LEMEN MILDRED P MRS COOKR	R. L. Polk & Co.
	MCKAY AVIS M ELK EE&FR	R. L. Polk & Co.
	KIRK RAYMOND L (LUCY) LAB EE&FH	R. L. Polk & Co.
1940	VIDAL FRANK (ROSE) LABH	R. L. Polk & Co.
1935	GUINEY MICHL STEVEDOREH	R. L. Polk & Co.

2814 19TH ST

Year	Uses	Source
2012	UNIVERSAL CAFE	Cole Information Services
2007	UNIVERSAL CAFE	Cole Information Services
	A 24 7 EMERGENCY A LOCKSMITH	Cole Information Services
2006	UNIVRSLCAFE	Haines Company, Inc.
2000	No Current Listings	Haines & Company
1993	Voorhees Bonner	Pacific Bell
1982	Vacant	R. L. Polk & Co.
1977	Thompson Robert Co	Pacific Telephone
1971	VACANT	Pacific Telephone
1962	Scala Radio radio sup mfrs	R. L. Polk & Co.
1958	Scala Radio Co mfr	R. L. Polk & Co.
1953	Scala Radio Co	R. L. Polk & Co.
1930	KLOPPER AUG LABR	R. L. Polk & Co.

2815 19TH ST

Year	Uses	Source
2006	o CHENGIvan	Haines Company, Inc.
2000	No Current Listings	Haines & Company
1993	Cheng Ceferino	Pacific Bell
	Romero C	Pacific Bell
1982	Calderon Amparo	R. L. Polk & Co.
	Camacho Rosendo	R. L. Polk & Co.
1977	Renteria Shirley	Pacific Telephone
	Camacho Rosendo	Pacific Telephone
1971	RUIZ ISRAEL	Pacific Telephone

FINDINGS

Year	Uses	Source
1966	2813 15 Vacant	R. L. Polk & Co.
1962	Parrish Blanche Mrs	R. L. Polk & Co.
1958	Greesbach W H	R. L. Polk & Co.
1949	ORBE VIRGINIA CLK A C HORN COR	R. L. Polk & Co.
	PONCATO CARLOS D (MABEL M) INGSHRMNH	R. L. Polk & Co.
1944	CARLOS D (MAYBLE) SEAMN H	R. L. Polk & Co.
1940	HENDEBSON WILLARD (ETHEL) FNDRYWKRH	R. L. Polk & Co.
1930	TIMLIT WM LABH	R. L. Polk & Co.

2817 19TH ST

Year	Uses	Source
2006	a VARGAHarvey	Haines Company, Inc.
	TATROWNicole	Haines Company, Inc.
	TATROWNIcole	Haines Company, Inc.
	KORENMor	Haines Company, Inc.
2000	VARGA Harvey	Haines & Company
1993	Shapira Adam	Pacific Bell
1982	Vacant	R. L. Polk & Co.
1977	Vacant	Pacific Telephone
1971	MISSION ART	Pacific Telephone
1966	Vacant	R. L. Polk & Co.
1962	Messier Arth	R. L. Polk & Co.
1958	Garella Mary S Mrs	R. L. Polk & Co.
1953	Garella Pete	R. L. Polk & Co.
1949	GARELLA PETER (MARY) H	R. L. Polk & Co.
1944	MCNULTY ALBT C (THELMA) BREWERYWKRH	R. L. Polk & Co.
1940	MCNULTY ALBT C (VELMA) LABH	R. L. Polk & Co.
1935	ALBT (THELMA)H	R. L. Polk & Co.
1930	SOZZI PALMIRA LABH	R. L. Polk & Co.
1925	AGA4SI LOUIS R	R. L. Polk & Co.

2820 19TH ST

Year	Uses	Source
2006	LEUJNGJenny	Haines Company, Inc.

2828 19TH ST

Year	Uses	Source
2007	BADCO	Cole Information Services

FINDINGS

Year	Uses	Source
2006	SHAPIRO Johanna	Haines Company, Inc.
	SHAPIRORaub	Haines Company, Inc.
2000	No Current Listings	Haines & Company
1993	Savoy A J	Pacific Bell
1982	Savoy Adam J	R. L. Polk & Co.
1977	No Return	Pacific Telephone
1971	NO RETURN	Pacific Telephone
1935	CONTI JOHANNAR	R. L. Polk & Co.
	CONTI MATTHEW (TERESA) LABH	R. L. Polk & Co.
	CONTI JOHN LABR	R. L. Polk & Co.

2830 19TH ST

Year	Uses	Source
1971	NO RETURN	Pacific Telephone

2834 19TH ST

Year	Uses	Source
1949	FISHER ROBT L ELECTN CUTLER HAMMER INCR	R. L. Polk & Co.

2835 19TH ST

Year	Uses	Source
2000	No Current Listings	Haines & Company

2902 19TH ST

Year	Uses	Source
1962	Vacant	R. L. Polk & Co.
1958	General Metals Corp Enterprise Div	R. L. Polk & Co.
1940	ENTERPRISE FOUNDRY COMPANY CHARLES J P HOEHN PRES HENRY MARTENS V-PRES JAME	R. L. Polk & Co.
	PACIFIC COAST FOUNDERS ASSN	R. L. Polk & Co.
1935	ENTERPRISE FOUNDRY CORP CHARLES J P HOEHN PRES -HENRY MARTENS V-PRES JAMES	R. L. Polk & Co.
1930	ENTERPRISE FOUNDRY CO CHARLES J P HOEHN PRES JAMES W HEANEY SEC ALBERT J MA	R. L. Polk & Co.

FINDINGS

19TH WORKS 18TH

2902 19TH WORKS 18TH

Year	Uses	Source
1930	ENTERPRISE OIL BURNER CO MAIN OFFICE	R. L. Polk & Co.

19TH ZONE 10

2700 19TH ZONE 10

Year	Uses	Source
1949	REYNARD PRESS (R) J E H AND F S NUSSER) PRINTERS TYDOGRAPHERS PUBLISHERS	R. L. Polk & Co.

19TH/BRYANT

19TH/BRYANT

Year	Uses	Source
1962	19TH/BRYANT	R. L. Polk & Co.
1958	19TH/BRYANT	R. L. Polk & Co.
1953	19TH/BRYANT	R. L. Polk & Co.

19TH/BRYANT ST

19TH/BRYANT ST

Year	Uses	Source
1982	19TH/BRYANT ST	R. L. Polk & Co.
1977	19TH/BRYANT ST	Pacific Telephone
1971	19TH/BRYANT ST	Pacific Telephone

19TH/FLORICA ST

19TH/FLORICA ST

Year	Uses	Source
1971	19TH/FLORICA ST	Pacific Telephone

19TH/FLORIDA

19TH/FLORIDA

Year	Uses	Source
1966	19TH/FLORIDA	R. L. Polk & Co.
1962	19TH/FLORIDA	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1958	19TH/FLORIDA	R. L. Polk & Co.
1953	19TH/FLORIDA	R. L. Polk & Co.

19TH/FLORIDA ST

19TH/FLORIDA ST

Year	Uses	Source
1982	19TH/FLORIDA ST	R. L. Polk & Co.
1977	19TH/FLORIDA ST	Pacific Telephone

19TH/YORK

19TH/YORK

Year	Uses	Source
1966	19TH/YORK	R. L. Polk & Co.
1962	19TH/YORK	R. L. Polk & Co.
1958	19TH/YORK	R. L. Polk & Co.
1953	19TH/YORK	R. L. Polk & Co.

19TH/YORK ST

19TH/YORK ST

Year	Uses	Source
1982	19TH/YORK ST	R. L. Polk & Co.
1977	19TH/YORK ST	Pacific Telephone
1971	19TH/YORK ST	Pacific Telephone

BRYANT

2014 BRYANT

Year	Uses	Source
1944	BOX & NOVELTY CO (B E CANNON)	R. L. Polk & Co.
1930	WOODEN BOX & NOVELTY CO J F KORBEL PRES B E	R. L. Polk & Co.
1925	KARBEL JOE F (MARGT A) GAR BOX MIN	R. L. Polk & Co.

2028 BRYANT

Year	Uses	Source
1930	JUNE FL STEN HOT-N-KOLD CORP R	R. L. Polk & Co.

FINDINGS

2030 BRYANT

Year	Uses	Source
1925	TO ILEBECCA (WLD ARTL)H	R. L. Polk & Co.

2031 BRYANT

Year	Uses	Source
1949	R	R. L. Polk & Co.
	SMITH FRANK R (GRACE L)H	R. L. Polk & Co.
1944	H	R. L. Polk & Co.
1940	JOHNSON ALVIN B (EDITH FL HOUSE MOVER	R. L. Polk & Co.
1935	SMITH FRANK R (GRACE) SLSMNH	R. L. Polk & Co.
1930	R	R. L. Polk & Co.

2044 BRYANT

Year	Uses	Source
1944	R901	R. L. Polk & Co.

2048 BRYANT

Year	Uses	Source
1940	H	R. L. Polk & Co.

2050 BRYANT

Year	Uses	Source
1930	MARSHALL CO A A DEVOTO MGR IRON WKS	R. L. Polk & Co.
1925	CENTRAL IRON WORKS A A DEVOTO PRES	R. L. Polk & Co.

2080 BRYANT

Year	Uses	Source
1949	MORECI ANTHONY (JOSEPHINE C) DRH	R. L. Polk & Co.

2082 BRYANT

Year	Uses	Source
1944	MONTALBANO DENISE MRS H	R. L. Polk & Co.
1940	GRANZELLA FRANK (ROSE) CARPH	R. L. Polk & Co.

2088 BRYANT

Year	Uses	Source
1925	GULNAW WM J (EVELYN) BOILERMKR H	R. L. Polk & Co.

FINDINGS

2090 BRYANT

Year	Uses	Source
1930	HALLETT VIOLET (WID CHAS)H	R. L. Polk & Co.

2098 BRYANT

Year	Uses	Source
1944	R	R. L. Polk & Co.
1935	LIP JAS 0 (LOULIS)H	R. L. Polk & Co.
1925	AGNES MRS H	R. L. Polk & Co.

2099 BRYANT

Year	Uses	Source
1935	MAYPOLE DYE WORKS MANUFACURERS OF WORSTED YARNS AND DYERS OF WORSTED YARNS	R. L. Polk & Co.

2100 BRYANT

Year	Uses	Source
1990	SCHMIDT A CO	Pacific Bell

2101 BRYANT

Year	Uses	Source
1985	3AIDS DRAFTING	Pacific Bell
1949	REMLER CO LTD R C GRAY OROS JATK T FW (N) R V-PRES RADIO NRIFR	R. L. Polk & Co.
1930	& DANIELSON MFG CO (T B GRAY E G DANIELSON) SCREW MACH PRODUCTS	R. L. Polk & Co.

2104 BRYANT

Year	Uses	Source
1944	H	R. L. Polk & Co.

2110 BRYANT

Year	Uses	Source
1940	ENGSTROM P MATILDAR	R. L. Polk & Co.
1935	MCGRATH JOS P MSNGRR	R. L. Polk & Co.
1930	R	R. L. Polk & Co.
	H	R. L. Polk & Co.

FINDINGS

2112 BRYANT

Year	Uses	Source
1949	H	R. L. Polk & Co.
	R	R. L. Polk & Co.
1944	MOLINA FRANK (AIMELIA) SLSIMAH	R. L. Polk & Co.
1935	DE JOHN (HATTIE) BOXMKRH	R. L. Polk & Co.
1925	KILSHY CLIAS (ADELINE) TLLESTR H	R. L. Polk & Co.

2114 BRYANT

Year	Uses	Source
1925	REARDON MILEL W OAW H	R. L. Polk & Co.

2116 BRYANT

Year	Uses	Source
1949	RODRIGUEZ GRACLIONO (CELIA)H	R. L. Polk & Co.
1930	MCGRATH BLANCHE (MCGRATH & LEGAS)R	R. L. Polk & Co.

2120 BRYANT

Year	Uses	Source
1930	SEAVERS ISDAC AUTO MECHH	R. L. Polk & Co.

2121 BRYANT

Year	Uses	Source
1990	FINE FEATHERS OF SAN FRANCISCO	Pacific Bell
	AILES BENJAMIN PHOTGRPHR	Pacific Bell
	ELLEN CO NO 2	Pacific Bell
1985	ELLEN CO NO2	Pacific Bell
	FOURTH LITTLE PIG THE	Pacific Bell

2132 BRYANT

Year	Uses	Source
1944	BARBE JOHN B (THEODOSE) (J B BARBE & SON)H	R. L. Polk & Co.
1935	BARBE JOHN B (THEODORE) INDY	R. L. Polk & Co.

BRYANT AVE

2005 BRYANT AVE

Year	Uses	Source
1925	MISSION PAPER BOX CO INC ALL KINDS OF SET UP BOXES MADE TO ORDER	R. L. Polk & Co.

FINDINGS

2028 BRYANT AVE

Year	Uses	Source
1949	ZENAIRE CATH (WID GEO)H	R. L. Polk & Co.
1944	ZENAIRE CATH (WID GEO)H	R. L. Polk & Co.

2063 BRYANT AVE

Year	Uses	Source
1949	HILLBACK ALFRED W MGR GREAT AMERICAN INDEMNITY CO OF N Y	R. L. Polk & Co.

2082 BRYANT AVE

Year	Uses	Source
1930	GRANZELLA ALBT FACTRYWKRH	R. L. Polk & Co.

2088 BRYANT AVE

Year	Uses	Source
1944	MICHL (MARIKA) SHIPYDWKRH	R. L. Polk & Co.

2090 BRYANT AVE

Year	Uses	Source
1944	STANYAN JAS G (RUBY M) SHIPYDWKRH	R. L. Polk & Co.
1925	MEGREEVY JAS F (ISABEL) BLDG INSPR R	R. L. Polk & Co.

2098 BRYANT AVE

Year	Uses	Source
1944	CRANK MARION C (BERTHA) FURNITURE	R. L. Polk & Co.

2120 BRYANT AVE

Year	Uses	Source
1949	MUZZY JACK L (ALBIE A) MACHH	R. L. Polk & Co.
1935	SEAVERS JAS (ROSEMOND) MAECHH	R. L. Polk & Co.

2132 BRYANT AVE

Year	Uses	Source
1944	BARBE J B & SON (J B AND R A BARBE) HD INDY	R. L. Polk & Co.

FINDINGS

BRYANT ST

2000 BRYANT ST

Year	Uses	Source
2012	TORTILLA FLATS	Cole Information Services
2007	0 & 0 24 HOUR LOCKSMITH	Cole Information Services
	TORTILLA FLATS	Cole Information Services

2001 BRYANT ST

Year	Uses	Source
2012	FUTURE LIGHT DIGITAL WORKSHOPS	Cole Information Services
	CALUMET PHOTOGRAPHIC	Cole Information Services
2007	FUTURE LIGHT DIGITAL WORKSHOPS	Cole Information Services
	CALUMET PHOTOGRAPHIC INC	Cole Information Services

2002 BRYANT ST

Year	Uses	Source
1949	CAFETS TONY RESTR	R. L. Polk & Co.
1940	LAGARES THOS (IRENE) RESTR	R. L. Polk & Co.
1930	LAGARES THOS GRO	R. L. Polk & Co.
	SCHEUFELE CHAS MEATS	R. L. Polk & Co.
1915	Jopp John Barbarba Jopp & Siebe r	H. S. Crocker Co.
	Siebe John r	H. S. Crocker Co.

2005 BRYANT ST

Year	Uses	Source
2000	No Current Listings	Haines & Company
1977	Jenkins Margaret Studio dance	Pacific Telephone
1962	a Corona Octavaino	R. L. Polk & Co.
1920	FRANK& HYNANSHOECA INC	Pacific Telephone

2008 BRYANT ST

Year	Uses	Source
2006	WICKS Timolhy	Haines Company, Inc.
2000	No Current Listings	Haines & Company
1982	Winters Jesse	R. L. Polk & Co.
1977	Winters Jesse	Pacific Telephone
1971	WINTERS JESSE	Pacific Telephone
1966	Winters Jesse	R. L. Polk & Co.
1962	Winters Jesse	R. L. Polk & Co.
1953	Winters Jesse	R. L. Polk & Co.

FINDINGS

2010 BRYANT ST

Year	Uses	Source
2000	NUEVACASTILLA	Haines & Company
1993	NUEVA CASTILLA	Pacific Bell
1990	NUEVA CASTILLA IRON ORNMNTL WRK	Pacific Bell
1985	NUEVA CASTILLA IRON ORNMNTRL WRK	Pacific Bell
1982	Nueva Castilla Co ornamental iron & steel works	R. L. Polk & Co.
1977	Nueva Castilla Co ornamental iron & steel wks	Pacific Telephone
1971	VACANT 2010 THRU 2012	Pacific Telephone
1966	Assoc lighting equip	R. L. Polk & Co.
	Woodard Ross Paddock	R. L. Polk & Co.
1962	Reliable Slit Mtl Co	R. L. Polk & Co.
1958	Reliable Sht Mtl Co	R. L. Polk & Co.
	Reliable Sht Mtl Co	R. L. Polk & Co.
1953	Reliable Sht Mtl Co	R. L. Polk & Co.

2011 BRYANT ST

Year	Uses	Source
1977	Vacant	Pacific Telephone

2012 BRYANT ST

Year	Uses	Source
2006	ALCANTARAPablo	Haines Company, Inc.
	SECURITY SVIRN	Haines Company, Inc.
2000	SECURITY SV IRN WRK	Haines & Company
1993	SECURITY SERVICE IRON WORKS	Pacific Bell
1990	SECURITY SERVICE IRON WORKS	Pacific Bell
1982	Security Service Iron Works ornamental iron works	R. L. Polk & Co.
1977	Security Service Iron Works ornamental iron works	Pacific Telephone
1966	Vacant	R. L. Polk & Co.
1962	Modern Furn & Cabt Wks mfrs	R. L. Polk & Co.
1958	Gillette Mfg Co toy mfrs	R. L. Polk & Co.
	Gillette Mfg Co toy mfrs	R. L. Polk & Co.
1953	Gillette Mfg Co woodwkrs	R. L. Polk & Co.
1920	KORBEL BOX FACTORY	Pacific Telephone

FINDINGS

2014 BRYANT ST

Year	Uses	Source
2012	CREATIVE FLOORING DESIGN	Cole Information Services
	24 HOURS EMERGENCY LOCKSMITH	Cole Information Services
2007	CREATIVE FLOORING DESIGN	Cole Information Services
2006	CREATIVE FLRNG	Haines Company, Inc.
2000	CREATIVE FLRNG	Haines & Company
1993	CREATIVE FLOORING DESIGN	Pacific Bell
1990	CREATIVE FLOORING DESIGN	Pacific Bell
1985	HANSCO PACIFIC CARPET CO	Pacific Bell
1982	Hansco Pacific Carpet retail	R. L. Polk & Co.
	Rugsn Things	R. L. Polk & Co.
1977	Hansco Pacific Carpet carpet retail	Pacific Telephone
1971	VACANT	Pacific Telephone
1966	Tara Mfg Co restr equip	R. L. Polk & Co.
1962	Tara Mfg Co restr equip	R. L. Polk & Co.
1958	Pinney F K Inc whse	R. L. Polk & Co.
	Pinney F K Inc whse	R. L. Polk & Co.
1949	WOODEN BOX & NOVELTY CO B E CANNON GENI MGR	R. L. Polk & Co.
1940	CANNON BRISDON E (MARCELIN) BOX MFR	R. L. Polk & Co.
1935	WOODEN BOX & NOVELTY CO I F KORBEL PRES B E CANNON V-PRES M A KORBEL SEC	R. L. Polk & Co.
1915	Hammer Benj lab r	H. S. Crocker Co.
1910	Shoepf Louis stableman r	H. S. Crocker Co.

2021 BRYANT ST

Year	Uses	Source
1962	Vacant	R. L. Polk & Co.
1958	Enterprise Engine & Mach Co Special Products Section	R. L. Polk & Co.
	Enterprise Engine & Mach Co Special Products Section	R. L. Polk & Co.

2022 BRYANT ST

Year	Uses	Source
1925	SCHEFFEL CECIL B UPHOLR	R. L. Polk & Co.

FINDINGS

2028 BRYANT ST

Year	Uses	Source
2000	HANDAJohn	Haines & Company
1982	Vacant	R. L. Polk & Co.
1977	Taylor Paul	Pacific Telephone
1971	MC DONALD WM M	Pacific Telephone
1966	Mc Donald Wm	R. L. Polk & Co.
1962	Vacant	R. L. Polk & Co.
1958	Vacant	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
1953	Zenaire Cath T Mrs	R. L. Polk & Co.
1944	MCMANUS PATK D WHSMN SNOW & GALGIANIR	R. L. Polk & Co.
1940	MCMANUS PATK D PORTERR	R. L. Polk & Co.
	ZENAIRE CATH (WID GEO)H	R. L. Polk & Co.
	ZENAIRE FRANCES PROOFRDRR	R. L. Polk & Co.
1935	PATK PORTER SNOW & GALGIANIR	R. L. Polk & Co.
1925	ZENARIE CATH (WID GEO) SENSTRSR	R. L. Polk & Co.
	WILBUR WM (CATH) BLKSMNITHLH	R. L. Polk & Co.
1915	Wilson Wm Katherine h	H. S. Crocker Co.
	Mc Manus Martin insp r	H. S. Crocker Co.
1910	Wilson William blksmith r	H. S. Crocker Co.
	Mc Manus Patrick carp r	H. S. Crocker Co.

2030 BRYANT ST

Year	Uses	Source
1982	Vacant	R. L. Polk & Co.
1977	Hatchett Herbert	Pacific Telephone
1971	HATCHETT HERBERT	Pacific Telephone
1966	Mc Arthur Cora Mrs	R. L. Polk & Co.
1962	Vacant	R. L. Polk & Co.
1958	McCarthy Cora Mrs	R. L. Polk & Co.
	McCarthy Cora Mrs	R. L. Polk & Co.
1953	Vacant	R. L. Polk & Co.
1949	GEOH	R. L. Polk & Co.
1940	ERHARD DOROTHY FETY WKRR	R. L. Polk & Co.
	ERHARD EUG WHSMNR	R. L. Polk & Co.
	ERHARD HELENH	R. L. Polk & Co.
	ERHARD FERDINAND LABR	R. L. Polk & Co.
1930	BURGHART VIRGINIA MRSH	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1925	AUGULO JOACLUIN LAB R	R. L. Polk & Co.
	ANGOVE JULIA LAL)R	R. L. Polk & Co.
	ANGUTO JULLAN FUN TORYWKRR	R. L. Polk & Co.
	DURAN CARMEN FACTORYWKR	R. L. Polk & Co.
1910	Rea Clifford clk r	H. S. Crocker Co.
	Rea Harry boilermkr r	H. S. Crocker Co.
	Rea Louisa widow r	H. S. Crocker Co.

2031 BRYANT ST

Year	Uses	Source
2000	OKEENEYJack	Haines & Company
1982	Sound Genesis Annex	R. L. Polk & Co.
1977	Vacant	Pacific Telephone
1971	VACANT	Pacific Telephone
1966	Assoc garage	R. L. Polk & Co.
	Challenge C ream & Butter	R. L. Polk & Co.
1962	Challenge Cream & Butter Assn garage	R. L. Polk & Co.
1958	Vacant	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.
1953	Pearson & Johnson	R. L. Polk & Co.
	Smith Frank R	R. L. Polk & Co.
1944	JOHIMSON ALBIN B (EDITH F) HOUSEMOVER	R. L. Polk & Co.
1940	JOHNSON ALBIN B (EDITH F) HOUSE MOVER	R. L. Polk & Co.
	SMITH FRANK R (GRACE L W) SLSMNH	R. L. Polk & Co.
	SMITH GRACE L W MRS ELK PEARSON & JOHNSONR	R. L. Polk & Co.
1935	PETER & JOHNSON (E R PEARSON A B JOHNSON) HOUSEMOVERS	R. L. Polk & Co.
1930	SMITH FRANK R (GRACE) LABR	R. L. Polk & Co.
1925	JOHNSON ALBIN B (GDITH F PPARSON & JOHNSON)H	R. L. Polk & Co.
	JOHN AR	R. L. Polk & Co.
	& JOHINSON (BE K PEARSON A B JOHNSON) HOUSE MOVERS	R. L. Polk & Co.

2032 BRYANT ST

Year	Uses	Source
1910	Bunner Leo E policeman r	H. S. Crocker Co.

FINDINGS

2034 BRYANT ST

Year	Uses	Source
1910	Olivotti Nathale foreman Central Iron Wks r	H. S. Crocker Co.

2035 BRYANT ST

Year	Uses	Source
1935	BUENA SCHOOL	R. L. Polk & Co.

2038 BRYANT ST

Year	Uses	Source
1915	Morton John tmstr r	H. S. Crocker Co.

2040 BRYANT ST

Year	Uses	Source
1915	Coughlin Henry F elk Coughlins Dxayage &Transfer Co r	H. S. Crocker Co.
	Shannon Wm tmstr r	H. S. Crocker Co.
	Price Stanley tmstr r	H. S. Crocker Co.
	Coughlin Win J clk Coughlins Drayage & Transfer Co r	H. S. Crocker Co.
	Coughlin Jeremiah J Jr Coughlins Drayage & Transfer Co r	H. S. Crocker Co.
	Coughlin Jas J clk Coughlins Drayage & Transfer Co r	H. S. Crocker Co.
1910	Coughlin John F Palmer & Coughlin r	H. S. Crocker Co.

2044 BRYANT ST

Year	Uses	Source
2012	PRODUCTION SPECIALTIES	Cole Information Services
2007	KLEIN INDUSTRIES INC	Cole Information Services
	PRODUCTION SPECIALTIES INC	Cole Information Services
2006	PRODUCTION	Haines Company, Inc.
	SPCLTY	Haines Company, Inc.
2000	PRODUCTIONSPCLTY	Haines & Company
1982	Vacant	R. L. Polk & Co.
1977	Vacant	Pacific Telephone
1971	VACANT	Pacific Telephone
1962	Modern Vehicle Co truck body	R. L. Polk & Co.
1958	Modern Vehicle Co truck body mfrs	R. L. Polk & Co.
	Modern Vehicle Co truck body mfrs	R. L. Polk & Co.
1953	Modern Vehicle Co truck body mfrs	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1949	MODERN VEHICLE COMPANY ARTHUR J KAHN PRES L ROSS SINE V-PRES-GENL MGR MFRS	R. L. Polk & Co.
1940	MODERN VEHICLE CO ARTHUR J KAHN PROP L R SINE MGR MFRS OF COMMERCIAL TRUOCK	R. L. Polk & Co.
1935	MODERN VEHICLES CO ARTHUR J KAHN SECTREAS-MGR MFRS OF COMMERCIAL TRUCK BODI	R. L. Polk & Co.

2048 BRYANT ST

Year	Uses	Source
2000	YOUTT Jonathan	Haines & Company
	SPARLING Julie	Haines & Company
1962	Weld Built Body Co Inc	R. L. Polk & Co.
	West Coast br truck	R. L. Polk & Co.

2050 BRYANT ST

Year	Uses	Source
2012	CELLSPACE	Cole Information Services
2007	CELLSPACE ORG	Cole Information Services
	CRUCIBLE STEEL GALLERY	Cole Information Services
2006	CELLSPACE	Haines Company, Inc.
2000	CELL	Haines & Company
	ESTA R ADVENTURES	Haines & Company
	GLASSSPIDER	Haines & Company
	GUTIERREZJuan	Haines & Company
1993	A SECTION EIGHT PRODUCTION	Pacific Bell
1990	A SECTION EIGHT PRODUCTION SILK SCREEN	Pacific Bell
	SECTION EIGHT SILK SCREENS	Pacific Bell
1985	LIGHTING MANAGEMENT CORP	Pacific Bell
	M-B PRODUCTS	Pacific Bell
	P PREVIEW SYSTEMS	Pacific Bell
	SAN FRANCISCO METAL SPINNING	Pacific Bell
	URBAN SYSTEMS PACIFIC	Pacific Bell
	URBAN SYSTEMS STREETSCAPES INC	Pacific Bell
	VOLUMNO VIDEO WORKS	Pacific Bell
1982	Sylvia Dick Lighting & Lamps mfr	R. L. Polk & Co.
	Preview Systems machine shop	R. L. Polk & Co.
	M B Products	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1982	San Francisco Metal Spinning lighting fixtures parts mfg	R. L. Polk & Co.
1977	Lightolier lighting fixtures mfg	Pacific Telephone
1971	HARRON RICKARD & MC CONE CO OF NORTHERN CAL MACHINERY MFG	Pacific Telephone
1966	First Western Machy Co	R. L. Polk & Co.
1962	Crucible Steel Co of Am AT	R. L. Polk & Co.
	Harron Rickard & Mc Cone Cio of	R. L. Polk & Co.
	Northern Calif mach tools	R. L. Polk & Co.
1958	Crucible Steel Co of Am	R. L. Polk & Co.
	Crucible Steel Co of Am	R. L. Polk & Co.
1953	Crucible Steel Co of Am	R. L. Polk & Co.
1935	SCOTT PAPER CO H E FITCH MGR	R. L. Polk & Co.
	SHEEDY JOS D (JOSEPHINE) DRAYAGE	R. L. Polk & Co.
1920	CENTRAL IRON WORTS	Pacific Telephone

2055 BRYANT ST

Year	Uses	Source
2007	R J MUNA PICTURES	Cole Information Services
2006	RJ MUNAPICTURES	Haines Company, Inc.
	LEFT SPACE	Haines Company, Inc.
	RJ MUNA PICTURES	Haines Company, Inc.
2000	PIXXON INC	Haines & Company
1993	HOPPE IMPORTS	Pacific Bell
1982	Pacific Telephone Building	R. L. Polk & Co.
1977	Pacific Telephone Bldg	Pacific Telephone

2056 BRYANT ST

Year	Uses	Source
1925	EHRMANN FRANUK J (MARY)H	R. L. Polk & Co.
1915	Manos Peter shoemkr r	H. S. Crocker Co.
1910	Quinlan Cornelius lab r	H. S. Crocker Co.

2058 BRYANT ST

Year	Uses	Source
1925	BOOGE PAUL (JULIA) JANITORH	R. L. Polk & Co.
1915	Comaich Geo M boxmkr r	H. S. Crocker Co.

FINDINGS

2064 BRYANT ST

Year	Uses	Source
1910	Connolly Dennis J stev r	H. S. Crocker Co.

2066 BRYANT ST

Year	Uses	Source
1915	Kelleher Cornelius J Mary hoseman S F F D h	H. S. Crocker Co.
	Lacy Patrick assembler r	H. S. Crocker Co.
	Flynn Julia wid Thos r	H. S. Crocker Co.
1910	Kelleher Cornelius hoseman Engine 25	H. S. Crocker Co.
	r	H. S. Crocker Co.

2072 BRYANT ST

Year	Uses	Source
1925	LANDINI ANTOINETTE (WID PETER)	R. L. Polk & Co.
	H	R. L. Polk & Co.
1920	MULLEN MISS ELLA R	Pacific Telephone
1915	Henney John R Gertrude fireman h	H. S. Crocker Co.
	Mullen Jas F bkpr vr	H. S. Crocker Co.
	Mullen Ellen wid Thos r	H. S. Crocker Co.
	Cronin J Thos whseman T	H. S. Crocker Co.
1910	Mutter Peter lab r	H. S. Crocker Co.
	Flanagan James riveter r	H. S. Crocker Co.

2074 BRYANT ST

Year	Uses	Source
1925	BERNITA MRSR	R. L. Polk & Co.
1915	Pries Edw Caroline elk h	H. S. Crocker Co.
	De Cleer Frank h	H. S. Crocker Co.

2076 BRYANT ST

Year	Uses	Source
1925	CORVL ANGELO (LOUISA) LABH	R. L. Polk & Co.
	CORVL CHAS LABR	R. L. Polk & Co.
1920	HUNTER MRSCL R	Pacific Telephone
1915	Eberhard Charlotte wid Rudolph W h	H. S. Crocker Co.
	Eberhard Rudolph G elk r	H. S. Crocker Co.

FINDINGS

2080 BRYANT ST

Year	Uses	Source
2006	GARCIAMyma	Haines Company, Inc.
	TENAS Julia E	Haines Company, Inc.
2000	OGARCIAMyrna	Haines & Company
	SANDOVALDaniel	Haines & Company
1985	TENAS ROGELIO	Pacific Bell
1982	Tenas Rogelio I	R. L. Polk & Co.
1977	Vacant	Pacific Telephone
1971	HOLEY EARNEST	Pacific Telephone
1966	Garrison David B	R. L. Polk & Co.
1962	Griscoe Mary A Mrs	R. L. Polk & Co.
1958	Grisco Mary A Mrs	R. L. Polk & Co.
	Grisco Mary A Mrs	R. L. Polk & Co.
1953	Grisco Mary A Mrs	R. L. Polk & Co.
1949	GRIECO MARY A MRS LABTY WKR UCHOSPR	R. L. Polk & Co.
1944	LUTHER CLYDEH	R. L. Polk & Co.
1940	AZEVEDO EUG PRINTER STANLEY GRIFFINR	R. L. Polk & Co.
	KILSBY JOHANNA H (WID JOHN)H	R. L. Polk & Co.
1935	KILSBV FRANK LNDVWKRR	R. L. Polk & Co.
	KILSBY JOHANNA (WID JACK)H	R. L. Polk & Co.
1930	KILSBY JOHANNAH	R. L. Polk & Co.
	BURKE JAS TRUNKMKRR	R. L. Polk & Co.
	KILSBY FRANK INDYWKRR	R. L. Polk & Co.
1925	KILSHY JOHANNA (WID JOHN)H	R. L. Polk & Co.
	KILSHY JOHN S TILE STRR	R. L. Polk & Co.
1915	Voss Frank Alice lab h	H. S. Crocker Co.
1910	Pries Edward C mach r	H. S. Crocker Co.

2082 BRYANT ST

Year	Uses	Source
2006	o PEREZCaros	Haines Company, Inc.
2000	PEREZCarlos	Haines & Company
1985	CASTANEDA IVAN A	Pacific Bell
1982	Melendez Irving	R. L. Polk & Co.
1977	Fernandez Manuel	Pacific Telephone
1971	GARRISON DAVID B	Pacific Telephone
1966	Page Frank N	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1962	Flemons Benj F	R. L. Polk & Co.
1958	Flemons Benj F	R. L. Polk & Co.
	Flemons Benj F	R. L. Polk & Co.
1953	Flemons Benj	R. L. Polk & Co.
1949	MORECI JOE (ISABEL) DRH	R. L. Polk & Co.
1935	GRANSELLA GEO SCAVENGERH	R. L. Polk & Co.
1925	GRANZELLA IRENER	R. L. Polk & Co.
	GRANZELLA FRANK MATTRESSMKRR	R. L. Polk & Co.
	GRANZELLA EDW METALWKRR	R. L. Polk & Co.
	GRANZELLA EDNA MACH OPRR	R. L. Polk & Co.
	GRANZELLA DAVID (BOSE)H	R. L. Polk & Co.
	GRANZELLA ALBERT METALWKRR	R. L. Polk & Co.
1910	Steffens Charles with Great Am Imp Tea Co r	H. S. Crocker Co.
	Steffen Charles clk r	H. S. Crocker Co.

2085 BRYANT ST

Year	Uses	Source
1966	Vacant	R. L. Polk & Co.
1962	Ace Dye Wks	R. L. Polk & Co.
1958	Ace Dye Works	R. L. Polk & Co.
	Ace Dye Works	R. L. Polk & Co.
1953	Ace Dye Works	R. L. Polk & Co.
1949	ACE DYE WORKS (F G HUBENER PAUL AGAZZI MRS JULIA YERBURY L M GILBERT) DYERS	R. L. Polk & Co.

2088 BRYANT ST

Year	Uses	Source
2007	ORRO MEDICAL	Cole Information Services
2006	BERMUDEZDel U 8no	Haines Company, Inc.
2000	BERMUDEZDelfino	Haines & Company
1990	MITCHELL MIKE	Pacific Bell
1985	MITCHELL MIKE	Pacific Bell
1982	Mitchell Michl	R. L. Polk & Co.
1977	Mitchell Michl	Pacific Telephone
1971	MITCHELL MICHL	Pacific Telephone
1966	Mitchell Mike	R. L. Polk & Co.
1962	Mitchell Mike	R. L. Polk & Co.
1958	Mitchell Michl	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1958	Mitchell Michl	R. L. Polk & Co.
1953	Mitchell Michl	R. L. Polk & Co.
1949	MICHL (MARIA) PNTRH	R. L. Polk & Co.
1940	MICHI EMP LEGALLET TANNING COH	R. L. Polk & Co.
1935	STEVENS RAYMOND (JOSEPHINE) LABH	R. L. Polk & Co.
	MILLER WM LABR	R. L. Polk & Co.
1910	Riley Patrick contr r	H. S. Crocker Co.

2090 BRYANT ST

Year	Uses	Source
2006	BERMUNDEZ Delfino	Haines Company, Inc.
2000	LUNAA	Haines & Company
1982	Padilla Jose	R. L. Polk & Co.
1977	Padilla Jose	Pacific Telephone
1971	PADILLA JOSE	Pacific Telephone
1966	No Return	R. L. Polk & Co.
1962	Regalado Rudolph L	R. L. Polk & Co.
1958	Leyva Rudy J	R. L. Polk & Co.
	Leyva Rudy J	R. L. Polk & Co.
1953	Felciano Albert J	R. L. Polk & Co.
1949	FELICIANO ALBT J (HELEN) WHSMN C J HENDRY COR	R. L. Polk & Co.
1940	ALVAREZ PETE (ROSE) CEMENT FNSHRH	R. L. Polk & Co.

2097 BRYANT ST

Year	Uses	Source
1910	Crowley James lab r	H. S. Crocker Co.

2098 BRYANT ST

Year	Uses	Source
2006	ALVAREZ Miguel	Haines Company, Inc.
2000	No Current Listings	Haines & Company
1982	Vacant	R. L. Polk & Co.
1977	Mendez Jesus	Pacific Telephone
1971	MENDEZ JESUS	Pacific Telephone
1966	Garcia Edw C	R. L. Polk & Co.
1962	Garcia Edw C	R. L. Polk & Co.
1958	Jones Jeanette S Mrs	R. L. Polk & Co.
	Jones Jeanette S Mrs	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1953	Crank Bertha Mrs	R. L. Polk & Co.
1949	CRANK MARION C (BERTHA) FURN	R. L. Polk & Co.
1940	DUMAS ARTH (EVA) JANH	R. L. Polk & Co.
1935	STILWELL NEELY DR	R. L. Polk & Co.
1930	ROGERS HARRY J (MARGT) CHAUF H	R. L. Polk & Co.
1925	ROGERS I-IHARRY CHAUFR	R. L. Polk & Co.
1915	Ryan Thos F liquors	H. S. Crocker Co.
	Ryan Frank liquors	H. S. Crocker Co.
1910	Ryan Thomas F liquors	H. S. Crocker Co.
	Ryan John J coremkr r	H. S. Crocker Co.

2099 BRYANT ST

Year	Uses	Source
1971	NO RETURN	Pacific Telephone
1966	Vacant	R. L. Polk & Co.
1953	Oregon Worsted Co mfrs agts	R. L. Polk & Co.
	Renas Yarn Basket	R. L. Polk & Co.
1949	MAYPOLE DYE WORKS MANUFACTURERS AND DYERS WORSTED YARNS	R. L. Polk & Co.
1944	MAYPOLE DYE WORKS MANUFACTURERS AND DYERS WORSTED YARNS	R. L. Polk & Co.
1940	MAYPOLE DYE WORKS MANUFACTURERS OF WORSTED YARNS AND DYERS OF WORSTED YARNS	R. L. Polk & Co.
1930	MAYPOLE DYE WORKS H T BISHOP MGR	R. L. Polk & Co.

2100 BRYANT ST

Year	Uses	Source
2012	PETERSEN & VERWERS ARCHIT	Cole Information Services
2007	CORNER STUDIO LLC	Cole Information Services
2006	CORNERSTUDIO	Haines Company, Inc.
	THELLC	Haines Company, Inc.
2000	HUTTONGary J	Haines & Company
1993	HUTTON GARY DESIGN	Pacific Bell
	SCHMIDT A O CO	Pacific Bell
1990	HUTTON GARY	Pacific Bell
1985	SCHMIDT AOCO	Pacific Bell
1977	Schmidt A O Co pharmaceutical mfr	Pacific Telephone

FINDINGS

Year	Uses	Source
1971	SCHMIDT A O CO	Pacific Telephone
1966	Schmidt A 0 Co pharmaceutical	R. L. Polk & Co.
	products mfrs	R. L. Polk & Co.
1962	Schmidt A Co pharmaceutical	R. L. Polk & Co.
1958	Schmidt A O Co pharm products	R. L. Polk & Co.
	Schmidt A O Co pharm products	R. L. Polk & Co.
1953	Schmidt A O Co	R. L. Polk & Co.

2101 BRYANT ST

Year	Uses	Source
2007	CATHERINE BAILEY	Cole Information Services
	SAN FRNCSCOS REAL SWETR OTL	Cole Information Services
2000	BEATRICESANTICCIOLI	Haines & Company
	ONE&CO	Haines & Company
	CHASTAINSLSEWING	Haines & Company
	DIANA VINTRODSGNS	Haines & Company
	EDDERSWAY	Haines & Company
	MOVE DESIGN	Haines & Company
	PENNY WALLACE	Haines & Company
	SWEATERS	Haines & Company
	SHERRYSTEIN	Haines & Company
	INDUSTRIALDESIGN	Haines & Company
	STEIN SHERRY	Haines & Company
1993	Nolan Jennifer	Pacific Bell
	HOUSE FINE FURNISHING FABRICS	Pacific Bell
	P COLE STUDIO	Pacific Bell
	DELTA TELEPHONE SERVICES	Pacific Bell
	CHASTAIN SUSAN LIND CUSTOM SEWING	Pacific Bell
	DIANA V INTERIOR DESIGNS	Pacific Bell
	LAMP SHOP THE	Pacific Bell
	ZJAWINSKI STUDIO	Pacific Bell
1990	AIDS DRAFTING-ASSISTANTS IN DESIGN SERVICES	Pacific Bell
	LAMP SHOP THE	Pacific Bell
	MOORE CONSTRUCTION CO	Pacific Bell
	NOVIDOR & FIRESTONE	Pacific Bell
	PACIFIC HEIGHTS KITES	Pacific Bell
	THE LAMP SHOP	Pacific Bell
1985	LIND ASSOCIATES	Pacific Bell

FINDINGS

Year	Uses	Source
1985	MOORE CONSTRUCTION CO	Pacific Bell
	RENAISSANCE RIALTO THEATRES INC	Pacific Bell
	THE LAMP SHOP	Pacific Bell
	CINEWEST	Pacific Bell
	FABRIC DESIGN KITES	Pacific Bell
	LAMP SHOP THE	Pacific Bell
1982	Sunset Carpet ret carpet sls	R. L. Polk & Co.
	Community Design Center non profit design	R. L. Polk & Co.
	Moore Construction Co genl bldrs	R. L. Polk & Co.
	Apollo Design	R. L. Polk & Co.
	Cinewest film exhibitors	R. L. Polk & Co.
	Electra Scope Pictures film distrs	R. L. Polk & Co.
	Jackson Nevins Contract Sales	R. L. Polk & Co.
	Renaissance Rialto Inc movie theatre chain	R. L. Polk & Co.
1977	Vacant	Pacific Telephone
1971	REMLER CO ELECTONICS	Pacific Telephone
1966	Remler Co plastic products	R. L. Polk & Co.
1962	Remler Co plastic products	R. L. Polk & Co.
1958	Remler Co plastic products	R. L. Polk & Co.
	Remler Co plastic products	R. L. Polk & Co.
1953	Remler Co plastic prods	R. L. Polk & Co.
1944	REMLER CO (E G DANIELSON PRES R C GRAY V-PRES W S JARDINE SEC-TREAS) RADIO	R. L. Polk & Co.
1940	REMLER CO LTD E G DANIELSON PRES W S JARDINE SEC-TREAS RADIO REPRS	R. L. Polk & Co.
1935	REMIOLER CO LTD E G DANIELSON PRES R C GRAY V-PRES M MINUDRI SEC-TREASMANUF	R. L. Polk & Co.

2104 BRYANT ST

Year	Uses	Source
2006	LAZZARETTORoma	Haines Company, Inc.
2000	No Current Listings	Haines & Company
1982	No Return	R. L. Polk & Co.
1977	Gillette David R	Pacific Telephone
1971	NO RETURN	Pacific Telephone
1966	Cosby Billy	R. L. Polk & Co.
1962	Sutton Juanita M Mrs	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1958	Turney Ross	R. L. Polk & Co.
	Turney Ross	R. L. Polk & Co.
1953	Sikorski Walter	R. L. Polk & Co.
1949	MOORE GEO (NELLIE H) JAN REMLER COH	R. L. Polk & Co.
1940	MOOTE P GEO NELLIE) SERVMN TRANS GUARANTEE CO LTDH	R. L. Polk & Co.
1935	MOORE GEO (NEUIE) JANH	R. L. Polk & Co.
1930	ANDREKIN ALICE (WID WM)H	R. L. Polk & Co.
	ANDREKIN FRANK HDWDFLRIYRR	R. L. Polk & Co.
1925	OGNEFF MARY A MRSH	R. L. Polk & Co.
	HARNVOODI GEO ELKR	R. L. Polk & Co.
1915	Mc Croskey Edw h	H. S. Crocker Co.
	Mo Croskey Geo P mach r	H. S. Crocker Co.
	Mc Croskey Jos printer h	H. S. Crocker Co.

2105 BRYANT ST

Year	Uses	Source
1925	FRANK & HYMAN INC M B FRANK PRES W L HYMAN SEC SHOE MFRS	R. L. Polk & Co.

2108 BRYANT ST

Year	Uses	Source
2006	MACPHEERobert	Haines Company, Inc.
	PRESTON Michele	Haines Company, Inc.
2000	CADGENEAllan	Haines & Company
	FRAUSTOJuan A	Haines & Company
	GONZALEZJose	Haines & Company
1993	Frausto Juan Antonio	Pacific Bell
1990	FRAUSTO JUAN ANTONIO	Pacific Bell
1985	FLARES ANTONIO	Pacific Bell
	MARQUEZ PEDRO	Pacific Bell
1982	Phillips B J Mrs	R. L. Polk & Co.
1977	Phillips B J Mrs	Pacific Telephone
1971	PHILLIPS B J MRS	Pacific Telephone
1966	Revera Melton	R. L. Polk & Co.
1962	Escobar Frank L	R. L. Polk & Co.
1958	Escobar Vivian Mrs	R. L. Polk & Co.
	Escobar Vivian Mrs	R. L. Polk & Co.
1953	Arcangel Juan O	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1949	SHARP VIRGIL (OLGA)H	R. L. Polk & Co.
1944	SHARP VIRGIL (OLGA) SHIPYDWKRH	R. L. Polk & Co.
1940	SHARP VIRGIL (OLGA) LABH	R. L. Polk & Co.
1935	MACPHEE PETER (STELLA) COLLRH	R. L. Polk & Co.
1930	MCGRATH BELLA (WID DENNIS)R	R. L. Polk & Co.
	MCGRATH JOS P (BLANCHE) LABH	R. L. Polk & Co.
1925	BRITTON LOUIS J SLSMNH	R. L. Polk & Co.
	BRITTON WM J (AUGUSTA S) CHAUFH	R. L. Polk & Co.
1915	Drewes Wm H Julia lab r	H. S. Crocker Co.
1910	Drewes William driver r	H. S. Crocker Co.

2110 BRYANT ST

Year	Uses	Source
2006	No Current Listing	Haines Company, Inc.
2000	MACPHEERyan	Haines & Company
1993	Morales Mauricio F	Pacific Bell
1982	Montero Consuelo	R. L. Polk & Co.
1977	Reyes Consuelo	Pacific Telephone
1971	ALTAMIRANO MARIA R MRS	Pacific Telephone
1966	Altamirano Maria R Mrs	R. L. Polk & Co.
1962	Altamirano Lucio B	R. L. Polk & Co.
1958	Altamirano Lucio B	R. L. Polk & Co.
	Campos Sedoneon	R. L. Polk & Co.
	Altamirano Lucio B	R. L. Polk & Co.
	Campos Sedoneon	R. L. Polk & Co.
1953	Campos Maria P Mrs	R. L. Polk & Co.
1949	NIEVES DOMINGO (PAULINA) EMP PIONEER PIPE COR	R. L. Polk & Co.
	RIOS CORCINA EMP GREEN GLEN LINEN SERVR	R. L. Polk & Co.
	RIOS JUAN (CORSINE)H	R. L. Polk & Co.
1944	INGSTROM GEOR	R. L. Polk & Co.
	INGSTROM JOS USNR	R. L. Polk & Co.
	INGSTROM MARIE ALRCRFTWKRR	R. L. Polk & Co.
	INGSTROM TILLIE MRS MAIDH	R. L. Polk & Co.
	INGSTROM WM FCTYWKRR	R. L. Polk & Co.
1940	ENGSTROM GEOR	R. L. Polk & Co.
	ENGSTROM JOS LABR	R. L. Polk & Co.
	ENGSTROM WMR	R. L. Polk & Co.
	STANLEY H (GERTRUDE) FLORIST H	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1935	H	R. L. Polk & Co.
	MCGRATH ISABEFLE ELKR	R. L. Polk & Co.
1930	ALLSOP ALFD B (SUSAN) CHAUFH	R. L. Polk & Co.
1925	MCGRATH DENNIS J (ROSE) LAB H	R. L. Polk & Co.
1910	Gau Philip painter r	H. S. Crocker Co.

2112 BRYANT ST

Year	Uses	Source
2007	J R WILLIAMS COMPANY	Cole Information Services
2006	No Current Listing	Haines Company, Inc.
2000	WILLIAMS J R CO	Haines & Company
	ODELLPamala	Haines & Company
1993	WILLIAMS J R COMPANY	Pacific Bell
1990	WILLIAMS JR COMPANY	Pacific Bell
1977	Carmona Carlos	Pacific Telephone
1971	NO RETURN	Pacific Telephone
1966	Luna Fred	R. L. Polk & Co.
1962	Luna Fred	R. L. Polk & Co.
1958	Schriewer Emil J	R. L. Polk & Co.
	schriewer Emil J	R. L. Polk & Co.
1953	Reilly Eunice Mrs	R. L. Polk & Co.
1940	IF MARCELINA FCTYWKRR	R. L. Polk & Co.
	BISAGNO JOHN (ANGELA) LABH	R. L. Polk & Co.
1925	MORRISSEY JOHN T TILE STRR	R. L. Polk & Co.
1920	KILSBY MRS ELLEN R	Pacific Telephone
1915	Kilsby Ellen T Mrs r	H. S. Crocker Co.
	Kilsby Chas E tilestr r	H. S. Crocker Co.
1910	Kilsby Charles salesman Phoenix Tool & Valve r	H. S. Crocker Co.

2114 BRYANT ST

Year	Uses	Source
2012	WILLIAMS J R COMPANY INC	Cole Information Services
2007	WILLIAMS J R CO	Cole Information Services
2006	WILUAMSJRCO	Haines Company, Inc.
2000	No Current Listings	Haines & Company
1982	Govea Filiberto	R. L. Polk & Co.
1977	Govea Filiberto	Pacific Telephone
1971	VACANT	Pacific Telephone

FINDINGS

Year	Uses	Source
1966	King Orvis	R. L. Polk & Co.
1962	Francis Wm	R. L. Polk & Co.
1958	Francis Wm	R. L. Polk & Co.
	Francis Wm	R. L. Polk & Co.
1953	Molina Fred	R. L. Polk & Co.
1949	LILLEY JOHN C (BERNICE) PRSMNH	R. L. Polk & Co.
1944	R	R. L. Polk & Co.
	CHEEK GEORGETTE M BILLER BAKER & HAMILTONR	R. L. Polk & Co.
1940	ANSALONE FRANK (JANE) LABH	R. L. Polk & Co.
1935	DUNCAN WM L (SALLY) LABH	R. L. Polk & Co.
1930	LEON OSCAR (AMELIA) LABH	R. L. Polk & Co.
1920	MORRIS ETHYLEM R	Pacific Telephone
1910	Reimers Gustave driver r	H. S. Crocker Co.

2116 BRYANT ST

Year	Uses	Source
2006	FRAUSTOJuan	Haines Company, Inc.
	Anlonio	Haines Company, Inc.
	GONZALEZ Norma	Haines Company, Inc.
2000	AYALAJulio R	Haines & Company
	GONZALEZNorma	Haines & Company
1993	Ayala Julio R	Pacific Bell
1990	AYALA JULIO R	Pacific Bell
1982	Jimenez Raymond	R. L. Polk & Co.
1977	Jiminiz Raymond	Pacific Telephone
1971	MANTINEZ MANTZ	Pacific Telephone
1966	Guerrero Cecilia	R. L. Polk & Co.
1962	Rodriquez Celia	R. L. Polk & Co.
1958	Rodriguez Gracelano	R. L. Polk & Co.
	Rodriguez Gracelano	R. L. Polk & Co.
1940	BOQUE JOHN J (RUTH) FIREMN SFFDH	R. L. Polk & Co.
1930	LEGAS EVA (MCGRATH & LEGAS)R	R. L. Polk & Co.
	LEGEAS EVA WAITERR	R. L. Polk & Co.
1925	PATINO RAYMOND SHOENKRR	R. L. Polk & Co.
	ORBE ISABELR	R. L. Polk & Co.
1915	Mc Carthy Jeremiah T lab r	H. S. Crocker Co.
	Mc Carthy Jos L bkpr r	H. S. Crocker Co.

FINDINGS

2118 BRYANT ST

Year	Uses	Source
2006	No Current Listing	Haines Company, Inc.
2000	CORTESTrinidad	Haines & Company
1982	Aguilar Bilbert	R. L. Polk & Co.
	No Return	R. L. Polk & Co.
1977	Hurt D	Pacific Telephone
	Rodriguez Isabel	Pacific Telephone
1971	SZENTKUTI JOSEPH	Pacific Telephone
1966	No Return	R. L. Polk & Co.
1962	Dantzler Arth D	R. L. Polk & Co.
1958	Contreras Lino	R. L. Polk & Co.
	Contreras Lino	R. L. Polk & Co.
1953	Contreras Limo	R. L. Polk & Co.
1944	GEO B (MARIE E) WHSMNH	R. L. Polk & Co.
1940	MORENO PETE (JENNIE) PLMBRH	R. L. Polk & Co.
1930	CAUPUTA SALVADORE (ANNIE) PRINTERR	R. L. Polk & Co.
	MARGT MRSH	R. L. Polk & Co.
1925	VASQUEZ JOHN LABH	R. L. Polk & Co.
	VINCENTE HLPR R	R. L. Polk & Co.
1915	Hoey Jos ironwkr r	H. S. Crocker Co.
	Lenihan I Michael J Jennie whsemn h	H. S. Crocker Co.
	Schaefer Catherine widow r	H. S. Crocker Co.

2120 BRYANT ST

Year	Uses	Source
2012	STEVEN MILLER DESIGN STUDIO	Cole Information Services
2007	SCOTT J OWENS JR	Cole Information Services
2006	MILLER Steven W	Haines Company, Inc.
	OWENSScot	Haines Company, Inc.
2000	MILLER Sleven W	Haines & Company
	ASHWORTH Scot	Haines & Company
	EDDY Frank	Haines & Company
1990	ASHWORTH SCOTT R SIERRA DOOR SERVICE	Pacific Bell
1985	PEREIRA TONY	Pacific Bell
1982	Pererra Tony	R. L. Polk & Co.
1977	Phillips	Pacific Telephone
1971	NO RETURN	Pacific Telephone

FINDINGS

Year	Uses	Source
1966	Lewis Ronald	R. L. Polk & Co.
1962	Williams Jones F	R. L. Polk & Co.
1958	Myer Jack	R. L. Polk & Co.
	Myer Jack	R. L. Polk & Co.
1953	Myer Jack mach	R. L. Polk & Co.
1940	CARE BERTHA L EMP S F HEAPR	R. L. Polk & Co.
	CARE JOHN (MARY) LABH	R. L. Polk & Co.
1930	SEAVERS ELLA M (WID GEO)R	R. L. Polk & Co.

2121 BRYANT ST

Year	Uses	Source
2007	HOOP DESIGN	Cole Information Services
2006	No Current Listing	Haines Company, Inc.
2000	BUILDING	Haines & Company
	BAHRROBINDESIGN	Haines & Company
	BARBARA DUNHAM	Haines & Company
	EM DASH	Haines & Company
	FTROOPDESIGN	Haines & Company
	FEENSTRAKristean L	Haines & Company
	GIRLSOURCE	Haines & Company
	HOLLEYKen	Haines & Company
	HOOP DESIGN	Haines & Company
	KENNEDYKJ	Haines & Company
	KENNEDYKJ	Haines & Company
	M DASH	Haines & Company
	MAITLANDDESIGN	Haines & Company
	NEUWIRTHDESIGNS	Haines & Company
	OMORIE	Haines & Company
	PASHELINSKYWM	Haines & Company
	PHILLIPKRAYNA	Haines & Company
	DESIGN	Haines & Company
	REISS ELIZABETH	Haines & Company
	ASSOCIATES	Haines & Company
	SIERRAPACCSTGINC	Haines & Company
	SPARK	Haines & Company
	STUDIOLIMAGE	Haines & Company
	SUCCOTASH	Haines & Company
	WENDY SZETO LEE	Haines & Company
	DESIGN	Haines & Company

FINDINGS

Year	Uses	Source
2000	XOCHITLFILM&VIDEO	Haines & Company
	PRDCTN SERV	Haines & Company
	2 OF HEARTS	Haines & Company
1993	Corcoran J R	Pacific Bell
	CREATIVE VENTURES	Pacific Bell
	FAVREAU STUDIO	Pacific Bell
	FERGUSON JAMES ACCESSORIES	Pacific Bell
	SIERRA PACIFIC CASTING INC	Pacific Bell
	LYNCH GREG DESIGN	Pacific Bell
	WILLIE VERBA	Pacific Bell
	RIXFORD CHRISTIE DESISN	Pacific Bell
	QUARTET FILM & VIDEO	Pacific Bell
	PARHAM SHARON DESIGN	Pacific Bell
	NORTH AMERICAN STIJL LIFE	Pacific Bell
	SPARK	Pacific Bell
	GLARNER WOODWORKING	Pacific Bell
	THE MORGAN COMPANY	Pacific Bell
	JAMISON PRODUCTION GROUP THE	Pacific Bell
	Holley Ken	Pacific Bell
	Yanku Demian	Pacific Bell
	FAMOUS FRAMING	Pacific Bell
	CRAIG R S & ASSOCIATES FURNITURE AND	Pacific Bell
1990	KEN SHIOKARL DESIGN	Pacific Bell
	PARALLAX DESIGN	Pacific Bell
	PUBLIC SOUND AUTHORITY	Pacific Bell
	RODEO OFFICEEQUIPMENT & COMPATIBLE PRODUCTS	Pacific Bell
	SAN ANDREAS OFFICE PRODUCTS	Pacific Bell
	SIERRA CASTING	Pacific Bell
	STORTSON SPECIALTY CASTING	Pacific Bell
	SYMBEX A DIVISION OF D & T ASSOCIATES INC	Pacific Bell
	S SBEX GROUP THE	Pacific Bell
	YUEN S GLASS DECORATION CO	Pacific Bell
	BARBINI	Pacific Bell
	CORCORAN JR	Pacific Bell
	CRAIG R S & ASSOCIATES FURNITURE AND FACILITIES	Pacific Bell

FINDINGS

Year	Uses	Source
1990	D & T ASSOCIATES INC OFC CONSLTNTS	Pacific Bell
	EDSTOM STEVE	Pacific Bell
	FAMOUS FRAMING	Pacific Bell
	FERGUSON JAMES ACCESSORIES	Pacific Bell
	FOSSUM BRUCE	Pacific Bell
	HOLLEY KEN	Pacific Bell
	HUMM BABIES SEWING	Pacific Bell
	JAMISON STEVE	Pacific Bell
1985	CRAIG R S & ASSOCIATES FURNITURE AND FACILITIES	Pacific Bell
	FAMOUS FRAMING	Pacific Bell
	FINE FEATHERS OF SAN FRANCISCO	Pacific Bell
	HOLLEY KEN	Pacific Bell
	HOLMQULST SHEEPSKIN PRODUCTS	Pacific Bell
	KEN SHIOKARI DESIGN	Pacific Bell
	KILO LANI LARI	Pacific Bell
	LARGE SIZE WOMEN S APPAREL	Pacific Bell
	LING MARTIN GROUP	Pacific Bell
	MAYNOR S UPHOLSTERY	Pacific Bell
	NAME-FINDERS LISTS INC	Pacific Bell
	NESSEL DENISE D	Pacific Bell
	PARALLAX DESIGN	Pacific Bell
	RO IIFILCEP QI TN JEF T& COPATIBLE PRDUT	Pacific Bell
	SAN ANDREAS OFFICE PRODUCTS	Pacific Bell
	SIERRA CASTING	Pacific Bell
	ZARGHAM ABDOL SALEH	Pacific Bell
	AILES BENJAMIN PHOTGRPHR	Pacific Bell
	BELHUMEUR EVENTS CHRISTMAS DECORATING	Pacific Bell
	CHENG CHUAN S GLASS ART CO	Pacific Bell
	COOK GORDON	Pacific Bell
1982	Aids Assistant In Design Services	R. L. Polk & Co.
	Lind Associates furn mfrs rep	R. L. Polk & Co.
	Modjabi Abbas artist	R. L. Polk & Co.
	Domar Upholstered Furniture	R. L. Polk & Co.
	Greenleafy Stores florist	R. L. Polk & Co.
	Pulse Production research & development	R. L. Polk & Co.
	Maynors Upholstery	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1982	Viola Gallery	R. L. Polk & Co.
	New Fashion Apparel Factory	R. L. Polk & Co.
	Famous Framing picture framing	R. L. Polk & Co.
	Pet Portraits	R. L. Polk & Co.
	Ailes Benj coml photography	R. L. Polk & Co.
	Parrallax Design	R. L. Polk & Co.
	R B Installations fl covering	R. L. Polk & Co.

2122 BRYANT ST

Year	Uses	Source
2007	FIGUREPLANT	Cole Information Services
2006	BURNSADRIAN	Haines Company, Inc.
	FIGUREPLANT	Haines Company, Inc.
	FREDERICKSON	Haines Company, Inc.
	David FREDRICKSON David	Haines Company, Inc.
	M RAMSEY Wiliam	Haines Company, Inc.
2000	LIVCOHTG&SHEET	Haines & Company
	VIGILLouis	Haines & Company
1993	LIVCO HEATING & SHEET METAL INC	Pacific Bell
1985	COLAN HEATING & SHEET METAL CO INC	Pacific Bell
1982	Reliable Sheet Metal	R. L. Polk & Co.
1977	Reliable Sheet Metal	Pacific Telephone
1971	RELIABLE SHEET METAL	Pacific Telephone
1966	Reliable Sheetmetal	R. L. Polk & Co.
1962	Symon Mach Wks	R. L. Polk & Co.
1958	Symon Mach Wks	R. L. Polk & Co.
	Symon Marh Wks	R. L. Polk & Co.
1953	Symon Mach Wks	R. L. Polk & Co.
1949	BITUMINOUS PRODUCTS & APPLICATION CO (W E PETERS J R LEWIS) WATER PROOFING	R. L. Polk & Co.

2129 BRYANT ST

Year	Uses	Source
2000	No Current Listings	Haines & Company

2132 BRYANT ST

Year	Uses	Source
2000	EISNER Lorenz	Haines & Company
1985	SECURITY SERVICE IRON WORKS	Pacific Bell

FINDINGS

Year	Uses	Source
1982	Vacant	R. L. Polk & Co.
1977	Son Lee Laundry	Pacific Telephone
1971	SON LEE LAUNDRY	Pacific Telephone
1966	Son Lee Lndry	R. L. Polk & Co.
1962	Son Lee Lndry	R. L. Polk & Co.
	Huey Wing	R. L. Polk & Co.
1958	Son Lee Lndry	R. L. Polk & Co.
	Huey Wing	R. L. Polk & Co.
	Son Leo Lndry	R. L. Polk & Co.
	Huey Wing	R. L. Polk & Co.
1953	Am West Lndry	R. L. Polk & Co.
1949	SHING JEW GAM (YEE) INDY	R. L. Polk & Co.
1944	BARBE RENE A (J B BARBE & SON)R	R. L. Polk & Co.
1940	BARBE JOHN (THEODOSE) INDY	R. L. Polk & Co.
	BARBE RENE DRIVER R	R. L. Polk & Co.
1930	BARBE JOHN B (THEODOSE) LAUNDRY	R. L. Polk & Co.
1925	BARBE JOHN B (THEODOSE) INDRY	R. L. Polk & Co.
1920	CATBANNEEMME LAUNDRY	Pacific Telephone

2135 BRYANT ST

Year	Uses	Source
2000	No Current Listings	Haines & Company

BRYANT/19TH

BRYANT/19TH

Year	Uses	Source
1966	BRYANT/19TH	R. L. Polk & Co.
1962	BRYANT/19TH	R. L. Polk & Co.
1958	BRYANT/19TH	R. L. Polk & Co.
	BRYANT/19TH	R. L. Polk & Co.
1953	BRYANT/19TH	R. L. Polk & Co.

BRYANT/19TH ST

BRYANT/19TH ST

Year	Uses	Source
1982	BRYANT/19TH ST	R. L. Polk & Co.
1977	BRYANT/19TH ST	Pacific Telephone

Year	Uses	Source
1971	BRYANT/19TH ST	Pacific Telephone

FLORENCE ST

623 FLORENCE ST

Year	Uses	Source
2006	5 MORALES Arturo	Haines Company, Inc.
2000	GOMEZEberardo	Haines & Company

624 FLORENCE ST

Year	Uses	Source
2006	FLOWER Jas	Haines Company, Inc.
2000	FLOWERJas B	Haines & Company
	MANLULU Rhoda	Haines & Company
1993	Flower Jas B	Pacific Bell
1990	FPOWER JAS B	Pacific Bell
1985	FLOWER JAS B	Pacific Bell

631 FLORENCE ST

Year	Uses	Source
2006	RAMIREZLucto	Haines Company, Inc.
2000	RAMIREZ Luci	Haines & Company
1993	Ramirez Lucio	Pacific Bell
1990	RAMLREZ LUCIO	Pacific Bell
1985	RAMIREZ LUCIO	Pacific Bell

632 FLORENCE ST

Year	Uses	Source
2006	MCVEIGH John T	Haines Company, Inc.
2000	MCVEIGHJohn T	Haines & Company
1993	McVeigh John T	Pacific Bell
1990	MC VEIGH JOHN T	Pacific Bell
1985	MC VEIGH JOHN T	Pacific Bell

639 FLORENCE ST

Year	Uses	Source
2006	No Current Listing	Haines Company, Inc.
2000	No Current Listings	Haines & Company
1985	MCLNTYRE SANDRA & WM	Pacific Bell

FINDINGS

640 FLORENCE ST

Year	Uses	Source
2006	AURobert	Haines Company, Inc.
2000	AU Robedrt	Haines & Company
1985	AU ROBT	Pacific Bell

647 FLORENCE ST

Year	Uses	Source
2006	PANOPIO Martin	Haines Company, Inc.
2000	PANOPIOMarin	Haines & Company

648 FLORENCE ST

Year	Uses	Source
2006	MADDEN Francis	Haines Company, Inc.
2000	MADDEN Francis	Haines & Company

653 FLORENCE ST

Year	Uses	Source
2006	TAYLOR Queen	Haines Company, Inc.
	QUEEN Taylor	Haines Company, Inc.
	TAYLORCornelius	Haines Company, Inc.
2000	TAYLORCornmelius	Haines & Company
	TAYLOR OQuean	Haines & Company
	TAYLOR Ouean	Haines & Company
1993	Taylor Queen & Cornelius	Pacific Bell
	Taylor Queen & Cornelius	Pacific Bell
1985	TAYLOR QUEEN & CORNELIUS	Pacific Bell

656 FLORENCE ST

Year	Uses	Source
2006	PIAZZA Monique	Haines Company, Inc.
2000	PIAZZAGeorge	Haines & Company

659 FLORENCE ST

Year	Uses	Source
2006	PICAZO Maria	Haines Company, Inc.
2000	OPICAZO Manuel	Haines & Company

664 FLORENCE ST

Year	Uses	Source
2006	LACANIENTAL	Haines Company, Inc.

FINDINGS

Year	Uses	Source
2000	LACANIENTALaevi	Haines & Company
	Noreen	Haines & Company
	LACANIENTAJosh	Haines & Company

665 FLORENCE ST

Year	Uses	Source
2006	GOMEZH	Haines Company, Inc.
	GOMED	Haines Company, Inc.
2000	GOMEZH	Haines & Company
	LLECHUGA Maria	Haines & Company
1993	Naranja Maximo	Pacific Bell

671 FLORENCE ST

Year	Uses	Source
2006	MANDAC Virgll	Haines Company, Inc.
2000	MANDAC Virgil	Haines & Company
1993	Bruno K	Pacific Bell
1990	BRUNO K	Pacific Bell
1985	BRUNO K	Pacific Bell

672 FLORENCE ST

Year	Uses	Source
2006	PANOPIO Elazar	Haines Company, Inc.
2000	MORTEL Elisila	Haines & Company
	PANOPIOEleazar	Haines & Company
1985	PANOPI MARTIN	Pacific Bell

677 FLORENCE ST

Year	Uses	Source
2006	No Current Listing	Haines Company, Inc.
2000	PIAZZA George	Haines & Company

680 FLORENCE ST

Year	Uses	Source
2006	a DAVID Vogle	Haines Company, Inc.
	PAYUMOAdela N	Haines Company, Inc.
2000	DAVID Rolando	Haines & Company

FINDINGS

683 FLORENCE ST

Year	Uses	Source
2006	COOMBES Glora	Haines Company, Inc.
2000	OELAROCHAAdelaida	Haines & Company

688 FLORENCE ST

Year	Uses	Source
2006	MARQUEZRodrigo	Haines Company, Inc.
2000	MAROUEZRodrigo	Haines & Company
1985	NELSSON CHAS E	Pacific Bell

689 FLORENCE ST

Year	Uses	Source
2006	BARRION Valedrie C	Haines Company, Inc.
	VELEZ Juan	Haines Company, Inc.
2000	CREAGER Donald	Haines & Company

692 FLORENCE ST

Year	Uses	Source
2006	LEEHenry	Haines Company, Inc.
2000	LEE Henry	Haines & Company

695 FLORENCE ST

Year	Uses	Source
2006	MOSEKIAN Michael	Haines Company, Inc.
2000	MOSEKIAN Michael	Haines & Company
1990	WILKE GUS	Pacific Bell
1985	WILKE GUS	Pacific Bell

696 FLORENCE ST

Year	Uses	Source
2006	WOODJoseph	Haines Company, Inc.
2000	WOODJoseph	Haines & Company
1985	WOOD J A	Pacific Bell

698 FLORENCE ST

Year	Uses	Source
2006	CHRISTINAHuertas	Haines Company, Inc.
2000	HUERTASRoland	Haines & Company

FINDINGS

FLORIDA

689 FLORIDA

Year	Uses	Source
1940	R	R. L. Polk & Co.

691 FLORIDA

Year	Uses	Source
1930	WINSTON F CLK R	R. L. Polk & Co.

700 FLORIDA

Year	Uses	Source
1915	Ehrmann Frank J liquors	H. S. Crocker Co.
1910	Ehrmann Frank J liquors	H. S. Crocker Co.

701 FLORIDA

Year	Uses	Source
1940	JOHN (ALICE) COMENT FNSHR H	R. L. Polk & Co.

703 FLORIDA

Year	Uses	Source
1940	WM FLORENCE R	R. L. Polk & Co.

705 FLORIDA

Year	Uses	Source
1944	R	R. L. Polk & Co.
1930	FEAGULIA ENRICO (ANGELINA) LABH	R. L. Polk & Co.

715 FLORIDA

Year	Uses	Source
1949	MCKEWEN FLORID H	R. L. Polk & Co.
1940	ELMON H (MARTHA) H	R. L. Polk & Co.
1930	MARY MACH OPR R	R. L. Polk & Co.

FLORIDA AVE

689 FLORIDA AVE

Year	Uses	Source
1949	ANDERSEN CAROLINE (WID JOHN)H	R. L. Polk & Co.

FINDINGS

691 FLORIDA AVE

Year	Uses	Source
1949	FLOWERDAY CATH V (WID THOS) H	R. L. Polk & Co.

701 FLORIDA AVE

Year	Uses	Source
1930	DODSON ALFD E (HAZEL) ELKH	R. L. Polk & Co.
1925	STEVENS JA LABR	R. L. Polk & Co.

703 FLORIDA AVE

Year	Uses	Source
1930	LUZARDI ANTONIO (PALMYRA) UPHOLH	R. L. Polk & Co.

705 FLORIDA AVE

Year	Uses	Source
1949	FRAGULIA ENRICO (ANGELIA) EMP PBFH	R. L. Polk & Co.

FLORIDA ST

632 FLORIDA ST

Year	Uses	Source
1910	Scobie John Jr teamster r t	H. S. Crocker Co.

633 FLORIDA ST

Year	Uses	Source
2000	No Current Listings	Haines & Company
1993	PRODUCTION SPECIALTIES	Pacific Bell
1990	PRODUCTION SPECIALTIES	Pacific Bell

650 FLORIDA ST

Year	Uses	Source
2012	YELLOW OWL WORKSHOP	Cole Information Services
	MDRP	Cole Information Services
	BIKE KITCHEN	Cole Information Services
	LIME LAB INC	Cole Information Services

651 FLORIDA ST

Year	Uses	Source
1915	Central Iron Works	H. S. Crocker Co.

FINDINGS

657 FLORIDA ST

Year	Uses	Source
1910	Fedde Ernest with Central Iron Wks r	H. S. Crocker Co.
	Fedde Peter stableman r	H. S. Crocker Co.

661 FLORIDA ST

Year	Uses	Source
1915	Strang Harry E millhd r	H. S. Crocker Co.
	Triest Elodie Mrs h	H. S. Crocker Co.
1910	Carroll William lab r	H. S. Crocker Co.

663 FLORIDA ST

Year	Uses	Source
1915	Stathas Frank cutter r	H. S. Crocker Co.

671 FLORIDA ST

Year	Uses	Source
1910	Casey James H mach r	H. S. Crocker Co.
	Casey John mach r	H. S. Crocker Co.
	Kiernan James H riveter r	H. S. Crocker Co.
	Casey John teamster r	H. S. Crocker Co.

673 FLORIDA ST

Year	Uses	Source
1915	Dondero Loirenzo shipbldr r	H. S. Crocker Co.
	Dondero Angela wid Jos r	H. S. Crocker Co.

675 FLORIDA ST

Year	Uses	Source
1962	Modern Vehicle Co repr shop	R. L. Polk & Co.
1958	Modern Vehicle Co repr shop	R. L. Polk & Co.

677 FLORIDA ST

Year	Uses	Source
1962	Crucible Steel Co of Am shop	R. L. Polk & Co.
1958	Crucible Steel Co of Am shop	R. L. Polk & Co.
1910	Wise John express r	H. S. Crocker Co.
	Wyse John driver r	H. S. Crocker Co.

679 FLORIDA ST

Year	Uses	Source
1958	Genl Metals Corp Enterprise Div; shop	R. L. Polk & Co.

FINDINGS

681 FLORIDA ST

Year	Uses	Source
2000	No Current Listings	Haines & Company
1982	Am Conservatory Theater Scene Shop	R. L. Polk & Co.
1962	Ncrthern Calif rear entr	R. L. Polk & Co.
	Harron Rickard & Mc Cone Co of	R. L. Polk & Co.
1958	First Western Machy Co	R. L. Polk & Co.

683 FLORIDA ST

Year	Uses	Source
1958	Genl Metals Corp Enterprise Div; shop	R. L. Polk & Co.

685 FLORIDA ST

Year	Uses	Source
2000	No Current Listings	Haines & Company
1993	ALL TECH PRODUCTIONS	Pacific Bell
	Silva Mark	Pacific Bell
1990	SMITH BRYAN	Pacific Bell
	BRECKA JUDITH ATTY	Pacific Bell
1982	Miller Battery Co	R. L. Polk & Co.
1977	Miller Battery Co	Pacific Telephone
1966	Vacant	R. L. Polk & Co.
1962	Am Steel Fabricators & Erectors	R. L. Polk & Co.
1958	Paris Art Co lamp mfrs	R. L. Polk & Co.
1953	Paris Art Co	R. L. Polk & Co.

689 FLORIDA ST

Year	Uses	Source
2006	a COLLISTERD	Haines Company, Inc.
2000	VANDINE Pater	Haines & Company
	Kathleen	Haines & Company
	PETZKEVANDINE	Haines & Company
1990	SLEUTH PUBLICATIONS LTD GRAPHIC DEPT	Pacific Bell
	DIFFERENT WORLDS	Pacific Bell
1985	BERKELEY GAME COMPANY MFR	Pacific Bell
	SLEUTH PUBLICATIONS LTD	Pacific Bell
	SLEUTH PUBLICATIONS LTD GRAPHIC DEPT	Pacific Bell
1982	Thompson Robt Co waterproofing	R. L. Polk & Co.
1977	Thompson Robt Co waterproofing	Pacific Telephone

FINDINGS

Year	Uses	Source
1971	VACANT	Pacific Telephone
1966	Vacant	R. L. Polk & Co.
1962	Scala Radio side entr	R. L. Polk & Co.
1958	Scaia Radio Co ship and rec	R. L. Polk & Co.
1953	Juare Benito F	R. L. Polk & Co.
1930	ANDERSEN CAROLINE (WID JOHN)H	R. L. Polk & Co.
1915	Doig Anna Mrs r	H. S. Crocker Co.
	Andersen Caroline Mrs h	H. S. Crocker Co.
1910	Anderson Caroline Mrs r	H. S. Crocker Co.

691 FLORIDA ST

Year	Uses	Source
2007	ENTERMEDIA NETWORK CO	Cole Information Services
2006	SHAPIRORobert	Haines Company, Inc.
2000	RICHARDChad C	Haines & Company
	SAGATELYANAllan	Haines & Company
1982	Savoy Michl	R. L. Polk & Co.
1977	Savoy Adam J	Pacific Telephone
1971	SAVOY A J	Pacific Telephone
1962	Vacant	R. L. Polk & Co.
1958	Vacant	R. L. Polk & Co.
1953	Vacant	R. L. Polk & Co.
1920	ILAGANJAMELP R	Pacific Telephone
1915	Hogan Edw driver r	H. S. Crocker Co.
	Hagan Edw F clk Farnsworth & Ruggles r	H. S. Crocker Co.
1910	Carey William D fireman r	H. S. Crocker Co.
	Carey Mary widow r	H. S. Crocker Co.
	Carey John J janitor r	H. S. Crocker Co.
	Carey Edward C porter r	H. S. Crocker Co.
	Carey Arthur I laundryman r	H. S. Crocker Co.

693 FLORIDA ST

Year	Uses	Source
2006	No Current Listing	Haines Company, Inc.
2000	RICHMONDJa eff	Haines & Company
1982	Medina Julio	R. L. Polk & Co.
1977	Williams Rondallyn	Pacific Telephone
1971	HARRISON RONALD	Pacific Telephone
1958	Vacant	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1953	Vacant	R. L. Polk & Co.

700 FLORIDA ST

Year	Uses	Source
1920	EHRMANLNFJ BEIERAGES	Pacific Telephone

701 FLORIDA ST

Year	Uses	Source
2000	No Current Listings	Haines & Company
1985	ST JOHN C	Pacific Bell
1982	Rios Victor	R. L. Polk & Co.
1977	Ellis M K	Pacific Telephone
1971	JURADO MARGT M MRS	Pacific Telephone
1966	Jurado Margt M Mrs	R. L. Polk & Co.
1962	Jurado Margt M Mrs	R. L. Polk & Co.
1958	Hassler Fred A	R. L. Polk & Co.
1953	Casazza Leslie M	R. L. Polk & Co.
1915	Fragula Angelo lab r	H. S. Crocker Co.
	Fragula Enrico lab r	H. S. Crocker Co.

702 FLORIDA ST

Year	Uses	Source
1971	WEICHHART STAMPING CO	Pacific Telephone

703 FLORIDA ST

Year	Uses	Source
2006	No Current Listing	Haines Company, Inc.
2000	No Current Listings	Haines & Company
1982	Contreras Geo	R. L. Polk & Co.
1977	Robles Fred A	Pacific Telephone
1971	NO RETURN	Pacific Telephone
1966	Hougland Everett L	R. L. Polk & Co.
1962	Hougland Everett L	R. L. Polk & Co.
1958	Hougland Everett L	R. L. Polk & Co.
1953	Hassler Fred	R. L. Polk & Co.
1915	Killeen Edw clk A Smith & Sons Carpet Co r	H. S. Crocker Co.
	Howard Patrick Mary lab h	H. S. Crocker Co.
	Howard Mary wid Patrick h	H. S. Crocker Co.
1910	Murphy John J teamster r	H. S. Crocker Co.

Year	Uses	Source
1910	Peck Pauline widow r	H. S. Crocker Co.
	Shaw Clarence teamster r	H. S. Crocker Co.

705 FLORIDA ST

Year	Uses	Source
1982	Tavizon Francisco	R. L. Polk & Co.
1977	Larson Steve	Pacific Telephone
1971	ALDURIN GENE	Pacific Telephone
1966	Fregulia Angela Mrs	R. L. Polk & Co.
1962	Fregulia Enrico J B	R. L. Polk & Co.
1958	Fregulia Enrico J	R. L. Polk & Co.
1953	Fregulia Enrico	R. L. Polk & Co.
1910	Kilsby John stev r	H. S. Crocker Co.

709 FLORIDA ST

Year	Uses	Source
1971	NO RETURN	Pacific Telephone

710 FLORIDA ST

Year	Uses	Source
2012	DEBBIE DOES DINNER	Cole Information Services
1982	American Wood & Metal Stripping Co furn & metal stripping	R. L. Polk & Co.
1977	American Wood & Metal Stripping Co turn & metal stripping	Pacific Telephone
1962	Vacant	R. L. Polk & Co.
1958	Pelton Walter Wheel shop	R. L. Polk & Co.

714 FLORIDA ST

Year	Uses	Source
1915	Cody Richard F packer h	H. S. Crocker Co.
1910	Cody Richard packer r	H. S. Crocker Co.
	Coady Richard casketmkr r	H. S. Crocker Co.
	Birch Nora widow r	H. S. Crocker Co.
	Coady James tinsmith r	H. S. Crocker Co.

715 FLORIDA ST

Year	Uses	Source
2006	BADERLawrence	Haines Company, Inc.
2000	BADER Lawrence	Haines & Company
1985	BADER LAWRENCE	Pacific Bell

FINDINGS

Year	Uses	Source
1982	Baker Larry	R. L. Polk & Co.
1962	Marquardt Henry F	R. L. Polk & Co.
1958	McKeown Gertrude L Mrs	R. L. Polk & Co.
1953	McKeown E T	R. L. Polk & Co.
1910	Allgaard Charles r	H. S. Crocker Co.

716 FLORIDA ST

Year	Uses	Source
1915	Moore Harold Katherine Indywkr h	H. S. Crocker Co.

FLORIDA WALK

685 FLORIDA WALK

Year	Uses	Source
1949	PARIS ART CO (GABRIELLO AND MARIO MARTINI GC LUCCHESI) LAMP MFRS	R. L. Polk & Co.
1940	BRIGGS FOUNDERS SUPPLIES & EQUIPMENT (W J BRIGGS) REPRESENTING INTERNATIONA	R. L. Polk & Co.

689 FLORIDA WALK

Year	Uses	Source
1949	MATHIESEN HARRY PR	R. L. Polk & Co.
1940	MATHIESEN HENRY P LITHO H	R. L. Polk & Co.
1935	MATHIESEN HARRYH	R. L. Polk & Co.
	ANDERSEN P JOHNH	R. L. Polk & Co.
	MATHIESON HARRY EMP AMES HARRIS NEVILLE COR	R. L. Polk & Co.
1930	MATHIESON HENRY LAB H	R. L. Polk & Co.
1925	ANDREW CAROLINE (WID JOHN)H	R. L. Polk & Co.
	MATHIESEN HENRY PR	R. L. Polk & Co.

691 FLORIDA WALK

Year	Uses	Source
1944	FLOWERDAY CATH V EMP CCMCOR	R. L. Polk & Co.
1940	FLOWERDAY CATHLI V (WID THOS)H	R. L. Polk & Co.
1935	FLOWERDAY THOSH	R. L. Polk & Co.
1930	THOS (CATH) ARTIST AMES-HARRIS NEVILLE CO H	R. L. Polk & Co.
	FLORIDA WINSTON F ELKR	R. L. Polk & Co.
	BATTERTON JAS W ELKR	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1925	FLOWER WIM LABR	R. L. Polk & Co.
	FLOWER LOWERDAY THOS (CATH V) FORMII AMES HARRIS NEVILLE COH	R. L. Polk & Co.

693 FLORIDA WALK

Year	Uses	Source
1925	GUTTINGER CAROLINE MRS RESTRR	R. L. Polk & Co.

701 FLORIDA WALK

Year	Uses	Source
1949	SKLIOS THOS USNR	R. L. Polk & Co.
	SKLIOS STEVE DRR	R. L. Polk & Co.
	GEIKAS NICK (PAULINE) LAB H	R. L. Polk & Co.
1935	CROSS GEO (FRANCES)H	R. L. Polk & Co.
1925	DOLBIN MARTHA (WID CHAS)H	R. L. Polk & Co.
	LYNIMAN DENNIS LABH	R. L. Polk & Co.
	LINDSAY JOS LABR	R. L. Polk & Co.

703 FLORIDA WALK

Year	Uses	Source
1949	GARCIA JOHN (MARY) H	R. L. Polk & Co.
	GARCIA GEO R	R. L. Polk & Co.
1944	SCRIVANI ANDW P MILLMN GEO WINDELER COR	R. L. Polk & Co.
1930	ADVERTISING T PAUL DYERR	R. L. Polk & Co.
1925	LUJCILARD ANTONE (PALMIRA) LAB H	R. L. Polk & Co.

705 FLORIDA WALK

Year	Uses	Source
1940	FREGULIA EIRICO (ANGELA) LABH	R. L. Polk & Co.
1935	FREGULIA ENRICO (ANGELA) LABH	R. L. Polk & Co.
	FREGULIA THELMAR	R. L. Polk & Co.
1925	FREGUGLIA ELIZ STENR	R. L. Polk & Co.
	FREGUGLIA ENRICO (ANGELICA) LABH	R. L. Polk & Co.

715 FLORIDA WALK

Year	Uses	Source
1944	ROTH IDA EMP HOTEL POWELLR	R. L. Polk & Co.
1935	GUGLIELMO JOHN LABH	R. L. Polk & Co.
	GUGLIELMO MARY MRS SORTER WESTERN STOPPER COR	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1925	CAPUCHINO ANTONE (RITA) LABH	R. L. Polk & Co.

FLORIDA/19TH

FLORIDA/19TH

Year	Uses	Source
1966	FLORIDA/19TH	R. L. Polk & Co.
1962	FLORIDA/19TH	R. L. Polk & Co.
1958	FLORIDA/19TH	R. L. Polk & Co.
1953	FLORIDA/19TH	R. L. Polk & Co.

FLORIDA/19TH ST

FLORIDA/19TH ST

Year	Uses	Source
1982	FLORIDA/19TH ST	R. L. Polk & Co.
1977	FLORIDA/19TH ST	Pacific Telephone
1971	FLORIDA/19TH ST	Pacific Telephone

YORK

625 YORK

Year	Uses	Source
1940	H	R. L. Polk & Co.

625 1/2 YORK

Year	Uses	Source
1949	WILSON LUTICIA	R. L. Polk & Co.
	H	R. L. Polk & Co.

627 YORK

Year	Uses	Source
1949	KELLY OLIVERH	R. L. Polk & Co.
1930	BOUSE FRED W FACTYWKRR	R. L. Polk & Co.
1925	MACHEFERT JOHN	R. L. Polk & Co.
1910	Dink Theodore lab r	H. S. Crocker Co.

627 1/2 YORK

Year	Uses	Source
1944	R	R. L. Polk & Co.

FINDINGS

629 YORK

Year	Uses	Source
1910	Fakhouri George N groceries	H. S. Crocker Co.
	r	H. S. Crocker Co.

635 YORK

Year	Uses	Source
1944	H	R. L. Polk & Co.

700-798 YORK

Year	Uses	Source
1930	PACIFIC FELT COMPANY INC W A LADLEY PRES MFRS COTTON FELT FOR AUTOMOBILES A	R. L. Polk & Co.

707 YORK

Year	Uses	Source
1949	CECELIA C (WID LOUIS)H	R. L. Polk & Co.
1944	H	R. L. Polk & Co.

709 YORK

Year	Uses	Source
1944	H	R. L. Polk & Co.
1935	BANCERO LEO (FLORAL H	R. L. Polk & Co.

710 YORK

Year	Uses	Source
1944	FELT CO W A LADLEY PRES	R. L. Polk & Co.

711 YORK

Year	Uses	Source
1930	GALLAGHER KATHRYN M BKPR E P HUTTON & CO R	R. L. Polk & Co.
	CHAS A CHAULF R	R. L. Polk & Co.
	LATH (WID JAIO H	R. L. Polk & Co.
	BLLS ADA C STE B CLEMENS 0ES COR R	R. L. Polk & Co.

713 YORK

Year	Uses	Source
1949	R	R. L. Polk & Co.
1944	ANNE E MRS CORS ALLYN & BACON H	R. L. Polk & Co.
1925	ATTHOWE WM BKPRR	R. L. Polk & Co.

FINDINGS

715 YORK

Year	Uses	Source
1985	SCHRICK ALICE	Pacific Bell
1949	FRANK TALLCEL H	R. L. Polk & Co.
1935	SCHUTZ JACOB (ALICE) H	R. L. Polk & Co.

717 YORK

Year	Uses	Source
1985	SPAIN DON	Pacific Bell
1920	MADSEN MRS C A R	Pacific Telephone

719 YORK

Year	Uses	Source
1944	WM S USA R	R. L. Polk & Co.
	GERALD L USNR	R. L. Polk & Co.
	FITZMAURICE JOHN M USAH	R. L. Polk & Co.
	RICHD J (MARTHA) CHF CLK SPCO H	R. L. Polk & Co.
1935	R	R. L. Polk & Co.

YORK AVE

715 YORK AVE

Year	Uses	Source
1949	SCHRECK FRANK J IR DR J S GUERIA & COR	R. L. Polk & Co.

YORK DR

625 YORK DR

Year	Uses	Source
1944	REGUERA ANTONIO (CARMEN)H	R. L. Polk & Co.

700-798 YORK DR

Year	Uses	Source
1935	PACIFIC FELT COMPANY INC W A LADLEY PRES MFRS COTTON FELT FOR AUTOMOBILES A	R. L. Polk & Co.

709 YORK DR

Year	Uses	Source
1949	FIGONI SILVIO R (ELLENA F) SCVGRH	R. L. Polk & Co.

FINDINGS

715 YORK DR

Year	Uses	Source
1944	SCHRICK ALICE MRSH	R. L. Polk & Co.

717 YORK DR

Year	Uses	Source
1944	MAR FRITZ A PHARMH	R. L. Polk & Co.

719 YORK DR

Year	Uses	Source
1925	BARTHLIOLOMEWV (MARGT) LABH	R. L. Polk & Co.

YORK I

717 YORK I

Year	Uses	Source
1949	MICHELETTI STEFANO EMP FLORENCE ART COR	R. L. Polk & Co.

YORK ST

625 YORK ST

Year	Uses	Source
2006	CARDENAS Jesus	Haines Company, Inc.
2000	CARDENASJesus	Haines & Company
1990	BANKS ICELENE J	Pacific Bell
1985	BANKS ICELENE J	Pacific Bell
1977	Daniel Lucielle	Pacific Telephone
	Rubin Lloyd S Rev	Pacific Telephone
1971	OGLETREE ELONZY	Pacific Telephone
	RUBIN LLOYD S REV	Pacific Telephone
1966	Anderson Ellroy	R. L. Polk & Co.
	Rubin Lloyd S Rev B	R. L. Polk & Co.
1962	Anderson Richd A	R. L. Polk & Co.
	Rubin Lloyd S Rev B	R. L. Polk & Co.
1958	Ruben Fred S	R. L. Polk & Co.
	Rubin Lloyd S Rev	R. L. Polk & Co.
1953	Ruben Fred	R. L. Polk & Co.
	Rubin Lloyd S Rev	R. L. Polk & Co.
1949	MOSS MACK (DORA A) PRSR CHAS REMIROR	R. L. Polk & Co.
	PERKINS BERKLEY (MAY) MACHH	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1944	RUEDA FRANCES (WID RALPH)R	R. L. Polk & Co.
1930	MEYEBRS H CBTMKRR	R. L. Polk & Co.
	MEYNS HERMAN (SOPHIA)H	R. L. Polk & Co.
1920	TOBERCHAS R	Pacific Telephone
1915	Morris Chas mach r	H. S. Crocker Co.
	Tabener Chas mach r	H. S. Crocker Co.
1910	Ferrer Emmet woodwkr r	H. S. Crocker Co.
	Furrer Emil wagonmkr r	H. S. Crocker Co.
	Tobener Charles mach r	H. S. Crocker Co.
	Tobener Charles H teamster r	H. S. Crocker Co.

625 1/2 YORK ST

Year	Uses	Source
1990	RUBIN LS REV	Pacific Bell
1985	RUBIN L S REV	Pacific Bell
1949	MINTER TROVIS (DOLLIE M)H	R. L. Polk & Co.
1944	MARQUEZ MARIANO (RAMONA) LABH	R. L. Polk & Co.
	MARCUEZ MARIA (WID PASCACCLO)R	R. L. Polk & Co.
1940	SANCHEZ JOHN (MARY) LABH	R. L. Polk & Co.
	SANCHEZ MARY BKPR C A VALERGAR	R. L. Polk & Co.
1930	OLIVE CLAIRE STEN CITY OF PARISR	R. L. Polk & Co.
	OLIVE LOUIS (JOSEPHINE) ELKH	R. L. Polk & Co.
	OLIVER LOUIS FURN HNDLRR	R. L. Polk & Co.
1925	OLIVA LOUIS (JOSEPHINE) CLKH	R. L. Polk & Co.
	OLIVER LOUIS WHSEMNR	R. L. Polk & Co.

627 YORK ST

Year	Uses	Source
2007	AMPED MULTIMEDIA	Cole Information Services
2006	DURAN Michael	Haines Company, Inc.
2000	MATIASICAnhony	Haines & Company
1977	Garcia Nellie P Mrs	Pacific Telephone
	Vacant	Pacific Telephone
1971	GARCIA DONALD R	Pacific Telephone
	RICO ROMAN	Pacific Telephone
1966	Vacant	R. L. Polk & Co.
	Haug J A	R. L. Polk & Co.
1962	Pitts Ray J	R. L. Polk & Co.
	Kelly Olive M Mrs B	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1958	Kelly Thos	R. L. Polk & Co.
	Pitts Ray	R. L. Polk & Co.
1953	Kelly Thos	R. L. Polk & Co.
1944	KELLY OLIVERH	R. L. Polk & Co.
1940	OLIVE ORDERLY SFHOSPR	R. L. Polk & Co.
	KELLY THOS (OLIVE) GDNR CRCH	R. L. Polk & Co.
1935	HENNIG ARTH (ELEANORE)H	R. L. Polk & Co.
1930	BONSE FRED W (WINNIE) STEVEDOREH	R. L. Polk & Co.
1925	ICOMINI ANTONIO (MARJORIE)H	R. L. Polk & Co.
1920	YWERNS CLAUS R	Pacific Telephone
1915	Meyns Claus mstr mar Channel Tug & Lighterage Co r	H. S. Crocker Co.
1910	Mc Carthy Bernard lab r	H. S. Crocker Co.

627 1/2 YORK ST

Year	Uses	Source
1949	DITTMAR IRMNA M CLK WFB&UTCOR	R. L. Polk & Co.
	DITTMAR CLOTILDAH	R. L. Polk & Co.
1940	GEO LAB H	R. L. Polk & Co.
1930	BURMEISTER JOHN K LAB	R. L. Polk & Co.

629 YORK ST

Year	Uses	Source
2012	A RHYTHM MASTERSMAESTROS DE RITMO	Cole Information Services
2007	RHYTHM MASTERS MAESTROS DE RITMO	Cole Information Services
2006	BARRERAGuadalupe	Haines Company, Inc.
2000	BARRERAGuadalupe	Haines & Company
	Third	Haines & Company
	BAY AREA EXPRESS	Haines & Company
1993	Barrera Adam	Pacific Bell
1985	BARRERA ANTONIO C	Pacific Bell
1977	Berrera Wally	Pacific Telephone
	Carasco Rosaella	Pacific Telephone
1971	NAUANEZ JULIO	Pacific Telephone
	ESTRADA AL	Pacific Telephone
1966	Jones Isaiah	R. L. Polk & Co.
	a Vacant	R. L. Polk & Co.
1962	Vacant	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1962	a Flores Peter J	R. L. Polk & Co.
1958	Zamora Manuel	R. L. Polk & Co.
	Granger Wm	R. L. Polk & Co.
1953	Beasley Alice N	R. L. Polk & Co.
1949	MONTEZ RUBY MRS EMP JARVIS & MARCUSH	R. L. Polk & Co.
1944	MONTEZ MARION (RUBY) WLDRH	R. L. Polk & Co.
1940	CLEMENTE JOS (MARY) SHOE REPR	R. L. Polk & Co.
	CLEMENTE MARY WITH AHNCOR	R. L. Polk & Co.
1935	CLEMENTE JOS (MARY) SHOE REPR	R. L. Polk & Co.
1930	OLIVE STEPH RESTR	R. L. Polk & Co.
1925	PRATHER OSLO W (MARTHA B) PORTERH	R. L. Polk & Co.
1910	Warde Frank H blksmith r	H. S. Crocker Co.

633 YORK ST

Year	Uses	Source
2000	REAMER John	Haines & Company
1985	EVELYN GEORGE	Pacific Bell
1977	Vacant	Pacific Telephone
1962	Mendez Jesus	R. L. Polk & Co.
1958	Hensen Riley	R. L. Polk & Co.
1953	Duran E E	R. L. Polk & Co.
1949	WARREN MARYELLA EMP ACCOR	R. L. Polk & Co.
	WARREN TRUMAN B (MARYELLA) MGR AIR WAY MATTRESS & UPHOL COH	R. L. Polk & Co.
1940	CASTILLO LEONARD (MARION) GRO	R. L. Polk & Co.

635 YORK ST

Year	Uses	Source
1944	CAIN WILLMAR	R. L. Polk & Co.

639 YORK ST

Year	Uses	Source
2007	PACIFIC COAST DESIGN	Cole Information Services
2006	PAC COAST DESIGN	Haines Company, Inc.
2000	PAC CST DESIGN	Haines & Company
1993	PACIFIC COAST DESIGN	Pacific Bell
1990	PACIFIC COAST DESIGN	Pacific Bell

FINDINGS

640 YORK ST

Year	Uses	Source
1953	SF City & County whse	R. L. Polk & Co.

650 YORK ST

Year	Uses	Source
1953	SF City & County whse	R. L. Polk & Co.

660 YORK ST

Year	Uses	Source
2012	SYSIQ	Cole Information Services
	JABARRA ATHAS & ASSOCIATION	Cole Information Services
	FARM WINE IMPORTS LLC	Cole Information Services
	VONNDA	Cole Information Services
	ACT NOW PRODUCTIONS	Cole Information Services
	TOUGH LOVE ARTIST MANAGEMENT	Cole Information Services
2007	MUSIC FOR AMERICA	Cole Information Services
	BARBARA VICK DESIGN	Cole Information Services
	LITTLE JACKIE PAPER	Cole Information Services
	ADINA FOR LIFE INC	Cole Information Services
	WORLD BEAT BEVERAGES	Cole Information Services
	VIDEO PROJECT	Cole Information Services
	ACT NOW PRODUCTIONS	Cole Information Services
	INTERRA INC	Cole Information Services
	COMMON ASSETS DEFENSE FUND	Cole Information Services
	ZEITGEIST ARTIST MANAGEMENT	Cole Information Services
	GENERATOR RECORDS LLC	Cole Information Services
2006	ACTNOW	Haines Company, Inc.
	PRODUCTION ADINAFORUFE	Haines Company, Inc.
	BARBARAVICK	Haines Company, Inc.
	DESIGN BARBARAVICK	Haines Company, Inc.
	DESIGN GENERATORLABS	Haines Company, Inc.
	ZEITGEISTARTIST	Haines Company, Inc.
	MANAGEMENT	Haines Company, Inc.
2000	PHLESCHBUBBLE	Haines & Company
	MURPHYTravis	Haines & Company
	INVISIBLE WORLDS	Haines & Company
	OUNLEAVEYM P	Haines & Company
1993	Russell Dan & Susan	Pacific Bell
1990	MASLON H	Pacific Bell

FINDINGS

Year	Uses	Source
1990	MOTNYK FRANK	Pacific Bell
	RUSSELL DAN & SUSAN	Pacific Bell
1985	MOTNYK FRANK	Pacific Bell
	TAVERNITI RM	Pacific Bell
	MASION H	Pacific Bell
	MOCK-WALLACE ARCHTS	Pacific Bell
1977	San Francisco Educational Services	Pacific Telephone
	Lizard Products chair cane weaving	Pacific Telephone
	New Day Films film mkrs	Pacific Telephone
	Agape Foundation non profit org	Pacific Telephone
	Misraki Rachel glass cutter	Pacific Telephone
	Milestone Graphics	Pacific Telephone
	Artemis School Of Karate For Women	Pacific Telephone
	Burke Clifford Printer	Pacific Telephone
	Peartree Printers	Pacific Telephone
	Jungle Press	Pacific Telephone
	Five Trees Press book prntrs	Pacific Telephone

687 YORK ST

Year	Uses	Source
1910	Denk A stev r	H. S. Crocker Co.

700 YORK ST

Year	Uses	Source
2000	No Current Listings	Haines & Company
1940	PACIFIC FELT CO W A LADLEV PRES	R. L. Polk & Co.

704 YORK ST

Year	Uses	Source
1925	PACIFIC F IELT CO (3 D LADLEY)	R. L. Polk & Co.

705 YORK ST

Year	Uses	Source
1910	Edwards James lab r	H. S. Crocker Co.

707 YORK ST

Year	Uses	Source
2006	CARDENAS Jose	Haines Company, Inc.
2000	CARDENASJose	Haines & Company
1977	No Return	Pacific Telephone

FINDINGS

Year	Uses	Source
1971	VAN HATTEN WM	Pacific Telephone
1966	Kratkv Edw J	R. L. Polk & Co.
1962	Vacant	R. L. Polk & Co.
1958	Bonino Jos G	R. L. Polk & Co.
1953	Bonino Jos	R. L. Polk & Co.
1940	FIORI I JOHNH	R. L. Polk & Co.
	FIORI STEPH P (ESTHER) WELDERR	R. L. Polk & Co.
1935	PANTALEONI PARIS (JENNIE) WOODWKRH	R. L. Polk & Co.
1930	DEL FELICE (MARIA) ELK R	R. L. Polk & Co.
	DEL FRANK (MARY) H	R. L. Polk & Co.
	DEL JENNIE INDYWKR R	R. L. Polk & Co.
1925	DEL PHILOMENA (WID SALVADOR) R	R. L. Polk & Co.
	DELCARLO FELIX (MARIE) PDLR H	R. L. Polk & Co.
1915	Rick Lester C bkbdr r	H. S. Crocker Co.
1910	Rick Charles H Rick Bros r	H. S. Crocker Co.

709 YORK ST

Year	Uses	Source
2006	BESSO Robert	Haines Company, Inc.
1977	No Return	Pacific Telephone
1971	RODRIGUEZ ARTURO	Pacific Telephone
1966	Rodriguez Arth	R. L. Polk & Co.
1962	Early Frank W	R. L. Polk & Co.
1958	Early Frank W	R. L. Polk & Co.
1944	HARASZTHY GEO J MACH CHAS M BAILEY COR	R. L. Polk & Co.
1940	FANUCCI ALDEN ELK R	R. L. Polk & Co.
	FANUCCI ALDO G ELK S F EXAMINER R	R. L. Polk & Co.
	FANUCCI CARL (EVA) BIKSMITH H	R. L. Polk & Co.
	FANUCCI JOSEPHINE R	R. L. Polk & Co.
1930	SOFA BIGIA (FRANK)H	R. L. Polk & Co.
1920	IRVINE JOHN R	Pacific Telephone
1915	Irvine John ironwkr r	H. S. Crocker Co.
	Irvine Mary iwid John h	H. S. Crocker Co.
1910	Jacobsen Oluf carp r	H. S. Crocker Co.
	Ryan Thomas lab r	H. S. Crocker Co.

FINDINGS

710 YORK ST

Year	Uses	Source
2000	No Current Listings	Haines & Company
1993	MORTON RICHARD FINE ANTIQUE RESTORATION &	Pacific Bell
	SAS QUINN FURNITURE	Pacific Bell
1990	MORTON RICHARD CO	Pacific Bell
	QUINN SASWATHAN FURNITURE	Pacific Bell
1985	LADLEY RD PACIFIC FELT CO INC	Pacific Bell
	PACIFIC FELT CO INC	Pacific Bell
1977	Pacific Felt Co Inc mfrs	Pacific Telephone
1971	PACIFIC FELT CO INC MFRS	Pacific Telephone
1966	Pac Felt Co Inc mfrs	R. L. Polk & Co.
1962	Pacific Felt Co Inc mfrs M	R. L. Polk & Co.
1958	Pacific Felt Co mfrs	R. L. Polk & Co.
1953	Pac Felt Co	R. L. Polk & Co.
1949	PACIFIC FELT CO W A LADLEY PRES IT D LA41E V-PRES	R. L. Polk & Co.
1935	JENNINGS METTLE E SEC PAC FELT COR	R. L. Polk & Co.
1915	Hotel Owners Laundry Co	H. S. Crocker Co.

711 YORK ST

Year	Uses	Source
2006	DELBIANCORoberto	Haines Company, Inc.
2000	DELBIANCO Robedo	Haines & Company
1985	CAMPOS M	Pacific Bell
1977	Rodriguez Joe	Pacific Telephone
1971	RODRIQUEZ JOE	Pacific Telephone
1966	Saper Jerry C B	R. L. Polk & Co.
1962	Saper Jerry C B	R. L. Polk & Co.
1958	Saper Jerry C	R. L. Polk & Co.
1953	Saper Jerry C	R. L. Polk & Co.
1949	CONROY (CATHLEEN)H	R. L. Polk & Co.
1944	BYRON WARD (MADGE) SHIPYDWKRH	R. L. Polk & Co.
	BYRON H	R. L. Polk & Co.
1940	ZILNER MARY (WID WM)H	R. L. Polk & Co.
1925	CESANO SERAFINO (PHILOMENA) CEMENTWKRH	R. L. Polk & Co.
	GALLAGHER RIATH BKPRR	R. L. Polk & Co.
	ZILS CHAS A ELKR	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1925	ZILS JOS (CATH) LABH	R. L. Polk & Co.
1920	LSISMM R	Pacific Telephone
1910	Zils Joseph lab r	H. S. Crocker Co.

712 YORK ST

Year	Uses	Source
1966	Zemke Victor P B	R. L. Polk & Co.
1925	BUZOLARA LOUIS DRIVERR	R. L. Polk & Co.

713 YORK ST

Year	Uses	Source
2006	o RUELAS Daniel	Haines Company, Inc.
2000	RUELAS Dan I	Haines & Company
1993	Craig Michael	Pacific Bell
	Ruelas Danl	Pacific Bell
1990	RUELAS DANR	Pacific Bell
1985	RUELAS DANL	Pacific Bell
1977	Ruelas Danl P	Pacific Telephone
1971	RUELAS DANL P	Pacific Telephone
1966	Ruelas Danl P B	R. L. Polk & Co.
1962	Ruelas Danl P B	R. L. Polk & Co.
1958	Perez Miguel A	R. L. Polk & Co.
1953	Biscarro Mary J Mrs	R. L. Polk & Co.
1949	HALL EARL (INEZ A) CARP R	R. L. Polk & Co.
	BISCARRO ANGELINA PKR S&W FINE FOODSR	R. L. Polk & Co.
	DURAN BARBARA M TYPIST FRBR	R. L. Polk & Co.
	BISCARRO MARY J (WID THOS)H	R. L. Polk & Co.
1940	BEANE ANNE E (WID JOS) ELK ALLYN & BACONH	R. L. Polk & Co.
	JONES ANNER	R. L. Polk & Co.
1935	BEANE ANNE E MRS ELKR	R. L. Polk & Co.
	BEANE ELIZR	R. L. Polk & Co.
	JONES ANNIE MRSR	R. L. Polk & Co.
1930	ATTHOWE ANNIE E (WID JOS) R	R. L. Polk & Co.
	ATTHOWE BEANE R	R. L. Polk & Co.
	ATTHOWE WM C BKPR H	R. L. Polk & Co.
	R	R. L. Polk & Co.
1925	BEANE ANNE E (WID JOS) CORRES ALLYN & BACONR	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1925	JONES ANNIER	R. L. Polk & Co.
1920	ATTHOW WMCHAS R	Pacific Telephone
1915	Atthowe Walter C elk r	H. S. Crocker Co.
	Atthowe Wm C Sarah J h	H. S. Crocker Co.
1910	Jones Thomas J clk r	H. S. Crocker Co.
	Atthowe Walter C copyist r	H. S. Crocker Co.
	Atthowe William C bkkpr r	H. S. Crocker Co.
	Atthowe William H clk r	H. S. Crocker Co.

715 YORK ST

Year	Uses	Source
2006	HECHTJennifer	Haines Company, Inc.
2000	RABINOWITZAllan	Haines & Company
1993	Schrick Alice	Pacific Bell
1990	SCHRICK ALICE	Pacific Bell
1977	Schrick Alice Mrs	Pacific Telephone
1971	SCHRICK FRANK	Pacific Telephone
1966	Schrick Frank B	R. L. Polk & Co.
1962	Schrick Frank B	R. L. Polk & Co.
1958	Schrick Frank	R. L. Polk & Co.
1953	Schrick Frank	R. L. Polk & Co.
1940	SCHUTZ ALICE H	R. L. Polk & Co.
1930	SCHULTZ ISAAC H	R. L. Polk & Co.
1925	SCHUTZ JACOB GARD H	R. L. Polk & Co.
1920	SCHUTZ J J JR R	Pacific Telephone
1910	Schutz Jacob brewer r	H. S. Crocker Co.
	Schultz John J porter r	H. S. Crocker Co.

717 YORK ST

Year	Uses	Source
2006	CORONAWilliam	Haines Company, Inc.
	GRAMLY Chris	Haines Company, Inc.
2000	CORONAWilliarn	Haines & Company
1990	KENNEDY PETER	Pacific Bell
1985	DIVORE JIM	Pacific Bell
1977	Antonia Margt	Pacific Telephone
1971	NEILSEN JACK W	Pacific Telephone
1966	Neilsen Jack W B	R. L. Polk & Co.
1962	Neilsen Jack W B	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1958	Neilsen Jack W	R. L. Polk & Co.
1953	Franza Giovanni	R. L. Polk & Co.
1949	MICCA SHIRLEY M WITH MARSH & MCLENNANH	R. L. Polk & Co.
1935	CARDONA MICH) MECH FEC FELT COH	R. L. Polk & Co.
1930	H	R. L. Polk & Co.
	MADRU F ALBT PHARM HAHNEMANN HOSPR	R. L. Polk & Co.
1925	MADSEN ALBERT F DRUGGIST LENGFELD S PHARMACYR	R. L. Polk & Co.
	MADSEN CARL A (ALEXANDRIA) MILLHDH	R. L. Polk & Co.
	MADSEN F ALBERT PHARMR	R. L. Polk & Co.
1915	Roth Paul cutter r	H. S. Crocker Co.
	Hansen Peter galvanizer r	H. S. Crocker Co.
1910	Madsen C A Mrs nurse r	H. S. Crocker Co.
	Madsen Carl A r	H. S. Crocker Co.

719 YORK ST

Year	Uses	Source
2006	SPEAR Michael	Haines Company, Inc.
2000	CAPUTI Cheryl	Haines & Company
	SPEAR Michael	Haines & Company
	WILSON Sidney J	Haines & Company
1993	Laing Walter	Pacific Bell
	Pollack Andrew	Pacific Bell
1977	Zelia Hector	Pacific Telephone
1971	MARRDQUIN GEO	Pacific Telephone
1966	Hamilton Robt	R. L. Polk & Co.
1962	Hamilton Robt C B	R. L. Polk & Co.
1958	Hamilton Robt C	R. L. Polk & Co.
1953	Taylor Alice	R. L. Polk & Co.
1940	RICHD J (MARTHA) ELK SPCO H	R. L. Polk & Co.
	DRAKE WM S ELK UNITED DRUG COR	R. L. Polk & Co.
1935	DOAKE WM S CLKR	R. L. Polk & Co.
	DRY RICHD J ELK S P COH	R. L. Polk & Co.
1930	OBREY BARTHOLOMEW LABH	R. L. Polk & Co.
	DRAKE RICHD J ELK SPCOR	R. L. Polk & Co.
	DRAKE WM S ELKR	R. L. Polk & Co.
1920	TOMASZEWSKI W R	Pacific Telephone

FINDINGS

Year	Uses	Source
1915	Tomaszewski Louis tailor r	H. S. Crocker Co.

YORK/19TH

YORK/19TH

Year	Uses	Source
1966	YORK/19TH	R. L. Polk & Co.
1962	YORK/19TH	R. L. Polk & Co.
1958	YORK/19TH	R. L. Polk & Co.
1953	YORK/19TH	R. L. Polk & Co.

YORK/19TH ST

YORK/19TH ST

Year	Uses	Source
1977	YORK/19TH ST	Pacific Telephone
1971	YORK/19TH ST	Pacific Telephone

FINDINGS

TARGET PROPERTY: ADDRESS NOT IDENTIFIED IN RESEARCH SOURCE

The following Target Property addresses were researched for this report, and the addresses were not identified in the research source.

Address Researched	Address Not Identified in Research Source
2070 Bryant Streeet	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1962, 1949, 1930, 1920

ADJOINING PROPERTY: ADDRESSES NOT IDENTIFIED IN RESEARCH SOURCE

The following Adjoining Property addresses were researched for this report, and the addresses were not identified in research source.

Address Researched	Address Not Identified in Research Source
19TH/BRYANT	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
19TH/BRYANT ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
19TH/FLORICA ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
19TH/FLORIDA	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
19TH/FLORIDA ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
19TH/YORK	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
19TH/YORK ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
BRYANT/19TH	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
BRYANT/19TH ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
FLORIDA/19TH	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
FLORIDA/19TH ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
YORK/19TH	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
YORK/19TH ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2000 BRYANT ST	2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2001 BRYANT ST	2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2002 BRYANT ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1935, 1925, 1920, 1910
2005 BRYANT AVE	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910

FINDINGS

Address Researched	Address Not Identified in Research Source
2005 BRYANT ST	2012, 2007, 2006, 1993, 1990, 1985, 1982, 1971, 1966, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1915, 1910
2008 BRYANT ST	2012, 2007, 1993, 1990, 1985, 1958, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2010 BRYANT ST	2012, 2007, 2006, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2011 BRYANT ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2012 BRYANT ST	2012, 2007, 1985, 1971, 1949, 1944, 1940, 1935, 1930, 1925, 1915, 1910
2014 BRYANT	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1920, 1915, 1910
2014 BRYANT ST	2012, 2007, 1953, 1944, 1930, 1925, 1920
2014 BRYANT ST	2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2021 BRYANT ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2022 BRYANT ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910
2028 BRYANT	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1920, 1915, 1910
2028 BRYANT AVE	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2028 BRYANT ST	2012, 2007, 2006, 1993, 1990, 1985, 1949, 1930, 1920
2030 BRYANT	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910
2030 BRYANT ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1944, 1935, 1920, 1915
2031 BRYANT	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1925, 1920, 1915, 1910
2031 BRYANT ST	2012, 2007, 2006, 1993, 1990, 1985, 1949, 1920, 1915, 1910
2032 BRYANT ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915
2034 BRYANT ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915
2035 BRYANT ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1930, 1925, 1920, 1915, 1910
2038 BRYANT ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1910
2040 BRYANT ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920
2044 BRYANT	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2044 BRYANT ST	2012, 2007, 1993, 1990, 1985, 1966, 1944, 1930, 1925, 1920, 1915, 1910
2044 BRYANT ST	2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2048 BRYANT	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1935, 1930, 1925, 1920, 1915, 1910

FINDINGS

Address Researched	Address Not Identified in Research Source
2048 BRYANT ST	2012, 2007, 2006, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2050 BRYANT	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1920, 1915, 1910
2050 BRYANT ST	2012, 2007, 1949, 1944, 1940, 1930, 1925, 1915, 1910
2050 BRYANT ST	2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2055 BRYANT ST	2012, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2055 BRYANT ST	2012, 2007, 1990, 1985, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2056 BRYANT ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920
2058 BRYANT ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1910
2063 BRYANT AVE	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2064 BRYANT ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915
2066 BRYANT ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920
2072 BRYANT ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930
2074 BRYANT ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1910
2076 BRYANT ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1910
2080 BRYANT	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2080 BRYANT ST	2012, 2007, 1993, 1990, 1920
2082 BRYANT	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1935, 1930, 1925, 1920, 1915, 1910
2082 BRYANT AVE	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1920, 1915, 1910
2082 BRYANT ST	2012, 2007, 1993, 1990, 1944, 1940, 1930, 1920, 1915
2085 BRYANT ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2088 BRYANT	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910
2088 BRYANT AVE	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2088 BRYANT ST	2012, 2007, 1993, 1944, 1930, 1925, 1920, 1915
2088 BRYANT ST	2012, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2090 BRYANT	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1920, 1915, 1910

FINDINGS

Address Researched	Address Not Identified in Research Source
2090 BRYANT AVE	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1920, 1915, 1910
2090 BRYANT ST	2012, 2007, 1993, 1990, 1985, 1944, 1935, 1930, 1925, 1920, 1915, 1910
2097 BRYANT ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915
2098 BRYANT	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1930, 1920, 1915, 1910
2098 BRYANT AVE	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2098 BRYANT ST	2012, 2007, 1993, 1990, 1985, 1944, 1920
2099 BRYANT	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1930, 1925, 1920, 1915, 1910
2099 BRYANT ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1962, 1958, 1935, 1925, 1920, 1915, 1910
2100 BRYANT	2012, 2007, 2006, 2000, 1993, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2100 BRYANT ST	2012, 2007, 1982, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2100 BRYANT ST	2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2101 BRYANT	2012, 2007, 2006, 2000, 1993, 1990, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1925, 1920, 1915, 1910
2101 BRYANT ST	2012, 2007, 2006, 1949, 1930, 1925, 1920, 1915, 1910
2101 BRYANT ST	2012, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2104 BRYANT	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2104 BRYANT ST	2012, 2007, 1993, 1990, 1985, 1944, 1920, 1910
2105 BRYANT ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910
2108 BRYANT ST	2012, 2007, 1920
2110 BRYANT	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1925, 1920, 1915, 1910
2110 BRYANT ST	2012, 2007, 1990, 1985, 1920, 1915
2112 BRYANT	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1940, 1930, 1920, 1915, 1910
2112 BRYANT ST	2012, 2007, 1985, 1982, 1949, 1944, 1935, 1930
2112 BRYANT ST	2012, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2114 BRYANT	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910
2114 BRYANT ST	2012, 2007, 1993, 1990, 1985, 1925, 1915
2114 BRYANT ST	2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910

FINDINGS

Address Researched	Address Not Identified in Research Source
2116 BRYANT	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1925, 1920, 1915, 1910
2116 BRYANT ST	2012, 2007, 1985, 1953, 1949, 1944, 1935, 1920, 1910
2118 BRYANT ST	2012, 2007, 1993, 1990, 1985, 1949, 1935, 1920, 1910
2120 BRYANT	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1920, 1915, 1910
2120 BRYANT AVE	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1930, 1925, 1920, 1915, 1910
2120 BRYANT ST	2012, 2007, 1993, 1949, 1944, 1935, 1925, 1920, 1915, 1910
2120 BRYANT ST	2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2121 BRYANT	2012, 2007, 2006, 2000, 1993, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2121 BRYANT ST	2012, 2007, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2121 BRYANT ST	2012, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2122 BRYANT ST	2012, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2122 BRYANT ST	2012, 2007, 1990, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2129 BRYANT ST	2012, 2007, 2006, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2132 BRYANT	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1930, 1925, 1920, 1915, 1910
2132 BRYANT AVE	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2132 BRYANT ST	2012, 2007, 2006, 1993, 1990, 1935, 1915, 1910
2135 BRYANT ST	2012, 2007, 2006, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2686 19TH AVE	2012, 2007, 1935, 1930, 1925, 1920, 1915, 1910
2690 19TH AVE	2012, 2007, 1993, 1990, 1935, 1930, 1925, 1920, 1915, 1910
2691 19TH AVE	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1935, 1930, 1925, 1920, 1915, 1910
2694 19TH AVE	2012, 2007, 2006, 1985, 1935, 1930, 1925, 1920, 1915, 1910
2698 19TH AVE	2012, 2007, 1993, 1990, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2698 19TH ST	2012, 2007, 2006, 2000, 1993, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2700 19TH	2012, 2007, 2006, 2000, 1993, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910
2700 19TH CORNER YORK	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1935, 1930, 1925, 1920, 1915, 1910
2700 19TH ST	2012, 2007, 1990, 1985, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2700 19TH ST	2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910

FINDINGS

Address Researched	Address Not Identified in Research Source
2700 19TH ZONE 10	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2708 19TH	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1915, 1910
2719 19TH ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2723 19TH ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2730 19TH AVE	2012, 2007, 2006, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1915, 1910
2740 19TH AVE	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1915, 1910
2745 19TH ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2747 19TH	2012, 2007, 2006, 2000, 1993, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2747 19TH ST	2012, 2007, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2747 19TH ST	2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2749 19TH	2012, 2007, 2006, 2000, 1993, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2749 19TH ST	2012, 2007, 2006, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2750 19TH	2012, 2007, 2006, 2000, 1993, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2750 19TH AVE	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1935, 1930, 1925, 1920, 1915, 1910
2750 19TH ST	2012, 2007, 1990, 1985, 1977, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2750 19TH ST	2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2755 19TH ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2760 19TH AVE	2012, 2007, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2760 19TH ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2770 19TH AVE	2012, 2007, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2780 19TH AVE	2012, 2007, 1990, 1985, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2790 19TH	2012, 2007, 2006, 2000, 1993, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2790 19TH AVE	2012, 2007, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2800 19TH	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1925, 1920, 1915, 1910

FINDINGS

Address Researched	Address Not Identified in Research Source
2800 19TH ST	2012, 2007, 2006, 2000, 1990, 1985, 1949, 1940, 1930, 1920, 1915, 1910
2809 19TH ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2810 19TH ST	2012, 2007, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2812 1/2 19TH	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910
2812 1/2 19TH ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2812 19TH	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1935, 1930, 1925, 1920
2812 19TH AVE	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2812 19TH ST	2012, 2007, 1993, 1990, 1985, 1940, 1930, 1920, 1915
2813 18TH ST	2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2813 19TH	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1920, 1910
2813 19TH ST	2012, 2007, 1990, 1985, 1953, 1949, 1930, 1925, 1920, 1915, 1910
2814 19H	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1920, 1915, 1910
2814 19TH	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1930, 1925, 1920, 1915, 1910
2814 19TH ST	2012, 2007, 1990, 1985, 1966, 1949, 1944, 1940, 1935, 1925, 1920, 1915, 1910
2814 19TH ST	2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2815 18TH	2012, 2007, 2006, 2000, 1993, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2815 18TH ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1962, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2815 18TH ST	2012, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2815 19TH	2012, 2007, 2006, 2000, 1993, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1910
2815 19TH ST	2012, 2007, 1990, 1985, 1953, 1935, 1925, 1920, 1915, 1910
2817 19TH	2012, 2007, 2006, 2000, 1993, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915
2817 19TH ST	2012, 2007, 1990, 1985, 1920, 1915, 1910
2818 18TH ST	2012, 2007, 2006, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910
2819 19TH AVE	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2820 19TH ST	2012, 2007, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2828 18TH ST	2012, 2007, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910

FINDINGS

Address Researched	Address Not Identified in Research Source
2828 18TH ST	2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2828 19TH	2012, 2007, 2006, 2000, 1993, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2828 19TH ST	2012, 2007, 1990, 1985, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1930, 1925, 1920, 1915, 1910
2828 19TH ST	2012, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2830 19TH ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2834 18TH ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1920, 1915, 1910
2834 19TH ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2835 19TH ST	2012, 2007, 2006, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2850 19TH AVE	2012, 2007, 1962, 1958, 1953, 1949, 1944, 1940
2899 19TH	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1920, 1915, 1910
2900 19TH AVE	2012, 2007, 1993, 1990, 1985, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2901 19TH AVE	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2902 19TH	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1935, 1930, 1920, 1910
2902 19TH ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1953, 1949, 1944, 1925, 1920, 1915, 1910
2902 19TH WORKS 18TH	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1920, 1915, 1910
2903 19TH	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920
2906 19TH AVE	2012, 2007, 1985, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
2912 19TH AVE	2012, 2007, 1993, 1990, 1985, 1935, 1930, 1925, 1920, 1915, 1910
2913 19TH	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920
623 FLORENCE ST	2012, 2007, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
624 FLORENCE ST	2012, 2007, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
625 1/2 YORK	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
625 1/2 YORK ST	2012, 2007, 2006, 2000, 1993, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1935, 1920, 1915, 1910
625 YORK	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1935, 1930, 1925, 1920, 1915, 1910
625 YORK DR	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1925, 1920, 1915, 1910

FINDINGS

Address Researched	Address Not Identified in Research Source
625 YORK ST	2012, 2007, 1993, 1982, 1940, 1935, 1925
627 1/2 YORK	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1925, 1920, 1915, 1910
627 1/2 YORK ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1935, 1925, 1920, 1915, 1910
627 YORK	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1920, 1915
627 YORK ST	2012, 2007, 1993, 1990, 1985, 1982, 1949
627 YORK ST	2012, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
629 YORK	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915
629 YORK ST	2012, 2007, 1990, 1982, 1920, 1915
629 YORK ST	2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
631 FLORENCE ST	2012, 2007, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
632 FLORENCE ST	2012, 2007, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
632 FLORIDA ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915
633 FLORIDA ST	2012, 2007, 2006, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
633 YORK ST	2012, 2007, 2006, 1993, 1990, 1982, 1971, 1966, 1944, 1935, 1930, 1925, 1920, 1915, 1910
635 YORK	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1925, 1920, 1915, 1910
635 YORK ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1925, 1920, 1915, 1910
639 FLORENCE ST	2012, 2007, 1993, 1990, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
639 YORK ST	2012, 2007, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
639 YORK ST	2012, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
640 FLORENCE ST	2012, 2007, 1993, 1990, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
640 YORK ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
647 FLORENCE ST	2012, 2007, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
648 FLORENCE ST	2012, 2007, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
650 FLORIDA ST	2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
650 YORK ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910

FINDINGS

Address Researched	Address Not Identified in Research Source
651 FLORIDA ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1910
653 FLORENCE ST	2012, 2007, 1990, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
656 FLORENCE ST	2012, 2007, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
657 FLORIDA ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915
659 FLORENCE ST	2012, 2007, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
660 YORK ST	2012, 2007, 1982, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
660 YORK ST	2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
661 FLORIDA ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920
663 FLORIDA ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1910
664 FLORENCE ST	2012, 2007, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
665 FLORENCE ST	2012, 2007, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
671 FLORENCE ST	2012, 2007, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
671 FLORIDA ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915
672 FLORENCE ST	2012, 2007, 1993, 1990, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
673 FLORIDA ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1910
675 FLORIDA ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
677 FLORENCE ST	2012, 2007, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
677 FLORIDA ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915
679 FLORIDA ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
680 FLORENCE ST	2012, 2007, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
681 FLORIDA ST	2012, 2007, 2006, 1993, 1990, 1985, 1977, 1971, 1966, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
683 FLORENCE ST	2012, 2007, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
683 FLORIDA ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
685 FLORIDA ST	2012, 2007, 2006, 1985, 1971, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910

FINDINGS

Address Researched	Address Not Identified in Research Source
685 FLORIDA WALK	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1935, 1930, 1925, 1920, 1915, 1910
687 YORK ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915
688 FLORENCE ST	2012, 2007, 1993, 1990, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
689 FLORENCE ST	2012, 2007, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
689 FLORIDA	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1935, 1930, 1925, 1920, 1915, 1910
689 FLORIDA AVE	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
689 FLORIDA ST	2012, 2007, 1993, 1949, 1944, 1940, 1935, 1925, 1920
689 FLORIDA WALK	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1920, 1915, 1910
691 FLORIDA	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1920, 1915, 1910
691 FLORIDA AVE	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
691 FLORIDA ST	2012, 2007, 1993, 1990, 1985, 1966, 1949, 1944, 1940, 1935, 1930, 1925
691 FLORIDA ST	2012, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
691 FLORIDA WALK	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1920, 1915, 1910
692 FLORENCE ST	2012, 2007, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
693 FLORIDA ST	2012, 2007, 1993, 1990, 1985, 1966, 1962, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
693 FLORIDA WALK	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910
695 FLORENCE ST	2012, 2007, 1993, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
696 FLORENCE ST	2012, 2007, 1993, 1990, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
698 FLORENCE ST	2012, 2007, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
700 FLORIDA	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920
700 FLORIDA ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1915, 1910
700 YORK ST	2012, 2007, 2006, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1935, 1930, 1925, 1920, 1915, 1910
700-798 YORK	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1920, 1915, 1910
700-798 YORK DR	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1930, 1925, 1920, 1915, 1910
701 FLORIDA	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1935, 1930, 1925, 1920, 1915, 1910

FINDINGS

Address Researched	Address Not Identified in Research Source
701 FLORIDA AVE	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1920, 1915, 1910
701 FLORIDA ST	2012, 2007, 2006, 1993, 1990, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1910
701 FLORIDA WALK	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1930, 1920, 1915, 1910
702 FLORIDA ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
703 FLORIDA	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1935, 1930, 1925, 1920, 1915, 1910
703 FLORIDA AVE	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1920, 1915, 1910
703 FLORIDA ST	2012, 2007, 1993, 1990, 1985, 1949, 1944, 1940, 1935, 1930, 1925, 1920
703 FLORIDA WALK	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1940, 1935, 1925, 1920, 1915, 1910
703 FLORIDA WALK	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910
704 YORK ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910
705 FLORIDA	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1925, 1920, 1915, 1910
705 FLORIDA AVE	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
705 FLORIDA ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915
705 FLORIDA WALK	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1930, 1920, 1915, 1910
705 YORK ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915
707 YORK	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1940, 1935, 1930, 1925, 1920, 1915, 1910
707 YORK ST	2012, 2007, 1993, 1990, 1985, 1982, 1949, 1944, 1920
709 FLORIDA ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
709 YORK	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1930, 1925, 1920, 1915, 1910
709 YORK DR	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
709 YORK ST	2012, 2007, 2000, 1993, 1990, 1985, 1982, 1953, 1949, 1935, 1925
710 FLORIDA ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1971, 1966, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
710 FLORIDA ST	2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
710 YORK	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1925, 1920, 1915, 1910
710 YORK ST	2012, 2007, 2006, 1982, 1944, 1940, 1930, 1925, 1920, 1910

FINDINGS

Address Researched	Address Not Identified in Research Source
711 YORK	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1925, 1920, 1915, 1910
711 YORK ST	2012, 2007, 1993, 1990, 1982, 1935, 1930, 1915
712 YORK ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910
713 YORK	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1940, 1935, 1930, 1920, 1915, 1910
713 YORK ST	2012, 2007, 1982, 1944
714 FLORIDA ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920
715 FLORIDA	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1935, 1925, 1920, 1915, 1910
715 FLORIDA ST	2012, 2007, 1993, 1990, 1977, 1971, 1966, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1915
715 FLORIDA WALK	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1930, 1920, 1915, 1910
715 YORK	2012, 2007, 2006, 2000, 1993, 1990, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1930, 1925, 1920, 1915, 1910
715 YORK AVE	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
715 YORK DR	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1925, 1920, 1915, 1910
715 YORK ST	2012, 2007, 1985, 1982, 1949, 1944, 1935, 1915
716 FLORIDA ST	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1920, 1910
717 YORK	2012, 2007, 2006, 2000, 1993, 1990, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1925, 1915, 1910
717 YORK DR	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1935, 1930, 1925, 1920, 1915, 1910
717 YORK I	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1944, 1940, 1935, 1930, 1925, 1920, 1915, 1910
717 YORK ST	2012, 2007, 1993, 1982, 1944, 1940, 1920
719 YORK	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1940, 1930, 1925, 1920, 1915, 1910
719 YORK DR	2012, 2007, 2006, 2000, 1993, 1990, 1985, 1982, 1977, 1971, 1966, 1962, 1958, 1953, 1949, 1944, 1940, 1935, 1930, 1920, 1915, 1910
719 YORK ST	2012, 2007, 1990, 1985, 1982, 1949, 1944, 1925, 1910

APPENDIX E

REGULATORY AGENCY DATABASE REPORT
(PROVIDED ON CD-ROM)

2070 Bryant Streeet
2070 Bryant Streeet
San Francisco, CA 94110

Inquiry Number: 3554977.2s
March 22, 2013

The EDR Radius Map™ Report with GeoCheck®

EDR® Environmental Data Resources Inc

440 Wheelers Farms Road
Milford, CT 06461
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION	PAGE
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	8
Orphan Summary	683
Government Records Searched/Data Currency Tracking	GR-1

GEOCHECK ADDENDUM

Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting SSURGO Soil Map	A-8
Physical Setting Source Map	A-11
Physical Setting Source Map Findings	A-13
Physical Setting Source Records Searched	A-41

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2013 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

2070 BRYANT STREEET
SAN FRANCISCO, CA 94110

COORDINATES

Latitude (North):	37.7610000 - 37° 45' 39.60"
Longitude (West):	122.4105000 - 122° 24' 37.80"
Universal Tranverse Mercator:	Zone 10
UTM X (Meters):	551925.6
UTM Y (Meters):	4179256.5
Elevation:	34 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map:	37122-G4 SAN FRANCISCO NORTH, CA
Most Recent Revision:	1999
South Map:	37122-F4 SAN FRANCISCO SOUTH, CA
Most Recent Revision:	1999

AERIAL PHOTOGRAPHY IN THIS REPORT

Photo Year:	2010
Source:	USDA

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL ..... National Priority List

EXECUTIVE SUMMARY

Proposed NPL..... Proposed National Priority List Sites
NPL LIENS..... Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL..... National Priority List Deletions

Federal CERCLIS list

CERCLIS..... Comprehensive Environmental Response, Compensation, and Liability Information System
FEDERAL FACILITY..... Federal Facility Site Information listing

Federal RCRA CORRACTS facilities list

CORRACTS..... Corrective Action Report

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF..... RCRA - Treatment, Storage and Disposal

Federal institutional controls / engineering controls registries

US ENG CONTROLS..... Engineering Controls Sites List
US INST CONTROL..... Sites with Institutional Controls
LUCIS..... Land Use Control Information System

Federal ERNS list

ERNS..... Emergency Response Notification System

State and tribal landfill and/or solid waste disposal site lists

SWF/LF..... Solid Waste Information System

State and tribal leaking storage tank lists

INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

State and tribal registered storage tank lists

AST..... Aboveground Petroleum Storage Tank Facilities
INDIAN UST..... Underground Storage Tanks on Indian Land
FEMA UST..... Underground Storage Tank Listing

State and tribal voluntary cleanup sites

INDIAN VCP..... Voluntary Cleanup Priority Listing

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS..... A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

ODI..... Open Dump Inventory

EXECUTIVE SUMMARY

DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations
WMUDS/SWAT..... Waste Management Unit Database
SWRCY..... Recycler Database
HAULERS..... Registered Waste Tire Haulers Listing
INDIAN ODI..... Report on the Status of Open Dumps on Indian Lands

Local Lists of Hazardous waste / Contaminated Sites

US CDL..... Clandestine Drug Labs
SCH..... School Property Evaluation Program
Toxic Pits..... Toxic Pits Cleanup Act Sites
CDL..... Clandestine Drug Labs
US HIST CDL..... National Clandestine Laboratory Register

Local Land Records

LIENS 2..... CERCLA Lien Information
LIENS..... Environmental Liens Listing

Records of Emergency Release Reports

HMIRS..... Hazardous Materials Information Reporting System
CHMIRS..... California Hazardous Material Incident Report System
LDS..... Land Disposal Sites Listing
MCS..... Military Cleanup Sites Listing

Other Ascertainable Records

DOT OPS..... Incident and Accident Data
DOD..... Department of Defense Sites
CONSENT..... Superfund (CERCLA) Consent Decrees
ROD..... Records Of Decision
UMTRA..... Uranium Mill Tailings Sites
US MINES..... Mines Master Index File
TRIS..... Toxic Chemical Release Inventory System
TSCA..... Toxic Substances Control Act
FTTS..... FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
HIST FTTS..... FIFRA/TSCA Tracking System Administrative Case Listing
SSTS..... Section 7 Tracking Systems
ICIS..... Integrated Compliance Information System
PADS..... PCB Activity Database System
MLTS..... Material Licensing Tracking System
RADINFO..... Radiation Information Database
FINDS..... Facility Index System/Facility Registry System
RAATS..... RCRA Administrative Action Tracking System
RMP..... Risk Management Plans
CA BOND EXP. PLAN..... Bond Expenditure Plan
UIC..... UIC Listing
NPDES..... NPDES Permits Listing
Cortese..... "Cortese" Hazardous Waste & Substances Sites List
CUPA Listings..... CUPA Resources List
WIP..... Well Investigation Program Case List
ENF..... Enforcement Action Listing
HAZNET..... Facility and Manifest Data

EMI..... Emissions Inventory Data
INDIAN RESERV..... Indian Reservations
SCRD DRYCLEANERS..... State Coalition for Remediation of Drycleaners Listing
COAL ASH DOE..... Steam-Electric Plant Operation Data
COAL ASH EPA..... Coal Combustion Residues Surface Impoundments List
HWT..... Registered Hazardous Waste Transporter Database
HWP..... EnviroStor Permitted Facilities Listing
Financial Assurance..... Financial Assurance Information Listing
2020 COR ACTION..... 2020 Corrective Action Program List
US AIRS..... Aerometric Information Retrieval System Facility Subsystem
PRP..... Potentially Responsible Parties
WDS..... Waste Discharge System
EPA WATCH LIST..... EPA WATCH LIST
US FIN ASSUR..... Financial Assurance Information
PCB TRANSFORMER..... PCB Transformer Registration Database
PROC..... Certified Processors Database
MWMP..... Medical Waste Management Program Listing

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP..... EDR Proprietary Manufactured Gas Plants

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.
Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal CERCLIS NFRAP site List

CERC-NFRAP: Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

A review of the CERC-NFRAP list, as provided by EDR, and dated 02/05/2013 has revealed that there is 1 CERC-NFRAP site within approximately 0.5 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
GAMLEN CHEMICAL CO	195 SAN BRUNO	NNE 1/4 - 1/2 (0.480 mi.)	313	617

Federal RCRA generators list

RCRA-LQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

A review of the RCRA-LQG list, as provided by EDR, and dated 02/12/2013 has revealed that there are 2 RCRA-LQG sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
POTRERO FACILITY	2500 MARIPOSA STREET	NE 1/8 - 1/4 (0.162 mi.)	P128	219

Lower Elevation	Address	Direction / Distance	Map ID	Page
SAN FRANCISCO SERVICE CENTER	2180 HARRISON STREET	WNW 0 - 1/8 (0.116 mi.)	K86	136

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 02/12/2013 has revealed that there are 13 RCRA-SQG sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
PIXXON CORP	*2055 BRYANT*	*E 0 - 1/8 (0.009 mi.)*	*A2*	*8*
SAN FRANCISCO AUTO REPAIR SVC	*611 FLORIDA ST*	*NW 0 - 1/8 (0.016 mi.)*	*B10*	*19*
THOMAS FETHERSTON	*720 YORK ST #210*	*ESE 0 - 1/8 (0.072 mi.)*	*F59*	*95*
R AND R ABELINE	*750 YORK ST #12*	*SE 0 - 1/8 (0.090 mi.)*	*H72*	*117*
BEST FOODS A UNIT OF CPC NORTH	*1890 BRYANT ST*	*N 1/8 - 1/4 (0.127 mi.)*	*N95*	*146*
FORTUNE CLEANERS	*2751 21ST ST*	*SSE 1/8 - 1/4 (0.223 mi.)*	*AC185*	*300*
SUNNY AUTO BODY	*450 POTRERO AVE*	*NE 1/8 - 1/4 (0.233 mi.)*	*AE198*	*322*
JOHN OCONNELL COMMTY COLLEGE C	*2095 21ST ST*	*SSW 1/8 - 1/4 (0.244 mi.)*	*AH214*	*344*

Lower Elevation	Address	Direction / Distance	Map ID	Page
PENSKE TRUCK LEASING CO	*2955 18TH STREET*	*NW 0 - 1/8 (0.044 mi.)*	*B28*	*49*
WEICHHART STAMPING CO#	*730 FLORIDA ST*	*SSW 0 - 1/8 (0.050 mi.)*	*E39*	*64*
UNIVERSITY OF CALIFORNIA SAN F	*3130 20TH ST*	*SW 0 - 1/8 (0.114 mi.)*	*J79*	*125*
PG&E TREAT ST GARAGE	*536 TREAT ST*	*WNW 1/8 - 1/4 (0.163 mi.)*	*R133*	*226*
HANS ART AUTO REPAIR	*2160 FOLSOM ST*	*WNW 1/8 - 1/4 (0.247 mi.)*	*AG221*	*353*

RCRA-CESQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-CESQG list, as provided by EDR, and dated 02/12/2013 has revealed that there is 1 RCRA-CESQG site within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
BRYANT SQUARE, LLC	2125 BRYANT STREET	SSE 0 - 1/8 (0.046 mi.)	C35	57

State- and tribal - equivalent NPL

RESPONSE: Identifies confirmed release sites where DTSC is involved in remediation, either in a lead or oversight capacity. These confirmed release sites are generally high-priority and high potential risk.

A review of the RESPONSE list, as provided by EDR, and dated 12/05/2012 has revealed that there is 1 RESPONSE site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
2222 LIMITED	***2222 24TH STREET***	***SE 1/2 - 1 (0.694 mi.)***	***BL328***	***653***

State- and tribal - equivalent CERCLIS

ENVIROSTOR: The Department of Toxic Substances Control's (DTSC's) Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifes sites that have known contamination or sites for which there may be reasons to investigate further. The database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites. EnviroStor provides similar information to the information that was available in CalSites, and provides additional site information, including, but not limited to, identification of formerly-contaminated properties that have been released for reuse, properties where environmental deed restrictions have been recorded to prevent inappropriate land uses, and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.

A review of the ENVIROSTOR list, as provided by EDR, and dated 12/05/2012 has revealed that there are 17 ENVIROSTOR sites within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
898 SOUTH VAN NESS AVENUE Status: Refer: 1248 Local Agency	898 SOUTH VAN NESS AVEN	WSW 1/4 - 1/2 (0.357 mi.)	AN265	468
LICK-WILMERDING HIGH SCHOOL Status: Refer: Other Agency	***450 RHODE ISLAND AVE***	***ENE 1/4 - 1/2 (0.463 mi.)***	***BD299***	***578***
PACIFIC HEATING & SHEET METAL Status: No Further Action	3420 18TH ST	W 1/4 - 1/2 (0.500 mi.)	BF319	634
CAL FED ENTERPRISE (FORMER) Status: No Further Action	***2240 24TH ST***	***SE 1/2 - 1 (0.688 mi.)***	***BL326***	***648***
2222 LIMITED Status: Certified	***2222 24TH STREET***	***SE 1/2 - 1 (0.694 mi.)***	***BL328***	***653***

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
KNUDSON PARK Status: No Further Action	BTW 25TH & 26TH ST	SSE 1/2 - 1 (0.767 mi.)	330	665
BERNAL DWELLINGS Status: Refer: 1248 Local Agency	3082 HARRISON STREET, 3	S 1/2 - 1 (0.820 mi.)	332	667
Not reported Status: Refer: 1248 Local Agency	***1298 HOWARD ST.***	***N 1/2 - 1 (0.951 mi.)***	***336***	***674***

Lower Elevation	Address	Direction / Distance	Map ID	Page
DEHARO/RHODE ISLAND LIVE/WORK Status: Certified O&M - Land Use Restrictions Only	***BETWEEN 17TH/DEHARO & 1***	***NE 1/4 - 1/2 (0.486 mi.)***	***BK317***	***624***
WEST COAST RECYCLING CO. Status: Refer: 1248 Local Agency	***350 RHODE ISLAND AVE.***	***NE 1/2 - 1 (0.503 mi.)***	***BK321***	***635***
PIONEER SOAP CO. INC. Status: Refer: Other Agency	470 CAROLINA ST.	ENE 1/2 - 1 (0.543 mi.)	322	639
1717 17TH ST. Status: Refer: 1248 Local Agency	1717 17TH ST.	ENE 1/2 - 1 (0.571 mi.)	323	640
1601 MARIPOSA STREET Status: Active	***1601 MARIPOSA STREET***	***ENE 1/2 - 1 (0.607 mi.)***	***324***	***641***
COSTCO WHOLESALE #144 Status: Inactive - Needs Evaluation	***450 10TH ST***	***N 1/2 - 1 (0.682 mi.)***	***325***	***643***
FOREMOST HOWARD ST BRANCH Status: Refer: Other Agency	***1675 HOWARD ST***	***NNW 1/2 - 1 (0.710 mi.)***	***329***	***658***
FOLSOM/DOVE APARTMENTS Status: Refer: 1248 Local Agency	1346 FOLSOM STREET AND	N 1/2 - 1 (0.828 mi.)	333	668
CONSOLIDATED IRON WORKS Status: Certified	***634 TOWNSEND STREET***	***NNE 1/2 - 1 (0.830 mi.)***	***334***	***669***

State and tribal leaking storage tank lists

LUST: The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the State Water Resources Control Board Leaking Underground Storage Tank Information System.

A review of the LUST list, as provided by EDR, and dated 01/30/2013 has revealed that there are 127 LUST sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
JACK KEENEY PROPERTY Status: Completed - Case Closed	***2031 BRYANT STREET***	***NE 0 - 1/8 (0.009 mi.)***	***A3***	***13***
MOORE EARTH CO. Status: Completed - Case Closed	***2747 19TH ST***	***ESE 0 - 1/8 (0.043 mi.)***	***C21***	***35***
PILALASADES DEVELOPMENT GROUP Status: Completed - Case Closed	***2125 BRYANT ST***	***SSE 0 - 1/8 (0.046 mi.)***	***C37***	***60***
YORK STREET STUDIO HOA Status: Completed - Case Closed	***620 YORK ST***	***ENE 0 - 1/8 (0.060 mi.)***	***F44***	***69***
GROSVENOR PROPRTIES, LTD Status: Completed - Case Closed	***2700 19TH ST***	***ESE 0 - 1/8 (0.063 mi.)***	***C48***	***73***

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
MOORE EARTH CO. (FORMERLY) Status: Completed - Case Closed	720-750 YORK STREET	ESE 0 - 1/8 (0.072 mi.)	F60	97
BUSINESS FURNITURE AND DESIGN	***2650 18TH ST***	***NE 0 - 1/8 (0.083 mi.)***	***G67***	***109***
BUSINESS FURNITURE & DESIGN Status: Completed - Case Closed	***2650 18TH ST***	***NE 0 - 1/8 (0.083 mi.)***	***G69***	***115***
MOORE EARTH COMPANY (FORMER) Status: Completed - Case Closed	***2850 20TH ST.***	***SSE 0 - 1/8 (0.115 mi.)***	***H83***	***131***
COMMERCIAL Status: Completed - Case Closed	517-519 YORK ST.	NNE 0 - 1/8 (0.119 mi.)	L87	138
CPC BEST FOODS Status: Completed - Case Closed	***1890 1900 BRYANT***	***N 1/8 - 1/4 (0.127 mi.)***	***N96***	***150***
NOW DESIGNS OF SAN FRANCISCO	***540 HAMPSHIRE ST***	***NE 1/8 - 1/4 (0.139 mi.)***	***P102***	***161***
NOW DESIGNS Status: Completed - Case Closed	***540 HAMPSHIRE STREET***	***NE 1/8 - 1/4 (0.139 mi.)***	***P103***	***165***
ROSE EXTERMINATOR Status: Completed - Case Closed	***626 POTRERO AVE***	***ENE 1/8 - 1/4 (0.151 mi.)***	***Q110***	***180***
ABBETT ELECTRIC CORP Status: Completed - Case Closed	***1850 BRYANT ST***	***N 1/8 - 1/4 (0.160 mi.)***	***N116***	***192***
1X ABBETT ELECTRIC	***1850 BRYANT STREET***	***N 1/8 - 1/4 (0.160 mi.)***	***N119***	***202***
TRALA PARTNERSHIP Status: Completed - Case Closed	***445 HAMPSHIRE STREET***	***NE 1/8 - 1/4 (0.176 mi.)***	***U143***	***241***
RUDY MARK MILLER	***2440 MARIPOSA STREET***	***NE 1/8 - 1/4 (0.188 mi.)***	***P147***	***249***
NETWORK COURIER SERVICES Status: Completed - Case Closed	***2440 MARIPOSA STREET***	***NE 1/8 - 1/4 (0.188 mi.)***	***P148***	***251***
VACANT LOT	1800 BRYANT STREET	N 1/8 - 1/4 (0.201 mi.)	X156	259
VACANT LOT Status: Completed - Case Closed	***1800 BRYANT STREET***	***N 1/8 - 1/4 (0.201 mi.)***	***X157***	***261***
ANDERSON ROWE & BUCKLEY INC. Status: Completed - Case Closed	***2501 HARRISON STREET***	***SSW 1/8 - 1/4 (0.243 mi.)***	***AH209***	***337***
ANDERSON ROWE & BUCKLEY INC.	2501 HARRISON STREET	SSW 1/8 - 1/4 (0.243 mi.)	AH210	338
JOHN O'CONELL SCHOOL Status: Completed - Case Closed	***2905 21ST ST***	***SSW 1/8 - 1/4 (0.244 mi.)***	***AH215***	***346***
UNION OIL SS# 0053 Status: Open - Site Assessment	***401 POTRERO AVE***	***NE 1/4 - 1/2 (0.268 mi.)***	***AE238***	***374***
UNOCAL #53, POTRERO UNOCAL	***401 POTRERO AVE***	***NE 1/4 - 1/2 (0.268 mi.)***	***AE239***	***380***
PERFORMANCE SHELL OIL #2, JOE Status: Open - Site Assessment Status: Completed - Case Closed	***388 POTRERO AVE***	***NNE 1/4 - 1/2 (0.275 mi.)***	***AK240***	***383***
PERFORMANCE SHELL #2	388 POTRERO AVE	NNE 1/4 - 1/2 (0.275 mi.)	AK241	392
COMMERCIAL PROPERTY Status: Completed - Case Closed	***3330 20TH ST***	***WSW 1/4 - 1/2 (0.278 mi.)***	***AF243***	***402***
COMMERCIAL Status: Completed - Case Closed	***2445 16TH STREET***	***N 1/4 - 1/2 (0.291 mi.)***	***AM245***	***406***
LION BLDG. Status: Completed - Case Closed	***2525 16TH ST***	***NNW 1/4 - 1/2 (0.291 mi.)***	***AM246***	***412***
LION BLDG.	2525 16TH ST	NNW 1/4 - 1/2 (0.291 mi.)	AM247	414
SPCA	2500 16TH ST	N 1/4 - 1/2 (0.293 mi.)	AM248	416
SPCA Status: Completed - Case Closed	***2500 16TH ST***	***N 1/4 - 1/2 (0.293 mi.)***	***AM249***	***418***

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
ALL TIRE	***359 POTRERO AVE***	***NNE 1/4 - 1/2 (0.297 mi.)***	***AK250***	***420***
Status: Completed - Case Closed				
UNITED AUTO BODY	***3360 20TH ST***	***WSW 1/4 - 1/2 (0.312 mi.)***	***AN252***	***425***
Status: Completed - Case Closed				
Not reported	***2300 16TH ST***	***NNE 1/4 - 1/2 (0.316 mi.)***	***255***	***433***
Status: Completed - Case Closed				
DALE'S AUTO SERVICE	376 UTAH STREET	NE 1/4 - 1/2 (0.320 mi.)	AP257	443
DALE'S AUTO SERVICE	***376 UTAH STREET***	***NE 1/4 - 1/2 (0.320 mi.)***	***AP258***	***444***
Status: Completed - Case Closed				
SHELL STATION #4408	793 SO. VAN NESS AVENUE	W 1/4 - 1/2 (0.337 mi.)	261	449
Status: Open - Assessment & Interim Remedial Action				
CHEVRON STATION #9-9906	***302 POTRERO AVE***	***NNE 1/4 - 1/2 (0.337 mi.)***	***262***	***457***
Status: Completed - Case Closed				
POTRERO SERVICE STATION	***998 POTRERO AVE***	***SSE 1/4 - 1/2 (0.368 mi.)***	***AS267***	***472***
POTRERO SERVICE STATION	***998 POTRERO AVE***	***SSE 1/4 - 1/2 (0.368 mi.)***	***AS268***	***474***
Status: Completed - Case Closed				
W.L. BIPES CO. INC.	2040 17TH ST	NE 1/4 - 1/2 (0.416 mi.)	AY285	525
W.L. BIPES CO. INC.	***2040 17TH ST***	***NE 1/4 - 1/2 (0.416 mi.)***	***AY286***	***527***
Status: Completed - Case Closed				
RESIDENCE	2818-2822 23RD ST	SSE 1/4 - 1/2 (0.444 mi.)	BA288	532
Status: Completed - Case Closed				
COMMERCIAL	3140 21ST STREET	SW 1/4 - 1/2 (0.445 mi.)	289	534
Status: Completed - Case Closed				
CONTINENTAL BAKING CO.	***1525 BRYANT STREET***	***N 1/4 - 1/2 (0.448 mi.)***	***BB292***	***540***
CONTINENTAL BAKING CO.	***1525 BRYANT STREET***	***N 1/4 - 1/2 (0.448 mi.)***	***BB293***	***546***
Status: Completed - Case Closed				
BALTAZAR MARTINEZ TRUST	***1104 YORK ST***	***SSE 1/4 - 1/2 (0.454 mi.)***	***BA296***	***562***
Status: Completed - Case Closed				
LICK-WILMERDING HIGH SCHOOL	***450 RHODE ISLAND AVE***	***ENE 1/4 - 1/2 (0.463 mi.)***	***BD299***	***578***
Status: Completed - Case Closed				
LICK-WILMERDING HIGH SCHOOL	450 RHODE ISLAND AVE	ENE 1/4 - 1/2 (0.463 mi.)	BD300	580
SIEGEL'S	2360 MISSION STREET	WSW 1/4 - 1/2 (0.463 mi.)	BE301	582
SIEGEL'S	***2360 MISSION STREET***	***WSW 1/4 - 1/2 (0.463 mi.)***	***BE302***	***584***
Status: Completed - Case Closed				
COMMERCIAL	2193-2197 MISSION ST.	W 1/4 - 1/2 (0.464 mi.)	BF303	586
Status: Completed - Case Closed				
PARQUE NINOS UNIDOS FORMERLY C	3070-3090 23RD ST.	SSW 1/4 - 1/2 (0.469 mi.)	BG304	588
Status: Open - Inactive				
DUTRO MAT COMPANY	***2675 FOLSOM STREET***	***SSW 1/4 - 1/2 (0.469 mi.)***	***BH306***	***594***
Status: Completed - Case Closed				
DUTRO MAT COMPANY	2675 FOLSOM STREET	SSW 1/4 - 1/2 (0.469 mi.)	BH307	596
M. TOICH AND SONS	1100 POTRERO AVE.	SSE 1/4 - 1/2 (0.472 mi.)	BJ310	604
ALAN SAGETALYAN	***1100 POTRERO AVE***	***SSE 1/4 - 1/2 (0.472 mi.)***	***BJ311***	***606***
Status: Open - Eligible for Closure				
COMMERCIAL PROPERTY	***3055 23RD STREET***	***SSW 1/4 - 1/2 (0.473 mi.)***	***BG312***	***615***
Status: Completed - Case Closed				
CONTINENTAL BAKING CO.	***2454 ALAMEDA ST***	***N 1/4 - 1/2 (0.481 mi.)***	***315***	***618***
Status: Completed - Case Closed				

EXECUTIVE SUMMARY

Lower Elevation	Address	Direction / Distance	Map ID	Page
MISSION LANGUAGE SCHOOL Status: Completed - Case Closed	2929 19TH ST	SW 0 - 1/8 (0.037 mi.)	B15	24
ALABAMA ST HOUSING ASSOCIATES Status: Completed - Case Closed	***2949 18TH ST***	***NW 0 - 1/8 (0.042 mi.)***	***B18***	***30***
HERTZ-PENSKE TRUCK LEASING Status: Completed - Case Closed	2955 18TH ST	NW 0 - 1/8 (0.044 mi.)	B25	45
FORMER PENSKE TRUCK LEASING F. Status: Completed - Case Closed	2955 18TH ST	NW 0 - 1/8 (0.044 mi.)	B26	46
EIRO AUTO REPAIR Status: Completed - Case Closed Status: Open - Eligible for Closure	***3014 18TH ST***	***WNW 0 - 1/8 (0.072 mi.)***	***D57***	***89***
PEERLESS LINEN COMPANY Status: Completed - Case Closed	***570 ALABAMA ST.***	***NW 0 - 1/8 (0.080 mi.)***	***D66***	***106***
COMMERCIAL PROPERTY Status: Completed - Case Closed	3000 20TH STREET	S 0 - 1/8 (0.110 mi.)	I74	119
KOCH INVESTMENT CO. ***UCSF/FM*** Status: Completed - Case Closed	3130 20TH ST ***3130 20TH ST***	SW 0 - 1/8 (0.114 mi.) ***SW 0 - 1/8 (0.114 mi.)***	J78 ***J81***	123 ***127***
HOA - 2170 HARRISON STREET Status: Completed - Case Closed	***2170 HARRISON STREET***	***NW 0 - 1/8 (0.124 mi.)***	***K92***	***142***
VITLIN/ROSS PROPERTIES Status: Completed - Case Closed	***3131 19TH ST***	***W 1/8 - 1/4 (0.137 mi.)***	***O100***	***156***
PROJECT ARTAUD Status: Completed - Case Closed	479-499 ALABAMA ST	NNW 1/8 - 1/4 (0.146 mi.)	M105	168
JOHN O'CONNEL TECH SCHOOL Status: Completed - Case Closed	***3200 20TH ST..***	***SW 1/8 - 1/4 (0.148 mi.)***	***J108***	***173***
LOSKUTOFF PROPERTY Status: Completed - Case Closed	***2407 HARRISON STREET***	***SW 1/8 - 1/4 (0.154 mi.)***	***J111***	***185***
LOSKUTOFF PROPERTY ***CHARTER CONSTRUCTION, INC.*** Status: Completed - Case Closed	2407 HARRISON STREET ***2412 HARRISON ST***	SW 1/8 - 1/4 (0.154 mi.) ***SW 1/8 - 1/4 (0.160 mi.)***	J112 ***J122***	187 ***206***
WESTERN HEATING & PLUMBING Status: Completed - Case Closed	***600 TREAT STREET***	***W 1/8 - 1/4 (0.162 mi.)***	***O123***	***210***
WESTERN HEATING & PLUMBING PG&E TREAT STREET COMPLEX ***SFFD STATION #7*** Status: Completed - Case Closed	600 TREAT STREET 536 TREAT STREET ***2300 FOLSOM ST***	W 1/8 - 1/4 (0.162 mi.) WNW 1/8 - 1/4 (0.163 mi.) ***W 1/8 - 1/4 (0.220 mi.)***	O124 R134 ***Y171***	212 228 ***271***
SFFD STATION #7 FORMER BODE GRAVEL Status: Completed - Case Closed	2300 FOLSOM STREET 386 ALABAMA ST.	W 1/8 - 1/4 (0.220 mi.) NNW 1/8 - 1/4 (0.224 mi.)	Y173 AD189	282 310
PIKE PROPERTY Status: Completed - Case Closed	***3057 17TH ST***	***NW 1/8 - 1/4 (0.236 mi.)***	***AB204***	***330***
LILLI ANN PROPERTIES Status: Completed - Case Closed	***2030 HARRISON STREET***	***NNW 1/8 - 1/4 (0.248 mi.)***	***AD225***	***357***
LILLI ANN PROPERTIES ***COMMERCIAL PROPERTY*** Status: Completed - Case Closed	2030 HARRISON STREET ***2156 FOLSOM ST***	NNW 1/8 - 1/4 (0.248 mi.) ***WNW 1/8 - 1/4 (0.249 mi.)***	AD226 ***AG231***	358 ***361***
KIMMEL COMPANY Status: Completed - Case Closed	***2140 70 FOLSOM***	***WNW 1/4 - 1/2 (0.257 mi.)***	***AG235***	***367***

EXECUTIVE SUMMARY

Lower Elevation	Address	Direction / Distance	Map ID	Page
VIACOM	3070 17TH ST	NW 1/4 - 1/2 (0.261 mi.)	AJ236	370
VIACOM	***3070 17TH ST***	***NW 1/4 - 1/2 (0.261 mi.)***	***AJ237***	***372***
Status: Completed - Case Closed				
SHOTWELL COMPLEX	***3235 18TH STREET***	***WNW 1/4 - 1/2 (0.275 mi.)***	***AL242***	***392***
COMMERCIAL	298 ALABAMA ST/	NNW 1/4 - 1/2 (0.300 mi.)	251	423
Status: Completed - Case Closed				
TCI - SAN FRANCISCO	***2055 FOLSOM STREET***	***NW 1/4 - 1/2 (0.314 mi.)***	***AO253***	***429***
Status: Completed - Case Closed				
TCI - SAN FRANCISCO	2055 FOLSOM STREET	NW 1/4 - 1/2 (0.314 mi.)	AO254	431
LABORER'S	***3271 18TH ST***	***WNW 1/4 - 1/2 (0.317 mi.)***	***AL256***	***438***
Status: Completed - Case Closed				
SIMONETTA NERI PROPERTY	***307 SHOTWELL STREET***	***WNW 1/4 - 1/2 (0.325 mi.)***	***AQ259***	***446***
Status: Completed - Case Closed				
KILPATRICK'S BAKERY INC	***2030 FOLSOM ST***	***NW 1/4 - 1/2 (0.338 mi.)***	***AO263***	***462***
Status: Completed - Case Closed				
COMMERCIAL / RETAIL	***2779 16TH ST***	***NW 1/4 - 1/2 (0.348 mi.)***	***AR264***	***465***
Status: Completed - Case Closed				
J. SCHMIDT CHOCOLATE FACTORY	***2000 FOLSOM STREET***	***NW 1/4 - 1/2 (0.364 mi.)***	***AR266***	***469***
Status: Completed - Case Closed				
CCSF MUNI-HARRISON FACILITY	***1940 HARRISON STREET***	***NNW 1/4 - 1/2 (0.372 mi.)***	***AT269***	***477***
Status: Completed - Case Closed				
CCSF-MUNI FLYNN	***1940 HARRISON STREET***	***NNW 1/4 - 1/2 (0.372 mi.)***	***AT270***	***478***
KILPATRICK'S BAKERY INC.	***1990 FOLSOM STREET***	***NW 1/4 - 1/2 (0.374 mi.)***	***AR271***	***481***
Status: Completed - Case Closed				
KILPATRICK'S BAKERY INC.	1990 FOLSOM STREET	NW 1/4 - 1/2 (0.374 mi.)	AR272	484
TARGET AUTO	***600 SO. VAN NESS AVE***	***WNW 1/4 - 1/2 (0.383 mi.)***	***AU273***	***486***
Status: Completed - Case Closed				
GAS & SHOP	599 SOUTH VAN NESS AVE.	WNW 1/4 - 1/2 (0.384 mi.)	AU274	489
Status: Open - Site Assessment				
SUPER-7	595 SO. VAN NESS AVENUE	WNW 1/4 - 1/2 (0.386 mi.)	AU275	491
Status: Completed - Case Closed				
BODE GRAVEL CO.	250 FLORIDA STREET	N 1/4 - 1/2 (0.387 mi.)	AV277	497
BODE GRAVEL CO.	***250 FLORIDA STREET***	***N 1/4 - 1/2 (0.387 mi.)***	***AV278***	***498***
Status: Completed - Case Closed				
CAL TRANS MATERIALS LAB DIST 4	***325 SAN BRUNO AVE***	***NE 1/4 - 1/2 (0.389 mi.)***	***AW279***	***500***
Status: Completed - Case Closed				
CUMMINS WEST INC SVC DEPT	***1960 FOLSOM***	***NW 1/4 - 1/2 (0.401 mi.)***	***AX280***	***504***
Status: Completed - Case Closed				
CUMMINS WEST INC.	***1960 FOLSOM ST***	***NW 1/4 - 1/2 (0.401 mi.)***	***AX281***	***508***
ALBERA BROS JEEP INC	***2860 16TH ST***	***NW 1/4 - 1/2 (0.405 mi.)***	***282***	***511***
Status: Completed - Case Closed				
SAN FRANCISCO	***295 SAN BRUNO AVE***	***NE 1/4 - 1/2 (0.411 mi.)***	***AW283***	***513***
CALTRANS DISTRICT 4	***295 SAN BRUNO AVE***	***NE 1/4 - 1/2 (0.411 mi.)***	***AW284***	***515***
Status: Completed - Case Closed				
AUTO CITY GASOLINE	505 SO. VAN NESS AVE	NW 1/4 - 1/2 (0.440 mi.)	AZ287	528
Status: Open - Site Assessment				
INTERIOR RESOURCES	360 KANSAS STREET	NE 1/4 - 1/2 (0.446 mi.)	AY290	536
INTERIOR RESOURCES	***360 KANSAS STREET***	***NE 1/4 - 1/2 (0.446 mi.)***	***AY291***	***538***
Status: Completed - Case Closed				

Lower Elevation	Address	Direction / Distance	Map ID	Page
R J MCGLENNON COMPANY INCORPOR	***198 UTAH STREET***	***NNE 1/4 - 1/2 (0.449 mi.)***	***BC294***	***548***
Status: Completed - Case Closed				
R.J. MCGLENNON CO., INC.	***198 UTAH STREET***	***NNE 1/4 - 1/2 (0.449 mi.)***	***BC295***	***556***
QUALITY TUNE-UP/FORMER ARCO	490 SO. VAN NESS AVE.	NW 1/4 - 1/2 (0.458 mi.)	AZ297	568
Status: Open - Eligible for Closure				
BUTTERFIELD AND BUTTERFIELD	***164 UTAH ST***	***NNE 1/4 - 1/2 (0.461 mi.)***	***BC298***	***575***
Status: Completed - Case Closed				
OFFICE BUILDING	1417 15TH ST	NW 1/4 - 1/2 (0.469 mi.)	305	591
Status: Completed - Case Closed				
CHARLES HENRY CO. (FORMER)	***145 CAPP STREET***	***WNW 1/4 - 1/2 (0.470 mi.)***	***BI308***	***598***
Status: Completed - Case Closed				
UNKNOWN	***145 CAPP STREET***	***WNW 1/4 - 1/2 (0.470 mi.)***	***BI309***	***599***
APARTMENT BUILDING	460 SO. VAN NESS AVENUE	NW 1/4 - 1/2 (0.485 mi.)	316	621
Status: Completed - Case Closed				
JOHNSON PROPERTY (FORMERLY)	***375 RHODE ISLAND AVE***	***ENE 1/4 - 1/2 (0.493 mi.)***	***BK318***	***630***
Status: Completed - Case Closed				

SLIC: SLIC Region comes from the California Regional Water Quality Control Board.

A review of the SLIC list, as provided by EDR, and dated 01/30/2013 has revealed that there are 2 SLIC sites within approximately 0.5 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
PG & E TREAT AVENUE PARKING LO	401 TREAT AVENUE	NW 1/8 - 1/4 (0.222 mi.)	AB182	298
Facility Status: Open - Site Assessment				
TREAT AVENUE PARKING FACILITY	1822 HARRISON ST	NNW 1/4 - 1/2 (0.500 mi.)	320	635
Facility Status: Open - Inactive				

State and tribal registered storage tank lists

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the State Water Resources Control Board's Hazardous Substance Storage Container Database.

A review of the UST list, as provided by EDR, and dated 12/17/2012 has revealed that there are 52 UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
VACANT	2031 BRYANT ST	NE 0 - 1/8 (0.009 mi.)	A4	16
MOORE EARTH	2747 19TH ST	ESE 0 - 1/8 (0.043 mi.)	C22	38
COMMERCIAL	2125 BRYANT ST	SSE 0 - 1/8 (0.046 mi.)	C36	59
BAY GUARDIAN	2700 19TH ST	ESE 0 - 1/8 (0.063 mi.)	C47	72
2700 19TH ST BLDG	2700 19TH ST	ESE 0 - 1/8 (0.063 mi.)	C49	77
PARAMOUNT PRESS	2701 18TH ST	NE 0 - 1/8 (0.065 mi.)	G52	80
MOORE EARTH	720 YORK ST	ESE 0 - 1/8 (0.072 mi.)	F61	100
BUSINESS FURNITURE	2650 18TH ST	NE 0 - 1/8 (0.083 mi.)	G68	114
2850 20TH ST	2850 20TH ST	SSE 0 - 1/8 (0.115 mi.)	H84	134

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
BEST FOODS A UNIT OF CPC NORTH	***1890 BRYANT ST***	***N 1/8 - 1/4 (0.127 mi.)***	***N95***	***146***
SOUTHERN PACIFIC	2601 MARIPOSA ST	NNE 1/8 - 1/4 (0.131 mi.)	L97	151
NOW DESIGNS OF SAN	540 HAMPSHIRE ST	NE 1/8 - 1/4 (0.139 mi.)	P101	158
ROSE EXTERMINATOR	626 POTRERO AV	ENE 1/8 - 1/4 (0.151 mi.)	Q109	179
ABBETT ELECTRIC	1850 BRYANT ST	N 1/8 - 1/4 (0.160 mi.)	N118	199
CCSF/PTD/MUNI/POTR	2500 MARIPOSA ST	NE 1/8 - 1/4 (0.162 mi.)	P126	215
SF NEON INC.	690 POTRERO AV	E 1/8 - 1/4 (0.168 mi.)	T137	234
ALART MECHANICAL	445 HAMPSHIRE ST	NE 1/8 - 1/4 (0.176 mi.)	U141	238
NETWORK COURIER	2440 MARIPOSA ST	NE 1/8 - 1/4 (0.188 mi.)	P146	248
MIRAGE INVESTMENT,	2451 HARRISON ST	SSW 1/8 - 1/4 (0.192 mi.)	V149	253
NICHIREN, SHOSHU,	1800 BRYANT ST	N 1/8 - 1/4 (0.201 mi.)	X155	258
OROWEAT BAKING	1798 BRYANT ST	N 1/8 - 1/4 (0.207 mi.)	X162	265
COMMERCIAL	480 POTRERO AV	NE 1/8 - 1/4 (0.220 mi.)	W174	284
375 ALABAMA ST	375 ALABAMA ST	NNW 1/8 - 1/4 (0.232 mi.)	AD194	317
ANDERSON, ROWE &	2501 HARRISON ST	SSW 1/8 - 1/4 (0.243 mi.)	AH208	334
JOHN O'CONNELL	2905 21ST ST	SSW 1/8 - 1/4 (0.244 mi.)	AH213	341

Lower Elevation	Address	Direction / Distance	Map ID	Page
MISSION LANGUAGE	2929 19TH ST	SW 0 - 1/8 (0.037 mi.)	B14	23
ATLAS & CIVIC CTR	2947 18TH ST	NW 0 - 1/8 (0.041 mi.)	B17	28
VACANT LOT	2949 18TH ST	NW 0 - 1/8 (0.042 mi.)	B19	34
PENSKE TRUCK LEASING CO. L.P.	2955 18TH ST	NW 0 - 1/8 (0.044 mi.)	B24	41
PEERLESS LINEN	550 FLORIDA ST	NW 0 - 1/8 (0.045 mi.)	D30	52
600 ALABAMA STREET	600 ALABAMA ST	WNW 0 - 1/8 (0.065 mi.)	D53	81
ERIE AUTO REPAIR	3014 18TH ST	WNW 0 - 1/8 (0.072 mi.)	D54	83
PEERLESS LINEN	570 ALABAMA ST	NW 0 - 1/8 (0.080 mi.)	D64	102
COMMERCIAL	3000 20TH ST	S 0 - 1/8 (0.110 mi.)	I76	121
BEKIN'S MOVING &	3130 20TH ST	SW 0 - 1/8 (0.114 mi.)	J82	130
2170 HARRISON ST	2170 HARRISON ST	NW 0 - 1/8 (0.124 mi.)	K91	141
COMMERCIAL	3131 19TH ST	W 1/8 - 1/4 (0.137 mi.)	O99	154
PROJECT ARTAUD	479 ALABAMA ST	NNW 1/8 - 1/4 (0.146 mi.)	M104	166
SFUSD #921 - LAS	3200 20TH ST	SW 1/8 - 1/4 (0.148 mi.)	J107	171
COMMERCIAL	2407 HARRISON ST	SW 1/8 - 1/4 (0.154 mi.)	J113	189
2407 HARRISON ST	2407 HARRISON ST	SW 1/8 - 1/4 (0.154 mi.)	J114	190
CHARTER	2412 HARRISON ST	SW 1/8 - 1/4 (0.160 mi.)	J121	204
WESTERN PLUMBING &	600 TREAT AV	W 1/8 - 1/4 (0.162 mi.)	O125	213
METKIN TOOL AND	630 TREAT AV	WSW 1/8 - 1/4 (0.162 mi.)	O129	220
COMMERCIAL	2417 HARRISON ST	SW 1/8 - 1/4 (0.162 mi.)	J130	223
AUTO ELECTRICAL	3221 20TH ST	SW 1/8 - 1/4 (0.165 mi.)	S136	233
CCSF/SFFD/STATION #7	2300 FOLSOM ST	W 1/8 - 1/4 (0.220 mi.)	Y172	276
PG&E HARRISON/TREAT STREET YAR	2225 FOLSOM ST	W 1/8 - 1/4 (0.222 mi.)	AA181	292
RMM-LONESTAR	386 ALABAMA ST	NNW 1/8 - 1/4 (0.224 mi.)	AD187	304
3057 17TH ST	3057 17TH ST	NW 1/8 - 1/4 (0.236 mi.)	AB203	328
2030 HARRISON ST	2030 HARRISON ST	NNW 1/8 - 1/4 (0.248 mi.)	AD224	355
MR. RAYMOND WONG	2156 FOLSOM ST	WNW 1/8 - 1/4 (0.249 mi.)	AG232	365

State and tribal voluntary cleanup sites

VCP: Contains low threat level properties with either confirmed or unconfirmed releases and the project proponents have request that DTSC oversee investigation and/or cleanup activities and have agreed to provide coverage for DTSC's costs.

A review of the VCP list, as provided by EDR, and dated 12/05/2012 has revealed that there is 1 VCP

site within approximately 0.5 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
DEHARO/RHODE ISLAND LIVE/WORK	*BETWEEN 17TH/DEHARO & 1*	*NE 1/4 - 1/2 (0.486 mi.)*	*BK317*	*624*

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Hazardous waste / Contaminated Sites

HIST Cal-Sites: Formerly known as ASPIS, this database contains both known and potential hazardous substance sites. The source is the California Department of Toxic Substance Control. No longer updated by the state agency. It has been replaced by ENVIROSTOR.

A review of the HIST Cal-Sites list, as provided by EDR, and dated 08/08/2005 has revealed that there are 2 HIST Cal-Sites sites within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
2222 LIMITED	*2222 24TH STREET*	*SE 1/2 - 1 (0.694 mi.)*	*BL328*	*653*

Lower Elevation	Address	Direction / Distance	Map ID	Page
CONSOLIDATED IRON WORKS	*634 TOWNSEND STREET*	*NNE 1/2 - 1 (0.830 mi.)*	*334*	*669*

Local Lists of Registered Storage Tanks

CA FID UST: The Facility Inventory Database contains active and inactive underground storage tank locations. The source is the State Water Resource Control Board.

A review of the CA FID UST list, as provided by EDR, and dated 10/31/1994 has revealed that there are 28 CA FID UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
VACANT	2031 BRYANT ST	NE 0 - 1/8 (0.007 mi.)	A1	8
VACANT	*620 YORK ST*	*ENE 0 - 1/8 (0.060 mi.)*	*F43*	*68*
BAY GUARDIAN NEWSPAPER	2700 19TH ST	ESE 0 - 1/8 (0.063 mi.)	C45	71
PARAMOUNT PRESS	*2701 18TH ST*	*NE 0 - 1/8 (0.065 mi.)*	*G51*	*79*
BUSINESS FURNITURE AND DESIGN	*2650 18TH ST*	*NE 0 - 1/8 (0.083 mi.)*	*G67*	*109*
BEST FOODS A UNIT OF CPC NORTH	*1890 BRYANT ST*	*N 1/8 - 1/4 (0.127 mi.)*	*N95*	*146*
VACANT	*2601 MARIPOSA ST*	*NNE 1/8 - 1/4 (0.131 mi.)*	*L98*	*153*
NOW DESIGNS OF SAN FRANCISCO	*540 HAMPSHIRE ST*	*NE 1/8 - 1/4 (0.139 mi.)*	*P102*	*161*
ROSE EXTERMINATOR	*626 POTRERO AVE*	*ENE 1/8 - 1/4 (0.151 mi.)*	*Q110*	*180*
ABBOTT ELECTRIC CORP.	*1850 BRYANT ST*	*N 1/8 - 1/4 (0.160 mi.)*	*N117*	*198*
**PUC/MUNI/POTRERO DIV*	*2500 MARIPOSA ST*	*NE 1/8 - 1/4 (0.162 mi.)*	*P127*	*217*
SF NEON INC.	*690 POTRERO AVE*	*E 1/8 - 1/4 (0.168 mi.)*	*T138*	*236*
ALART PLUMBING, INC.	*445 HAMPSHIRE ST*	*NE 1/8 - 1/4 (0.176 mi.)*	*U142*	*240*
MIRAGE INVESTMENT, INC.	*2451 HARRISON ST*	*SSW 1/8 - 1/4 (0.192 mi.)*	*V150*	*254*
OROWHEAT BAKING CO.	*1798 BRYANT ST*	*N 1/8 - 1/4 (0.207 mi.)*	*X161*	*264*
VACANT BUILDING	*375 ALABAMA ST*	*NNW 1/8 - 1/4 (0.232 mi.)*	*AD195*	*319*
ANDERSON, ROWE & BUCKLEY, INC.	*2501 HARRISON ST*	*SSW 1/8 - 1/4 (0.243 mi.)*	*AH207*	*333*
JOHN OCONNELL COMMTY COLLEGE C	*2095 21ST ST*	*SSW 1/8 - 1/4 (0.244 mi.)*	*AH214*	*344*

Lower Elevation	Address	Direction / Distance	Map ID	Page
CIVIC CENTER TOWING INC	*2947 18TH ST*	*NW 0 - 1/8 (0.041 mi.)*	*B16*	*27*

EXECUTIVE SUMMARY

Lower Elevation	Address	Direction / Distance	Map ID	Page
HERTZ-PENSKE TRUCK LEASING INC	*2955 18TH ST*	*NW 0 - 1/8 (0.044 mi.)*	*B27*	*47*
PEERLESS LINEN	*550 FLORIDA ST*	*NW 0 - 1/8 (0.045 mi.)*	*D31*	*54*
ERIE AUTO REPAIR SHOP	*3014 18TH ST*	*WNW 0 - 1/8 (0.072 mi.)*	*D56*	*88*
PEERLESS LINEN SERVICE	*570 ALABAMA ST*	*NW 0 - 1/8 (0.080 mi.)*	*D65*	*105*
BEKIN'S MOVING & STORAGE	*3130 20TH ST*	*SW 0 - 1/8 (0.114 mi.)*	*J80*	*126*
VACANT LOT	*3221 20TH ST*	*SW 1/8 - 1/4 (0.165 mi.)*	*S135*	*230*
**SFFD/FIRE STATION #7*	*2300 FOLSOM ST*	*W 1/8 - 1/4 (0.220 mi.)*	*Y170*	*270*
PG&E HARRISON/TREAT STREET YD	*2225 FOLSOM ST*	*W 1/8 - 1/4 (0.222 mi.)*	*AA179*	*287*
RMC-LONESTAR (ALABAMA PLANT)	*386 ALABAMA ST*	*NNW 1/8 - 1/4 (0.224 mi.)*	*AD190*	*312*

HIST UST: Historical UST Registered Database.

A review of the HIST UST list, as provided by EDR, and dated 10/15/1990 has revealed that there are 11 HIST UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
BEST FOODS A UNIT OF CPC NORTH	*1890 BRYANT ST*	*N 1/8 - 1/4 (0.127 mi.)*	*N95*	*146*
ABBETT ELECTRIC CORP	*1850 BRYANT ST*	*N 1/8 - 1/4 (0.160 mi.)*	*N116*	*192*
ALART PLUMBING, INC.	445 HAMPSHIRE ST	NE 1/8 - 1/4 (0.176 mi.)	U144	246
ANDERSON, ROWE & BUCKLEY, INC.	2501 HARRISON ST	SSW 1/8 - 1/4 (0.243 mi.)	AH211	340

Lower Elevation	Address	Direction / Distance	Map ID	Page
HERTZ-PENSKE TRUCK LEASING, IN	2955 - 18TH ST.	NW 0 - 1/8 (0.044 mi.)	B23	40
PEERLESS LINEN SERVICE	575 ALABAMA ST	NW 0 - 1/8 (0.077 mi.)	D63	101
BEKINS MOVING & STORAGE	3130 20TH ST	SW 0 - 1/8 (0.114 mi.)	J77	122
(SHOTWELL SVC. CENTER)	536 TREAT AVE	WNW 1/8 - 1/4 (0.163 mi.)	R132	225
FIRE STATION #7	*2300 FOLSOM ST*	*W 1/8 - 1/4 (0.220 mi.)*	*Y169*	*269*
FOLSOM COMPLEX	*2225 FOLSOM ST*	*W 1/8 - 1/4 (0.222 mi.)*	*AA180*	*290*
SAN FRANCISCO BATCH PLANT	386 ALABAMA ST	NNW 1/8 - 1/4 (0.224 mi.)	AD188	308

SWEEPS UST: Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

A review of the SWEEPS UST list, as provided by EDR, and dated 06/01/1994 has revealed that there are 27 SWEEPS UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
VACANT	*620 YORK ST*	*ENE 0 - 1/8 (0.060 mi.)*	*F43*	*68*
BAY GUARDIAN NEWSPAPER	2700 19TH AVE	ESE 0 - 1/8 (0.063 mi.)	C46	71
PARAMOUNT PRESS	*2701 18TH ST*	*NE 0 - 1/8 (0.065 mi.)*	*G51*	*79*
BUSINESS FURNITURE AND DESIGN	*2650 18TH ST*	*NE 0 - 1/8 (0.083 mi.)*	*G67*	*109*
BEST FOODS	*1890 BRYANT ST*	*N 1/8 - 1/4 (0.127 mi.)*	*N94*	*144*
VACANT	*2601 MARIPOSA ST*	*NNE 1/8 - 1/4 (0.131 mi.)*	*L98*	*153*
NOW DESIGNS OF SAN FRANCISCO	*540 HAMPSHIRE ST*	*NE 1/8 - 1/4 (0.139 mi.)*	*P102*	*161*
ROSE EXTERMINATOR	*626 POTRERO AVE*	*ENE 1/8 - 1/4 (0.151 mi.)*	*Q110*	*180*
ABBOTT ELECTRIC CORP.	*1850 BRYANT ST*	*N 1/8 - 1/4 (0.160 mi.)*	*N117*	*198*
**PUC/MUNI/POTRERO DIV*	*2500 MARIPOSA ST*	*NE 1/8 - 1/4 (0.162 mi.)*	*P127*	*217*
SF NEON INC.	*690 POTRERO AVE*	*E 1/8 - 1/4 (0.168 mi.)*	*T138*	*236*
ALART PLUMBING, INC.	*445 HAMPSHIRE ST*	*NE 1/8 - 1/4 (0.176 mi.)*	*U142*	*240*

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
MIRAGE INVESTMENT, INC.	2451 HARRISON ST	SSW 1/8 - 1/4 (0.192 mi.)	V150	254
OROWHEAT BAKING CO.	1798 BRYANT ST	N 1/8 - 1/4 (0.207 mi.)	X161	264
VACANT BUILDING	375 ALABAMA ST	NNW 1/8 - 1/4 (0.232 mi.)	AD195	319
ANDERSON, ROWE & BUCKLEY, INC.	2501 HARRISON ST	SSW 1/8 - 1/4 (0.243 mi.)	AH207	333
JOHN O'CONELL SCHOOL	2905 21ST ST	SSW 1/8 - 1/4 (0.244 mi.)	AH215	346

Lower Elevation	Address	Direction / Distance	Map ID	Page
CIVIC CENTER TOWING INC	2947 18TH ST	NW 0 - 1/8 (0.041 mi.)	B16	27
HERTZ-PENSKE TRUCK LEASING INC	2955 18TH ST	NW 0 - 1/8 (0.044 mi.)	B27	47
PEERLESS LINEN	550 FLORIDA ST	NW 0 - 1/8 (0.045 mi.)	D31	54
ERIE AUTO REPAIR SHOP	3014 18TH ST	WNW 0 - 1/8 (0.072 mi.)	D56	88
PEERLESS LINEN SERVICE	570 ALABAMA ST	NW 0 - 1/8 (0.080 mi.)	D65	105
BEKIN'S MOVING & STORAGE	3130 20TH ST	SW 0 - 1/8 (0.114 mi.)	J80	126
VACANT LOT	3221 20TH ST	SW 1/8 - 1/4 (0.165 mi.)	S135	230
*SFFD/FIRE STATION #7	2300 FOLSOM ST	W 1/8 - 1/4 (0.220 mi.)	Y170	270
PG&E HARRISON/TREAT STREET YD	2225 FOLSOM ST	W 1/8 - 1/4 (0.222 mi.)	AA179	287
RMC-LONESTAR (ALABAMA PLANT)	386 ALABAMA ST	NNW 1/8 - 1/4 (0.224 mi.)	AD190	312

Local Land Records

DEED: The use of recorded land use restrictions is one of the methods the DTSC uses to protect the public from unsafe exposures to hazardous substances and wastes.

A review of the DEED list, as provided by EDR, and dated 12/10/2012 has revealed that there is 1 DEED site within approximately 0.5 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
DEHARO/RHODE ISLAND LIVE/WORK	BETWEEN 17TH/DEHARO & 1	NE 1/4 - 1/2 (0.486 mi.)	BK317	624

Other Ascertainable Records

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 02/12/2013 has revealed that there is 1 RCRA NonGen / NLR site within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
LONE STAR CEMENT	386 ALABAMA	NNW 1/8 - 1/4 (0.224 mi.)	AD191	314

EXECUTIVE SUMMARY

FUDS: The Listing includes locations of Formerly Used Defense Sites Properties where the US Army Corps Of Engineers is actively working or will take necessary cleanup actions.

A review of the FUDS list, as provided by EDR, and dated 12/31/2011 has revealed that there is 1 FUDS site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
FORT MASON PORT OF EMBARKATION		SSW 1/4 - 1/2 (0.281 mi.)	AH244	406

HIST CORTESE: The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CALSITES]. This listing is no longer updated by the state agency.

A review of the HIST CORTESE list, as provided by EDR, and dated 04/01/2001 has revealed that there are 66 HIST CORTESE sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
JACK KEENEY PROPERTY	*2031 BRYANT STREET*	*NE 0 - 1/8 (0.009 mi.)*	*A3*	*13*
MOORE EARTH CO.	*2747 19TH ST*	*ESE 0 - 1/8 (0.043 mi.)*	*C21*	*35*
YORK STREET STUDIO HOA	*620 YORK ST*	*ENE 0 - 1/8 (0.060 mi.)*	*F44*	*69*
GROSVENOR PROPRTIES, LTD	*2700 19TH ST*	*ESE 0 - 1/8 (0.063 mi.)*	*C48*	*73*
MOORE EARTH COMPANY	720 50 YORK	ESE 0 - 1/8 (0.072 mi.)	F62	101
BUSINESS FURNITURE & DESIGN	*2650 18TH ST*	*NE 0 - 1/8 (0.083 mi.)*	*G69*	*115*
MOORE EARTH COMPANY (FORMER)	*2850 20TH ST.*	*SSE 0 - 1/8 (0.115 mi.)*	*H83*	*131*
CPC BEST FOODS	*1890 1900 BRYANT*	*N 1/8 - 1/4 (0.127 mi.)*	*N96*	*150*
NOW DESIGNS	*540 HAMPSHIRE STREET*	*NE 1/8 - 1/4 (0.139 mi.)*	*P103*	*165*
ABBETT ELECTRIC CORP	*1850 BRYANT ST*	*N 1/8 - 1/4 (0.160 mi.)*	*N116*	*192*
TRALA PARTNERSHIP	*445 HAMPSHIRE STREET*	*NE 1/8 - 1/4 (0.176 mi.)*	*U143*	*241*
NETWORK COURIER SERVICES	*2440 MARIPOSA STREET*	*NE 1/8 - 1/4 (0.188 mi.)*	*P148*	*251*
VACANT LOT	*1800 BRYANT STREET*	*N 1/8 - 1/4 (0.201 mi.)*	*X157*	*261*
ANDERSON ROWE & BUCKLEY INC.	*2501 HARRISON STREET*	*SSW 1/8 - 1/4 (0.243 mi.)*	*AH209*	*337*
JOHN O'CONELL SCHOOL	*2905 21ST ST*	*SSW 1/8 - 1/4 (0.244 mi.)*	*AH215*	*346*
UNION OIL SS# 0053	*401 POTRERO AVE*	*NE 1/4 - 1/2 (0.268 mi.)*	*AE238*	*374*
PERFORMANCE SHELL OIL #2, JOE	*388 POTRERO AVE*	*NNE 1/4 - 1/2 (0.275 mi.)*	*AK240*	*383*
COMMERCIAL PROPERTY	*3330 20TH ST*	*WSW 1/4 - 1/2 (0.278 mi.)*	*AF243*	*402*
LION BLDG.	*2525 16TH ST*	*NNW 1/4 - 1/2 (0.291 mi.)*	*AM246*	*412*
SPCA	*2500 16TH ST*	*N 1/4 - 1/2 (0.293 mi.)*	*AM249*	*418*
ALL TIRE	*359 POTRERO AVE*	*NNE 1/4 - 1/2 (0.297 mi.)*	*AK250*	*420*
UNITED AUTO BODY	*3360 20TH ST*	*WSW 1/4 - 1/2 (0.312 mi.)*	*AN252*	*425*
Not reported	*2300 16TH ST*	*NNE 1/4 - 1/2 (0.316 mi.)*	*255*	*433*
DALE'S AUTO SERVICE	*376 UTAH STREET*	*NE 1/4 - 1/2 (0.320 mi.)*	*AP258*	*444*
CHEVRON STATION #9-9906	*302 POTRERO AVE*	*NNE 1/4 - 1/2 (0.337 mi.)*	*262*	*457*
POTRERO SERVICE STATION	*998 POTRERO AVE*	*SSE 1/4 - 1/2 (0.368 mi.)*	*AS268*	*474*
W.L. BIPES CO. INC.	*2040 17TH ST*	*NE 1/4 - 1/2 (0.416 mi.)*	*AY286*	*527*
CONTINENTAL BAKING CO.	*1525 BRYANT STREET*	*N 1/4 - 1/2 (0.448 mi.)*	*BB293*	*546*
LICK-WILMERDING HIGH SCHOOL	*450 RHODE ISLAND AVE*	*ENE 1/4 - 1/2 (0.463 mi.)*	*BD299*	*578*
SIEGEL'S	*2360 MISSION STREET*	*WSW 1/4 - 1/2 (0.463 mi.)*	*BE302*	*584*
DUTRO MAT COMPANY	*2675 FOLSOM STREET*	*SSW 1/4 - 1/2 (0.469 mi.)*	*BH306*	*594*
ALAN SAGETALYAN	*1100 POTRERO AVE*	*SSE 1/4 - 1/2 (0.472 mi.)*	*BJ311*	*606*
EMBARCADERO MORT COMPANY	3070 90 23RD	SSW 1/4 - 1/2 (0.481 mi.)	BG314	618
CONTINENTAL BAKING CO.	*2454 ALAMEDA ST*	*N 1/4 - 1/2 (0.481 mi.)*	*315*	*618*

Lower Elevation	Address	Direction / Distance	Map ID	Page
EIRO AUTO REPAIR	*3014 18TH ST*	*WNW 0 - 1/8 (0.072 mi.)*	*D57*	*89*
PEERLESS LINEN COMPANY	*570 ALABAMA ST.*	*NW 0 - 1/8 (0.080 mi.)*	*D66*	*106*

EXECUTIVE SUMMARY

Lower Elevation	Address	Direction / Distance	Map ID	Page
UCSF/FM	*3130 20TH ST*	*SW 0 - 1/8 (0.114 mi.)*	*J81*	*127*
HOA - 2170 HARRISON STREET	*2170 HARRISON STREET*	*NW 0 - 1/8 (0.124 mi.)*	*K92*	*142*
VITLIN/ROSS PROPERTIES	*3131 19TH ST*	*W 1/8 - 1/4 (0.137 mi.)*	*O100*	*156*
PROJECT ARTAUD	479 99 ALABAMA	NNW 1/8 - 1/4 (0.146 mi.)	M106	170
JOHN O'CONNEL TECH SCHOOL	*3200 20TH ST..*	*SW 1/8 - 1/4 (0.148 mi.)*	*J108*	*173*
LOSKUTOFF PROPERTY	*2407 HARRISON STREET*	*SW 1/8 - 1/4 (0.154 mi.)*	*J111*	*185*
WESTERN HEATING & PLUMBING	*600 TREAT STREET*	*W 1/8 - 1/4 (0.162 mi.)*	*O123*	*210*
PG & E TREAT	536 TREAT	WNW 1/8 - 1/4 (0.163 mi.)	R131	225
SFFD STATION #7	*2300 FOLSOM ST*	*W 1/8 - 1/4 (0.220 mi.)*	*Y171*	*271*
PIKE PROPERTY	*3057 17TH ST*	*NW 1/8 - 1/4 (0.236 mi.)*	*AB204*	*330*
LILLI ANN PROPERTIES	*2030 HARRISON STREET*	*NNW 1/8 - 1/4 (0.248 mi.)*	*AD225*	*357*
KIMMEL COMPANY	*2140 70 FOLSOM*	*WNW 1/4 - 1/2 (0.257 mi.)*	*AG235*	*367*
VIACOM	*3070 17TH ST*	*NW 1/4 - 1/2 (0.261 mi.)*	*AJ237*	*372*
SHOTWELL COMPLEX	*3235 18TH STREET*	*WNW 1/4 - 1/2 (0.275 mi.)*	*AL242*	*392*
TCI - SAN FRANCISCO	*2055 FOLSOM STREET*	*NW 1/4 - 1/2 (0.314 mi.)*	*AO253*	*429*
SIMONETTA NERI PROPERTY	*307 SHOTWELL STREET*	*WNW 1/4 - 1/2 (0.325 mi.)*	*AQ259*	*446*
KILPATRICK'S BAKERY INC	*2030 FOLSOM ST*	*NW 1/4 - 1/2 (0.338 mi.)*	*AO263*	*462*
COMMERCIAL / RETAIL	*2779 16TH ST*	*NW 1/4 - 1/2 (0.348 mi.)*	*AR264*	*465*
J. SCHMIDT CHOCOLATE FACTORY	*2000 FOLSOM STREET*	*NW 1/4 - 1/2 (0.364 mi.)*	*AR266*	*469*
CCSF MUNI-HARRISON FACILITY	*1940 HARRISON STREET*	*NNW 1/4 - 1/2 (0.372 mi.)*	*AT269*	*477*
KILPATRICK'S BAKERY INC.	*1990 FOLSOM STREET*	*NW 1/4 - 1/2 (0.374 mi.)*	*AR271*	*481*
SUPER 7 #23972	*595 S VAN NESS AVE*	*WNW 1/4 - 1/2 (0.386 mi.)*	*AU276*	*494*
BODE GRAVEL CO.	*250 FLORIDA STREET*	*N 1/4 - 1/2 (0.387 mi.)*	*AV278*	*498*
CAL TRANS MATERIALS LAB DIST 4	*325 SAN BRUNO AVE*	*NE 1/4 - 1/2 (0.389 mi.)*	*AW279*	*500*
CUMMINS WEST INC SVC DEPT	*1960 FOLSOM*	*NW 1/4 - 1/2 (0.401 mi.)*	*AX280*	*504*
CALTRANS DISTRICT 4	*295 SAN BRUNO AVE*	*NE 1/4 - 1/2 (0.411 mi.)*	*AW284*	*515*
INTERIOR RESOURCES	*360 KANSAS STREET*	*NE 1/4 - 1/2 (0.446 mi.)*	*AY291*	*538*
R J MCGLENNON COMPANY INCORPOR	*198 UTAH STREET*	*NNE 1/4 - 1/2 (0.449 mi.)*	*BC294*	*548*
CHARLES HENRY CO. (FORMER)	*145 CAPP STREET*	*WNW 1/4 - 1/2 (0.470 mi.)*	*BI308*	*598*
JOHNSON PROPERTY (FORMERLY)	*375 RHODE ISLAND AVE*	*ENE 1/4 - 1/2 (0.493 mi.)*	*BK318*	*630*

Notify 65: Listings of all Proposition 65 incidents reported to counties by the State Water Resources Control Board and the Regional Water Quality Control Board. This database is no longer updated by the reporting agency.

A review of the Notify 65 list, as provided by EDR, and dated 10/21/1993 has revealed that there are 7 Notify 65 sites within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
UNKNOWN	*3101 MISSION STREET*	*SSW 1/2 - 1 (0.964 mi.)*	*337*	*679*

Lower Elevation	Address	Direction / Distance	Map ID	Page
Not reported	307 SHOTWELL STREET	WNW 1/4 - 1/2 (0.325 mi.)	AQ260	449
UNKNOWN	*145 CAPP STREET*	*WNW 1/4 - 1/2 (0.470 mi.)*	*BI309*	*599*
ARCO STATION #444	*1798 MISSION STREET*	*NW 1/2 - 1 (0.691 mi.)*	*327*	*652*
THE GLIDDEN COMPANY	*1000 16TH STREET*	*ENE 1/2 - 1 (0.809 mi.)*	*331*	*666*
UNKOWN	1200 17TH STREET	ENE 1/2 - 1 (0.835 mi.)	335	674
FORMER FLAIR ELECTRO SALES	*516 TOWNSEND STREET*	*NE 1/2 - 1 (0.986 mi.)*	*338*	*681*

DRYCLEANERS: A list of drycleaner related facilities that have EPA ID numbers. These are facilities with certain SIC codes: power laundries, family and commercial; garment pressing and cleaners' agents; linen supply; coin-operated laundries and cleaning; drycleaning plants except rugs; carpet and upholster cleaning; industrial launderers; laundry and garment services.

A review of the DRYCLEANERS list, as provided by EDR, and dated 12/11/2012 has revealed that there is 1 DRYCLEANERS site within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
DAVID FAMILY ALLEN TRUST	*550 FLORIDA ST*	*NW 0 - 1/8 (0.045 mi.)*	*D29*	*50*

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR US Hist Auto Stat: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR US Hist Auto Stat list, as provided by EDR, has revealed that there are 34 EDR US Hist Auto Stat sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SAN FRANCISCO AUTO REPAIR CENT	611 FLORIDA ST	NW 0 - 1/8 (0.016 mi.)	B9	18
Not reported	2850 20TH ST	SSE 0 - 1/8 (0.115 mi.)	H85	136
VIC S SERVICE STATION	600 POTRERO AVE	ENE 1/8 - 1/4 (0.170 mi.)	Q139	237
EWING C E	601 POTRERO AVE	ENE 1/8 - 1/4 (0.172 mi.)	Q140	238
Not reported	579 POTRERO AVE	ENE 1/8 - 1/4 (0.177 mi.)	Q145	247
F & G AUTOMOTIVE REPAIR	707 TREAT AVE	SW 1/8 - 1/4 (0.196 mi.)	S153	256
BERTELSEN L T	519 POTRERO AVE	NE 1/8 - 1/4 (0.197 mi.)	W154	257
CRUZ GULF SERVICE	501 POTRERO AVE	NE 1/8 - 1/4 (0.205 mi.)	W158	263
FRANK & SAM PEERLESS SERVICE S	1798 BRYANT	N 1/8 - 1/4 (0.206 mi.)	X159	263
LOGAN S SERVICE	2700 17TH	N 1/8 - 1/4 (0.206 mi.)	X160	264
FRANK & SAM PEERLESS SERVICE S	1798 BRYANT ST	N 1/8 - 1/4 (0.207 mi.)	X163	268
ROBERT ALEXIS	1790 BRYANT	N 1/8 - 1/4 (0.213 mi.)	X164	268
ROBERT ALEXIS	1790 BRYANT ST	N 1/8 - 1/4 (0.213 mi.)	X165	268
Not reported	375 ALABAMA ST	NNW 1/8 - 1/4 (0.232 mi.)	AD196	321
Not reported	450 POTRERO AVE	NE 1/8 - 1/4 (0.233 mi.)	AE197	321
WERNER W A	2381 FOLSOM ST	WSW 1/8 - 1/4 (0.235 mi.)	AF201	328
FRANK S SHELL SERVICE	2399 19TH ST	E 1/8 - 1/4 (0.236 mi.)	202	328
WERNER W A	2381 FOLSOM	WSW 1/8 - 1/4 (0.238 mi.)	AF205	332
Not reported	2398 FOLSOM ST	WSW 1/8 - 1/4 (0.244 mi.)	AF216	350
METRONICS	2647 21ST ST	SSE 1/8 - 1/4 (0.248 mi.)	AI227	360

Lower Elevation	Address	Direction / Distance	Map ID	Page
CELICA SALON	729 FLORIDA ST	SSW 0 - 1/8 (0.048 mi.)	E38	64
ERIE AUTO REPAIR	3014 18TH	WNW 0 - 1/8 (0.072 mi.)	D55	87

EXECUTIVE SUMMARY

Lower Elevation	Address	Direction / Distance	Map ID	Page
ERIE AUTO REPAIR	3014 18TH ST	WNW 0 - 1/8 (0.072 mi.)	D58	94
ROX AUTOMOTIVE	2345 HARRISON ST	SW 0 - 1/8 (0.120 mi.)	J90	140
Not reported	501 ALABAMA ST	NW 1/8 - 1/4 (0.126 mi.)	M93	144
BOB S TRANSMISSION SERVICE	605 TREAT AVE	W 1/8 - 1/4 (0.159 mi.)	O115	192
WOLFE SERVICE STATION	2297 FOLSOM ST	W 1/8 - 1/4 (0.218 mi.)	Y166	268
WOLFE SERVICE STATION	2289 FOLSOM ST	W 1/8 - 1/4 (0.218 mi.)	Y167	269
Not reported	2270 FOLSOM ST	W 1/8 - 1/4 (0.220 mi.)	Y176	286
WOLFE SERVICE STATION	2297 FOLSOM	W 1/8 - 1/4 (0.221 mi.)	Y177	286
WOLF SERVICE STATION	2289 FOLSOM	W 1/8 - 1/4 (0.221 mi.)	Y178	286
Not reported	2190 FOLSOM ST	WNW 1/8 - 1/4 (0.234 mi.)	AA200	327
Not reported	2170 FOLSOM ST	WNW 1/8 - 1/4 (0.242 mi.)	AG206	333
IMPERIAL BODY SHOP	2160 FOLSOM ST	WNW 1/8 - 1/4 (0.247 mi.)	AG220	352

EDR US Hist Cleaners: EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR US Hist Cleaners list, as provided by EDR, has revealed that there are 43 EDR US Hist Cleaners sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
ACE DYE WORKS	2085 BRYANT	SE 0 - 1/8 (0.011 mi.)	A6	17
ACE DYE WORKS	2085 BRYANT ST	SE 0 - 1/8 (0.012 mi.)	A7	18
HANSCO PACIFIC CARPET	2014 BRYANT ST	NNE 0 - 1/8 (0.016 mi.)	A8	18
SUNSET CARPET	2101 BRYANT ST	SE 0 - 1/8 (0.026 mi.)	C11	22
INDEPENDENT LAUNDRY	2900 18TH	NNW 0 - 1/8 (0.027 mi.)	B12	22
ODORLESS DRY CLEANING CO	2900 18TH ST	NW 0 - 1/8 (0.028 mi.)	B13	22
R B INSTALLATIONS	2121 BRYANT ST	SSE 0 - 1/8 (0.042 mi.)	C20	35
BARBE J B & SON	2132 BRYANT	SSE 0 - 1/8 (0.051 mi.)	C40	66
BARBE JOHN	2132 BRYANT ST	SSE 0 - 1/8 (0.052 mi.)	C41	67
CHAIR CANERS LIZARD PRODUCTS	660 YORK ST CHAIR MFR	E 0 - 1/8 (0.060 mi.)	F42	68
TURNER MARION CATERING	613 YORK ST	ENE 0 - 1/8 (0.063 mi.)	F50	79
CITY OF PARIS DYEING & CLEANIN	2199 BRYANT ST	SSE 0 - 1/8 (0.108 mi.)	73	118
CENTRAL RUG & UPHOLSTERY CLEAN	517 YORK	NNE 0 - 1/8 (0.120 mi.)	L88	140
BAGDAD RUG & CLEANING CO	517 YORK ST	NNE 0 - 1/8 (0.120 mi.)	L89	140
RUSSELL FRANK	2450 HARRISON	SSW 1/8 - 1/4 (0.192 mi.)	V151	255
ECONOMY LAUNDRY	2450 HARRISON ST	SSW 1/8 - 1/4 (0.193 mi.)	V152	256
MELODY CLEANERS	2800 21ST	S 1/8 - 1/4 (0.219 mi.)	Z168	269
MISSION DEL AVIVAMIENTO	2800 21ST ST	S 1/8 - 1/4 (0.220 mi.)	Z175	286
UNO LAUNDERETTE	2761 21ST ST	S 1/8 - 1/4 (0.223 mi.)	Z183	299
Not reported	2751 21ST ST	SSE 1/8 - 1/4 (0.223 mi.)	AC184	299
FORTUNE CLEANERS	2751 21ST ST I	SSE 1/8 - 1/4 (0.223 mi.)	AC186	304
G SILVESTER PAUL CLEANERS	2309 E BRYANT ST	SSE 1/8 - 1/4 (0.229 mi.)	AC192	316
SILVESTER PAUL	2309 BRYANT	SSE 1/8 - 1/4 (0.229 mi.)	AC193	316
SYLVESTER PAUL	2309 BRYANT ST	SSE 1/8 - 1/4 (0.234 mi.)	AC199	326
ELMER S WASH & DRY	2391 FOLSOM	WSW 1/8 - 1/4 (0.243 mi.)	AF212	341
BAILEY A G	2647 21ST ST	SSE 1/8 - 1/4 (0.248 mi.)	AI228	360

Lower Elevation	Address	Direction / Distance	Map ID	Page
PEERLESS LAUNDRY & ZORIC CLEAN	650 FLORIDA ST	W 0 - 1/8 (0.010 mi.)	B5	17

EXECUTIVE SUMMARY

Lower Elevation	Address	Direction / Distance	Map ID	Page
PEERLESS LAUNDRY	550 FLORIDA AND 308 M	NW 0 - 1/8 (0.045 mi.)	D32	56
THOMAS ALLEC CLEANERS & DYERS	550 FLORIDA ST	NW 0 - 1/8 (0.045 mi.)	D33	56
THOMAS ALLEC CLEANERS & DYERS	550 FLORIDA	NW 0 - 1/8 (0.045 mi.)	D34	57
PREMIER LAUNDRY & LINEN SUPPLY	559 ALABAMA	NW 0 - 1/8 (0.086 mi.)	D70	117
ODORLESS DRY CLEANING CO	555 ALABAMA	NW 0 - 1/8 (0.089 mi.)	D71	117
GREENBERG BERNARD	3000 20TH ST	S 0 - 1/8 (0.110 mi.)	I75	120
MART FRASER & EDWARDS	2412 HARRISON ST	SW 1/8 - 1/4 (0.160 mi.)	J120	204
NEW PARISIAN DYEING & CLEANING	2164 FOLSOM	WNW 1/8 - 1/4 (0.245 mi.)	AG217	351
NEW PARISIAN DYEING & CLEANING	2162 FOLSOM	WNW 1/8 - 1/4 (0.246 mi.)	AG218	351
NEW PARISIAN DYEING & CLEANING	2163 FOLSOM	WNW 1/8 - 1/4 (0.246 mi.)	AG219	352
NEW PARISIAN DYEING & CLEANING	2160 FOLSOM	WNW 1/8 - 1/4 (0.247 mi.)	AG222	354
NEW PARISIAN DYEING & CLEANING	2161 FOLSOM	WNW 1/8 - 1/4 (0.247 mi.)	AG223	355
NEW PARISIAN DYEING & CLEANING	2159 FOLSOM	WNW 1/8 - 1/4 (0.249 mi.)	AG229	360
NEW PARISIAN DYEING & CLEANING	2158 FOLSOM	WNW 1/8 - 1/4 (0.249 mi.)	AG230	361
NEW PARISIAN DYEING & CLEANING	2157 FOLSOM	WNW 1/8 - 1/4 (0.250 mi.)	AG233	366
NEW PARISIAN DYEING & CLEANING	2156 FOLSOM	WNW 1/8 - 1/4 (0.250 mi.)	AG234	367

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 29 records.

Site Name	Database(s)
FORMER CALAVO WAREHOUSE	HIST CORTESE
ROSE EXTERMINATORS	HIST CORTESE
PEERLESS LINEN	HIST UST, SWEEPS UST, HAZNET
VACANT	SWEEPS UST
CHEVRON #90087	SWEEPS UST
PG&E GAS PLANT SAN FRANCISCO 502 1	CERC-NFRAP
PG&E GAS PLANT SAN FRANCISCO 502 1	CERC-NFRAP
CANDLESTICK PT STATE REC AREA	CERC-NFRAP
KNUDSON PARK	CERC-NFRAP
ISLAIS CREEK AREA	CERC-NFRAP
PG&E GAS PLANT SAN FRANCISCO 502 1	CERC-NFRAP
BAY VIEW GREEN WASTE MGT. COMPANY	SWF/LF
SF PIER 98 INDIA BASIN	SWF/LF
C.J. FIGONE D. STORAGE	LUST
PG&E SHOTWELL COMPLEX	LUST
3RD STREET LIGHT RAIL PROJECT SEG.	LUST
3RD STREET LIGHT RAIL PROJECT SEG.	LUST
HOA - 2170 HARRISON STREET	LUST, HIST UST, HAZNET
KEN'S WHEEL SERVICE	LUST, HIST UST, HAZNET
MUNI ILLINOIS STREET SUB STATION	LUST
CCSF - PIER 80	LUST
CONSTRUCTION SITE	UST
CCSF/MUNI/ILLINIOS STREET SUBSTATI	UST
PACIFIC BELL (TD-043)	HIST UST
P G AND E SAN FRANCISCO STATION E	RCRA-SQG, FINDS, HAZNET
GRIFFITHS INDUSTRIAL LUBS	RCRA NonGen / NLR, FINDS
UNDER THE BAY BRIDGE, AT THE INTER	ERNS
CATELLUS - MISSION BAY PROJECT	SLIC
SAN FRANCISCO MUNI, 24TH ST	SLIC

OVERVIEW MAP - 3554977.2s



- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- County Boundary
- Power transmission lines
- Oil & Gas pipelines from USGS
- National Wetland Inventory
- Areas of Concern

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 2070 Bryant Streeet	CLIENT: PES Environmental, Inc.
ADDRESS: 2070 Bryant Streeet San Francisco CA 94110	CONTACT: Chris Baldassari
LAT/LONG: 37.761 / 122.4105	INQUIRY #: 3554977.2s DATE: March 22, 2013 2:46 pm

Copyright © 2013 EDR, Inc. © 2010 Tele Atlas Rel. 07/2009.

DETAIL MAP - 3554977.2s



Target Property

Sites at elevations higher than or equal to the target property

Sites at elevations lower than the target property

Manufactured Gas Plants

Sensitive Receptors

National Priority List Sites

Dept. Defense Sites

Indian Reservations BIA

Power transmission lines

Oil & Gas pipelines from USGS

Areas of Concern

0 1/16 1/8 1/4 Miles

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 2070 Bryant Streeet	CLIENT: PES Environmental, Inc.
ADDRESS: 2070 Bryant Streeet San Francisco CA 94110	CONTACT: Chris Baldassari
LAT/LONG: 37.761 / 122.4105	INQUIRY #: 3554977.2s DATE: March 22, 2013 2:47 pm

Copyright © 2013 EDR, Inc. © 2010 Tele Atlas Rel. 07/2009.

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
Federal NPL site list								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	TP		NR	NR	NR	NR	NR	0
Federal Delisted NPL site list								
Delisted NPL	1.000		0	0	0	0	NR	0
Federal CERCLIS list								
CERCLIS	0.500		0	0	0	NR	NR	0
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
Federal CERCLIS NFRAP site List								
CERC-NFRAP	0.500		0	0	1	NR	NR	1
Federal RCRA CORRACTS facilities list								
CORRACTS	1.000		0	0	0	0	NR	0
Federal RCRA non-CORRACTS TSD facilities list								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
Federal RCRA generators list								
RCRA-LQG	0.250		1	1	NR	NR	NR	2
RCRA-SQG	0.250		7	6	NR	NR	NR	13
RCRA-CESQG	0.250		1	0	NR	NR	NR	1
Federal institutional controls / engineering controls registries								
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROL	0.500		0	0	0	NR	NR	0
LUCIS	0.500		0	0	0	NR	NR	0
Federal ERNS list								
ERNS	TP		NR	NR	NR	NR	NR	0
State- and tribal - equivalent NPL								
RESPONSE	1.000		0	0	0	1	NR	1
State- and tribal - equivalent CERCLIS								
ENVIROSTOR	1.000		0	0	4	13	NR	17
State and tribal landfill and/or solid waste disposal site lists								
SWF/LF	0.500		0	0	0	NR	NR	0
State and tribal leaking storage tank lists								
LUST	0.500		20	30	77	NR	NR	127

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
SLIC	0.500		0	1	1	NR	NR	2
INDIAN LUST	0.500		0	0	0	NR	NR	0
State and tribal registered storage tank lists								
UST	0.250		20	32	NR	NR	NR	52
AST	0.250		0	0	NR	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
FEMA UST	0.250		0	0	NR	NR	NR	0
State and tribal voluntary cleanup sites								
VCP	0.500		0	0	1	NR	NR	1
INDIAN VCP	0.500		0	0	0	NR	NR	0
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
Local Lists of Landfill / Solid Waste Disposal Sites								
ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
WMUDS/SWAT	0.500		0	0	0	NR	NR	0
SWRCY	0.500		0	0	0	NR	NR	0
HAULERS	TP		NR	NR	NR	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US CDL	TP		NR	NR	NR	NR	NR	0
HIST Cal-Sites	1.000		0	0	0	2	NR	2
SCH	0.250		0	0	NR	NR	NR	0
Toxic Pits	1.000		0	0	0	0	NR	0
CDL	TP		NR	NR	NR	NR	NR	0
US HIST CDL	TP		NR	NR	NR	NR	NR	0
Local Lists of Registered Storage Tanks								
CA FID UST	0.250		11	17	NR	NR	NR	28
HIST UST	0.250		3	8	NR	NR	NR	11
SWEEPS UST	0.250		10	17	NR	NR	NR	27
Local Land Records								
LIENS 2	TP		NR	NR	NR	NR	NR	0
LIENS	TP		NR	NR	NR	NR	NR	0
DEED	0.500		0	0	1	NR	NR	1
Records of Emergency Release Reports								
HMIRS	TP		NR	NR	NR	NR	NR	0
CHMIRS	TP		NR	NR	NR	NR	NR	0
LDS	TP		NR	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
MCS	TP		NR	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.250		0	1	NR	NR	NR	1
DOT OPS	TP		NR	NR	NR	NR	NR	0
DOD	1.000		0	0	0	0	NR	0
FUDS	1.000		0	0	1	0	NR	1
CONSENT	1.000		0	0	0	0	NR	0
ROD	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
RMP	TP		NR	NR	NR	NR	NR	0
CA BOND EXP. PLAN	1.000		0	0	0	0	NR	0
UIC	TP		NR	NR	NR	NR	NR	0
NPDES	TP		NR	NR	NR	NR	NR	0
Cortese	0.500		0	0	0	NR	NR	0
HIST CORTESE	0.500		11	17	38	NR	NR	66
CUPA Listings	0.250		0	0	NR	NR	NR	0
Notify 65	1.000		0	0	2	5	NR	7
DRYCLEANERS	0.250		1	0	NR	NR	NR	1
WIP	0.250		0	0	NR	NR	NR	0
ENF	TP		NR	NR	NR	NR	NR	0
HAZNET	TP		NR	NR	NR	NR	NR	0
EMI	TP		NR	NR	NR	NR	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
HWT	0.250		0	0	NR	NR	NR	0
HWP	1.000		0	0	0	0	NR	0
Financial Assurance	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
WDS	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
PROC	0.500		0	0	0	NR	NR	0
MWMP	0.250		0	0	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
EDR HIGH RISK HISTORICAL RECORDS								
EDR Exclusive Records								
EDR MGP	1.000		0	0	0	0	NR	0
EDR US Hist Auto Stat	0.250		6	28	NR	NR	NR	34
EDR US Hist Cleaners	0.250		21	22	NR	NR	NR	43

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

A1
NE
< 1/8
0.007 mi.
36 ft.

VACANT
2031 BRYANT ST
SAN FRANCISCO, CA 94107

CA FID UST **S101591956**
N/A

Site 1 of 7 in cluster A

Relative:
Higher

Actual:
38 ft.

CA FID UST:

Facility ID:	38000231
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4150000000
Mail To:	Not reported
Mailing Address:	2031 BRYANT ST
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94107
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

A2
East
< 1/8
0.009 mi.
48 ft.

PIXXON CORP
2055 BRYANT
SAN FRANCISCO, CA 94110

RCRA-SQG **1001195336**
FINDS **CAR000019026**
MANIFEST
HAZNET

Site 2 of 7 in cluster A

Relative:
Higher

Actual:
37 ft.

RCRA-SQG:

Date form received by agency:	04/08/1997
Facility name:	PIXXON CORP
Facility address:	2055 BRYANT SAN FRANCISCO, CA 94110
EPA ID:	CAR000019026
Mailing address:	BRYANT SAN FRANCISCO, CA 94110
Contact:	KENNETH LINKER
Contact address:	2055 BRYANT SAN FRANCISCO, CA 94110
Contact country:	US
Contact telephone:	(415) 641-5407
Contact email:	Not reported
EPA Region:	09
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	GENE JANSCETT
Owner/operator address:	75 FOLSOM SAN FRANCISCO, CA 94105
Owner/operator country:	Not reported
Owner/operator telephone:	(415) 882-1768

PIXXON CORP (Continued) **1001195336**

Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110002916863

Environmental Interest/Information System
California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:
EPA ID: CAR000019026
Country: USA
Mailing Name: PIXXON CORP
Mailing Contact: KENNETH LINKER
Mailing Address: 2055 BRYANT ST
Mailing Address 2: Not reported
Mailing City: SAN FRANCISCO
Mailing State: CA
Mailing Zip: 94110
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 415-641-5407

PIXXON CORP (Continued) **1001195336**

Document ID:	NYG1083627
Manifest Status:	Not reported
Trans1 State ID:	NYD980769947
Trans2 State ID:	Not reported
Generator Ship Date:	01/25/1999
Trans1 Recv Date:	01/25/1999
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/11/1999
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	CAR000019026
Trans1 EPA ID:	NYD045604964
Trans2 EPA ID:	Not reported
TSDF ID:	Not reported
Waste Code:	D011 - SILVER 5.0 MG/L TCLP
Quantity:	00300
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	020
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	01.00
Year:	99

Document ID:	NYG1356966
Manifest Status:	Not reported
Trans1 State ID:	NYD980769947
Trans2 State ID:	Not reported
Generator Ship Date:	09/21/1998
Trans1 Recv Date:	09/21/1998
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/07/1998
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	CAR000019026
Trans1 EPA ID:	NYD045604964
Trans2 EPA ID:	Not reported
TSDF ID:	Not reported
Waste Code:	D011 - SILVER 5.0 MG/L TCLP
Quantity:	00300
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	020
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00
Year:	98

Document ID:	NYG1358829
Manifest Status:	Not reported
Trans1 State ID:	NYD980769947
Trans2 State ID:	Not reported
Generator Ship Date:	10/05/1998
Trans1 Recv Date:	10/05/1998
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	11/23/1998
Part A Recv Date:	Not reported

PIXXON CORP (Continued) **1001195336**

Part B Recv Date:	Not reported
Generator EPA ID:	CAR000019026
Trans1 EPA ID:	NYD045604964
Trans2 EPA ID:	Not reported
TSDF ID:	11282PNY
Waste Code:	D011 - SILVER 5.0 MG/L TCLP
Quantity:	00525
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	035
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	01.00
Year:	98

Document ID:	NYG1081575
Manifest Status:	Not reported
Trans1 State ID:	NYD980769947
Trans2 State ID:	Not reported
Generator Ship Date:	12/22/1998
Trans1 Recv Date:	12/22/1998
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/06/1999
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	CAR000019026
Trans1 EPA ID:	NYD045604964
Trans2 EPA ID:	Not reported
TSDF ID:	Not reported
Waste Code:	D011 - SILVER 5.0 MG/L TCLP
Quantity:	00405
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	027
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	01.00
Year:	98

HAZNET:

Year:	2004
Gepaid:	CAR000019026
Contact:	GENE VAN SLETT
Telephone:	4156415407
Mailing Name:	Not reported
Mailing Address:	75 FOLSOM ST APT 800
Mailing City,St,Zip:	SAN FRANCISCO, CA 94105
Gen County:	San Francisco
TSD EPA ID:	CAD003963592
TSD County:	Santa Clara
Waste Category:	Photochemicals/photoprocessing waste
Disposal Method:	Not reported
Tons:	1.06
Facility County:	Not reported

Year:	2003
Gepaid:	CAR000019026
Contact:	GENE VAN SLETT

PIXXON CORP (Continued) **1001195336**

Telephone:	4156415407
Mailing Name:	Not reported
Mailing Address:	2055 BRYANT
Mailing City,St,Zip:	S F, CA 941100000
Gen County:	San Francisco
TSD EPA ID:	CAD003963592
TSD County:	San Francisco
Waste Category:	Photochemicals/photoprocessing waste
Disposal Method:	Not reported
Tons:	2.56
Facility County:	San Francisco

Year:	2003
Gepaid:	CAR000019026
Contact:	GENE VAN SLETT
Telephone:	4156415407
Mailing Name:	Not reported
Mailing Address:	2055 BRYANT
Mailing City,St,Zip:	S F, CA 941100000
Gen County:	San Francisco
TSD EPA ID:	CAD003963592
TSD County:	San Francisco
Waste Category:	Photochemicals/photoprocessing waste
Disposal Method:	Recycler
Tons:	4
Facility County:	San Francisco

Year:	2002
Gepaid:	CAR000019026
Contact:	GENE VAN SLETT
Telephone:	4156415407
Mailing Name:	Not reported
Mailing Address:	2055 BRYANT
Mailing City,St,Zip:	S F, CA 941100000
Gen County:	San Francisco
TSD EPA ID:	Not reported
TSD County:	Sacramento
Waste Category:	Photochemicals/photoprocessing waste
Disposal Method:	Transfer Station
Tons:	2.83
Facility County:	Not reported

Year:	2002
Gepaid:	CAR000019026
Contact:	GENE VAN SLETT
Telephone:	4156415407
Mailing Name:	Not reported
Mailing Address:	2055 BRYANT
Mailing City,St,Zip:	S F, CA 941100000
Gen County:	San Francisco
TSD EPA ID:	Not reported
TSD County:	Santa Clara
Waste Category:	Metal sludge (Alkaline solution (pH >= 12.5) with metals)
Disposal Method:	Recycler
Tons:	0.02
Facility County:	Not reported

PIXXON CORP (Continued) **1001195336**

Click this hyperlink while viewing on your computer to access
9 additional CA_HAZNET: record(s) in the EDR Site Report.

A3
NE
< 1/8
0.009 mi.
48 ft.

JACK KEENEY PROPERTY
2031 BRYANT STREET
SAN FRANCISCO, CA 94110

HIST CORTESE **S101308241**
LUST **N/A**

Site 3 of 7 in cluster A

Relative:
Higher

Actual:
38 ft.

CORTESE:

Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-0189

LUST:

Region:	STATE
Global Id:	T0607500163
Latitude:	37.7613569
Longitude:	-122.409597
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	11/15/1995
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	SC
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-0189
LOC Case Number:	10560
File Location:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

LUST:

Global Id:	T0607500163
Contact Type:	Regional Board Caseworker
Contact Name:	VIC PAL
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY STREET, SUITE 1400
City:	OAKLAND
Email:	vpal@waterboards.ca.gov
Phone Number:	Not reported

Global Id:	T0607500163
Contact Type:	Local Agency Caseworker
Contact Name:	STEPHANIE CUSHING
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET #210
City:	SAN FRANCISCO
Email:	stephanie.cushing@sfdph.org
Phone Number:	Not reported

LUST:

Global Id:	T0607500163
Action Type:	Other

JACK KEENEY PROPERTY (Continued) **S101308241**

Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500163
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

LUST REG 2:
Region: 2
Facility Id: 38-0189
Facility Status: Case Closed
Case Number: 10560
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 38-0189
Facility Status: Case Closed
Case Number: 10560
Case Type: Soil only
Release Date: 10/25/1995
Discovered Date: 12/4/1989
Substance: Gasoline
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Close Tank
Report Date: 10/25/1995
Case Closed: 11/15/1995
Closed Date: 11/15/1995
Leak Source: Tank
Leak Cause: Structure Failure
Leak Confirmed: Not reported
Entered Date: 11/6/1995
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: Not reported
RP Address: Not reported
Operator: Not reported
Staff Initial: VP
Facility Staff: SC
Cross Street: 18TH ST

JACK KEENEY PROPERTY (Continued) **S101308241**

NOR Date:	11/6/1995
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NT
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	No
Priority:	Not reported
Abatement:	No Action Required - incident is minor, requiring no remedial action
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	12/29/1989
Free Product:	Yes
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Gasoline
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

A4
NE
< 1/8
0.009 mi.
48 ft.

VACANT
2031 BRYANT ST
SAN FRANCISCO, CA

Site 4 of 7 in cluster A

UST U003982153
N/A

Relative:
Higher

Actual:
38 ft.

SAN FRANCISCO CO. UST:

Facility ID:	24210
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	5/30/1989
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	1/9/1990
UST Close ID:	578
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported

VACANT (Continued) **U003982153**

Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

B5
West
< 1/8
0.010 mi.
51 ft.

PEERLESS LAUNDRY & ZORIC CLEANERS
650 FLORIDA ST
SAN FRANCISCO, CA

Site 1 of 17 in cluster B

EDR US Hist Cleaners **1009182308**
N/A

Relative:
Lower

Actual:
33 ft.

EDR Historical Cleaners:

Name:	PEERLESS LAUNDRY & ZORIC CLEANERS
Year:	1977
Type:	LAUNDRIES AND DRY CLEANERS

A6
SE
< 1/8
0.011 mi.
59 ft.

ACE DYE WORKS
2085 BRYANT
SAN FRANCISCO, CA

Site 5 of 7 in cluster A

EDR US Hist Cleaners **1009179780**
N/A

Relative:
Higher

Actual:
37 ft.

EDR Historical Cleaners:

Name:	ACE DYE WORKS
Year:	1949
Type:	CLEANERS AND DYERS

Map ID / Direction / Distance / Elevation	Site	Database(s)	EDR ID Number / EPA ID Number
A7 SE < 1/8 0.012 mi. 61 ft.	**ACE DYE WORKS** **2085 BRYANT ST** **SAN FRANCISCO, CA** **Site 6 of 7 in cluster A**	EDR US Hist Cleaners	1009129473 N/A

Relative: Higher / Actual: 37 ft.

EDR Historical Cleaners:

Name:	ACE DYE WORKS
Year:	1949
Type:	CLEANERS AND DYERS

Map ID / Direction / Distance / Elevation	Site	Database(s)	EDR ID Number / EPA ID Number
A8 NNE < 1/8 0.016 mi. 87 ft.	**HANSCO PACIFIC CARPET** **2014 BRYANT ST** **SAN FRANCISCO, CA** **Site 7 of 7 in cluster A**	EDR US Hist Cleaners	1009182701 N/A

Relative: Higher / Actual: 39 ft.

EDR Historical Cleaners:

Name:	HANSCO PACIFIC CARPET
Year:	1982
Type:	CLEANERS

Map ID / Direction / Distance / Elevation	Site	Database(s)	EDR ID Number / EPA ID Number
B9 NW < 1/8 0.016 mi. 87 ft.	**SAN FRANCISCO AUTO REPAIR CENTER** **611 FLORIDA ST** **SAN FRANCISCO, CA** **Site 2 of 17 in cluster B**	EDR US Hist Auto Stat	1009000944 N/A

Relative: Higher / Actual: 34 ft.

EDR Historical Auto Stations:

Name:	SAN FRANCISCO AUTO REPAIR CENTER
Year:	1982
Type:	AUTOMOBILE REPAIRING
Name:	SAN FRANCISCO AUTO REPAIR CENTER
Year:	1982
Type:	AUTOMOBILE REPAIRING
Name:	SAN FRANCISCO AUTO REPAIR CENTER
Year:	1999
Address:	611 FLORIDA ST
Name:	LEWIS JERRY SAN FRANCISCO AUTO REPAIR CENTER
Year:	2000
Address:	611 FLORIDA ST
Name:	SAN FRANCISCO AUTO REPAIR CTR
Year:	2001
Address:	611 FLORIDA ST
Name:	SAN FRANCISCO AUTO REPAIR CTR
Year:	2002
Address:	611 FLORIDA ST
Name:	SAN FRANCISCO AUTO REPAIR CENTER
Year:	2005
Address:	611 FLORIDA ST
Name:	SAN FRANCISCO AUTO REPAIR CENTER

SAN FRANCISCO AUTO REPAIR CENTER (Continued) **1009000944**

Year: 2006
Address: 611 FLORIDA ST

Name: SAN FRANCISCO AUTO REPAIR CENTER
Year: 2007
Address: 611 FLORIDA ST

Name: SAN FRANCISCO AUTO REPAIR CENTER
Year: 2008
Address: 611 FLORIDA ST

Name: SAN FRANCISCO AUTO REPAIR CENTER
Year: 2009
Address: 611 FLORIDA ST

Name: SAN FRANCISCO AUTO REPAIR CTR
Year: 2010
Address: 611 FLORIDA ST

Name: SAN FRANCISCO AUTO REPAIR CENTER
Year: 2011
Address: 611 FLORIDA ST

Name: SAN FRANCISCO AUTO REPAIR CENTER
Year: 2012
Address: 611 FLORIDA ST

B10 **SAN FRANCISCO AUTO REPAIR SVC** **RCRA-SQG** **1000686550**
NW **611 FLORIDA ST** **FINDS** **CAD983638719**
< 1/8 **SAN FRANCISCO, CA 94110** **HAZNET**
0.016 mi.
87 ft. **Site 3 of 17 in cluster B**

Relative:
Higher

Actual:
34 ft.

RCRA-SQG:
Date form received by agency: 06/01/1992
Facility name: SAN FRANCISCO AUTO REPAIR SVC
Facility address: 611 FLORIDA ST
SAN FRANCISCO, CA 94110
EPA ID: CAD983638719
Contact: CHRIS HARTMAN
Contact address: 611 FLORIDA ST
SAN FRANCISCO, CA 94110
Contact country: US
Contact telephone: (415) 285-8588
Contact email: Not reported
EPA Region: 09
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:
Owner/operator name: KATY BRONNER PRES
Owner/operator address: 611 FLORIDA ST
SAN FRANCISCO, CA 94110

SAN FRANCISCO AUTO REPAIR SVC (Continued) **1000686550**

Owner/operator country: Not reported
Owner/operator telephone: (415) 285-8588
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110002877977

Environmental Interest/Information System
California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

HAZNET:
Year: 1996
Gepaid: CAL000024089
Contact: LEWIS JERRY
Telephone: 0000000000
Mailing Name: Not reported
Mailing Address: 611 FLORIDA
Mailing City,St,Zip: SAN FRANCISCO, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAT080013352
TSD County: Los Angeles
Waste Category: Aqueous solution with total organic residues 10 percent or more
Disposal Method: Recycler

SAN FRANCISCO AUTO REPAIR SVC (Continued) **1000686550**

Tons: .2085
Facility County: San Francisco

Year: 1996
Gepaid: CAL000063293
Contact: GERALD LEWIS
Telephone: 4152858588
Mailing Name: Not reported
Mailing Address: 611 FLORIDA
Mailing City,St,Zip: SAN FRANCISCO, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAT080013352
TSD County: Los Angeles
Waste Category: Aqueous solution with total organic residues 10 percent or more
Disposal Method: Recycler
Tons: .4795
Facility County: San Francisco

Year: 1995
Gepaid: CAL000063293
Contact: GERALD LEWIS
Telephone: 4152858588
Mailing Name: Not reported
Mailing Address: 611 FLORIDA
Mailing City,St,Zip: SAN FRANCISCO, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAL980818645
TSD County: 0
Waste Category: Aqueous solution with total organic residues less than 10 percent
Disposal Method: Transfer Station
Tons: .2293
Facility County: San Francisco

Year: 1995
Gepaid: CAL000063293
Contact: GERALD LEWIS
Telephone: 4152858588
Mailing Name: Not reported
Mailing Address: 611 FLORIDA
Mailing City,St,Zip: SAN FRANCISCO, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAD980818645
TSD County: Kern
Waste Category: Aqueous solution with total organic residues less than 10 percent
Disposal Method: Transfer Station
Tons: .7088
Facility County: San Francisco

C11
SE
< 1/8
0.026 mi.
137 ft.

SUNSET CARPET
2101 BRYANT ST
SAN FRANCISCO, CA

EDR US Hist Cleaners **1009182424**
N/A

Site 1 of 14 in cluster C

Relative:
Higher

Actual:
37 ft.

EDR Historical Cleaners:
Name: SUNSET CARPET
Year: 1982
Type: CLEANERS

B12
NNW
< 1/8
0.027 mi.
140 ft.

INDEPENDENT LAUNDRY
2900 18TH
SAN FRANCISCO, CA

EDR US Hist Cleaners **1009177592**
N/A

Site 4 of 17 in cluster B

Relative:
Higher

Actual:
35 ft.

EDR Historical Cleaners:
Name: INDEPENDENT LAUNDRY
Year: 1930
Type: LAUNDRIES-STEAM

Name: INDEPENDENT LAUNDRY
Year: 1935
Type: LAUNDRIES-STEAM

Name: INDEPENDENT LAUNDRY
Year: 1940
Type: LAUNDRIES-STEAM

Name: INDEPENDENT LAUNDRY
Year: 1944
Type: LAUNDRIES-STEAM

Name: INDEPENDENT LAUNDRY
Year: 1949
Type: LAUNDRIES-STEAM

B13
NW
< 1/8
0.028 mi.
150 ft.

ODORLESS DRY CLEANING CO
2900 18TH ST
SAN FRANCISCO, CA

EDR US Hist Cleaners **1009127999**
N/A

Site 5 of 17 in cluster B

Relative:
Higher

Actual:
34 ft.

EDR Historical Cleaners:
Name: INDEPENDENT LAUNDRY
Year: 1930
Type: LAUNDRIES-STEA

Name: INDEPENDENT LAUNDRY
Year: 1935
Type: LAUNDRIES-STEA

Name: INDEPENDENT LAUNDRY
Year: 1935
Type: LAUNDRIES-STEA

Name: ODORLESS DRY CLEANING CO

ODORLESS DRY CLEANING CO (Continued) **1009127999**

Year:	1935
Type:	CLOTHES PRESSERS AND CLEANER
Name:	INDEPENDENT LAUNDRY
Year:	1940
Type:	LAUNDRIES STEAM
Name:	INDEPENDENT LAUNDRY
Year:	1944
Type:	LAUNDRIES-STEAM
Name:	INDEPENDENT LAUNDRY
Year:	1949
Type:	LAUNDRIES-STEAM

B14 **MISSION LANGUAGE** **UST U003904060**
SW **2929 19TH ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.037 mi.
197 ft. **Site 6 of 17 in cluster B**

Relative: SAN FRANCISCO CO. UST:
Lower

Actual:
27 ft.

Facility ID:	26423
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	1550 Wallace
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	L&W Environmental
Application Date:	12/14/2001
Application Name:	George Wilson
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported

MISSION LANGUAGE (Continued) **U003904060**

Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	4210
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

B15
SW
< 1/8
0.037 mi.
197 ft.

MISSION LANGUAGE SCHOOL
2929 19TH ST
SAN FRANCISCO, CA 94110

Site 7 of 17 in cluster B

LUST **S105806133**
N/A

Relative:
Lower

Actual:
27 ft.

LUST:

Region:	STATE
Global Id:	T0607515068
Latitude:	37.760061
Longitude:	-122.41133

MISSION LANGUAGE SCHOOL (Continued) **S105806133**

Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	07/02/2002
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	AL
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-2163
LOC Case Number:	11493
File Location:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

LUST:

Global Id:	T0607515068
Contact Type:	Local Agency Caseworker
Contact Name:	ALBERT LEE
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET, #210
City:	SAN FRANCISCO
Email:	albert.lee@sfdph.org
Phone Number:	Not reported

Global Id:	T0607515068
Contact Type:	Regional Board Caseworker
Contact Name:	VIC PAL
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY STREET, SUITE 1400
City:	OAKLAND
Email:	vpal@waterboards.ca.gov
Phone Number:	Not reported

LUST:

Global Id:	T0607515068
Action Type:	Other
Date:	01/01/1950
Action:	Leak Reported

Global Id:	T0607515068
Action Type:	Other
Date:	01/01/1950
Action:	Leak Discovery

Global Id:	T0607515068
Action Type:	ENFORCEMENT
Date:	02/27/2002
Action:	Notice of Responsibility

LUST REG 2:

Region:	2
Facility Id:	38-2163
Facility Status:	Case Closed
Case Number:	11493
How Discovered:	Not reported

MISSION LANGUAGE SCHOOL (Continued) **S105806133**

Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: 1/8/2002
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 02-102-004
Facility Status: Case Closed
Case Number: 11493
Case Type: Soil only
Release Date: Not reported
Discovered Date: 1/8/2002
Substance: Heater Fuel
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Close Tank
Report Date: 1/8/2002
Case Closed: 7/2/2002
Closed Date: Not reported
Leak Source: Tank
Leak Cause: Corrosion
Leak Confirmed: 1/8/2002
Entered Date: 2/27/2002
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: Not reported
RP Address: Not reported
Operator: Rosario Anaya
Staff Initial: VP
Facility Staff: AL
Cross Street: Alabama
NOR Date: Not reported
MTBE Current: Not reported
MTBE Current Date: Not reported
MTBE: NRQ
Maximum MTBE Soil: Not reported
Maximum MTBE GW: Not reported
MTBE DATE: Not reported
Review Date: 3/4/2002
Workplan Submitted: Not reported
Assessment Underway: Not reported
Pollution Characterization: Not reported
Corrective Action Plan: Not reported
Remediation Underway: Not reported
Monitoring Begun: Not reported
Funding: Federal
Interim Remediation: No

MISSION LANGUAGE SCHOOL (Continued) **S105806133**

Priority:	Low Priority Site
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	NOR
Enforcement Due Date:	2/27/2002
Basin:	DOWNTOWN
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	1/8/2002
Free Product:	Not reported
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Not reported
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	ND
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	YES
Max TPH GW:	Not reported
Max TPH Soil:	99
TPH Date:	1/8/2002
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	3/4/02 file review

B16
NW
< 1/8
0.041 mi.
217 ft.

CIVIC CENTER TOWING INC
2947 18TH ST
SAN FRANCISCO, CA 94110

CA FID UST **S101592492**
SWEEPS UST **N/A**

Site 8 of 17 in cluster B

Relative:
Lower

Actual:
32 ft.

CA FID UST:

Facility ID:	38005323
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4156734242
Mail To:	Not reported
Mailing Address:	2947 - 18TH ST
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94110
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported

CIVIC CENTER TOWING INC (Continued) **S101592492**

Status: Active

SWEEPS UST:

Status:	Active
Comp Number:	3494
Number:	1
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Tank Status:	A
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-003494-000001
Actv Date:	09-30-92
Capacity:	8000
Tank Use:	UNKNOWN
Stg:	P
Content:	DIESEL
Number Of Tanks:	2

Status:	Active
Comp Number:	3494
Number:	1
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Tank Status:	A
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-003494-000002
Actv Date:	09-30-92
Capacity:	5000
Tank Use:	UNKNOWN
Stg:	P
Content:	LEADED GASOL
Number Of Tanks:	Not reported

B17 **ATLAS & CIVIC CTR** **UST U003915740**
NW **2947 18TH ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.041 mi.
217 ft. **Site 9 of 17 in cluster B**

Relative: SAN FRANCISCO CO. UST:
Lower

Facility ID:	14397
Facility Status:	Not reported
Number Of Tanks:	Not reported
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported

Actual:
32 ft.

ATLAS & CIVIC CTR (Continued) **U003915740**

Applications:	Not reported
Application Date:	5/18/1992
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	6/23/1992
UST Close ID:	1003
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported

ATLAS & CIVIC CTR (Continued) **U003915740**

Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	2/7/1995
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

B18 **ALABAMA ST HOUSING ASSOCIATES** **LUST S108741915**
NW **2949 18TH ST** **HAZNET N/A**
< 1/8 **SAN FRANCISCO, CA 94110**
0.042 mi.
221 ft. **Site 10 of 17 in cluster B**

Relative: **Lower**

Actual: **32 ft.**

LUST:

Region:	STATE
Global Id:	T0607583909
Latitude:	37.761033
Longitude:	-122.411506
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	01/25/2010
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	SC
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-2447
LOC Case Number:	11786
File Location:	Local Agency
Potential Media Affect:	Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern:	Waste Oil / Motor / Hydraulic / Lubricating
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

LUST:

Global Id:	T0607583909
Contact Type:	Local Agency Caseworker
Contact Name:	STEPHANIE CUSHING
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET #210
City:	SAN FRANCISCO
Email:	stephanie.cushing@sfdph.org
Phone Number:	Not reported

LUST:

Global Id:	T0607583909
Action Type:	ENFORCEMENT
Date:	10/07/2008
Action:	File review
Global Id:	T0607583909
Action Type:	ENFORCEMENT
Date:	10/08/2008

ALABAMA ST HOUSING ASSOCIATES (Continued) **S108741915**

Action:	Staff Letter
Global Id:	T0607583909
Action Type:	ENFORCEMENT
Date:	09/09/2009
Action:	Meeting
Global Id:	T0607583909
Action Type:	ENFORCEMENT
Date:	06/30/2008
Action:	File review
Global Id:	T0607583909
Action Type:	ENFORCEMENT
Date:	06/30/2008
Action:	Staff Letter
Global Id:	T0607583909
Action Type:	ENFORCEMENT
Date:	02/15/2008
Action:	* Verbal Communication
Global Id:	T0607583909
Action Type:	ENFORCEMENT
Date:	11/24/2009
Action:	File review
Global Id:	T0607583909
Action Type:	ENFORCEMENT
Date:	01/22/2010
Action:	File review
Global Id:	T0607583909
Action Type:	Other
Date:	01/01/1950
Action:	Leak Reported
Global Id:	T0607583909
Action Type:	ENFORCEMENT
Date:	06/29/2009
Action:	Staff Letter
Global Id:	T0607583909
Action Type:	ENFORCEMENT
Date:	06/29/2009
Action:	File review
Global Id:	T0607583909
Action Type:	ENFORCEMENT
Date:	01/25/2010
Action:	Closure/No Further Action Letter
Global Id:	T0607583909
Action Type:	ENFORCEMENT
Date:	09/09/2009
Action:	File review

ALABAMA ST HOUSING ASSOCIATES (Continued) **S108741915**

Global Id: T0607583909
Action Type: ENFORCEMENT
Date: 09/09/2009
Action: LOP Case Closure Summary to RB

Global Id: T0607583909
Action Type: ENFORCEMENT
Date: 09/04/2009
Action: File review

Global Id: T0607583909
Action Type: ENFORCEMENT
Date: 02/02/2009
Action: File review

Global Id: T0607583909
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

Global Id: T0607583909
Action Type: REMEDIATION
Date: 01/01/1950
Action: Monitored Natural Attenuation

Global Id: T0607583909
Action Type: ENFORCEMENT
Date: 01/16/2007
Action: Notice of Responsibility

Global Id: T0607583909
Action Type: ENFORCEMENT
Date: 01/25/2010
Action: Closure/No Further Action Letter

Global Id: T0607583909
Action Type: ENFORCEMENT
Date: 11/25/2009
Action: Site Visit / Inspection / Sampling

Global Id: T0607583909
Action Type: ENFORCEMENT
Date: 09/05/2008
Action: Technical Correspondence / Assistance / Other

HAZNET:
Year: 2007
Gepaid: CAC002610963
Contact: DESIREE ESPINOZA
Telephone: 4154218605
Mailing Name: Not reported
Mailing Address: 26 O'FARRELL ST STE600
Mailing City,St,Zip: SAN FRANCISCO, CA 94108
Gen County: San Francisco
TSD EPA ID: CAL000161743
TSD County: Santa Clara

ALABAMA ST HOUSING ASSOCIATES (Continued) **S108741915**

Waste Category:	Other organic solids
Disposal Method:	Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.3
Facility County:	San Francisco
Year:	2007
Gepaid:	CAC002610963
Contact:	DESIREE ESPINOZA
Telephone:	4154218605
Mailing Name:	Not reported
Mailing Address:	26 O'FARRELL ST STE600
Mailing City,St,Zip:	SAN FRANCISCO, CA 94108
Gen County:	San Francisco
TSD EPA ID:	CAT000646117
TSD County:	Kings
Waste Category:	Contaminated soil from site clean-up
Disposal Method:	Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Tons:	913.32
Facility County:	San Francisco
Year:	2007
Gepaid:	CAC002610963
Contact:	DESIREE ESPINOZA
Telephone:	4154218605
Mailing Name:	Not reported
Mailing Address:	26 O'FARRELL ST STE600
Mailing City,St,Zip:	SAN FRANCISCO, CA 94108
Gen County:	San Francisco
TSD EPA ID:	CAL000161743
TSD County:	Santa Clara
Waste Category:	Unspecified oil-containing waste
Disposal Method:	Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	8.54
Facility County:	San Francisco
Year:	2006
Gepaid:	CAC002610963
Contact:	DESIREE ESPINOZA
Telephone:	4154218605
Mailing Name:	Not reported
Mailing Address:	26 O'FARRELL ST STE600
Mailing City,St,Zip:	SAN FRANCISCO, CA 94108
Gen County:	San Francisco
TSD EPA ID:	CAL000161743
TSD County:	Santa Clara
Waste Category:	Other organic solids
Disposal Method:	Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	5
Facility County:	San Francisco

B19 **VACANT LOT** **UST** **U004066912**
NW **2949 18TH ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.042 mi.
221 ft. **Site 11 of 17 in cluster B**

Relative: SAN FRANCISCO CO. UST:
Lower

Facility ID:	30232
Facility Status:	Not reported
Actual: Number Of Tanks:	2
32 ft. Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley St
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	12/8/2006
Application Name:	Tim Hallen
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	3/20/2007
UST Close ID:	4889
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported

VACANT LOT (Continued) **U004066912**

Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

C20 **R B INSTALLATIONS** **EDR US Hist Cleaners** **1009182836**
SSE **2121 BRYANT ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.042 mi.
224 ft. **Site 2 of 14 in cluster C**

Relative:
Higher

Actual:
37 ft.

EDR Historical Cleaners:

Name:	R B INSTALLATIONS
Year:	1982
Type:	CLEANERS

C21 **MOORE EARTH CO.** **HIST CORTESE** **S104889695**
ESE **2747 19TH ST** **LUST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94110**
0.043 mi.
225 ft. **Site 3 of 14 in cluster C**

Relative:
Higher

Actual:
42 ft.

CORTESE:

Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-0916

LUST:

Region:	STATE

MOORE EARTH CO. (Continued) **S104889695**

Global Id:	T0607500811
Latitude:	37.7605004
Longitude:	-122.4094846
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	07/15/1997
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	AL
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-0916
LOC Case Number:	10829
File Location:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Diesel
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

LUST:

Global Id:	T0607500811
Contact Type:	Regional Board Caseworker
Contact Name:	VIC PAL
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY STREET, SUITE 1400
City:	OAKLAND
Email:	vpal@waterboards.ca.gov
Phone Number:	Not reported

Global Id:	T0607500811
Contact Type:	Local Agency Caseworker
Contact Name:	ALBERT LEE
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET, #210
City:	SAN FRANCISCO
Email:	albert.lee@sfdph.org
Phone Number:	Not reported

LUST:

Global Id:	T0607500811
Action Type:	Other
Date:	01/01/1950
Action:	Leak Reported

Global Id:	T0607500811
Action Type:	Other
Date:	01/01/1950
Action:	Leak Discovery

LUST REG 2:

Region:	2
Facility Id:	38-0916
Facility Status:	Case Closed
Case Number:	10829
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported

MOORE EARTH CO. (Continued) **S104889695**

Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 38-0916
Facility Status: Case Closed
Case Number: 10829
Case Type: Soil only
Release Date: 2/26/1997
Discovered Date: 2/25/1997
Substance: Diesel
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Repair Tank
Report Date: 2/26/1997
Case Closed: 7/15/1997
Closed Date: 7/15/1997
Leak Source: Tank
Leak Cause: Structure Failure
Leak Confirmed: Not reported
Entered Date: 6/16/1997
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: Not reported
RP Address: Not reported
Operator: Not reported
Staff Initial: VP
Facility Staff: AL
Cross Street: BRYANT ST
NOR Date: 6/16/1997
MTBE Current: Not reported
MTBE Current Date: Not reported
MTBE: NT
Maximum MTBE Soil: Not reported
Maximum MTBE GW: Not reported
MTBE DATE: Not reported
Review Date: Not reported
Workplan Submitted: Not reported
Assessment Underway: Not reported
Pollution Characterization: Not reported
Corrective Action Plan: Not reported
Remediation Underway: Not reported
Monitoring Begun: Not reported
Funding: Not reported
Interim Remediation: Yes
Priority: Not reported
Abatement: Remove Free Product - remove floating product from water table,

MOORE EARTH CO. (Continued) **S104889695**

	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	2/25/1997
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Diesel fuel oil
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

C22 **MOORE EARTH** **UST** **U003904074**
ESE **2747 19TH ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.043 mi.
225 ft. **Site 4 of 14 in cluster C**

Relative:
Higher

Actual:
42 ft.

SAN FRANCISCO CO. UST:

Facility ID:	21472
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	2/12/1997
Application Name:	Tim Hallen
Action Type:	Not reported

MOORE EARTH (Continued) **U003904074**

Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	2/25/1997
UST Close ID:	2826
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	6/3/1997
Last Annual Monitoring Cert:	Not reported

MOORE EARTH (Continued) **U003904074**

2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

B23 **HERTZ-PENSKE TRUCK LEASING, IN** **HIST UST** **U001595392**
NW **2955 - 18TH ST.** **N/A**
< 1/8 **SAN FRANCISCO, CA 94110**
0.044 mi.
234 ft. **Site 12 of 17 in cluster B**

Relative:
Lower

Actual:
32 ft.

HIST UST:

Region:	STATE
Facility ID:	00000004387
Facility Type:	Other
Other Type:	TRUCK LEASING
Total Tanks:	0003
Contact Name:	MICHAEL J. DALY
Telephone:	2153207000
Owner Name:	CAL WESTERN STATES INSURANCE C
Owner Address:	P.O. BOX 959
Owner City,St,Zip:	SACRAMENTO, CA 95804
Tank Num:	001
Container Num:	685-1
Year Installed:	1962
Tank Capacity:	00007000
Tank Used for:	PRODUCT
Type of Fuel:	REGULAR
Tank Construction:	Not reported
Leak Detection:	Visual, Stock Inventor
Tank Num:	002
Container Num:	685-2
Year Installed:	1962
Tank Capacity:	00007000
Tank Used for:	PRODUCT
Type of Fuel:	DIESEL
Tank Construction:	Not reported
Leak Detection:	Visual, Stock Inventor
Tank Num:	003
Container Num:	685-3
Year Installed:	1962
Tank Capacity:	00000500
Tank Used for:	WASTE
Type of Fuel:	WASTE OIL
Tank Construction:	Not reported
Leak Detection:	Visual, Stock Inventor

B24 **PENSKE TRUCK LEASING CO. L.P.** **UST** **U003111546**
NW **2955 18TH ST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94110**
0.044 mi.
234 ft. **Site 13 of 17 in cluster B**

Relative:
Lower

Actual:
32 ft.

UST:
Facility ID: 8342
Latitude: 37.76167
Longitude: -122.4116

SAN FRANCISCO CO. UST:
Facility ID: 8342
Facility Status: Not reported
Number Of Tanks: 3
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: 35 South Linden
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: TEC Accutite
Application Date: 4/30/2001
Application Name: Ron Breckenridge
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported
Local Tank Id: Not reported
Tank Manufacturer: Not reported
Compartmentalized Tank: Not reported
Of Tank Compartments: Not reported
Date Tank Installed: Not reported
Tank Capacity: Not reported
Additional Desc: Not reported
Tank Use: Not reported
Petroleum Type: Not reported
Common Name: Not reported
Case Number: Not reported
Type Of Tank: Not reported
Primary Tank Material: Not reported
Secondary Tank Material: Not reported
Tank Interior Lining: Not reported
Date Interior Lining Install: Not reported
Date Closed: 5/16/2001
UST Close ID: 4134
Type Of Spill Protection: Not reported
Date Alarm Overfill Protection Installed: Not reported
Date Ball Float Overfill Protection Installed: Not reported
Date Fill Tube Shut Overfill Protection Installed: Not reported
Overfill Protection Exempt: Not reported
Othr Tnk Corrosive Prtctn: Not reported

PENSKE TRUCK LEASING CO. L.P. (Continued) **U003111546**

Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	8/7/2001
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	466

PENSKE TRUCK LEASING CO. L.P. (Continued) **U003111546**

Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported

PENSKE TRUCK LEASING CO. L.P. (Continued) **U003111546**

Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	11/8/2001
UST Close ID:	4191
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

B25 **HERTZ-PENSKE TRUCK LEASING** **LUST** **S111760430**
NW **2955 18TH ST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94110**
0.044 mi.
234 ft. **Site 14 of 17 in cluster B**

Relative:
Lower

Actual:
32 ft.

LUST:

Region:	STATE
Global Id:	T0607500155
Latitude:	37.7616636
Longitude:	-122.4116263
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	01/26/1996
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	SC
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-0178
LOC Case Number:	10233
File Location:	Not reported
Potential Media Affect:	Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern:	Waste Oil / Motor / Hydraulic / Lubricating
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

LUST:

Global Id:	T0607500155
Contact Type:	Regional Board Caseworker
Contact Name:	VIC PAL
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY STREET, SUITE 1400
City:	OAKLAND
Email:	vpal@waterboards.ca.gov
Phone Number:	Not reported

Global Id:	T0607500155
Contact Type:	Local Agency Caseworker
Contact Name:	STEPHANIE CUSHING
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET #210
City:	SAN FRANCISCO
Email:	stephanie.cushing@sfdph.org
Phone Number:	Not reported

LUST:

Global Id:	T0607500155
Action Type:	Other
Date:	01/01/1950
Action:	Leak Reported

Global Id:	T0607500155
Action Type:	Other
Date:	01/01/1950
Action:	Leak Discovery

B26 **FORMER PENSKE TRUCK LEASING F.** **LUST** **S111760439**
NW **2955 18TH ST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94110**
0.044 mi.
234 ft. **Site 15 of 17 in cluster B**

Relative:
Lower

Actual:
32 ft.

LUST:

Region:	STATE
Global Id:	T0607576873
Latitude:	37.76168
Longitude:	-122.411609
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	11/08/2001
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	SC
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-2104
LOC Case Number:	11478
File Location:	Not reported
Potential Media Affect:	Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

LUST:

Global Id:	T0607576873
Contact Type:	Local Agency Caseworker
Contact Name:	STEPHANIE CUSHING
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET #210
City:	SAN FRANCISCO
Email:	stephanie.cushing@sfdph.org
Phone Number:	Not reported

Global Id:	T0607576873
Contact Type:	Regional Board Caseworker
Contact Name:	VIC PAL
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY STREET, SUITE 1400
City:	OAKLAND
Email:	vpal@waterboards.ca.gov
Phone Number:	Not reported

LUST:

Global Id:	T0607576873
Action Type:	Other
Date:	01/01/1950
Action:	Leak Reported

Global Id:	T0607576873
Action Type:	Other
Date:	01/01/1950
Action:	Leak Discovery

Global Id:	T0607576873
Action Type:	ENFORCEMENT
Date:	11/14/2001

FORMER PENSKE TRUCK LEASING F. (Continued) **S111760439**

Action: Notice of Responsibility

B27
NW
< 1/8
0.044 mi.
234 ft.

Relative:
Lower

Actual:
32 ft.

HERTZ-PENSKE TRUCK LEASING INC
2955 18TH ST
SAN FRANCISCO, CA 94110

CA FID UST **S101630230**
SWEEPS UST **N/A**

Site 16 of 17 in cluster B

CA FID UST:

Facility ID:	38000007
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4156480770
Mail To:	Not reported
Mailing Address:	RR 10 GRN HILLP O BO
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94110
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

SWEEPS UST:

Status:	Not reported
Comp Number:	8342
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-008342-000001
Actv Date:	Not reported
Capacity:	7000
Tank Use:	UNKNOWN
Stg:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	3

Status:	Not reported
Comp Number:	8342
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-008342-000002
Actv Date:	Not reported

HERTZ-PENSKE TRUCK LEASING INC (Continued) **S101630230**

Capacity: 7000
Tank Use: UNKNOWN
Stg: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Status: Not reported
Comp Number: 8342
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Tank Status: Not reported
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-008342-000003
Actv Date: Not reported
Capacity: 500
Tank Use: UNKNOWN
Stg: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Status: Active
Comp Number: 8342
Number: 3
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Tank Status: A
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-008342-000004
Actv Date: 09-30-92
Capacity: 10000
Tank Use: M.V. FUEL
Stg: P
Content: REG UNLEADED
Number Of Tanks: 3

Status: Active
Comp Number: 8342
Number: 3
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Tank Status: A
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-008342-000005
Actv Date: 09-30-92
Capacity: 10000
Tank Use: UNKNOWN
Stg: P
Content: DIESEL
Number Of Tanks: Not reported

HERTZ-PENSKE TRUCK LEASING INC (Continued) **S101630230**

Status:	Active
Comp Number:	8342
Number:	3
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Tank Status:	A
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-008342-000006
Actv Date:	09-30-92
Capacity:	1000
Tank Use:	OIL
Stg:	W
Content:	UNSPECIFIED
Number Of Tanks:	Not reported

B28 **PENSKE TRUCK LEASING CO** **RCRA-SQG** **1000383089**
NW **2955 18TH STREET** **FINDS** **CAD981661903**
< 1/8 **SAN FRANCISCO, CA 94110**
0.044 mi.
234 ft. **Site 17 of 17 in cluster B**

Relative:
Lower

Actual:
32 ft.

RCRA-SQG:

Date form received by agency:	07/10/1991
Facility name:	PENSKE TRUCK LEASING CO
Site name:	PENSKE TRUCK LEASING CO., L.P.
Facility address:	2955 18TH STREET SAN FRANCISCO, CA 941102004
EPA ID:	CAD981661903
Mailing address:	62 SOUTH LINDEN AVENUE SAN FRANCISCO, CA 940806476
Contact:	JOSEPH E CELLURA
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	(415) 873-5443
Contact email:	Not reported
EPA Region:	09
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	CAL WESTERN LIFE
Owner/operator address:	NOT REQUIRED NOT REQUIRED, ME 99999
Owner/operator country:	Not reported
Owner/operator telephone:	(415) 555-1212
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

PENSKE TRUCK LEASING CO (Continued) **1000383089**

Owner/operator name: NOT REQUIRED
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: (415) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 10/07/1986
Facility name: PENSKE TRUCK LEASING CO
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110002741445

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

D29 **DAVID FAMILY ALLEN TRUST** **DRYCLEANERS S103977882**
NW **550 FLORIDA ST** **HAZNET N/A**
< 1/8 **SAN FRANCISCO, CA 94110**
0.045 mi.
237 ft. **Site 1 of 18 in cluster D**

Relative:
Lower

Actual:
33 ft.

DRYCLEANERS:
EPA Id: CAL000281556
NAICS Code: 812331
NAICS Description: Linen Supply

DAVID FAMILY ALLEN TRUST (Continued) **S103977882**

SIC Code:	7213
SIC Description:	Linen Supply
Create Date:	04/27/2004
Facility Active:	No
Inactive Date:	06/30/2006
Facility Addr2:	Not reported
Owner Name:	MISSION LINEN SUPPLY
Owner Address:	550 FLORIDA ST
Owner Address 2:	Not reported
Owner Telephone:	4156215100
Contact Name:	STEVEN O'CONNELL
Contact Address:	550 FLORIDA ST
Contact Address 2:	Not reported
Contact Telephone:	4156215100

HAZNET:

Year:	2011
Gepaid:	CAC002676247
Contact:	NOAH SNYDER
Telephone:	4158211227
Mailing Name:	Not reported
Mailing Address:	650 ALABAMA ST STE 101
Mailing City,St,Zip:	SAN FRANCISCO, CA 941102038
Gen County:	Not reported
TSD EPA ID:	CAD981382732
TSD County:	Not reported
Waste Category:	Asbestos containing waste
Disposal Method:	Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Tons:	0.4
Facility County:	San Francisco

Year:	2011
Gepaid:	CAC002676247
Contact:	NOAH SNYDER
Telephone:	4158211227
Mailing Name:	Not reported
Mailing Address:	650 ALABAMA ST STE 101
Mailing City,St,Zip:	SAN FRANCISCO, CA 941102038
Gen County:	Not reported
TSD EPA ID:	NVT330010000
TSD County:	Not reported
Waste Category:	Other organic solids
Disposal Method:	Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Tons:	0.375
Facility County:	San Francisco

Year:	2011
Gepaid:	CAC002663249
Contact:	MARK SAPOSNIK
Telephone:	5303424110
Mailing Name:	Not reported
Mailing Address:	PO BOX 1299
Mailing City,St,Zip:	SAN FRANCISCO, CA 94110
Gen County:	Not reported
TSD EPA ID:	CAT080013352

DAVID FAMILY ALLEN TRUST (Continued) **S103977882**

TSD County:	Not reported
Waste Category:	Unspecified oil-containing waste
Disposal Method:	Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Tons:	5.004
Facility County:	San Francisco
Year:	2010
Gepaid:	CAC002660344
Contact:	NOAH SNYDER
Telephone:	4158211227
Mailing Name:	Not reported
Mailing Address:	650 ALABAMA ST STE 101
Mailing City,St,Zip:	SAN FRANCISCO, CA 941102038
Gen County:	Not reported
TSD EPA ID:	CAD981382732
TSD County:	Not reported
Waste Category:	Asbestos containing waste
Disposal Method:	Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Tons:	12
Facility County:	San Francisco
Year:	2000
Gepaid:	CAC001481736
Contact:	MISSION LINEN SUPPLY
Telephone:	4156215100
Mailing Name:	Not reported
Mailing Address:	550 FLORIDA STREET
Mailing City,St,Zip:	SAN FRANCISCO, CA 941100000
Gen County:	San Francisco
TSD EPA ID:	CAD981382732
TSD County:	1
Waste Category:	Asbestos containing waste
Disposal Method:	Disposal, Land Fill
Tons:	6.7424
Facility County:	San Francisco

Click this hyperlink while viewing on your computer to access
2 additional CA_HAZNET: record(s) in the EDR Site Report.

D30 **PEERLESS LINEN** **UST** **U003904224**
NW **550 FLORIDA ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.045 mi.
237 ft. **Site 2 of 18 in cluster D**

Relative:
Lower

Actual:
33 ft.

SAN FRANCISCO CO. UST:

Facility ID:	5784
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported

PEERLESS LINEN (Continued) **U003904224**

Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	11/24/1986
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	12/17/1986
UST Close ID:	436
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported

PEERLESS LINEN (Continued) **U003904224**

Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

D31 **PEERLESS LINEN** **CA FID UST S101592541**
NW **550 FLORIDA ST** **SWEEPS UST N/A**
< 1/8 **SAN FRANCISCO, CA 94110**
0.045 mi.
237 ft. **Site 3 of 18 in cluster D**

Relative:
Lower

Actual:
33 ft.

CA FID UST:

Facility ID:	38005394
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4156215100
Mail To:	Not reported
Mailing Address:	550 FLORIDA ST
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94110
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

SWEEPS UST:

Status:	Not reported
Comp Number:	5784
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-005784-000001
Actv Date:	Not reported
Capacity:	22000
Tank Use:	UNKNOWN
Stg:	PRODUCT
Content:	UNSPECIFIED

PEERLESS LINEN (Continued) **S101592541**

Number Of Tanks: 4

Status: Not reported
Comp Number: 5784
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Tank Status: Not reported
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-005784-000002
Actv Date: Not reported
Capacity: 550
Tank Use: UNKNOWN
Stg: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Status: Not reported
Comp Number: 5784
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Tank Status: Not reported
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-005784-000003
Actv Date: Not reported
Capacity: 550
Tank Use: UNKNOWN
Stg: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Status: Not reported
Comp Number: 5784
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Tank Status: Not reported
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-005784-000004
Actv Date: Not reported
Capacity: 550
Tank Use: UNKNOWN
Stg: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Status: Active
Comp Number: 5784
Number: 1
Board Of Equalization: Not reported

PEERLESS LINEN (Continued) **S101592541**

Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	Not reported
Actv Date:	Not reported
Capacity:	Not reported
Tank Use:	Not reported
Stg:	Not reported
Content:	Not reported
Number Of Tanks:	Not reported

D32 **PEERLESS LAUNDRY** **EDR US Hist Cleaners** **1009183031**
NW **550 FLORIDA AND 308 MASON** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.045 mi.
237 ft. **Site 4 of 18 in cluster D**

Relative: EDR Historical Cleaners:
Lower

Name:	PEERLESS LAUNDRY
Year:	1966
Type:	LAUNDRIES

Actual:
33 ft.

D33 **THOMAS ALLEC CLEANERS & DYERS** **EDR US Hist Cleaners** **1009133638**
NW **550 FLORIDA ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.045 mi.
237 ft. **Site 5 of 18 in cluster D**

Relative: EDR Historical Cleaners:
Lower

Name:	PEERLESS LAUNDRY
Year:	1962
Type:	LAUNDRIES
Name:	THOMAS-ALLEC CLEANERS & DYERS OFC
Year:	1962
Type:	CLEANERS AND DYERS
Name:	THOMAS-ALLEC CLEANERS & DYERS
Year:	1966
Type:	CLEANERS AND DYERS
Name:	PEERLESS LAUNDRY
Year:	1966
Type:	LAUNDRIES
Name:	THOMAS ALLEC CLEANERS C DYERS
Year:	1971
Type:	CLEANERS AND DYERS
Name:	THOMAS-ALLEC CLEANERS & DYERS
Year:	1971
Type:	CLEANERS AND DYERS
Name:	PEERLESS LAUNDRY & ZORIC CLEANERS

Actual:
33 ft.

THOMAS ALLEC CLEANERS & DYERS (Continued) **1009133638**

Year: 1977
Type: LAUNDRIES AND DRY CLEANERS

Name: THOMAS ALLEC CLEANERS & DYERS
Year: 1977
Type: CLEANERS AND DYERS

Name: THOMAS-ALLEC CLEANERS & DYERS
Year: 1977
Type: CLEANERS AND DYERS

Name: PEERLESS LAUNDRY
Year: 1982
Type: LAUNDRIES AND DRY CLEANERS

Name: PEERLESS LAUNDRY
Year: 1982
Type: LAUNDRIES AND DRY CLEANERS

D34 **THOMAS ALLEC CLEANERS & DYERS** **EDR US Hist Cleaners** **1009181216**
NW **550 FLORIDA** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.045 mi.
237 ft. **Site 6 of 18 in cluster D**

Relative:
Lower

Actual:
33 ft.

EDR Historical Cleaners:
Name: NEW SAN FRANCISCO LAUNDRY
Year: 1953
Type: LAUNDRIES

Name: PEERLESS LAUNDRY
Year: 1958
Type: LAUNDRIES

Name: THOMAS ALLEC CLEANERS & DYERS OFC
Year: 1962
Type: CLEANERS AND DYERS

Name: PEERLESS LAUNDRY
Year: 1962
Type: LAUNDRIES

Name: THOMAS ALLEC CLEANERS & DYERS
Year: 1966
Type: CLEANERS AND DYERS

C35 **BRYANT SQUARE, LLC** **RCRA-CESQG** **1012175466**
SSE **2125 BRYANT STREET** **CAC002612979**
< 1/8 **SAN FRANCISCO, CA 94110**
0.046 mi.
241 ft. **Site 5 of 14 in cluster C**

Relative:
Higher

Actual:
37 ft.

RCRA-CESQG:
Date form received by agency: 07/17/2008
Facility name: BRYANT SQUARE, LLC
Facility address: 2125 BRYANT STREET

BRYANT SQUARE, LLC (Continued) **1012175466**

SAN FRANCISCO, CA 94110
EPA ID: CAC002612979
Contact: MATTHEW R TUVERSAN
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: (310) 450-2200
Telephone ext.: 126
Contact email: MTUVERSON@BYPALISADES.COM
EPA Region: 09
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:
Owner/operator name: BRYANT SQUARE, LLC
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 12/07/1957
Owner/Op end date: Not reported

Owner/operator name: BRYANT SQUARE, LLC
Owner/operator address: 212 MARINE ST. STC 100
SOUTH MONICA, CA 90405
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 12/07/1997
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No

BRYANT SQUARE, LLC (Continued) **1012175466**

Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Hazardous Waste Summary:
Waste code: D008
Waste name: LEAD

Violation Status: No violations found

C36 **COMMERCIAL** **UST** **U004003582**
SSE **2125 BRYANT ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.046 mi.
241 ft. **Site 6 of 14 in cluster C**

Relative:
Higher

Actual:
37 ft.

SAN FRANCISCO CO. UST:
Facility ID: 25439
Facility Status: Not reported
Number Of Tanks: 3
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: 255 Shipley St
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: Golden Gate Tank
Application Date: 11/2/2000
Application Name: Tracy Wallace
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported
Local Tank Id: Not reported
Tank Manufacturer: Not reported
Compartmentalized Tank: Not reported
Of Tank Compartments: Not reported
Date Tank Installed: Not reported
Tank Capacity: Not reported
Additional Desc: Not reported
Tank Use: Not reported
Petroleum Type: Not reported
Common Name: Not reported
Case Number: Not reported
Type Of Tank: Not reported
Primary Tank Material: Not reported
Secondary Tank Material: Not reported

COMMERCIAL (Continued) **U004003582**

Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	11/3/2000
UST Close ID:	4047
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

C37 **PILALASADES DEVELOPMENT GROUP** **LUST S104889610**
SSE **2125 BRYANT ST** **HAZNET N/A**
< 1/8 **SAN FRANCISCO, CA 94110**
0.046 mi.
241 ft. **Site 7 of 14 in cluster C**

Relative: LUST:
Higher

Region:	STATE
Global Id:	T0607559434
Actual: Latitude:	37.760152
37 ft. Longitude:	-122.40998
Case Type:	LUST Cleanup Site

PILALASADES DEVELOPMENT GROUP (Continued) **S104889610**

Status:	Completed - Case Closed
Status Date:	06/21/2002
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	AL
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-2041
LOC Case Number:	11426
File Location:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Stoddard solvent / Mineral Spriits / Distillates
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

LUST:

Global Id:	T0607559434
Contact Type:	Local Agency Caseworker
Contact Name:	ALBERT LEE
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET, #210
City:	SAN FRANCISCO
Email:	albert.lee@sfdph.org
Phone Number:	Not reported

Global Id:	T0607559434
Contact Type:	Regional Board Caseworker
Contact Name:	VIC PAL
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY STREET, SUITE 1400
City:	OAKLAND
Email:	vpal@waterboards.ca.gov
Phone Number:	Not reported

LUST:

Global Id:	T0607559434
Action Type:	ENFORCEMENT
Date:	06/21/2002
Action:	Closure/No Further Action Letter

Global Id:	T0607559434
Action Type:	ENFORCEMENT
Date:	04/11/2002
Action:	Staff Letter

Global Id:	T0607559434
Action Type:	Other
Date:	01/01/1950
Action:	Leak Reported

Global Id:	T0607559434
Action Type:	Other
Date:	01/01/1950
Action:	Leak Discovery

LUST REG 2:

Region:	2

PILALASADES DEVELOPMENT GROUP (Continued) **S104889610**

Facility Id: 38-2041
Facility Status: Case Closed
Case Number: 11426
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: 11/3/2000
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 02-101-004
Facility Status: Case Closed
Case Number: 11426
Case Type: Soil only
Release Date: Not reported
Discovered Date: 11/3/2000
Substance: Stoddard Solvent
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Close Tank
Report Date: 11/3/2000
Case Closed: 6/21/2002
Closed Date: Not reported
Leak Source: Tank
Leak Cause: Corrosion
Leak Confirmed: 11/3/2000
Entered Date: 1/19/2001
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: Not reported
RP Address: Not reported
Operator: Sharon Lee
Staff Initial: VP
Facility Staff: AL
Cross Street: 20th St
NOR Date: Not reported
MTBE Current: Not reported
MTBE Current Date: 11/3/2000
MTBE: YES
Maximum MTBE Soil: 800
Maximum MTBE GW: Not reported
MTBE DATE: 11/3/2000
Review Date: 6/19/2002
Workplan Submitted: Not reported
Assessment Underway: Not reported
Pollution Characterization: Not reported
Corrective Action Plan: Not reported

PILALASADES DEVELOPMENT GROUP (Continued) **S104889610**

Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	No
Priority:	Low Priority Site
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	Informal Enforcement Actions,including Notices of Violations and Staff Enforcement Letters
Enforcement Due Date:	4/11/2002
Basin:	DOWNTOWN
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	Not reported
Free Product:	Not reported
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Not reported
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	YES
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	YES
Max TPH GW:	Not reported
Max TPH Soil:	490
TPH Date:	11/3/2000
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	1/22/01 request a

HAZNET:

Year:	2007
Gepaid:	CAC002612937
Contact:	JUN FUJITA
Telephone:	9254841919
Mailing Name:	Not reported
Mailing Address:	1416 2ND ST
Mailing City,St,Zip:	SANTA MONICA, CA 904012302
Gen County:	San Francisco
TSD EPA ID:	UTC093012201
TSD County:	99
Waste Category:	Contaminated soil from site clean-up
Disposal Method:	Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Tons:	220
Facility County:	San Francisco

E38 **CELICA SALON** **EDR US Hist Auto Stat** **1009002608**
SSW **729 FLORIDA ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.048 mi.
256 ft. **Site 1 of 2 in cluster E**

Relative: EDR Historical Auto Stations:
Lower Name: CELICA SALON
Year: 1982
Actual: Type: AUTOMOBILE REPAIRING
29 ft.

Name: CELICA SALON
Year: 1982
Type: AUTOMOBILE REPAIRING

E39 **WEICHHART STAMPING CO#** **RCRA-SQG** **1000170738**
SSW **730 FLORIDA ST** **FINDS** **CAD009138934**
< 1/8 **SAN FRANCISCO, CA 94110**
0.050 mi.
266 ft. **Site 2 of 2 in cluster E**

Relative: RCRA-SQG:
Lower Date form received by agency: 09/01/1996
Facility name: WEICHHART STAMPING CO#
Actual: Facility address: 730 FLORIDA ST
29 ft. SAN FRANCISCO, CA 94110
EPA ID: CAD009138934
Contact: Not reported
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 09
Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:
Owner/operator name: JOHN M WEICHHART
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: (415) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NOT REQUIRED
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: (415) 555-1212
Legal status: Private

WEICHHART STAMPING CO# (Continued) **1000170738**

Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 09/03/1980
Facility name: WEICHHART STAMPING CO#
Classification: Large Quantity Generator

Facility Has Received Notices of Violations:
Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 10/07/1986
Date achieved compliance: 01/01/1987
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/20/1987
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:
Evaluation date: 10/07/1986
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 01/01/1987
Evaluation lead agency: State

FINDS:

Registry ID: 110002635364

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport,

WEICHHART STAMPING CO# (Continued) **1000170738**

and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

C40 **BARBE J B & SON** **EDR US Hist Cleaners** **1009178373**
SSE **2132 BRYANT** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.051 mi.
269 ft. **Site 8 of 14 in cluster C**

Relative:
Higher

Actual:
37 ft.

EDR Historical Cleaners:

Name:	BARBE J B
Year:	1930
Type:	LAUNDRIES-HAND
Name:	BARBE J B
Year:	1935
Type:	LAUNDRIES-HAND
Name:	BARBE JOHN
Year:	1940
Type:	LAUNDRIES-HAND
Name:	BARBE J B & SON
Year:	1944
Type:	LAUNDRIES-HAND
Name:	SHING J G
Year:	1949
Type:	LAUNDRIES-CHINESE
Name:	AMERICAN WEST LAUNDRY
Year:	1953
Type:	LAUNDRIES
Name:	SON LEE LAUNDRY
Year:	1958
Type:	LAUNDRIES
Name:	SON LEE LAUNDRY
Year:	1962
Type:	LAUNDRIES
Name:	SON LEE LAUNDRY
Year:	1966
Type:	LAUNDRIES

C41
SSE
< 1/8
0.052 mi.
275 ft.

BARBE JOHN
2132 BRYANT ST
SAN FRANCISCO, CA

Site 9 of 14 in cluster C

EDR US Hist Cleaners **1009127919**
N/A

Relative:
Higher

Actual:
37 ft.

EDR Historical Cleaners:

Name:	BARBE J B
Year:	1930
Type:	LAUNDRIES-HAN
Name:	BARBE J B
Year:	1935
Type:	LAUNDRIES-HAN
Name:	BARBE J B
Year:	1935
Type:	LAUNDRIES-HAN
Name:	BARBE JOHN
Year:	1940
Type:	LAUNDRIES HAN
Name:	BARBE J B & SON
Year:	1944
Type:	LAUNDRIES-HAND
Name:	SHING J G
Year:	1949
Type:	LAUNDRIES-CHINESE
Name:	SON LEE LAUNDRY
Year:	1958
Type:	LAUNDRIES
Name:	SON LEE LAUNDRY
Year:	1962
Type:	LAUNDRIES
Name:	SON LEE LAUNDRY
Year:	1966
Type:	LAUNDRIES
Name:	SON LEE LAUNDRY
Year:	1977
Type:	LAUNDRIES AND DRY CLEANERS
Name:	SON LEE LAUNDRY
Year:	1977
Type:	LAUNDRIES AND DRY CLEANERS

F42 **CHAIR CANERS LIZARD PRODUCTS** **EDR US Hist Cleaners** **1009181603**
East **660 YORK ST CHAIR MFRS** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.060 mi.
315 ft. **Site 1 of 8 in cluster F**

Relative: EDR Historical Cleaners:
Higher Name: CHAIR CANERS LIZARD PRODUCTS
Year: 1977
Actual: Type: CLEANERS
45 ft.

F43 **VACANT** **CA FID UST** **S101592259**
ENE **620 YORK ST** **SWEEPS UST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94110**
0.060 mi.
317 ft. **Site 2 of 8 in cluster F**

Relative: CA FID UST:
Higher Facility ID: 38001954
Regulated By: UTNKA
Actual: Regulated ID: Not reported
44 ft. Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4150000000
Mail To: Not reported
Mailing Address: 620 YORK ST
Mailing Address 2: Not reported
Mailing City,St,Zip: SAN FRANCISCO 94110
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

SWEEPS UST:
Status: Not reported
Comp Number: 2112
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Tank Status: Not reported
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-002112-000001
Actv Date: Not reported
Capacity: 1000
Tank Use: UNKNOWN
Stg: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: 1

Status: Active
Comp Number: 2112
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92

VACANT (Continued) **S101592259**

Action Date:	12-10-91
Created Date:	01-01-01
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	Not reported
Actv Date:	Not reported
Capacity:	Not reported
Tank Use:	Not reported
Stg:	Not reported
Content:	Not reported
Number Of Tanks:	Not reported

F44 **YORK STREET STUDIO HOA** **HIST CORTESE S102435618**
ENE **620 YORK ST** **LUST N/A**
< 1/8 **SAN FRANCISCO, CA 94110** **HAZNET**
0.060 mi.
317 ft. **Site 3 of 8 in cluster F**

Relative:
Higher

Actual:
44 ft.

CORTESE:

Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-0251

LUST:

Region:	STATE
Global Id:	T0607500216
Latitude:	37.7615157
Longitude:	-122.4091472
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	11/28/1991
Lead Agency:	SAN FRANCISCO BAY RWQCB (REGION 2)
Case Worker:	VP
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-0251
LOC Case Number:	38-0251
File Location:	Not reported
Potential Media Affect:	Under Investigation
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

LUST:

Global Id:	T0607500216
Contact Type:	Local Agency Caseworker
Contact Name:	UNK
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	Not reported
City:	r2 UNKNOWN
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0607500216
Contact Type:	Regional Board Caseworker
Contact Name:	VIC PAL
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)

YORK STREET STUDIO HOA (Continued) **S102435618**

Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0607500216
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500216
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

Global Id: T0607500216
Action Type: Other
Date: 01/01/1950
Action: Leak Stopped

LUST REG 2:
Region: 2
Facility Id: 38-0251
Facility Status: Case Closed
Case Number: 38-0251
How Discovered: Tank Closure
Leak Cause: Structure Failure
Leak Source: Tank
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

HAZNET:
Year: 2007
Gepaid: CAC002624297
Contact: BLUE MUROV
Telephone: 5107326111
Mailing Name: Not reported
Mailing Address: 2711 18TH ST APT 9
Mailing City,St,Zip: SAN FRANCISCO, CA 94110
Gen County: San Francisco
TSD EPA ID: CAD028409019
TSD County: Los Angeles
Waste Category: Other inorganic solid waste
Disposal Method: Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.5
Facility County: San Francisco

C45
ESE
< 1/8
0.063 mi.
332 ft.

BAY GUARDIAN NEWSPAPER
2700 19TH ST
SAN FRANCISCO, CA 94110

CA FID UST **S101592617**
N/A

Site 10 of 14 in cluster C

Relative:
Higher

Actual:
46 ft.

CA FID UST:

Facility ID:	38005497
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4150000000
Mail To:	Not reported
Mailing Address:	2700 19TH ST
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94110
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

C46
ESE
< 1/8
0.063 mi.
332 ft.

BAY GUARDIAN NEWSPAPER
2700 19TH AVE
SAN FRANCISCO, CA 94110

SWEEPS UST **S106923131**
N/A

Site 11 of 14 in cluster C

Relative:
Higher

Actual:
46 ft.

SWEEPS UST:

Status:	Active
Comp Number:	9417
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Tank Status:	A
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-009417-000001
Actv Date:	09-30-92
Capacity:	1000
Tank Use:	UNKNOWN
Stg:	P
Content:	UNSPECIFIED
Number Of Tanks:	1

C47 **BAY GUARDIAN** **UST** **U003902939**
ESE **2700 19TH ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.063 mi.
332 ft. **Site 12 of 14 in cluster C**

Relative: SAN FRANCISCO CO. UST:
Higher

Facility ID:	9417
Facility Status:	Not reported
Actual: Number Of Tanks:	1
46 ft. Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	9/14/1990
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	732
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported

BAY GUARDIAN (Continued) U003902939

Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

C48 **GROSVENOR PROPRTIES, LTD** HIST CORTESE S103648236
ESE **2700 19TH ST** LUST N/A
< 1/8 **SAN FRANCISCO, CA 94110** HAZNET
0.063 mi.
332 ft. **Site 13 of 14 in cluster C**

Relative:
Higher

Actual:
46 ft.

CORTESE:

Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-1150

LUST:

Region:	STATE
Global Id:	T0607501038
Latitude:	37.76082
Longitude:	-122.409372
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	08/07/1996
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	MA
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-1150
LOC Case Number:	10669
File Location:	Not reported

GROSVENOR PROPRTIES, LTD (Continued) **S103648236**

Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline
Site History: Not reported

Click here to access the California GeoTracker records for this facility:

LUST:
Global Id: T0607501038
Contact Type: Local Agency Caseworker
Contact Name: MAMDOUH AWWAD
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET, #210
City: SAN FRANCISCO
Email: mamdouh.awwad@sfdph.org
Phone Number: Not reported

Global Id: T0607501038
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0607501038
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607501038
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

LUST REG 2:
Region: 2
Facility Id: 38-1150
Facility Status: Case Closed
Case Number: 10669
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO

GROSVENOR PROPRTIES, LTD (Continued) **S103648236**

Facility ID:	38-1150
Facility Status:	Case Closed
Case Number:	10669
Case Type:	Soil only
Release Date:	3/28/1996
Discovered Date:	3/28/1996
Substance:	Gasoline
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Repair Tank
Report Date:	3/28/1996
Case Closed:	8/7/1996
Closed Date:	8/7/1996
Leak Source:	Unknown
Leak Cause:	Unknown
Leak Confirmed:	8/6/1996
Entered Date:	8/6/1996
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	MA
Cross Street:	NEW YORK ST
NOR Date:	8/6/1996
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NT
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	No
Priority:	Not reported
Abatement:	No Action Required - incident is minor, requiring no remedial action
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	3/28/1996
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported

GROSVENOR PROPRTIES, LTD (Continued) **S103648236**

Benzene:	Not reported
Primary Substance:	Gasoline
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

HAZNET:

Year:	1998
Gepaid:	CAC001417280
Contact:	GROSVENOR YORK ASSOCIATES
Telephone:	0000000000
Mailing Name:	Not reported
Mailing Address:	160 SANSOME ST STE 800
Mailing City,St,Zip:	SAN FRANCISCO, CA 941040000
Gen County:	San Francisco
TSD EPA ID:	CAD028409019
TSD County:	Los Angeles
Waste Category:	Other organic solids
Disposal Method:	Transfer Station
Tons:	.4214
Facility County:	San Francisco

Year:	1998
Gepaid:	CAC001417280
Contact:	GROSVENOR YORK ASSOCIATES
Telephone:	0000000000
Mailing Name:	Not reported
Mailing Address:	160 SANSOME ST STE 800
Mailing City,St,Zip:	SAN FRANCISCO, CA 941040000
Gen County:	San Francisco
TSD EPA ID:	CAD981382732
TSD County:	1
Waste Category:	Asbestos containing waste
Disposal Method:	Disposal, Land Fill
Tons:	.4214
Facility County:	San Francisco

Year:	1996
Gepaid:	CAC001204856
Contact:	GY ASSOC
Telephone:	0000000000
Mailing Name:	Not reported

GROSVENOR PROPRTIES, LTD (Continued) **S103648236**

Mailing Address:	160 SANSOME ST 8TH FLOOR
Mailing City,St,Zip:	SAN FRANCISCO, CA 941040000
Gen County:	San Francisco
TSD EPA ID:	CAD004771168
TSD County:	San Francisco
Waste Category:	Other empty containers 30 gallons or more
Disposal Method:	Recycler
Tons:	.5000
Facility County:	San Francisco

Year:	1996
Gepaid:	CAC001204856
Contact:	GY ASSOC
Telephone:	0000000000
Mailing Name:	Not reported
Mailing Address:	160 SANSOME ST 8TH FLOOR
Mailing City,St,Zip:	SAN FRANCISCO, CA 941040000
Gen County:	San Francisco
TSD EPA ID:	CAD083166728
TSD County:	Stanislaus
Waste Category:	Waste oil and mixed oil
Disposal Method:	Recycler
Tons:	.7297
Facility County:	San Francisco

C49 **2700 19TH ST BLDG** **UST** **U003915258**
ESE **2700 19TH ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.063 mi.
332 ft. **Site 14 of 14 in cluster C**

Relative:
Higher

Actual:
46 ft.

SAN FRANCISCO CO. UST:

Facility ID:	10524
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	3/18/1996
Application Name:	Jim Tracy
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported

2700 19TH ST BLDG (Continued) **U003915258**

# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	3/28/1996
UST Close ID:	2488
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	7/18/1996
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

F50
ENE
< 1/8
0.063 mi.
334 ft.

TURNER MARION CATERING
613 YORK ST
SAN FRANCISCO, CA

EDR US Hist Cleaners **1009181196**
N/A

Site 4 of 8 in cluster F

Relative:
Higher

Actual:
44 ft.

EDR Historical Cleaners:

Name:	PURIER MARION CATERING
Year:	1982
Type:	CLEANERS

G51
NE
< 1/8
0.065 mi.
343 ft.

PARAMOUNT PRESS
2701 18TH ST
SAN FRANCISCO, CA 94110

CA FID UST **S101592483**
SWEEPS UST **N/A**

Site 1 of 5 in cluster G

Relative:
Higher

Actual:
44 ft.

CA FID UST:

Facility ID:	38005312
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4150000000
Mail To:	Not reported
Mailing Address:	2701 18TH ST
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94110
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

SWEEPS UST:

Status:	Not reported
Comp Number:	3024
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-003024-000001
Actv Date:	Not reported
Capacity:	1
Tank Use:	UNKNOWN
Stg:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	1

Status:	Active
Comp Number:	3024
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92

PARAMOUNT PRESS (Continued) **S101592483**

Action Date:	12-10-91
Created Date:	01-01-01
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	Not reported
Actv Date:	Not reported
Capacity:	Not reported
Tank Use:	Not reported
Stg:	Not reported
Content:	Not reported
Number Of Tanks:	Not reported

G52 **PARAMOUNT PRESS** **UST** **U004003863**
NE **2701 18TH ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.065 mi.
343 ft. **Site 2 of 5 in cluster G**

Relative:
Higher

Actual:
44 ft.

SAN FRANCISCO CO. UST:

Facility ID:	3024
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	6/20/1989
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported

PARAMOUNT PRESS (Continued) **U004003863**

Date Closed:	7/21/1989
UST Close ID:	103
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

D53 **600 ALABAMA STREET** **UST** **U003915558**
WNW **600 ALABAMA ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.065 mi.
343 ft. **Site 7 of 18 in cluster D**

Relative: **Lower**

Actual: **29 ft.**

SAN FRANCISCO CO. UST:

Facility ID:	23239
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported

600 ALABAMA STREET (Continued) **U003915558**

2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	4/26/1999
Application Name:	Randy McManus
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	5/5/1999
UST Close ID:	3715
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported

600 ALABAMA STREET (Continued) **U003915558**

Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

D54 **ERIE AUTO REPAIR** **UST** **U003916205**
WNW **3014 18TH ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.072 mi.
378 ft. **Site 8 of 18 in cluster D**

Relative: **Lower**

Actual: **28 ft.**

SAN FRANCISCO CO. UST:

Facility ID:	10467
Facility Status:	Not reported
Number Of Tanks:	2
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	1550 Wallace Ave.
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	L&W Environmental
Application Date:	12/16/1999
Application Name:	George Wilson
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported

ERIE AUTO REPAIR (Continued) **U003916205**

Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	12/22/1999
UST Close ID:	3881
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported

ERIE AUTO REPAIR (Continued) **U003916205**

# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	3605
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgmd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

ERIE AUTO REPAIR (Continued) **U003916205**

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	10/26/1998
UST Close ID:	3452
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported

ERIE AUTO REPAIR (Continued) **U003916205**

Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

D55 **ERIE AUTO REPAIR** **EDR US Hist Auto Stat** **1009070238**
WNW **3014 18TH** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.072 mi.
378 ft. **Site 9 of 18 in cluster D**

Relative:
Lower

Actual:
28 ft.

EDR Historical Auto Stations:

Name:	ERIE AUTO REPAIR
Year:	1966
Type:	AUTOMOBILE REPAIRING
Name:	ERIE AUTO REPAIR SHOP
Year:	1999
Address:	3014 18TH ST
Name:	ERIE AUTO REPAIR SHOP
Year:	2000
Address:	3014 18TH ST
Name:	ERIE AUTO REPAIR SHOP
Year:	2001
Address:	3014 18TH ST
Name:	ERIE AUTO TRUCK REPAIR
Year:	2002
Address:	3014 18TH ST
Name:	ERIE AUTO REPAIR SHOP
Year:	2003
Address:	3014 18TH ST
Name:	A A QUALITY AUTO RECONSTRUCTION
Year:	2005
Address:	3014 18TH ST
Name:	ERIE AUTO TRUCK REPAIR
Year:	2006
Address:	3014 18TH ST
Name:	ERIE AUTO TRUCK REPAIR
Year:	2007
Address:	3014 18TH ST
Name:	ERIE AUTO TRUCK REPAIR
Year:	2008
Address:	3014 18TH ST
Name:	ERIE AUTO TRUCK REPAIR
Year:	2009
Address:	3014 18TH ST
Name:	ERIE AUTOTRUCK REPAIR
Year:	2010

ERIE AUTO REPAIR (Continued) **1009070238**

Address: 3014 18TH ST

Name: ERIE AUTOTRUCK REPAIR
Year: 2011
Address: 3014 18TH ST

Name: ERIE AUTOTRUCK REPAIR
Year: 2012
Address: 3014 18TH ST

D56 **ERIE AUTO REPAIR SHOP** **CA FID UST 1000195375**
WNW **3014 18TH ST** **SWEEPS UST N/A**
< 1/8 **SAN FRANCISCO, CA 94110**
0.072 mi.
378 ft. **Site 10 of 18 in cluster D**

Relative:
Lower

Actual:
28 ft.

CA FID UST:
Facility ID: 38004146
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4154314985
Mail To: Not reported
Mailing Address: 3014 - 18TH ST
Mailing Address 2: Not reported
Mailing City,St,Zip: SAN FRANCISCO 94110
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

SWEEPS UST:
Status: Active
Comp Number: 2821
Number: 1
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Tank Status: A
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-002821-000001
Actv Date: 09-30-92
Capacity: 500
Tank Use: M.V. FUEL
Stg: P
Content: REG UNLEADED
Number Of Tanks: 2

Status: Active
Comp Number: 2821
Number: 1
Board Of Equalization: Not reported

ERIE AUTO REPAIR SHOP (Continued) **1000195375**

Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Tank Status:	A
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-002821-000002
Actv Date:	09-30-92
Capacity:	250
Tank Use:	OIL
Stg:	W
Content:	UNSPECIFIED
Number Of Tanks:	Not reported

D57 **EIRO AUTO REPAIR** **HIST CORTESE** **S104889631**
WNW **3014 18TH ST** **LUST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94110** **HAZNET**
0.072 mi.
378 ft. **Site 11 of 18 in cluster D**

Relative: **Lower**

Actual: **28 ft.**

CORTESE:

Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	01-100-002

LUST:

Region:	STATE
Global Id:	T0607500001
Latitude:	37.761841
Longitude:	-122.412553
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	01/04/2000
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	SC
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-2119
LOC Case Number:	11333
File Location:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

LUST:

Global Id:	T0607500001
Contact Type:	Regional Board Caseworker
Contact Name:	VIC PAL
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY STREET, SUITE 1400
City:	OAKLAND
Email:	vpal@waterboards.ca.gov
Phone Number:	Not reported

Global Id:	T0607500001
Contact Type:	Local Agency Caseworker
Contact Name:	STEPHANIE CUSHING

EIRO AUTO REPAIR (Continued) **S104889631**

Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET #210
City: SAN FRANCISCO
Email: stephanie.cushing@sfdph.org
Phone Number: Not reported

LUST:
Global Id: T0607500001
Action Type: ENFORCEMENT
Date: 01/05/2000
Action: Notice of Responsibility

Global Id: T0607500001
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500001
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

Region: STATE
Global Id: SL0607534880
Latitude: 37.761841
Longitude: -122.412553
Case Type: LUST Cleanup Site
Status: Open - Eligible for Closure
Status Date: 11/19/2012
Lead Agency: SAN FRANCISCO COUNTY LOP
Case Worker: SC
Local Agency: SAN FRANCISCO COUNTY LOP
RB Case Number: 38-2302
LOC Case Number: 11641
File Location: Local Agency
Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Diesel, Waste Oil / Motor / Hydraulic / Lubricating
Site History: Need to destroy wells for closure Site is influenced by off site sources

Click here to access the California GeoTracker records for this facility:

LUST:
Global Id: SL0607534880
Contact Type: Regional Board Caseworker
Contact Name: NANCY KATYL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET
City: OAKLAND
Email: nkatyl@waterboards.ca.gov
Phone Number: Not reported

Global Id: SL0607534880
Contact Type: Local Agency Caseworker
Contact Name: ELYSE HEILSHORN
Organization Name: SAN FRANCISCO COUNTY LOP

EIRO AUTO REPAIR (Continued) **S104889631**

Address: 1390 Market Street Suite 210
City: SAN FRANCISCO
Email: elyse.heilshorn@sfdph.org
Phone Number: 4152523885

LUST:
Global Id: SL0607534880
Action Type: ENFORCEMENT
Date: 03/05/2012
Action: Staff Letter

Global Id: SL0607534880
Action Type: REMEDIATION
Date: 01/01/1950
Action: Free Product Removal

Global Id: SL0607534880
Action Type: ENFORCEMENT
Date: 11/01/2006
Action: Staff Letter

Global Id: SL0607534880
Action Type: ENFORCEMENT
Date: 06/19/2010
Action: File review

Global Id: SL0607534880
Action Type: ENFORCEMENT
Date: 09/02/2011
Action: Site Visit / Inspection / Sampling

Global Id: SL0607534880
Action Type: ENFORCEMENT
Date: 09/07/2011
Action: Staff Letter

Global Id: SL0607534880
Action Type: ENFORCEMENT
Date: 10/04/2011
Action: Staff Letter

Global Id: SL0607534880
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: SL0607534880
Action Type: REMEDIATION
Date: 01/01/1950
Action: Other (Use Description Field)

Global Id: SL0607534880
Action Type: ENFORCEMENT
Date: 09/27/2005
Action: Staff Letter

Global Id: SL0607534880

EIRO AUTO REPAIR (Continued) **S104889631**

Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

Global Id: SL0607534880
Action Type: ENFORCEMENT
Date: 09/29/2004
Action: Notice of Responsibility

Global Id: SL0607534880
Action Type: ENFORCEMENT
Date: 01/14/2005
Action: File review

LUST REG 2:
Region: 2
Facility Id: 38-2119
Facility Status: Case Closed
Case Number: 11333
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 02-100-002
Facility Status: Case Closed
Case Number: 11333
Case Type: Soil only
Release Date: Not reported
Discovered Date: 12/22/1999
Substance: Gasoline
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Close Tank
Report Date: 1/4/2000
Case Closed: 2/2/2001
Closed Date: Not reported
Leak Source: Tank
Leak Cause: Corrosion
Leak Confirmed: 12/22/1999
Entered Date: 1/5/2000
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP

EIRO AUTO REPAIR (Continued) **S104889631**

Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Ray Cashman
Staff Initial:	VP
Facility Staff:	SC
Cross Street:	Harrison
NOR Date:	1/5/2000
MTBE Current:	Not reported
MTBE Current Date:	1/18/2000
MTBE:	YES
Maximum MTBE Soil:	0.006
Maximum MTBE GW:	Not reported
MTBE DATE:	1/18/2000
Review Date:	1/31/2001
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	1/18/2000
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	No
Priority:	Low Priority Site
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	NOR
Enforcement Due Date:	1/5/2000
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	12/22/1999
Free Product:	Not reported
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Gasoline
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	YES
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	YES
Max TPH GW:	Not reported
Max TPH Soil:	300
TPH Date:	12/22/1999
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

EIRO AUTO REPAIR (Continued) **S104889631**

HAZNET:

Year:	2000
Gepaid:	CAC002236129
Contact:	CASHMAN RAY
Telephone:	4154314985
Mailing Name:	Not reported
Mailing Address:	3014 18TH ST
Mailing City,St,Zip:	SAN FRANCISCO, CA 941102006
Gen County:	San Francisco
TSD EPA ID:	CAL000161743
TSD County:	Santa Clara
Waste Category:	Other organic solids
Disposal Method:	Transfer Station
Tons:	.3750
Facility County:	San Francisco

Year:	2000
Gepaid:	CAC002236129
Contact:	CASHMAN RAY
Telephone:	4154314985
Mailing Name:	Not reported
Mailing Address:	3014 18TH ST
Mailing City,St,Zip:	SAN FRANCISCO, CA 941102006
Gen County:	San Francisco
TSD EPA ID:	CAL000161743
TSD County:	Santa Clara
Waste Category:	Unspecified oil-containing waste
Disposal Method:	Transfer Station
Tons:	.4587
Facility County:	San Francisco

D58 **ERIE AUTO REPAIR** **EDR US Hist Auto Stat** **1009001455**
WNW **3014 18TH ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.072 mi.
378 ft. **Site 12 of 18 in cluster D**

Relative:
Lower

Actual:
28 ft.

EDR Historical Auto Stations:

Name:	ERIE AUTO REPAIR
Year:	1966
Type:	AUTOMOBILE REPAIRING
Name:	ERIE AUTC REPAIR
Year:	1971
Type:	AUTOMOBILE REPAIRING
Name:	ERIE AUTO REPAIR
Year:	1971
Type:	AUTOMOBILE REPAIRING
Name:	ERIE AUTO REPAIR
Year:	1977
Type:	AUTOMOBILE REPAIRING
Name:	ERIE AUTO REPAIR
Year:	1977
Type:	AUTOMOBILE REPAIRING

ERIE AUTO REPAIR (Continued) **1009001455**

Name: ERIE AUTO REPAIR
Year: 1982
Type: AUTOMOBILE REPAIRING

Name: ERIE AUTO REPAIR
Year: 1982
Type: AUTOMOBILE REPAIRING

F59 **THOMAS FETHERSTON** **RCRA-SQG 1000296454**
ESE **720 YORK ST #210** **FINDS CAD051696599**
< 1/8 **SAN FRANCISCO, CA 94110** **HAZNET**
0.072 mi.
380 ft. **Site 5 of 8 in cluster F**

Relative:
Higher

Actual:
45 ft.

RCRA-SQG:
Date form received by agency: 09/01/1996
Facility name: THOMAS FETHERSTON
Facility address: 720 YORK ST #210
SAN FRANCISCO, CA 94110
EPA ID: CAD051696599
Contact: Not reported
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 09
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:
Owner/operator name: THOS FETHERSTON
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: (415) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NOT REQUIRED
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: (415) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No

THOMAS FETHERSTON (Continued) **1000296454**

Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 09/23/1985
Facility name: THOMAS FETHERSTON
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110002648564

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

HAZNET:
Year: 1997
Gepaid: CAD051696599
Contact: THOMAS FETHERSTON
Telephone: 4159214481
Mailing Name: Not reported
Mailing Address: 720 YORK ST
Mailing City,St,Zip: SAN FRANCISCO, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAD008302903
TSD County: Los Angeles
Waste Category: Oxygenated solvents (acetone, butanol, ethyl acetate, etc.)
Disposal Method: Recycler
Tons: .4950
Facility County: San Francisco

Year: 1994
Gepaid: CAD051696599
Contact: THOMAS FETHERSTON
Telephone: 4159214481
Mailing Name: Not reported
Mailing Address: 720 YORK ST

THOMAS FETHERSTON (Continued) **1000296454**

Mailing City,St,Zip:	SAN FRANCISCO, CA 941100000
Gen County:	San Francisco
TSD EPA ID:	CAD008302903
TSD County:	Los Angeles
Waste Category:	Oxygenated solvents (acetone, butanol, ethyl acetate, etc.)
Disposal Method:	Not reported
Tons:	.6880
Facility County:	San Francisco

F60 **MOORE EARTH CO. (FORMERLY)** **LUST** **S106162505**
ESE **720-750 YORK STREET** **N/A**
< 1/8 **SAN FRANCISCO, CA 94110**
0.072 mi.
380 ft. **Site 6 of 8 in cluster F**

Relative:
Higher

Actual:
45 ft.

LUST:

Region:	STATE
Global Id:	T0607500964
Latitude:	37.760148
Longitude:	-122.409146
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	09/20/1999
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	CDM
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-1071
LOC Case Number:	10800
File Location:	Not reported
Potential Media Affect:	Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

LUST:

Global Id:	T0607500964
Contact Type:	Local Agency Caseworker
Contact Name:	CDM
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	101 GROVE STREET
City:	SAN FRANCISCO
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0607500964
Contact Type:	Regional Board Caseworker
Contact Name:	VIC PAL
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY STREET, SUITE 1400
City:	OAKLAND
Email:	vpal@waterboards.ca.gov
Phone Number:	Not reported

LUST:

Global Id:	T0607500964
Action Type:	Other
Date:	01/01/1950

MOORE EARTH CO. (FORMERLY) (Continued) **S106162505**

Action: Leak Reported

Global Id: T0607500964
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

LUST REG 2:
Region: 2
Facility Id: 38-1071
Facility Status: Case Closed
Case Number: 10800
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 38-1071
Facility Status: Case Closed
Case Number: 10800
Case Type: Other ground water affected
Release Date: 3/7/1997
Discovered Date: 2/28/1997
Substance: Gasoline
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Repair Tank
Report Date: 3/7/1997
Case Closed: 9/20/1999
Closed Date: 9/20/1999
Leak Source: Tank
Leak Cause: Unknown
Leak Confirmed: 7/30/1998
Entered Date: 10/22/1997
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: New RP = BRYANT
RP Address: Not reported
Operator: Not reported
Staff Initial: VP
Facility Staff: CDM
Cross Street: 19TH ST
NOR Date: 10/22/1997

MOORE EARTH CO. (FORMERLY) (Continued) **S106162505**

MTBE Current:	Not reported
MTBE Current Date:	11/25/1997
MTBE:	ND
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	11/25/1997
Review Date:	9/20/1999
Workplan Submitted:	Not reported
Assessment Underway:	11/25/1997
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	6/1/1999
Funding:	Federal
Interim Remediation:	Yes
Priority:	Moderate Priority Site
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	2/25/1997
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	NW .006
Benzene:	Not reported
Primary Substance:	Gasoline
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	YES
Maximum Soil GW:	Not reported
Max Soil Concentration:	<20
TPH Tested:	YES
Max TPH GW:	Not reported
Max TPH Soil:	6400
TPH Date:	11/25/1997
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	<
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Updated 8/17/98.

F61 **MOORE EARTH** **UST** **U003916319**
ESE **720 YORK ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.072 mi.
380 ft. **Site 7 of 8 in cluster F**

Relative: SAN FRANCISCO CO. UST:
Higher

Facility ID:	21473
Facility Status:	Not reported
Actual: Number Of Tanks:	1
45 ft. Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	2/12/1997
Application Name:	Tim Hallen
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	2/25/1997
UST Close ID:	2828
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported

MOORE EARTH (Continued) U003916319

Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	9/10/1997
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

F62
ESE
< 1/8
0.072 mi.
380 ft.

MOORE EARTH COMPANY HIST CORTESE S104396894
720 50 YORK N/A
SAN FRANCISCO, CA 94110

Site 8 of 8 in cluster F

Relative:
Higher

Actual:
45 ft.

CORTESE:

Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-1071

D63
NW
< 1/8
0.077 mi.
405 ft.

PEERLESS LINEN SERVICE HIST UST U001595407
575 ALABAMA ST N/A
SAN FRANCISCO, CA 94110

Site 13 of 18 in cluster D

Relative:
Lower

Actual:
29 ft.

HIST UST:

Region:	STATE
Facility ID:	00000009040
Facility Type:	Other
Other Type:	LAUNDRY (GARAGE)
Total Tanks:	0003
Contact Name:	S. A. SANTUCCI GENERAL MANAGER

PEERLESS LINEN SERVICE (Continued) **U001595407**

Telephone: 4156215100
Owner Name: NEW SAN FRANCISCO LAUNDRY
Owner Address: 132 SOUTH MAPLE AVENUE
Owner City,St,Zip: SO. SAN FRANCISCO, CA 94080

Tank Num: 001
Container Num: 1
Year Installed: Not reported
Tank Capacity: 00002000
Tank Used for: PRODUCT
Type of Fuel: REGULAR
Tank Construction: Not reported
Leak Detection: None

Tank Num: 002
Container Num: 2
Year Installed: Not reported
Tank Capacity: 00001000
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Tank Construction: Not reported
Leak Detection: None

Tank Num: 003
Container Num: 3
Year Installed: Not reported
Tank Capacity: 00000500
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Tank Construction: Not reported
Leak Detection: None

D64 **PEERLESS LINEN** **UST U003904225**
NW **570 ALABAMA ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.080 mi.
423 ft. **Site 14 of 18 in cluster D**

Relative: SAN FRANCISCO CO. UST:
Lower
Facility ID: 22025
Facility Status: Not reported
Actual: Number Of Tanks: 3
30 ft. Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: 2484 Baumann
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: V.C.I. of
Application Date: 10/7/1997
Application Name: Verl K.
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported

PEERLESS LINEN (Continued) **U003904225**

Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	12/18/1997
UST Close ID:	3047
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported

PEERLESS LINEN (Continued) **U003904225**

Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	12/17/1986
UST Close ID:	408
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported

PEERLESS LINEN (Continued) **U003904225**

Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

D65 **PEERLESS LINEN SERVICE** **CA FID UST S101592058**
NW **570 ALABAMA ST** **SWEEPS UST N/A**
< 1/8 **SAN FRANCISCO, CA 94110**
0.080 mi.
423 ft. **Site 15 of 18 in cluster D**

Relative:
Lower

Actual:
30 ft.

CA FID UST:

Facility ID:	38000420
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4150000000
Mail To:	Not reported
Mailing Address:	570 ALABAMA ST
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94110
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

SWEEPS UST:

Status:	Not reported
Comp Number:	3889
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-003889-000001
Actv Date:	Not reported
Capacity:	2000
Tank Use:	UNKNOWN
Stg:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	3

Status:	Not reported

PEERLESS LINEN SERVICE (Continued) **S101592058**

Comp Number:	3889
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-003889-000002
Actv Date:	Not reported
Capacity:	1000
Tank Use:	UNKNOWN
Stg:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	Not reported

Status:	Not reported
Comp Number:	3889
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-003889-000003
Actv Date:	Not reported
Capacity:	500
Tank Use:	UNKNOWN
Stg:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	Not reported

D66
NW
< 1/8
0.080 mi.
423 ft.

PEERLESS LINEN COMPANY
570 ALABAMA ST.
SAN FRANCISCO, CA 94110

HIST CORTESE **S104161879**
LUST **N/A**

Site 16 of 18 in cluster D

Relative:
Lower

Actual:
30 ft.

CORTESE:

Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-0385

LUST:

Region:	STATE
Global Id:	T0607500338
Latitude:	37.762026
Longitude:	-122.412336
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	08/24/2007
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	MA
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-0385

PEERLESS LINEN COMPANY (Continued) **S104161879**

LOC Case Number: 10390
File Location: Local Agency
Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Gasoline
Site History: Not reported

Click here to access the California GeoTracker records for this facility:

LUST:
Global Id: T0607500338
Contact Type: Local Agency Caseworker
Contact Name: MAMDOUH AWWAD
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET, #210
City: SAN FRANCISCO
Email: mamdouh.awwad@sfdph.org
Phone Number: Not reported

Global Id: T0607500338
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0607500338
Action Type: ENFORCEMENT
Date: 07/21/2004
Action: Meeting

Global Id: T0607500338
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500338
Action Type: ENFORCEMENT
Date: 09/26/2005
Action: Staff Letter

Global Id: T0607500338
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

LUST REG 2:
Region: 2
Facility Id: 38-0385
Facility Status: Post remedial action monitoring
Case Number: 10390
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported

PEERLESS LINEN COMPANY (Continued) **S104161879**

Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 10/21/1986
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: 1/28/2003

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 38-0385
Facility Status: Not reported
Case Number: 10390
Case Type: Soil only
Release Date: 10/21/1986
Discovered Date: 10/21/1986
Substance: Gasoline
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Close Tank
Report Date: 10/21/1986
Case Closed: Not reported
Closed Date: Not reported
Leak Source: Tank
Leak Cause: Structure Failure
Leak Confirmed: Not reported
Entered Date: 3/27/1995
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: PEERLESS LINEN CO.
RP Address: Not reported
Operator: Not reported
Staff Initial: VP
Facility Staff: MA
Cross Street: 18TH ST
NOR Date: 3/27/1995
MTBE Current: Not reported
MTBE Current Date: Not reported
MTBE: YES
Maximum MTBE Soil: Not reported
Maximum MTBE GW: Not reported
MTBE DATE: Not reported
Review Date: Not reported
Workplan Submitted: 11/9/1995
Assessment Underway: Not reported
Pollution Characterization: Not reported
Corrective Action Plan: Not reported
Remediation Underway: Not reported
Monitoring Begun: Not reported
Funding: Federal
Interim Remediation: No
Priority: Not reported
Abatement: No Action Taken - no action has as yet been taken at the site

PEERLESS LINEN COMPANY (Continued) **S104161879**

Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	5/20/1986
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	SW
Benzene:	Not reported
Primary Substance:	Gasoline
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	YES
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	2680
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

G67 **BUSINESS FURNITURE AND DESIGN** **LUST S101591889**
NE **2650 18TH ST** **CA FID UST N/A**
< 1/8 **SAN FRANCISCO, CA 94110** **SWEEPS UST**
0.083 mi.
436 ft. **Site 3 of 5 in cluster G**

Relative:
Higher

Actual:
45 ft.

LUST REG 2:

Region:	2
Facility Id:	38-0450
Facility Status:	Case Closed
Case Number:	10095
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	Not reported
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

SAN FRANCISCO CO. LUST:

Region:	SAN FRANCISCO

BUSINESS FURNITURE AND DESIGN (Continued) **S101591889**

Facility ID:	38-0450
Facility Status:	Case Closed
Case Number:	10095
Case Type:	Other ground water affected
Release Date:	10/15/1991
Discovered Date:	10/15/1991
Substance:	Gasoline
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Close Tank
Report Date:	10/15/1991
Case Closed:	6/27/1997
Closed Date:	6/27/1997
Leak Source:	Tank
Leak Cause:	Structure Failure
Leak Confirmed:	10/15/1992
Entered Date:	9/17/1992
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	AL
Cross Street:	HAMPSHIRE ST
NOR Date:	9/17/1992
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NT
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	Yes
Priority:	Not reported
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site, Remove Free Product - remove floating product from water table
Enforcement Type:	NOR
Enforcement Due Date:	9/17/1992
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	10/15/1991
Free Product:	No

BUSINESS FURNITURE AND DESIGN (Continued) **S101591889**

Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Gasoline
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	YES
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

CA FID UST:

Facility ID:	38000097
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4150000000
Mail To:	Not reported
Mailing Address:	2650 18TH ST
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94110
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

SWEEPS UST:

Status:	Not reported
Comp Number:	2883
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-002883-000001
Actv Date:	Not reported
Capacity:	5000
Tank Use:	UNKNOWN

BUSINESS FURNITURE AND DESIGN (Continued) **S101591889**

Stg: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: 6

Status: Not reported
Comp Number: 2883
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Tank Status: Not reported
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-002883-000002
Actv Date: Not reported
Capacity: 1000
Tank Use: UNKNOWN
Stg: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Status: Not reported
Comp Number: 2883
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Tank Status: Not reported
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-002883-000003
Actv Date: Not reported
Capacity: 1000
Tank Use: UNKNOWN
Stg: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Status: Not reported
Comp Number: 2883
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Tank Status: Not reported
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-002883-000004
Actv Date: Not reported
Capacity: 1000
Tank Use: UNKNOWN
Stg: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Status: Not reported
Comp Number: 2883

BUSINESS FURNITURE AND DESIGN (Continued) **S101591889**

Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-002883-000005
Actv Date:	Not reported
Capacity:	1000
Tank Use:	UNKNOWN
Stg:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	Not reported

Status:	Not reported
Comp Number:	2883
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-002883-000006
Actv Date:	Not reported
Capacity:	550
Tank Use:	UNKNOWN
Stg:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	Not reported

Status:	Active
Comp Number:	2883
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	Not reported
Actv Date:	Not reported
Capacity:	Not reported
Tank Use:	Not reported
Stg:	Not reported
Content:	Not reported
Number Of Tanks:	Not reported

G68 **BUSINESS FURNITURE** **UST** **U004003485**
NE **2650 18TH ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.083 mi.
436 ft. **Site 4 of 5 in cluster G**

Relative: SAN FRANCISCO CO. UST:
Higher

Facility ID:	2883
Facility Status:	Not reported
Actual: Number Of Tanks:	1
45 ft. Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	10/2/1991
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	913
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported

BUSINESS FURNITURE (Continued) **U004003485**

Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

G69
NE
< 1/8
0.083 mi.
436 ft.

BUSINESS FURNITURE & DESIGN
2650 18TH ST
SAN FRANCISCO, CA 94110

HIST CORTESE **S104572490**
LUST **N/A**
HAZNET

Site 5 of 5 in cluster G

Relative:
Higher

Actual:
45 ft.

CORTESE:

Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-0450

LUST:

Region:	STATE
Global Id:	T0607500401
Latitude:	37.762116
Longitude:	-122.408827
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	06/27/1997
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	AL
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-0450
LOC Case Number:	10095
File Location:	Not reported

BUSINESS FURNITURE & DESIGN (Continued) **S104572490**

Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Gasoline
Site History: Not reported

Click here to access the California GeoTracker records for this facility:

LUST:
Global Id: T0607500401
Contact Type: Local Agency Caseworker
Contact Name: ALBERT LEE
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET, #210
City: SAN FRANCISCO
Email: albert.lee@sfdph.org
Phone Number: Not reported

Global Id: T0607500401
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0607500401
Action Type: ENFORCEMENT
Date: 09/17/1992
Action: Notice of Responsibility

Global Id: T0607500401
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500401
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

HAZNET:
Year: 1999
Gepaid: CAC002219881
Contact: STEVE THEMIS
Telephone: 4158642929
Mailing Name: Not reported
Mailing Address: 2650 18TH ST
Mailing City,St,Zip: SAN FRANCISCO, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAD981382732
TSD County: 1
Waste Category: Asbestos containing waste
Disposal Method: Disposal, Land Fill
Tons: 1.1799
Facility County: San Francisco

D70 **PREMIER LAUNDRY & LINEN SUPPLY CO** **EDR US Hist Cleaners** **1009181065**
NW **559 ALABAMA** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.086 mi.
453 ft. **Site 17 of 18 in cluster D**

Relative: EDR Historical Cleaners:
Lower Name: PREMIER LAUNDRY & LINEN SUPPLY CO
Year: 1953
Actual: Type: LAUNDRIES
30 ft.

D71 **ODORLESS DRY CLEANING CO** **EDR US Hist Cleaners** **1009179671**
NW **555 ALABAMA** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.089 mi.
468 ft. **Site 18 of 18 in cluster D**

Relative: EDR Historical Cleaners:
Lower Name: ODORLESS DRY CLEANING CO
Year: 1930
Actual: Type: CLOTHES PRESSERS AND CLEANERS
30 ft.

H72 **R AND R ABELINE** **RCRA-SQG** **1000309852**
SE **750 YORK ST #12** **FINDS** **CAD982521999**
< 1/8 **SAN FRANCISCO, CA 94110**
0.090 mi.
474 ft. **Site 1 of 4 in cluster H**

Relative: RCRA-SQG:
Higher Date form received by agency: 11/27/1989
Facility name: R AND R ABELINE
Actual: Facility address: 750 YORK ST #12
45 ft. SAN FRANCISCO, CA 94110
EPA ID: CAD982521999
Mailing address: YORK ST #12
SAN FRANCISCO, CA 94110
Contact: ENVIRONMENTAL MANAGER
Contact address: 750 YORK ST #12
SAN FRANCISCO, CA 94110
Contact country: US
Contact telephone: (415) 282-7477
Contact email: Not reported
EPA Region: 09
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:
Owner/operator name: RICHARD RUSTICO
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: (415) 555-1212
Legal status: Private
Owner/Operator Type: Owner

R AND R ABELINE (Continued) **1000309852**

Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NOT REQUIRED
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: (415) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110002841033

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

---

73 **CITY OF PARIS DYEING & CLEANING WORKS** **EDR US Hist Cleaners** **1009130283**
SSE **2199 BRYANT ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.108 mi.
572 ft.

Relative:
Higher

Actual:
37 ft.

EDR Historical Cleaners:
Name: CITY OF PARIS DYEING & CLEANING WORKS
Year: 1925
Type: CLOTHES CLEANERS AND DYER

I74 **COMMERCIAL PROPERTY** **LUST** **S106567588**
South **3000 20TH STREET** **N/A**
< 1/8 **SAN FRANCISCO, CA 94110**
0.110 mi.
582 ft. **Site 1 of 3 in cluster I**

Relative:
Lower

Actual:
30 ft.

LUST:

Region:	STATE
Global Id:	T0607533055
Latitude:	37.759362
Longitude:	-122.41125
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	10/29/2004
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	MA
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-2292
LOC Case Number:	11631
File Location:	Local Agency
Potential Media Affect:	Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern:	Heating Oil / Fuel Oil, Stoddard solvent / Mineral Spriits / Distillates
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

LUST:

Global Id:	T0607533055
Contact Type:	Local Agency Caseworker
Contact Name:	MAMDOUH AWWAD
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET, #210
City:	SAN FRANCISCO
Email:	mamdouh.awwad@sfdph.org
Phone Number:	Not reported

Global Id:	T0607533055
Contact Type:	Regional Board Caseworker
Contact Name:	NANCY KATYL
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY STREET
City:	OAKLAND
Email:	nkatyl@waterboards.ca.gov
Phone Number:	Not reported

LUST:

Global Id:	T0607533055
Action Type:	Other
Date:	01/01/1950
Action:	Leak Reported

Global Id:	T0607533055
Action Type:	REMEDIATION
Date:	01/01/1950
Action:	Excavation

Global Id:	T0607533055
Action Type:	REMEDIATION

COMMERCIAL PROPERTY (Continued) **S106567588**

Date: 01/01/1950
Action: Excavation

Global Id: T0607533055
Action Type: ENFORCEMENT
Date: 07/13/2004
Action: Notice of Responsibility

Global Id: T0607533055
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

Global Id: T0607533055
Action Type: Other
Date: 01/01/1950
Action: Leak Stopped

LUST REG 2:
Region: 2
Facility Id: 38-2292
Facility Status: Leak being confirmed
Case Number: 11631
How Discovered: Tank Closure
Leak Cause: Corrosion
Leak Source: Tank
Date Leak Confirmed: 6/1/2004
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

I75 South **GREENBERG BERNARD** **EDR US Hist Cleaners** **1009130335**
< 1/8 **3000 20TH ST** **N/A**
0.110 mi. **SAN FRANCISCO, CA**
582 ft. **Site 2 of 3 in cluster I**

Relative: Lower
Actual: 30 ft.

EDR Historical Cleaners:
Name: CITY OF PARIS DYEING & CLEANING WORKS
Year: 1935
Type: CLOTHES PRESSERS AND CLEANER

Name: KALAJIAN CHAS
Year: 1940
Type: CLOTHES PRESSERS AND CLEANER

Name: GREENBERG BERNARD
Year: 1944
Type: CLOTHES-PRESSERS AND CLEANERS

I76 **COMMERCIAL** **UST** **U003966121**
South **3000 20TH ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.110 mi.
582 ft. **Site 3 of 3 in cluster I**

Relative:
Lower

Actual:
30 ft.

SAN FRANCISCO CO. UST:

Facility ID:	28810
Facility Status:	Not reported
Number Of Tanks:	6
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	1550 Wallace Av
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	L&W Environmental
Application Date:	5/26/2004
Application Name:	George Wilson
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	4575
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported

COMMERCIAL (Continued) **U003966121**

Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

J77 **BEKINS MOVING & STORAGE** **HIST UST** **U001595382**
SW **3130 20TH ST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94110**
0.114 mi.
604 ft. **Site 1 of 17 in cluster J**

Relative: HIST UST:
Lower

Region:	STATE
Facility ID:	00000063602
Facility Type:	Other
Other Type:	MOVING & STORAGE
Total Tanks:	0002
Contact Name:	JOE GRIEGO
Telephone:	4158216650
Owner Name:	THE BEKINS COMPANY
Owner Address:	777 FLOWER ST.
Owner City,St,Zip:	GLENDALE, CA 91201
Tank Num:	001
Container Num:	056-001
Year Installed:	Not reported
Tank Capacity:	00008000
Tank Used for:	PRODUCT
Type of Fuel:	REGULAR
Tank Construction:	Not reported
Leak Detection:	Stock Inventor

Actual:
28 ft.

BEKINS MOVING & STORAGE (Continued) **U001595382**

Tank Num: 002
Container Num: 056-002
Year Installed: Not reported
Tank Capacity: 00002500
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Tank Construction: Not reported
Leak Detection: Stock Inventor

J78 **KOCH INVESTMENT CO.** **LUST** **S102441132**
SW **3130 20TH ST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94110**
0.114 mi.
604 ft. **Site 2 of 17 in cluster J**

Relative:
Lower

Actual:
28 ft.

LUST REG 2:
Region: 2
Facility Id: 38-0423
Facility Status: Case Closed
Case Number: 10235
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 38-0423
Facility Status: Case Closed
Case Number: 10235
Case Type: Soil only
Release Date: 3/18/1987
Discovered Date: 3/2/1987
Substance: Diesel
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Close Tank
Report Date: 3/18/1987
Case Closed: 5/4/1994
Closed Date: 5/4/1994
Leak Source: Tank
Leak Cause: Structure Failure
Leak Confirmed: 1/29/1988
Entered Date: 3/11/1995
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: Not reported

KOCH INVESTMENT CO. (Continued) **S102441132**

RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	SC
Cross Street:	HARRISON ST
NOR Date:	3/11/1995
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NT
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	Yes
Priority:	Not reported
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	1/29/1988
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Diesel fuel oil
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

J79 **UNIVERSITY OF CALIFORNIA SAN FRANCISCO** **RCRA-SQG 1000431678**
SW **3130 20TH ST** **FINDS CAD982361586**
< 1/8 **SAN FRANCISCO, CA 94143**
0.114 mi.
604 ft. **Site 3 of 17 in cluster J**

Relative:
Lower

Actual:
28 ft.

RCRA-SQG:

Date form received by agency:	09/01/1996
Facility name:	UNIVERSITY OF CALIFORNIA SAN FRANCISCO
Facility address:	3130 20TH ST SAN FRANCISCO, CA 94143
EPA ID:	CAD982361586
Mailing address:	50 MEDICAL CTR WY SAN FRANCISCO, CA 94143
Contact:	Not reported
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	09
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	NOT REQUIRED
Owner/operator address:	NOT REQUIRED NOT REQUIRED, ME 99999
Owner/operator country:	Not reported
Owner/operator telephone:	(415) 555-1212
Legal status:	State
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	REGENTS OF UNIV OF CALIF
Owner/operator address:	NOT REQUIRED NOT REQUIRED, ME 99999
Owner/operator country:	Not reported
Owner/operator telephone:	(415) 555-1212
Legal status:	State
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No

UNIVERSITY OF CALIFORNIA SAN FRANCISCO (Continued) **1000431678**

Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 08/30/1989
Facility name: UNIVERSITY OF CALIFORNIA SAN FRANCISCO
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110009544190

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

J80 **BEKIN'S MOVING & STORAGE** **CA FID UST S101592085**
SW **3130 20TH ST** **SWEEPS UST N/A**
< 1/8 **SAN FRANCISCO, CA 94100**
0.114 mi.
604 ft. **Site 4 of 17 in cluster J**

Relative:
Lower

Actual:
28 ft.

CA FID UST:
Facility ID: 38000457
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4150000000
Mail To: Not reported
Mailing Address: 3130 20TH ST
Mailing Address 2: Not reported
Mailing City,St,Zip: SAN FRANCISCO 94100
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

SWEEPS UST:
Status: Not reported
Comp Number: 8100
Number: Not reported

BEKIN'S MOVING & STORAGE (Continued) **S101592085**

Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-008100-000001
Actv Date:	Not reported
Capacity:	3000
Tank Use:	UNKNOWN
Stg:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	2

Status:	Not reported
Comp Number:	8100
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-008100-000002
Actv Date:	Not reported
Capacity:	3000
Tank Use:	UNKNOWN
Stg:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	Not reported

J81 **UCSF/FM** **HIST CORTESE** **S100947346**
SW **3130 20TH ST** **LUST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94143** **HAZNET**
0.114 mi.
604 ft. **Site 5 of 17 in cluster J**

Relative:
Lower

Actual:
28 ft.

CORTESE:

Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-0423

LUST:

Region:	STATE
Global Id:	T0607500375
Latitude:	37.759429
Longitude:	-122.41206
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	05/04/1994
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	SC
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-0423
LOC Case Number:	10235
File Location:	Not reported

UCSF/FM (Continued) **S100947346**

Potential Media Affect: Soil
Potential Contaminants of Concern: Diesel
Site History: Not reported

Click here to access the California GeoTracker records for this facility:

LUST:
Global Id: T0607500375
Contact Type: Local Agency Caseworker
Contact Name: STEPHANIE CUSHING
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET #210
City: SAN FRANCISCO
Email: stephanie.cushing@sfdph.org
Phone Number: Not reported

Global Id: T0607500375
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0607500375
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500375
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

HAZNET:
Year: 2005
Gepaid: CAD982361586
Contact: EUGENE LAU-DIRECTOR
Telephone: 4154761300
Mailing Name: Not reported
Mailing Address: 50 MEDICAL CENTER WAY
Mailing City,St,Zip: SAN FRANCISCO, CA 000000000
Gen County: San Francisco
TSD EPA ID: CAD059494310
TSD County: Santa Clara
Waste Category: Laboratory waste chemicals
Disposal Method: Transfer Station
Tons: 0.01
Facility County: Not reported

Year: 2003
Gepaid: CAD982361586
Contact: EUGENE LAU-DIRECTOR
Telephone: 4154761300

UCSF/FM (Continued) **S100947346**

Mailing Name: Not reported
Mailing Address: 50 MEDICAL CENTER WAY
Mailing City,St,Zip: SAN FRANCISCO, CA 0
Gen County: San Francisco
TSD EPA ID: CAD059494310
TSD County: San Francisco
Waste Category: Laboratory waste chemicals
Disposal Method: Transfer Station
Tons: 0
Facility County: San Francisco

Year: 2003
Gepaid: CAD982361586
Contact: EUGENE LAU-DIRECTOR
Telephone: 4154761300
Mailing Name: Not reported
Mailing Address: 50 MEDICAL CENTER WAY
Mailing City,St,Zip: SAN FRANCISCO, CA 0
Gen County: San Francisco
TSD EPA ID: CAD059494310
TSD County: San Francisco
Waste Category: Laboratory waste chemicals
Disposal Method: Disposal, Other
Tons: 0.04
Facility County: San Francisco

Year: 2002
Gepaid: CAD982361586
Contact: ARA TAHMASSIAN
Telephone: 4154762210
Mailing Name: Not reported
Mailing Address: 50 MEDICAL CENTER WAY
Mailing City,St,Zip: SAN FRANCISCO, CA 000000000
Gen County: San Francisco
TSD EPA ID: Not reported
TSD County: 99
Waste Category: Unspecified oil-containing waste
Disposal Method: Treatment, Incineration
Tons: 0.04
Facility County: Not reported

Year: 1997
Gepaid: CAD982361586
Contact: REGENTS OF UNIVERSITY OF CAL
Telephone: 5109879220
Mailing Name: Not reported
Mailing Address: 50 MEDICAL CENTER WAY
Mailing City,St,Zip: SAN FRANCISCO, CA 000000000
Gen County: San Francisco
TSD EPA ID: CAD050806850
TSD County: Los Angeles
Waste Category: Waste oil and mixed oil
Disposal Method: Transfer Station
Tons: .0417
Facility County: San Francisco

UCSF/FM (Continued) **S100947346**

Click this hyperlink while viewing on your computer to access
13 additional CA_HAZNET: record(s) in the EDR Site Report.

J82 **BEKIN'S MOVING &** **UST** **U003902951**
SW **3130 20TH ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.114 mi.
604 ft. **Site 6 of 17 in cluster J**

Relative: **Lower**

Actual: **28 ft.**

SAN FRANCISCO CO. UST:

Facility ID:	8100
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	12/9/1987
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	1/29/1988
UST Close ID:	30
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported

BEKIN'S MOVING & (Continued) **U003902951**

Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

H83 **MOORE EARTH COMPANY (FORMER)** **HIST CORTESE S104025407**
SSE **2850 20TH ST.** **LUST N/A**
< 1/8 **SAN FRANCISCO, CA 94110**
0.115 mi.
609 ft. **Site 2 of 4 in cluster H**

Relative:
Higher

Actual:
41 ft.

CORTESE:

Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-1093

LUST:

Region:	STATE
Global Id:	T0607500985
Latitude:	37.7592385
Longitude:	-122.409325
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	09/09/1997
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	AL

MOORE EARTH COMPANY (FORMER) (Continued) **S104025407**

Local Agency: SAN FRANCISCO COUNTY LOP
RB Case Number: 38-1093
LOC Case Number: 10901
File Location: Not reported
Potential Media Affect: Soil
Potential Contaminants of Concern: Diesel
Site History: Not reported

Click here to access the California GeoTracker records for this facility:

LUST:
Global Id: T0607500985
Contact Type: Local Agency Caseworker
Contact Name: ALBERT LEE
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET, #210
City: SAN FRANCISCO
Email: albert.lee@sfdph.org
Phone Number: Not reported

Global Id: T0607500985
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0607500985
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500985
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

LUST REG 2:
Region: 2
Facility Id: 38-1093
Facility Status: Case Closed
Case Number: 10901
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

MOORE EARTH COMPANY (FORMER) (Continued) **S104025407**

SAN FRANCISCO CO. LUST:

Region:	SAN FRANCISCO
Facility ID:	38-1093
Facility Status:	Case Closed
Case Number:	10901
Case Type:	Soil only
Release Date:	9/9/1997
Discovered Date:	9/15/1997
Substance:	Diesel
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Repair Tank
Report Date:	9/9/1997
Case Closed:	5/10/2001
Closed Date:	Not reported
Leak Source:	Unknown
Leak Cause:	Unknown
Leak Confirmed:	12/19/1997
Entered Date:	12/19/1997
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	BRYANT SQUARE
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	AL
Cross Street:	YORK ST
NOR Date:	12/19/1997
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NT
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	5/7/2001
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	Yes
Priority:	Not reported
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	9/9/1997

MOORE EARTH COMPANY (FORMER) (Continued) **S104025407**

Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Diesel fuel oil
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	ND
Maximum Soil GW:	ND
Max Soil Concentration:	Not reported
TPH Tested:	ND
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	The tank was in

H84 **2850 20TH ST** **UST** **U003915282**
SSE **2850 20TH ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.115 mi.
609 ft. **Site 3 of 4 in cluster H**

Relative: SAN FRANCISCO CO. UST:
Higher

Facility ID:	21934
Facility Status:	Not reported
Actual: Number Of Tanks:	1
41 ft. Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	8/26/1997
Application Name:	Tim Hallen
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported

2850 20TH ST (Continued) **U003915282**

Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	9/9/1997
UST Close ID:	3009
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	11/7/1997
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

H85
SSE
< 1/8
0.115 mi.
609 ft.

2850 20TH ST
SAN FRANCISCO, CA 94110

EDR US Hist Auto Stat **1015389623**
N/A

Site 4 of 4 in cluster H

Relative:
Higher

Actual:
41 ft.

EDR Historical Auto Stations:

Name:	GEORGES AUTO REPAIR
Year:	1999
Address:	2850 20TH ST
Name:	GEORGES AUTO REPAIR
Year:	2000
Address:	2850 20TH ST

K86
WNW
< 1/8
0.116 mi.
610 ft.

SAN FRANCISCO SERVICE CENTER
2180 HARRISON STREET
SAN FRANCISCO, CA 94110

RCRA-LQG **1000196959**
CAD981460306

Site 1 of 3 in cluster K

Relative:
Lower

Actual:
26 ft.

RCRA-LQG:

Date form received by agency:	03/01/2008
Facility name:	SAN FRANCISCO SERVICE CENTER
Facility address:	2180 HARRISON STREET SAN FRANCISCO, CA 94110
EPA ID:	CAD981460306
Mailing address:	PG&E DIRECTOR OF ENVIRONMENTAL 77 BEALE STREET, MAILCODE B24A SAN FRANCISCO, CA 94105
Contact:	DONALD R GILBERT
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	(925) 974-4170
Contact email:	DRG3@PGE.COM
EPA Region:	09
Land type:	Private
Classification:	Large Quantity Generator
Description:	Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name:	PACIFIC GAS AND ELECTRIC COMPANY
Owner/operator address:	Not reported Not reported
Owner/operator country:	US
Owner/operator telephone:	Not reported
Legal status:	Private

SAN FRANCISCO SERVICE CENTER (Continued) **1000196959**

Owner/Operator Type: Operator
Owner/Op start date: 01/01/1924
Owner/Op end date: Not reported

Owner/operator name: PACIFIC GAS AND ELECTRIC COMPANY
Owner/operator address: BEALE STREET
SAN FRANCISCO, CA 94105
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/01/1924
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 02/27/2002
Facility name: SAN FRANCISCO SERVICE CENTER
Classification: Small Quantity Generator

Date form received by agency: 02/27/2002
Facility name: SAN FRANCISCO SERVICE CENTER
Classification: Large Quantity Generator

Date form received by agency: 10/12/2000
Facility name: SAN FRANCISCO SERVICE CENTER
Classification: Large Quantity Generator

Date form received by agency: 11/30/1990
Facility name: SAN FRANCISCO SERVICE CENTER
Site name: P G & E HARRISON YARD
Classification: Small Quantity Generator

Date form received by agency: 04/03/1990
Facility name: SAN FRANCISCO SERVICE CENTER
Site name: PG&E/HARRISON-TREAT STREET YARD
Classification: Large Quantity Generator

Hazardous Waste Summary:
Waste code: D001

SAN FRANCISCO SERVICE CENTER (Continued) **1000196959**

Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D008
Waste name: LEAD

Waste code: D018
Waste name: BENZENE

Waste code: F003
Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 04/12/2010
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

L87 **COMMERCIAL** **LUST S112273490**
NNE **517-519 YORK ST.** **N/A**
< 1/8 **SAN FRANCISCO, CA 94110**
0.119 mi.
626 ft. **Site 1 of 5 in cluster L**

Relative: LUST:
Higher
Region: STATE
Global Id: T10000004471
Actual: Latitude: 37.7627293
48 ft. Longitude: -122.40925
Case Type: LUST Cleanup Site
Status: Completed - Case Closed
Status Date: 12/10/2012
Lead Agency: SAN FRANCISCO COUNTY LOP
Case Worker: EH
Local Agency: SAN FRANCISCO COUNTY LOP
RB Case Number: Not reported
LOC Case Number: 11990
File Location: Local Agency
Potential Media Affect: Not reported
Potential Contaminants of Concern: Gasoline
Site History: Over excavtion of contaminated soil remediated release

COMMERCIAL (Continued) **S112273490**

Click here to access the California GeoTracker records for this facility:

LUST:
Global Id: T10000004471
Contact Type: Local Agency Caseworker
Contact Name: ELYSE HEILSHORN
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 Market Street Suite 210
City: SAN FRANCISCO
Email: elyse.heilshorn@sfdph.org
Phone Number: 4152523885

LUST:
Global Id: T10000004471
Action Type: ENFORCEMENT
Date: 12/07/2012
Action: File Review - Closure

Global Id: T10000004471
Action Type: ENFORCEMENT
Date: 12/10/2012
Action: LOP Case Closure Summary to RB

Global Id: T10000004471
Action Type: Other
Date: 01/01/1950
Action: Leak Stopped

Global Id: T10000004471
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T10000004471
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

Global Id: T10000004471
Action Type: ENFORCEMENT
Date: 12/05/2012
Action: Notice of Responsibility - #11990

Global Id: T10000004471
Action Type: Other
Date: 01/01/1950
Action: Leak Began

L88 **CENTRAL RUG & UPHOLSTERY CLEANING CO INC** **EDR US Hist Cleaners** **1009180714**
NNE **517 YORK** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.120 mi.
634 ft. **Site 2 of 5 in cluster L**

Relative: EDR Historical Cleaners:
Higher
Name: CENTRAL RUG & UPHOLSTERY CLEANING CO INC
Year: 1962
Actual: Type: CARPET AND RUG CLEANERS
48 ft.

Name: CENTRAL RUG & UPHOLSTERY CLEANING CO INC
Year: 1966
Type: CARPET AND RUG CLEANERS

L89 **BAGDAD RUG & CLEANING CO** **EDR US Hist Cleaners** **1009180546**
NNE **517 YORK ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.120 mi.
634 ft. **Site 3 of 5 in cluster L**

Relative: EDR Historical Cleaners:
Higher
Name: RED CARPET SUPPLY & EQUIPMENT CO
Year: 1977
Actual: Type: CARPET AND RUG CLEANERS
48 ft.

Name: BAGDAD RUG & CLEANING CO
Year: 1977
Type: CARPET AND RUG CLEANERS

Name: CENTRAL RUG & UPHOLSTERING CLEANING CO INC
Year: 1977
Type: CARPET AND RUG CLEANERS

Name: BAGDAD RUG & CLEANING CO
Year: 1977
Type: CARPET AND RUG CLEANERS

Name: CENTRAL RUG & UPHOLSTERING CLEANING CO INC
Year: 1977
Type: CARPET AND RUG CLEANERS

Name: RED CARPET SUPPLY & EQUIPMENT CO
Year: 1977
Type: CARPET AND RUG CLEANERS

J90 **ROX AUTOMOTIVE** **EDR US Hist Auto Stat** **1009000938**
SW **2345 HARRISON ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.120 mi.
636 ft. **Site 7 of 17 in cluster J**

Relative: EDR Historical Auto Stations:
Lower
Name: ROX AUTOMOTIVE
Year: 1971
Actual: Type: AUTOMOBILE REPAIRING
28 ft.

Name: ROX AUTOMOTIVE

ROX AUTOMOTIVE (Continued) **1009000938**

Year: 1977
Type: AUTOMOBILE REPAIRING

Name: ROX AUTOMOTIVE (DIV OF BELL INDUSTRIES)
Year: 1977
Type: AUTOMOBILE REPAIRING

Name: ROX AUTOMOTIVE
Year: 1982
Type: AUTOMOBILE REPAIRING

Name: ROX AUTOMOTIVE (DIV OF BELL INDUSTRIES)
Year: 1982
Type: AUTOMOBILE REPAIRING

K91 **2170 HARRISON ST** **UST** **U003915151**
NW **2170 HARRISON ST** **N/A**
< 1/8 **SAN FRANCISCO, CA**
0.124 mi.
653 ft. **Site 2 of 3 in cluster K**

Relative:
Lower

Actual:
26 ft.

SAN FRANCISCO CO. UST:
Facility ID: 21093
Facility Status: Not reported
Number Of Tanks: 1
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: 255 Shipley Street
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: Golden Gate Tank
Application Date: 6/14/1996
Application Name: Jim Tracy
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported
Local Tank Id: Not reported
Tank Manufacturer: Not reported
Compartmentalized Tank: Not reported
Of Tank Compartments: Not reported
Date Tank Installed: Not reported
Tank Capacity: Not reported
Additional Desc: Not reported
Tank Use: Not reported
Petroleum Type: Not reported
Common Name: Not reported
Case Number: Not reported
Type Of Tank: Not reported
Primary Tank Material: Not reported

2170 HARRISON ST (Continued) **U003915151**

Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	6/17/1996
UST Close ID:	2589
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgmd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	10/25/1996
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

K92 **HOA - 2170 HARRISON STREET** **HIST CORTESE** **S103969736**
NW **2170 HARRISON STREET** **LUST** **N/A**
< 1/8 **SAN FRANCISCO, CA 94110** **HAZNET**
0.124 mi.
653 ft. **Site 3 of 3 in cluster K**

Relative: CORTESE:
Lower

Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-0850

Actual:
26 ft.

HOA - 2170 HARRISON STREET (Continued) **S103969736**

LUST:

Region:	STATE
Global Id:	T0607500745
Latitude:	37.762549
Longitude:	-122.413253
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	12/19/1996
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	SC
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-0850
LOC Case Number:	10673
File Location:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Diesel
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

LUST:

Global Id:	T0607500745
Contact Type:	Regional Board Caseworker
Contact Name:	VIC PAL
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY STREET, SUITE 1400
City:	OAKLAND
Email:	vpal@waterboards.ca.gov
Phone Number:	Not reported

Global Id:	T0607500745
Contact Type:	Local Agency Caseworker
Contact Name:	STEPHANIE CUSHING
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET #210
City:	SAN FRANCISCO
Email:	stephanie.cushing@sfdph.org
Phone Number:	Not reported

LUST:

Global Id:	T0607500745
Action Type:	Other
Date:	01/01/1950
Action:	Leak Reported

Global Id:	T0607500745
Action Type:	Other
Date:	01/01/1950
Action:	Leak Discovery

HAZNET:

Year:	1996
Gepaid:	CAC001299248
Contact:	JOSEPH IMBELLONI
Telephone:	4156477333

HOA - 2170 HARRISON STREET (Continued) **S103969736**

Mailing Name: Not reported
Mailing Address: 3260 19TH STREET
Mailing City,St,Zip: SAN FRANCISCO, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAD980887418
TSD County: 1
Waste Category: Waste oil and mixed oil
Disposal Method: Recycler
Tons: 1.2510
Facility County: San Francisco

M93 **EDR US Hist Auto Stat** **1015523747**
NW **501 ALABAMA ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110**
0.126 mi.
664 ft. **Site 1 of 4 in cluster M**

Relative:
Lower

Actual:
31 ft.

EDR Historical Auto Stations:
Name: ARTEC MOTORSPORT
Year: 2006
Address: 501 ALABAMA ST

N94 **BEST FOODS** **HIST FTTS** **1008175685**
North **1890 BRYANT ST** **SWEEPS UST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110**
0.127 mi.
669 ft. **Site 1 of 7 in cluster N**

Relative:
Higher

Actual:
51 ft.

HIST FTTS INSP:
Inspection Number: 1989042101968 1
Region: 09
Inspection Date: Not reported
Inspector: GRISIER
Violation occurred: Yes
Investigation Type: Section 6 PCB Federal Conducted
Investigation Reason: Neutral Scheme, Region
Legislation Code: TSCA
Facility Function: User

SWEEPS UST:
Status: Not reported
Comp Number: 5716
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Tank Status: Not reported
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-005716-000001
Actv Date: Not reported
Capacity: 12000
Tank Use: UNKNOWN
Stg: PRODUCT
Content: UNSPECIFIED

BEST FOODS (Continued) **1008175685**

Number Of Tanks: 4

Status: Not reported
Comp Number: 5716
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Tank Status: Not reported
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-005716-000002
Actv Date: Not reported
Capacity: 500
Tank Use: UNKNOWN
Stg: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Status: Not reported
Comp Number: 5716
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Tank Status: Not reported
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-005716-000003
Actv Date: Not reported
Capacity: 500
Tank Use: UNKNOWN
Stg: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Status: Not reported
Comp Number: 5716
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Tank Status: Not reported
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-005716-000004
Actv Date: Not reported
Capacity: 1500
Tank Use: UNKNOWN
Stg: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: Not reported

Status: Active
Comp Number: 5716
Number: 9
Board Of Equalization: Not reported

BEST FOODS (Continued) **1008175685**

Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	Not reported
Actv Date:	Not reported
Capacity:	Not reported
Tank Use:	Not reported
Stg:	Not reported
Content:	Not reported
Number Of Tanks:	Not reported

N95
North
1/8-1/4
0.127 mi.
669 ft.

BEST FOODS A UNIT OF CPC NORTH AMER — RCRA-SQG 1000392066
1890 BRYANT ST — FINDS CAD009131665
SAN FRANCISCO, CA 94110 — CA FID UST
UST
HIST UST

Site 2 of 7 in cluster N

Relative:
Higher

Actual:
51 ft.

RCRA-SQG:

Date form received by agency:	09/01/1996
Facility name:	BEST FOODS A UNIT OF CPC NORTH AMER
Facility address:	1890 BRYANT ST SAN FRANCISCO, CA 94110
EPA ID:	CAD009131665
Mailing address:	PO BOX 8000 INTL PLAZA ENGLEWOOD CLIFFS, NJ 07632
Contact:	Not reported
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	09
Land type:	Facility is not located on Indian land. Additional information is not known.
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	CPC INTERNATIONAL
Owner/operator address:	NOT REQUIRED NOT REQUIRED, ME 99999
Owner/operator country:	Not reported
Owner/operator telephone:	(415) 555-1212
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported
Owner/operator name:	NOT REQUIRED
Owner/operator address:	NOT REQUIRED NOT REQUIRED, ME 99999
Owner/operator country:	Not reported

BEST FOODS A UNIT OF CPC NORTH AMER (Continued) **1000392066**

Owner/operator telephone: (415) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 02/27/1985
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

FINDS:

Registry ID: 110002146570

Environmental Interest/Information System

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

US EPA TRIS (Toxics Release Inventory System) contains information from facilities on the amounts of over 300 listed toxic chemicals that these facilities release directly to air, water, land, or that are transported off-site.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

BEST FOODS A UNIT OF CPC NORTH AMER (Continued) **1000392066**

CA FID UST:

Facility ID:	38003511
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4150000000
Mail To:	Not reported
Mailing Address:	1890 BRYANT ST
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94110
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

SAN FRANCISCO CO. UST:

Facility ID:	5716
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	7/16/1990
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported

BEST FOODS A UNIT OF CPC NORTH AMER (Continued) **1000392066**

Secondary Tank Material: Not reported
Tank Interior Lining: Not reported
Date Interior Lining Install: Not reported
Date Closed: Not reported
UST Close ID: 697
Type Of Spill Protection: Not reported
Date Alarm Overfill Protection Installed: Not reported
Date Ball Float Overfill Protection Installed: Not reported
Date Fill Tube Shut Overfill Protection Installed: Not reported
Overfill Protection Exempt: Not reported
Othr Tnk Corrosive Prtctn: Not reported
Date Corrosive Prtctn Install: Not reported
Tank Leak Detection (single walled): Not reported
Tank Leak Detection (double wall): Not reported
Estimated Date Last Used: Not reported
Estimated Qty Of Substance Remaining: Not reported
Tank Filled With Inert Material: Not reported
Piping System Type (Underground): Not reported
Piping System Type (Aboveground): Not reported
Piping Construction (Underground): Not reported
Piping Manufacturer (Underground): Not reported
Piping Construction (Aboveground): Not reported
Piping Manufacturer (Aboveground): Not reported
Piping Material & Corrosion Protection (Underground): Not reported
Piping Material & Corrosion Protection (Aboveground): Not reported
Piping Leak Detection (Undrgrnd - Single Wall): Not reported
Piping Leak Detection (2nd Contained): Not reported
Piping Leak Detection (Emrgncy Gnrtrs): Not reported
Pipe Integrity Test, Underground: Not reported
Piping Leak Detection (Aboveground - Single Wall): Not reported
Piping Leak Detection (Underground - 2nd Contained): Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs): Not reported
Pipe Integrity Test, Aboveground: Not reported
Date Dispenser Containment Installed: Not reported
Dispenser Containment Type: Not reported
Date Certified (Tank Unit): Not reported
Certified Date: Not reported
Last Annual Monitoring Cert: Not reported
2nd Containment Test: Not reported
Spill Containment Present: Not reported
Drop Tube Present: Not reported
Striker Plate Present: Not reported
Alarm Present: Not reported
Ball Float Present: Not reported
Fill Tube Present: Not reported
Other Tank Leak Detection Present: Not reported

HIST UST:
Region: STATE
Facility ID: 00000058931
Facility Type: Other
Other Type: CONSUMER FOODS
Total Tanks: 0001
Contact Name: G. BLEFFERT, PLANT MANAGER
Telephone: 4158637300
Owner Name: CPC INTERNATIONAL
Owner Address: INTERNATIONAL PLAZA

BEST FOODS A UNIT OF CPC NORTH AMER (Continued) **1000392066**

Owner City,St,Zip: ENGLEWOOD CLIFFS, NJ 07632

Tank Num: 001
Container Num: 1
Year Installed: 1942
Tank Capacity: 00012000
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Tank Construction: Not reported
Leak Detection: Visual, Stock Inventor

N96 **CPC BEST FOODS** **HIST CORTESE S105026210**
North **1890 1900 BRYANT** **LUST N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110**
0.127 mi.
672 ft. **Site 3 of 7 in cluster N**

Relative:
Higher

Actual:
51 ft.

CORTESE:
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-0122

LUST:
Region: STATE
Global Id: T0607500109
Latitude: 37.763366
Longitude: -122.40932
Case Type: LUST Cleanup Site
Status: Completed - Case Closed
Status Date: 09/18/1991
Lead Agency: SAN FRANCISCO BAY RWQCB (REGION 2)
Case Worker: VP
Local Agency: SAN FRANCISCO COUNTY LOP
RB Case Number: 38-0122
LOC Case Number: 38-0122
File Location: Not reported
Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Gasoline
Site History: Not reported

Click here to access the California GeoTracker records for this facility:

LUST:
Global Id: T0607500109
Contact Type: Local Agency Caseworker
Contact Name: UNK
Organization Name: SAN FRANCISCO COUNTY LOP
Address: Not reported
City: r2 UNKNOWN
Email: Not reported
Phone Number: Not reported

Global Id: T0607500109
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400

CPC BEST FOODS (Continued) **S105026210**

City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0607500109
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500109
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

Global Id: T0607500109
Action Type: Other
Date: 01/01/1950
Action: Leak Stopped

LUST REG 2:
Region: 2
Facility Id: 38-0122
Facility Status: Case Closed
Case Number: 38-0122
How Discovered: Tank Closure
Leak Cause: Structure Failure
Leak Source: Tank
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 1/1/1990
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

L97 **SOUTHERN PACIFIC** **UST U004051284**
NNE **2601 MARIPOSA ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.131 mi.
690 ft. **Site 4 of 5 in cluster L**

Relative:
Higher

Actual:
49 ft.

SAN FRANCISCO CO. UST:
Facility ID: 24807
Facility Status: Not reported
Number Of Tanks: 1
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported

SOUTHERN PACIFIC (Continued) **U004051284**

Permit Expiration Date: Not reported
Applications: Not reported
Application Date: 4/24/1986
Application Name: Not reported
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported
Local Tank Id: Not reported
Tank Manufacturer: Not reported
Compartmentalized Tank: Not reported
Of Tank Compartments: Not reported
Date Tank Installed: Not reported
Tank Capacity: Not reported
Additional Desc: Not reported
Tank Use: Not reported
Petroleum Type: Not reported
Common Name: Not reported
Case Number: Not reported
Type Of Tank: Not reported
Primary Tank Material: Not reported
Secondary Tank Material: Not reported
Tank Interior Lining: Not reported
Date Interior Lining Install: Not reported
Date Closed: 2/24/1989
UST Close ID: 479
Type Of Spill Protection: Not reported
Date Alarm Overfill Protection Installed: Not reported
Date Ball Float Overfill Protection Installed: Not reported
Date Fill Tube Shut Overfill Protection Installed: Not reported
Overfill Protection Exempt: Not reported
Othr Tnk Corrosive Prtctn: Not reported
Date Corrosive Prtctn Install: Not reported
Tank Leak Detection (single walled): Not reported
Tank Leak Detection (double wall): Not reported
Estimated Date Last Used: Not reported
Estimated Qty Of Substance Remaining: Not reported
Tank Filled With Inert Material: Not reported
Piping System Type (Underground): Not reported
Piping System Type (Aboveground): Not reported
Piping Construction (Underground): Not reported
Piping Manufacturer (Underground): Not reported
Piping Construction (Aboveground): Not reported
Piping Manufacturer (Aboveground): Not reported
Piping Material & Corrosion Protection (Underground): Not reported
Piping Material & Corrosion Protection (Aboveground): Not reported
Piping Leak Detection (Undrgrnd - Single Wall): Not reported
Piping Leak Detection (2nd Contained): Not reported
Piping Leak Detection (Emrgncy Gnrtrs): Not reported
Pipe Integrity Test, Underground: Not reported
Piping Leak Detection (Aboveground - Single Wall): Not reported
Piping Leak Detection (Underground - 2nd Contained): Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs): Not reported
Pipe Integrity Test, Aboveground: Not reported

SOUTHERN PACIFIC (Continued) **U004051284**

Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

L98 **VACANT** **CA FID UST S101591979**
NNE **2601 MARIPOSA ST** **SWEEPS UST N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110**
0.131 mi.
690 ft. **Site 5 of 5 in cluster L**

Relative:
Higher

Actual:
49 ft.

CA FID UST:

Facility ID:	38000286
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4150000000
Mail To:	Not reported
Mailing Address:	2601 MARIPOSA ST
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94110
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

SWEEPS UST:

Status:	Not reported
Comp Number:	1949
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-001949-000001
Actv Date:	Not reported
Capacity:	1000
Tank Use:	UNKNOWN
Stg:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	1

VACANT (Continued) **S101591979**

Status:	Active
Comp Number:	1949
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	Not reported
Actv Date:	Not reported
Capacity:	Not reported
Tank Use:	Not reported
Stg:	Not reported
Content:	Not reported
Number Of Tanks:	Not reported

O99 **COMMERCIAL** **UST** **U003903425**
West **3131 19TH ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.137 mi.
722 ft. **Site 1 of 7 in cluster O**

Relative:
Lower

Actual:
26 ft.

SAN FRANCISCO CO. UST:

Facility ID:	24072
Facility Status:	Not reported
Number Of Tanks:	Not reported
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	5/28/1993
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported

COMMERCIAL (Continued) **U003903425**

Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	6/18/1993
UST Close ID:	1331
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	11/18/1994
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

O100 **VITLIN/ROSS PROPERTIES** **HIST CORTESE** **S100853463**
West **3131 19TH ST** **LUST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110**
0.137 mi.
722 ft. **Site 2 of 7 in cluster O**

Relative:
Lower

Actual:
26 ft.

CORTESE:

Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-0884

LUST:

Region:	STATE
Global Id:	T0607500779
Latitude:	37.760463
Longitude:	-122.413347
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	05/13/1997
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	SC
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-0884
LOC Case Number:	10794
File Location:	Not reported
Potential Media Affect:	Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

LUST:

Global Id:	T0607500779
Contact Type:	Regional Board Caseworker
Contact Name:	VIC PAL
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY STREET, SUITE 1400
City:	OAKLAND
Email:	vpal@waterboards.ca.gov
Phone Number:	Not reported

Global Id:	T0607500779
Contact Type:	Local Agency Caseworker
Contact Name:	STEPHANIE CUSHING
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET #210
City:	SAN FRANCISCO
Email:	stephanie.cushing@sfdph.org
Phone Number:	Not reported

LUST:

Global Id:	T0607500779
Action Type:	Other
Date:	01/01/1950
Action:	Leak Reported

Global Id:	T0607500779
Action Type:	Other

VITLIN/ROSS PROPERTIES (Continued) **S100853463**

Date: 01/01/1950
Action: Leak Discovery

LUST REG 2:
Region: 2
Facility Id: 38-0884
Facility Status: Case Closed
Case Number: 10794
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 38-0884
Facility Status: Case Closed
Case Number: 10794
Case Type: Other ground water affected
Release Date: 12/6/1994
Discovered Date: 11/2/1994
Substance: Gasoline
Substance Qty: Not reported
How Discovered: Not reported
How Stopped: Remove Contents
Report Date: 12/6/1994
Case Closed: 5/13/1997
Closed Date: 5/13/1997
Leak Source: Tank
Leak Cause: Overfill
Leak Confirmed: Not reported
Entered Date: 3/20/1997
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: Not reported
RP Address: Not reported
Operator: Not reported
Staff Initial: VP
Facility Staff: SC
Cross Street: HARRISON ST
NOR Date: 3/20/1997
MTBE Current: Not reported
MTBE Current Date: Not reported
MTBE: NT
Maximum MTBE Soil: Not reported

VITLIN/ROSS PROPERTIES (Continued) **S100853463**

Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Not reported
Interim Remediation:	Yes
Priority:	Not reported
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	6/18/1993
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Gasoline
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	ND
Maximum Soil GW:	ND
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

P101 **NOW DESIGNS OF SAN** **UST** **U004003835**
NE **540 HAMPSHIRE ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.139 mi.
732 ft. **Site 1 of 9 in cluster P**

Relative:
Higher

Actual:
50 ft.

SAN FRANCISCO CO. UST:

Facility ID:	8267
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported

NOW DESIGNS OF SAN (Continued) **U004003835**

Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	4/11/1991
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	8/28/1991
UST Close ID:	839
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported

NOW DESIGNS OF SAN (Continued) **U004003835**

Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	8/28/1991
UST Close ID:	802
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported

NOW DESIGNS OF SAN (Continued) **U004003835**

Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

P102 **NOW DESIGNS OF SAN FRANCISCO** **LUST** **S101591972**
NE **540 HAMPSHIRE ST** **CA FID UST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110** **SWEEPS UST**
0.139 mi.
732 ft. **Site 2 of 9 in cluster P**

Relative:
Higher

Actual:
50 ft.

LUST REG 2:

Region:	2
Facility Id:	38-0221
Facility Status:	Case Closed
Case Number:	10094
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	Not reported
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

SAN FRANCISCO CO. LUST:

Region:	SAN FRANCISCO
Facility ID:	38-0221
Facility Status:	Case Closed
Case Number:	10094
Case Type:	Other ground water affected
Release Date:	12/14/1988

NOW DESIGNS OF SAN FRANCISCO (Continued) **S101591972**

Discovered Date:	5/28/1991
Substance:	Gasoline
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Close Tank
Report Date:	12/14/1988
Case Closed:	5/3/1994
Closed Date:	5/3/1994
Leak Source:	Tank
Leak Cause:	Structure Failure
Leak Confirmed:	Not reported
Entered Date:	9/17/1992
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	AL
Cross Street:	18TH ST
NOR Date:	9/17/1992
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NT
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	7/19/1991
Pollution Characterization:	7/22/1991
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	Yes
Priority:	Not reported
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	NOR
Enforcement Due Date:	9/17/1992
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	7/19/1991
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Gasoline
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported

NOW DESIGNS OF SAN FRANCISCO (Continued) **S101591972**

Benzene Test:	YES
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

CA FID UST:

Facility ID:	38000263
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4150000000
Mail To:	Not reported
Mailing Address:	540 HAMPSHIRE ST
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94110
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

SWEEPS UST:

Status:	Not reported
Comp Number:	8267
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-008267-000001
Actv Date:	Not reported
Capacity:	1000
Tank Use:	UNKNOWN
Stg:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	3

Status:	Not reported
Comp Number:	8267

NOW DESIGNS OF SAN FRANCISCO (Continued) **S101591972**

Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-008267-000002
Actv Date:	Not reported
Capacity:	550
Tank Use:	UNKNOWN
Stg:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	Not reported

Status:	Not reported
Comp Number:	8267
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-008267-000003
Actv Date:	Not reported
Capacity:	550
Tank Use:	UNKNOWN
Stg:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	Not reported

Status:	Active
Comp Number:	8267
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	Not reported
Actv Date:	Not reported
Capacity:	Not reported
Tank Use:	Not reported
Stg:	Not reported
Content:	Not reported
Number Of Tanks:	Not reported

P103 **NOW DESIGNS** **HIST CORTESE** **U003530621**
NE **540 HAMPSHIRE STREET** **LUST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110** **HAZNET**
0.139 mi.
732 ft. **Site 3 of 9 in cluster P**

Relative:
Higher

Actual:
50 ft.

CORTESE:
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-0221

LUST:
Region: STATE
Global Id: T0607500189
Latitude: 37.762756
Longitude: -122.407184
Case Type: LUST Cleanup Site
Status: Completed - Case Closed
Status Date: 05/03/1994
Lead Agency: SAN FRANCISCO COUNTY LOP
Case Worker: AL
Local Agency: SAN FRANCISCO COUNTY LOP
RB Case Number: 38-0221
LOC Case Number: 10094
File Location: Not reported
Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Gasoline
Site History: Not reported

Click here to access the California GeoTracker records for this facility:

LUST:
Global Id: T0607500189
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

Global Id: T0607500189
Contact Type: Local Agency Caseworker
Contact Name: ALBERT LEE
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET, #210
City: SAN FRANCISCO
Email: albert.lee@sfdph.org
Phone Number: Not reported

LUST:
Global Id: T0607500189
Action Type: ENFORCEMENT
Date: 09/17/1992
Action: Notice of Responsibility

Global Id: T0607500189
Action Type: Other

NOW DESIGNS (Continued) **U003530621**

Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500189
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

HAZNET:
Year: 2010
Gepaid: CAC002658265
Contact: BEAU AMBUR
Telephone: 4157286620
Mailing Name: Not reported
Mailing Address: 540 HAMPSHIRE ST
Mailing City,St,Zip: SAN FRANCISCO, CA 94110
Gen County: Not reported
TSD EPA ID: NVT330010000
TSD County: Not reported
Waste Category: Alkaline solution without metals pH >= 12.5
Disposal Method: Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Tons: 0.2
Facility County: San Francisco

M104 **PROJECT ARTAUD** **UST** **U003904467**
NNW **479 ALABAMA ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.146 mi.
771 ft. **Site 2 of 4 in cluster M**

Relative:
Lower

Actual:
31 ft.

SAN FRANCISCO CO. UST:
Facility ID: 23271
Facility Status: Not reported
Number Of Tanks: 2
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported
2nd Care Of Add: Not reported
Mailing Address: 1550 Wallace
Mailing City,St,Zip: Not reported
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: L & W
Application Date: 5/17/1999
Application Name: George Wilson
Action Type: Not reported
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: Not reported
Tank Test: Not reported
Local Tank Id: Not reported

PROJECT ARTAUD (Continued) **U003904467**

Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	5/24/1999
UST Close ID:	3738
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported

PROJECT ARTAUD (Continued) **U003904467**

Other Tank Leak Detection Present: Not reported

M105
NNW
1/8-1/4
0.146 mi.
771 ft.

PROJECT ARTAUD **LUST** **S106162115**
479-499 ALABAMA ST **N/A**
SAN FRANCISCO, CA 94110

Site 3 of 4 in cluster M

Relative:
Lower

Actual:
31 ft.

LUST:

Region:	STATE
Global Id:	T0607501274
Latitude:	37.7629299
Longitude:	-122.4121548
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	06/29/1999
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	AL
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-1389
LOC Case Number:	11247
File Location:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

LUST:

Global Id:	T0607501274
Contact Type:	Local Agency Caseworker
Contact Name:	ALBERT LEE
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET, #210
City:	SAN FRANCISCO
Email:	albert.lee@sfdph.org
Phone Number:	Not reported

Global Id:	T0607501274
Contact Type:	Regional Board Caseworker
Contact Name:	VIC PAL
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY STREET, SUITE 1400
City:	OAKLAND
Email:	vpal@waterboards.ca.gov
Phone Number:	Not reported

LUST:

Global Id:	T0607501274
Action Type:	Other
Date:	01/01/1950
Action:	Leak Reported

Global Id:	T0607501274
Action Type:	Other
Date:	01/01/1950
Action:	Leak Discovery

PROJECT ARTAUD (Continued) **S106162115**

LUST REG 2:

Region:	2
Facility Id:	38-1389
Facility Status:	Case Closed
Case Number:	11247
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	Not reported
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

SAN FRANCISCO CO. LUST:

Region:	SAN FRANCISCO
Facility ID:	38-1389
Facility Status:	Case Closed
Case Number:	11247
Case Type:	Soil only
Release Date:	5/24/1999
Discovered Date:	5/24/1999
Substance:	Gasoline
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Close Tank
Report Date:	5/24/1999
Case Closed:	6/29/1999
Closed Date:	6/29/1999
Leak Source:	Tank
Leak Cause:	Corrosion
Leak Confirmed:	Not reported
Entered Date:	6/28/1999
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Bruce L. Bigelow
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	AL
Cross Street:	MARIPOSA ST
NOR Date:	6/28/1999
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	ND
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported

PROJECT ARTAUD (Continued) **S106162115**

Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	R
Interim Remediation:	Yes
Priority:	Not reported
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	5/24/1999
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Gasoline
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	YES
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	2 USTs; 280 gallon

M106 **PROJECT ARTAUD** **HIST CORTESE** **S104396833**
NNW **479 99 ALABAMA** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110**
0.146 mi.
773 ft. **Site 4 of 4 in cluster M**

Relative:
Lower

Actual:
32 ft.

CORTESE:

Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-1389

J107 **SFUSD #921 - LAS** **UST** **U003916601**
SW **3200 20TH ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.148 mi.
782 ft. **Site 8 of 17 in cluster J**

Relative:
Lower

Actual:
31 ft.

SAN FRANCISCO CO. UST:

Facility ID:	11630
Facility Status:	Not reported
Number Of Tanks:	3
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	1351 42nd Avenue
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Peak Engineering,
Application Date:	6/18/1998
Application Name:	Bruce Giannini
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	7/29/1998
UST Close ID:	3321
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported

SFUSD #921 - LAS (Continued) **U003916601**

Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	7/6/1999
UST Close ID:	3763
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported

SFUSD #921 - LAS (Continued) **U003916601**

Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

J108 **JOHN O'CONNEL TECH SCHOOL** **HIST CORTESE S103283957**
SW **3200 20TH ST..** **LUST N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110**
0.148 mi.
782 ft. **Site 9 of 17 in cluster J**

Relative:
Lower

Actual:
31 ft.

CORTESE:

Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-1123

LUST:

Region:	STATE
Global Id:	T0607501012
Latitude:	37.759137
Longitude:	-122.412673
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	01/04/2013

JOHN O'CONNEL TECH SCHOOL (Continued) **S103283957**

Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	AL
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-1123
LOC Case Number:	10993
File Location:	Not reported
Potential Media Affect:	Other Groundwater (uses other than drinking water), Soil, Under Investigation
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	7.10.2010 additional data needed from school district for review. 8.20.2010 site reivew for additional investigation to detemine if groundwater has been impacted 8.10.12 need to obtain UST removal report from SFUSD 12.20.12 received UST removal report 12.28.12 UST removal report indicated 3rd UST found; overexcavation of impacted soil; confirmatory soil samples taken under direction of SFDPH. contamination substantially reduced to very low residual concentrations.

Click here to access the California GeoTracker records for this facility:

LUST:

Global Id:	T0607501012
Contact Type:	Local Agency Caseworker
Contact Name:	ALBERT LEE
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET, #210
City:	SAN FRANCISCO
Email:	albert.lee@sfdph.org
Phone Number:	Not reported

LUST:

Global Id:	T0607501012
Action Type:	RESPONSE
Date:	02/17/2011
Action:	Verbal Communication
Global Id:	T0607501012
Action Type:	ENFORCEMENT
Date:	01/04/2013
Action:	Site Visit / Inspection / Sampling
Global Id:	T0607501012
Action Type:	ENFORCEMENT
Date:	08/10/2012
Action:	Technical Correspondence / Assistance / Other
Global Id:	T0607501012
Action Type:	ENFORCEMENT
Date:	01/04/2013
Action:	Closure/No Further Action Letter - #10993
Global Id:	T0607501012
Action Type:	ENFORCEMENT
Date:	09/07/2012
Action:	File review
Global Id:	T0607501012

JOHN O'CONNEL TECH SCHOOL (Continued) **S103283957**

Action Type: ENFORCEMENT
Date: 01/31/2007
Action: * Verbal Communication

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 10/04/2012
Action: Closure/No Further Action Letter - #10019

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 01/03/2013
Action: File Review - Closure

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 01/04/2013
Action: LOP Case Closure Summary to RB

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 01/04/2013
Action: Closure/No Further Action Letter

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 12/27/2012
Action: File review

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 08/14/2012
Action: Technical Correspondence / Assistance / Other

Global Id: T0607501012
Action Type: RESPONSE
Date: 11/29/2012
Action: Verbal Communication

Global Id: T0607501012
Action Type: RESPONSE
Date: 11/13/2012
Action: Verbal Communication

Global Id: T0607501012
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 02/02/2007
Action: File review

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 07/19/2010

JOHN O'CONNEL TECH SCHOOL (Continued) **S103283957**

Action: File review

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 08/18/2008
Action: File review

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 08/31/2012
Action: Technical Correspondence / Assistance / Other

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 09/24/2012
Action: Technical Correspondence / Assistance / Other

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 08/21/2012
Action: Staff Letter

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 08/21/2012
Action: Staff Letter - #10993

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 09/25/2012
Action: Staff Letter - #10993

Global Id: T0607501012
Action Type: Other
Date: 01/01/1950
Action: Leak Began

Global Id: T0607501012
Action Type: RESPONSE
Date: 12/20/2012
Action: Correspondence

Global Id: T0607501012
Action Type: RESPONSE
Date: 12/18/2012
Action: Verbal Communication

Global Id: T0607501012
Action Type: RESPONSE
Date: 12/28/2012
Action: Tank Removal Report / UST Sampling Report

Global Id: T0607501012
Action Type: ENFORCEMENT
Date: 12/28/2012
Action: File Review - Closure

JOHN O'CONNEL TECH SCHOOL (Continued) **S103283957**

Global Id: T0607501012
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

Global Id: T0607501012
Action Type: RESPONSE
Date: 08/14/2012
Action: Verbal Communication

Global Id: T0607501012
Action Type: Other
Date: 01/01/1950
Action: Leak Stopped

LUST REG 2:
Region: 2
Facility Id: 38-1123
Facility Status: Preliminary site assessment underway
Case Number: 10993
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 8/28/1998
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 38-1123
Facility Status: Not reported
Case Number: 10993
Case Type: Soil only
Release Date: 8/28/1998
Discovered Date: 6/24/1998
Substance: Heater Fuel
Substance Qty: Not reported
How Discovered: Other Means
How Stopped: Not reported
Report Date: 8/28/1998
Case Closed: Not reported
Closed Date: Not reported
Leak Source: Unknown
Leak Cause: Unknown
Leak Confirmed: Not reported
Entered Date: 6/25/1998
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency

JOHN O'CONNEL TECH SCHOOL (Continued) **S103283957**

Program:	LOP
Responsible Party:	SF USD
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	AL
Cross Street:	HARRISON
NOR Date:	6/25/1998
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NRQ
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	3/20/2002
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	Not reported
Priority:	Not reported
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	Not reported
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Fuel Oils Nos. 1 -
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	ND
Maximum Soil GW:	ND
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	207,000 ppm motor

Q109 **ROSE EXTERMINATOR** **UST** **U003906023**
ENE **626 POTRERO AV** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.151 mi.
799 ft. **Site 1 of 5 in cluster Q**

Relative:
Higher

Actual:
54 ft.

SAN FRANCISCO CO. UST:

Facility ID:	2844
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	9/28/1989
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	1/9/1990
UST Close ID:	157
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported

ROSE EXTERMINATOR (Continued) **U003906023**

Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

Q110 **ROSE EXTERMINATOR** **LUST S101592183**
ENE **626 POTRERO AVE** **CA FID UST N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110** **SWEEPS UST**
0.151 mi.
799 ft. **Site 2 of 5 in cluster Q**

Relative: **Higher**

Actual: **54 ft.**

LUST:

Region:	STATE
Global Id:	T0607500213
Latitude:	37.761667
Longitude:	-122.407856
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	04/07/2005
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	SC
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-0248
LOC Case Number:	10632
File Location:	Not reported
Potential Media Affect:	Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

LUST:

ROSE EXTERMINATOR (Continued) **S101592183**

Global Id: T0607500213
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

Global Id: T0607500213
Contact Type: Local Agency Caseworker
Contact Name: STEPHANIE CUSHING
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET #210
City: SAN FRANCISCO
Email: stephanie.cushing@sfdph.org
Phone Number: Not reported

LUST:
Global Id: T0607500213
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500213
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

Global Id: T0607500213
Action Type: ENFORCEMENT
Date: 04/07/2005
Action: Closure/No Further Action Letter

LUST REG 2:
Region: 2
Facility Id: 38-0248
Facility Status: Post remedial action monitoring
Case Number: 10632
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: 5/2/1996

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 38-0248
Facility Status: Post remedial action monitoring

ROSE EXTERMINATOR (Continued) **S101592183**

Case Number:	10632
Case Type:	Other ground water affected
Release Date:	5/2/1996
Discovered Date:	10/12/1990
Substance:	Gasoline
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Close Tank
Report Date:	5/2/1996
Case Closed:	Not reported
Closed Date:	Not reported
Leak Source:	Tank
Leak Cause:	Structure Failure
Leak Confirmed:	Not reported
Entered Date:	5/3/1996
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	TERMINIX
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	SC
Cross Street:	18TH ST
NOR Date:	5/3/1996
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NT
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	3/22/1990
Assessment Underway:	7/19/1990
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	6/11/1997
Funding:	Federal
Interim Remediation:	No
Priority:	Not reported
Abatement:	No Action Taken - no action has as yet been taken at the site
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	3/22/1990
Free Product:	No
Depth to Grnd Wtr:	17 FEET
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Gasoline

ROSE EXTERMINATOR (Continued) **S101592183**

Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	YES
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	5/2/96 [leak

CA FID UST:

Facility ID:	38001221
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4150000000
Mail To:	Not reported
Mailing Address:	626 POTRERO AVE
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94110
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

SWEEPS UST:

Status:	Not reported
Comp Number:	2844
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-002844-000001
Actv Date:	Not reported
Capacity:	2000
Tank Use:	UNKNOWN
Stg:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	5

ROSE EXTERMINATOR (Continued) **S101592183**

Status:	Not reported
Comp Number:	2844
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-002844-000002
Actv Date:	Not reported
Capacity:	1000
Tank Use:	UNKNOWN
Stg:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	Not reported

Status:	Not reported
Comp Number:	2844
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-002844-000003
Actv Date:	Not reported
Capacity:	1000
Tank Use:	UNKNOWN
Stg:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	Not reported

Status:	Not reported
Comp Number:	2844
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-002844-000004
Actv Date:	Not reported
Capacity:	1000
Tank Use:	UNKNOWN
Stg:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	Not reported

Status:	Not reported
Comp Number:	2844
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported

ROSE EXTERMINATOR (Continued) **S101592183**

Created Date:	Not reported
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-002844-000005
Actv Date:	Not reported
Capacity:	500
Tank Use:	UNKNOWN
Stg:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	Not reported

Status:	Active
Comp Number:	2844
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	Not reported
Actv Date:	Not reported
Capacity:	Not reported
Tank Use:	Not reported
Stg:	Not reported
Content:	Not reported
Number Of Tanks:	Not reported

J111 **LOSKUTOFF PROPERTY** **HIST CORTESE** **S102432763**
SW **2407 HARRISON STREET** **LUST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110** **HAZNET**
0.154 mi.
815 ft. **Site 10 of 17 in cluster J**

Relative:
Lower

Actual:
31 ft.

CORTESE:

Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-0524

LUST:

Region:	STATE
Global Id:	T0607500468
Latitude:	37.758744
Longitude:	-122.412168
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	02/14/1997
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	SC
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-0524
LOC Case Number:	10241
File Location:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LOSKUTOFF PROPERTY (Continued) **S102432763**

Click here to access the California GeoTracker records for this facility:

LUST:
Global Id: T0607500468
Contact Type: Local Agency Caseworker
Contact Name: STEPHANIE CUSHING
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET #210
City: SAN FRANCISCO
Email: stephanie.cushing@sfdph.org
Phone Number: Not reported

Global Id: T0607500468
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0607500468
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500468
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

HAZNET:
Year: 1997
Gepaid: CAC000768112
Contact: VERA LOSKUTOFF
Telephone: 0000000000
Mailing Name: Not reported
Mailing Address: 999-C EDGEWATER BLVD, #135
Mailing City,St,Zip: FOSTER CITY, CA 944040000
Gen County: San Francisco
TSD EPA ID: NV0982358483
TSD County: 0
Waste Category: Unspecified oil-containing waste
Disposal Method: Not reported
Tons: 1.0008
Facility County: San Francisco

Year: 1995
Gepaid: CAC001047056
Contact: VERA
Telephone: 0000000000
Mailing Name: Not reported
Mailing Address: 999-C EDGEWATER BL. #135
Mailing City,St,Zip: FOSTER CITY, CA 944040000

LOSKUTOFF PROPERTY (Continued) **S102432763**

Gen County:	San Francisco
TSD EPA ID:	CAD004771168
TSD County:	San Francisco
Waste Category:	Other empty containers 30 gallons or more
Disposal Method:	Recycler
Tons:	1.0000
Facility County:	San Francisco

Year:	1995
Gepaid:	CAC001047056
Contact:	VERA
Telephone:	0000000000
Mailing Name:	Not reported
Mailing Address:	999-C EDGEWATER BL. #135
Mailing City,St,Zip:	FOSTER CITY, CA 944040000
Gen County:	San Francisco
TSD EPA ID:	CAD980887418
TSD County:	1
Waste Category:	Waste oil and mixed oil
Disposal Method:	Recycler
Tons:	4.3785
Facility County:	San Francisco

J112 **LOSKUTOFF PROPERTY** **LUST** **S102432765**
SW **2407 HARRISON STREET** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110**
0.154 mi.
815 ft. **Site 11 of 17 in cluster J**

Relative:
Lower

Actual:
31 ft.

LUST REG 2:

Region:	2
Facility Id:	38-0524
Facility Status:	Case Closed
Case Number:	10241
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	Not reported
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

SAN FRANCISCO CO. LUST:

Region:	SAN FRANCISCO
Facility ID:	38-0524
Facility Status:	Case Closed
Case Number:	10241
Case Type:	Soil only
Release Date:	10/6/1993
Discovered Date:	10/27/1993
Substance:	Gasoline
Substance Qty:	Not reported
How Discovered:	Tank Closure

LOSKUTOFF PROPERTY (Continued) **S102432765**

How Stopped:	Remove Contents
Report Date:	10/6/1993
Case Closed:	2/14/1997
Closed Date:	2/14/1997
Leak Source:	Tank
Leak Cause:	Structure Failure
Leak Confirmed:	5/19/1995
Entered Date:	3/11/1995
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	SC
Cross Street:	20TH ST
NOR Date:	3/11/1995
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NT
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	Yes
Priority:	Not reported
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	2A
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	10/6/1993
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Gasoline
Enforcement Type:	2A
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported

LOSKUTOFF PROPERTY (Continued) **S102432765**

Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

J113 **COMMERCIAL** **UST** **U003903403**
SW **2407 HARRISON ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.154 mi.
815 ft. **Site 12 of 17 in cluster J**

Relative:
Lower

Actual:
31 ft.

SAN FRANCISCO CO. UST:

Facility ID:	24624
Facility Status:	Not reported
Number Of Tanks:	Not reported
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	9/29/1993
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported

COMMERCIAL (Continued) **U003903403**

Date Interior Lining Install:	Not reported
Date Closed:	10/6/1993
UST Close ID:	1463
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	2/4/1994
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

J114 **2407 HARRISON ST** **UST** **U003915208**
SW **2407 HARRISON ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.154 mi.
815 ft. **Site 13 of 17 in cluster J**

Relative:
Lower

Actual:
31 ft.

SAN FRANCISCO CO. UST:

Facility ID:	21599
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported

2407 HARRISON ST (Continued) **U003915208**

Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	4/13/1995
Application Name:	Jim Tracy
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	5/1/1995
UST Close ID:	2006
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported

2407 HARRISON ST (Continued) **U003915208**

Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	6/16/1995
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

O115 **BOB S TRANSMISSION SERVICE** **EDR US Hist Auto Stat** **1009001015**
West **605 TREAT AVE** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.159 mi.
840 ft. **Site 3 of 7 in cluster O**

Relative: EDR Historical Auto Stations:
Lower

Name:	BOB S TRANSMISSION SERVICE
Year:	1977
Type:	AUTOMOBILE REPAIRING

Actual:
26 ft.

N116 **ABBETT ELECTRIC CORP** **HIST CORTESE** **U001595371**
North **1850 BRYANT ST** **LUST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110** **HIST UST**
0.160 mi. **ENF**
843 ft. **Site 4 of 7 in cluster N** **HAZNET**

Relative: CORTESE:
Higher

Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-0686

Actual:
58 ft.

LUST:

Region:	STATE
Global Id:	T0607500597
Latitude:	37.7637349
Longitude:	-122.410794
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	01/02/1996
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	AL
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-0686
LOC Case Number:	10554

ABBETT ELECTRIC CORP (Continued) **U001595371**

File Location: Not reported
Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline
Site History: Not reported

Click here to access the California GeoTracker records for this facility:

LUST:
Global Id: T0607500597
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

Global Id: T0607500597
Contact Type: Local Agency Caseworker
Contact Name: ALBERT LEE
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET, #210
City: SAN FRANCISCO
Email: albert.lee@sfdph.org
Phone Number: Not reported

LUST:
Global Id: T0607500597
Action Type: ENFORCEMENT
Date: 10/30/1995
Action: Notice of Responsibility

Global Id: T0607500597
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500597
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

HIST UST:
Region: STATE
Facility ID: 00000049695
Facility Type: Other
Other Type: ELECTRICAL CONTRACTO
Total Tanks: 0002
Contact Name: ROBERT CHERNOTSKY
Telephone: 4158647500
Owner Name: ABBETT ELECTRIC CORPORATION
Owner Address: 1850 BRYANT ST.
Owner City,St,Zip: SAN FRANCISCO, CA 94110

Tank Num: 001
Container Num: 1

ABBETT ELECTRIC CORP (Continued) **U001595371**

Year Installed: 1979
Tank Capacity: 00003000
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Tank Construction: Not reported
Leak Detection: Stock Inventor

Tank Num: 002
Container Num: 2
Year Installed: 1980
Tank Capacity: 00001000
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Tank Construction: Not reported
Leak Detection: Stock Inventor

ENF:
Region: 2
Facility Id: 206967
Agency Name: Abbett Electric Corporation
Place Type: Facility
Place Subtype: Not reported
Facility Type: Unknown
Agency Type: Privately-Owned Business
Of Agencies: 1
Place Latitude: Not reported
Place Longitude: Not reported
SIC Code 1: Not reported
SIC Desc 1: Not reported
SIC Code 2: Not reported
SIC Desc 2: Not reported
SIC Code 3: Not reported
SIC Desc 3: Not reported
NAICS Code 1: Not reported
NAICS Desc 1: Not reported
NAICS Code 2: Not reported
NAICS Desc 2: Not reported
NAICS Code 3: Not reported
NAICS Desc 3: Not reported
Of Places: 1
Source Of Facility: Reg Meas
Design Flow: Not reported
Threat To Water Quality: Not reported
Complexity: Not reported
Pretreatment: Not reported
Facility Waste Type: Not reported
Facility Waste Type 2: Not reported
Facility Waste Type 3: Not reported
Facility Waste Type 4: Not reported
Program: AGT
Of Programs: 1
WDID: 2 38AGT409U
Reg Measure Id: 169337
Reg Measure Type: Unregulated
Region: 2
Order #: Not reported
Npdes# CA#: Not reported

ABBETT ELECTRIC CORP (Continued) **U001595371**

Major-Minor:	Not reported
Npdes Type:	Not reported
Reclamation:	Not reported
Dredge Fill Fee:	Not reported
301H:	Not reported
Application Fee Amt Received:	Not reported
Status:	Active
Status Date:	06/17/2005
Effective Date:	Not reported
Expiration/Review Date:	Not reported
Termination Date:	Not reported
WDR Review - Amend:	Not reported
WDR Review - Revise/Renew:	Not reported
WDR Review - Rescind:	Not reported
WDR Review - No Action Required:	Not reported
WDR Review - Pending:	Not reported
WDR Review - Planned:	Not reported
Status Enrollee:	N
Individual/General:	Not reported
Fee Code:	Not reported
Direction/Voice:	Passive
Enforcement Id(EID):	238834
Region:	2
Order / Resolution Number:	UNKNOWN
Enforcement Action Type:	Oral Communication
Effective Date:	10/01/2001
Adoption/Issuance Date:	Not reported
Achieve Date:	Not reported
Termination Date:	Not reported
ACL Issuance Date:	Not reported
EPL Issuance Date:	Not reported
Status:	Historical
Title:	Enforcement - 2 38AGT409U
Description:	Not reported
Program:	AGT
Latest Milestone Completion Date:	12/13/2001
# Of Programs1:	1
Total Assessment Amount:	0
Initial Assessed Amount:	0
Liability $ Amount:	0
Project $ Amount:	0
Liability $ Paid:	0
Project $ Completed:	0
Total $ Paid/Completed Amount:	0

Region:	2
Facility Id:	206967
Agency Name:	Abbett Electric Corporation
Place Type:	Facility
Place Subtype:	Not reported
Facility Type:	Unknown
Agency Type:	Privately-Owned Business
# Of Agencies:	1
Place Latitude:	Not reported
Place Longitude:	Not reported
SIC Code 1:	Not reported
SIC Desc 1:	Not reported

ABBETT ELECTRIC CORP (Continued) **U001595371**

SIC Code 2:	Not reported
SIC Desc 2:	Not reported
SIC Code 3:	Not reported
SIC Desc 3:	Not reported
NAICS Code 1:	Not reported
NAICS Desc 1:	Not reported
NAICS Code 2:	Not reported
NAICS Desc 2:	Not reported
NAICS Code 3:	Not reported
NAICS Desc 3:	Not reported
# Of Places:	1
Source Of Facility:	Reg Meas
Design Flow:	Not reported
Threat To Water Quality:	Not reported
Complexity:	Not reported
Pretreatment:	Not reported
Facility Waste Type:	Not reported
Facility Waste Type 2:	Not reported
Facility Waste Type 3:	Not reported
Facility Waste Type 4:	Not reported
Program:	AGT
# Of Programs:	1
WDID:	2 38AGT409U
Reg Measure Id:	169337
Reg Measure Type:	Unregulated
Region:	2
Order #:	Not reported
Npdes# CA#:	Not reported
Major-Minor:	Not reported
Npdes Type:	Not reported
Reclamation:	Not reported
Dredge Fill Fee:	Not reported
301H:	Not reported
Application Fee Amt Received:	Not reported
Status:	Active
Status Date:	06/17/2005
Effective Date:	Not reported
Expiration/Review Date:	Not reported
Termination Date:	Not reported
WDR Review - Amend:	Not reported
WDR Review - Revise/Renew:	Not reported
WDR Review - Rescind:	Not reported
WDR Review - No Action Required:	Not reported
WDR Review - Pending:	Not reported
WDR Review - Planned:	Not reported
Status Enrollee:	N
Individual/General:	Not reported
Fee Code:	Not reported
Direction/Voice:	Passive
Enforcement Id(EID):	238836
Region:	2
Order / Resolution Number:	UNKNOWN
Enforcement Action Type:	Staff Enforcement Letter
Effective Date:	11/02/2001
Adoption/Issuance Date:	Not reported
Achieve Date:	Not reported
Termination Date:	Not reported

ABBETT ELECTRIC CORP (Continued) **U001595371**

ACL Issuance Date:	Not reported
EPL Issuance Date:	Not reported
Status:	Historical
Title:	Enforcement - 2 38AGT409U
Description:	Not reported
Program:	AGT
Latest Milestone Completion Date:	Not reported
# Of Programs1:	1
Total Assessment Amount:	0
Initial Assessed Amount:	0
Liability $ Amount:	0
Project $ Amount:	0
Liability $ Paid:	0
Project $ Completed:	0
Total $ Paid/Completed Amount:	0

HAZNET:

Year:	2008
Gepaid:	CAL000102783
Contact:	LES YOUNG/CONTROLLER
Telephone:	4158647500
Mailing Name:	Not reported
Mailing Address:	1850 BRYANT ST
Mailing City,St,Zip:	SAN FRANCISCO, CA 941101407
Gen County:	San Francisco
TSD EPA ID:	CA0000084517
TSD County:	Sacramento
Waste Category:	Oxygenated solvents (acetone, butanol, ethyl acetate, etc.)
Disposal Method:	Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.0175
Facility County:	San Francisco

Year:	2007
Gepaid:	CAL000102783
Contact:	GREGORY ABBETT
Telephone:	4158647500
Mailing Name:	Not reported
Mailing Address:	1850 BRYANT ST
Mailing City,St,Zip:	SAN FRANCISCO, CA 941101407
Gen County:	San Francisco
TSD EPA ID:	CAD093459485
TSD County:	Fresno
Waste Category:	Unspecified solvent mixture
Disposal Method:	Solvents Recovery
Tons:	0.06
Facility County:	San Francisco

Year:	2007
Gepaid:	CAL000102783
Contact:	GREGORY ABBETT
Telephone:	4158647500
Mailing Name:	Not reported
Mailing Address:	1850 BRYANT ST
Mailing City,St,Zip:	SAN FRANCISCO, CA 941101407
Gen County:	San Francisco
TSD EPA ID:	TXD077603371

ABBETT ELECTRIC CORP (Continued) **U001595371**

TSD County:	99
Waste Category:	Unspecified solvent mixture
Disposal Method:	Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.05
Facility County:	San Francisco

Year:	2007
Gepaid:	CAL000102783
Contact:	GREGORY ABBETT
Telephone:	4158647500
Mailing Name:	Not reported
Mailing Address:	1850 BRYANT ST
Mailing City,St,Zip:	SAN FRANCISCO, CA 941101407
Gen County:	San Francisco
TSD EPA ID:	CA0000084517
TSD County:	Sacramento
Waste Category:	Oxygenated solvents (acetone, butanol, ethyl acetate, etc.)
Disposal Method:	Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.07
Facility County:	San Francisco

Year:	2006
Gepaid:	CAL000102783
Contact:	GREGORY ABBETT
Telephone:	4158647500
Mailing Name:	Not reported
Mailing Address:	1850 BRYANT ST
Mailing City,St,Zip:	SAN FRANCISCO, CA 941101407
Gen County:	San Francisco
TSD EPA ID:	CA0000084517
TSD County:	Sacramento
Waste Category:	Oxygenated solvents (acetone, butanol, ethyl acetate, etc.)
Disposal Method:	Transfer Station
Tons:	0.01
Facility County:	San Francisco

Click this hyperlink while viewing on your computer to access
7 additional CA_HAZNET: record(s) in the EDR Site Report.

N117
North
1/8-1/4
0.160 mi.
843 ft.

ABBOTT ELECTRIC CORP. **CA FID UST S101592300**
1850 BRYANT ST **SWEEPS UST N/A**
SAN FRANCISCO, CA 94110

Site 5 of 7 in cluster N

Relative:
Higher

Actual:
58 ft.

CA FID UST:

Facility ID:	38002426
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4158647500
Mail To:	Not reported
Mailing Address:	1850 BRYANT ST
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94110

ABBOTT ELECTRIC CORP. (Continued) **S101592300**

Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

SWEEPS UST:
Status: Active
Comp Number: 1501
Number: 1
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Tank Status: A
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-001501-000001
Actv Date: 09-30-92
Capacity: 3000
Tank Use: M.V. FUEL
Stg: P
Content: REG UNLEADED
Number Of Tanks: 2

Status: Active
Comp Number: 1501
Number: 1
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Tank Status: A
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-001501-000002
Actv Date: 09-30-92
Capacity: 1000
Tank Use: UNKNOWN
Stg: P
Content: DIESEL
Number Of Tanks: Not reported

N118 **ABBETT ELECTRIC** **UST** **U004003399**
North **1850 BRYANT ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.160 mi.
843 ft. **Site 6 of 7 in cluster N**

Relative:
Higher

Actual:
58 ft.

SAN FRANCISCO CO. UST:
Facility ID: 1501
Facility Status: Not reported
Number Of Tanks: Not reported
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: Not reported
Care Of Addr: Not reported

ABBETT ELECTRIC (Continued) **U004003399**

2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	3/4/1993
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	6/1/1993
UST Close ID:	1244
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported

ABBETT ELECTRIC (Continued) **U004003399**

Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	11/8/1996
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	10/27/1994
UST Close ID:	1851
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported

ABBETT ELECTRIC (Continued) **U004003399**

Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	10/27/1995
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

N119 **1X ABBETT ELECTRIC** **LUST S103946673**
North **1850 BRYANT STREET** **HAZNET N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110**
0.160 mi.
843 ft. **Site 7 of 7 in cluster N**

Relative:
Higher

Actual:
58 ft.

LUST REG 2:

Region:	2
Facility Id:	38-0686
Facility Status:	Case Closed
Case Number:	10554
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	Not reported
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

SAN FRANCISCO CO. LUST:

Region:	SAN FRANCISCO
Facility ID:	38-0686
Facility Status:	Case Closed
Case Number:	10554
Case Type:	Soil only
Release Date:	11/9/1995
Discovered Date:	11/3/1994
Substance:	Gasoline

1X ABBETT ELECTRIC (Continued) **S103946673**

Substance Qty:	Not reported
How Discovered:	Not reported
How Stopped:	Not reported
Report Date:	10/27/1994
Case Closed:	1/2/1996
Closed Date:	1/2/1996
Leak Source:	Tank
Leak Cause:	Not reported
Leak Confirmed:	11/9/1995
Entered Date:	10/30/1995
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	AL
Cross Street:	MARIPOSA ST
NOR Date:	10/30/1995
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NT
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	12/21/1995
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Not reported
Interim Remediation:	Not reported
Priority:	Low Priority Site
Abatement:	Not reported
Enforcement Type:	NOR
Enforcement Due Date:	10/30/1995
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	Not reported
Free Product:	Not reported
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Gasoline, diesel
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported

1X ABBETT ELECTRIC (Continued) **S103946673**

TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	580
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

HAZNET:

Year:	1994
Gepaid:	CAC000905104
Contact:	THE ABBETTS
Telephone:	0000000000
Mailing Name:	Not reported
Mailing Address:	1850 BRYANT STREET
Mailing City,St,Zip:	SAN FRANCISCO, CA 941100000
Gen County:	San Diego
TSD EPA ID:	CAD083166728
TSD County:	Stanislaus
Waste Category:	Unspecified oil-containing waste
Disposal Method:	Recycler
Tons:	.2085
Facility County:	San Diego

J120 **MART FRASER & EDWARDS** **EDR US Hist Cleaners** **1009182196**
SW **2412 HARRISON ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.160 mi.
846 ft. **Site 14 of 17 in cluster J**

Relative: **Lower**

Actual: **32 ft.**

EDR Historical Cleaners:

Name:	MART FRASER & EDWARDS
Year:	1977
Type:	CLEANERS
Name:	FRASER & EDWARDS
Year:	1982
Type:	CLEANERS

J121 **CHARTER** **UST** **U003903243**
SW **2412 HARRISON ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.160 mi.
846 ft. **Site 15 of 17 in cluster J**

Relative: **Lower**

Actual: **32 ft.**

SAN FRANCISCO CO. UST:

Facility ID:	17987
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported

CHARTER (Continued) **U003903243**

Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	7/7/2000
Application Name:	Cathy Keller
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	3993
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported

CHARTER (Continued) **U003903243**

Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	11/28/2001
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

J122 **CHARTER CONSTRUCTION, INC.** **LUST U003747645**
SW **2412 HARRISON ST** **HAZNET N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110**
0.160 mi.
846 ft. **Site 16 of 17 in cluster J**

Relative:
Lower

Actual:
32 ft.

LUST:

Region:	STATE
Global Id:	T0607548284
Latitude:	37.758645
Longitude:	-122.412457
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	11/28/2001
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	AL
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-2012
LOC Case Number:	11388
File Location:	Not reported
Potential Media Affect:	Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

LUST:

Global Id:	T0607548284
Contact Type:	Local Agency Caseworker
Contact Name:	ALBERT LEE
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET, #210
City:	SAN FRANCISCO
Email:	albert.lee@sfdph.org
Phone Number:	Not reported

CHARTER CONSTRUCTION, INC. (Continued) **U003747645**

Global Id: T0607548284
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0607548284
Action Type: ENFORCEMENT
Date: 08/21/2000
Action: Staff Letter

Global Id: T0607548284
Action Type: ENFORCEMENT
Date: 11/28/2002
Action: Closure/No Further Action Letter

Global Id: T0607548284
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607548284
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

LUST REG 2:
Region: 2
Facility Id: 38-2012
Facility Status: Case Closed
Case Number: 11388
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 7/27/2000
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 02-300-012
Facility Status: Case Closed
Case Number: 11388
Case Type: Other ground water affected
Release Date: Not reported
Discovered Date: 7/27/2000

CHARTER CONSTRUCTION, INC. (Continued) **U003747645**

Substance:	Gasoline
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Close Tank
Report Date:	7/27/2000
Case Closed:	11/28/2001
Closed Date:	Not reported
Leak Source:	Tank
Leak Cause:	Unknown
Leak Confirmed:	7/27/2000
Entered Date:	8/17/2000
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Terence McManus
Staff Initial:	VP
Facility Staff:	AL
Cross Street:	20th St.
NOR Date:	Not reported
MTBE Current:	1/31/2001
MTBE Current Date:	7/27/2000
MTBE:	ND
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	7/27/2000
Review Date:	5/2/2001
Workplan Submitted:	Not reported
Assessment Underway:	11/2/2000
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	No
Priority:	Low Priority Site
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	Informal Enforcement Actions,including Notices of Violations and Staff Enforcement Letters
Enforcement Due Date:	8/21/2000
Basin:	Not reported
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	7/27/2000
Free Product:	Not reported
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	<1.0
Primary Substance:	Not reported
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	YES

CHARTER CONSTRUCTION, INC. (Continued) **U003747645**

Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	YES
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	7/27/2000
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	<50
TPH Current Date:	1/31/2001
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	8/21/00request GW

HAZNET:

Year:	2000
Gepaid:	CAC002318681
Contact:	CHARTER CONSTRUCTION INC
Telephone:	0000000000
Mailing Name:	Not reported
Mailing Address:	2412 HARRISON ST
Mailing City,St,Zip:	SAN FRANCISCO, CA 941100000
Gen County:	San Francisco
TSD EPA ID:	CAD009466392
TSD County:	7
Waste Category:	Other empty containers 30 gallons or more
Disposal Method:	Recycler
Tons:	.3000
Facility County:	San Francisco

Year:	2000
Gepaid:	CAC002318681
Contact:	CHARTER CONSTRUCTION INC
Telephone:	0000000000
Mailing Name:	Not reported
Mailing Address:	2412 HARRISON ST
Mailing City,St,Zip:	SAN FRANCISCO, CA 941100000
Gen County:	San Francisco
TSD EPA ID:	NVD982358483
TSD County:	99
Waste Category:	Waste oil and mixed oil
Disposal Method:	Recycler
Tons:	.9174
Facility County:	San Francisco

Year:	2000
Gepaid:	CAC002318681
Contact:	CHARTER CONSTRUCTION INC
Telephone:	0000000000
Mailing Name:	Not reported
Mailing Address:	2412 HARRISON ST
Mailing City,St,Zip:	SAN FRANCISCO, CA 941100000
Gen County:	San Francisco
TSD EPA ID:	CAL000161743
TSD County:	Santa Clara

CHARTER CONSTRUCTION, INC. (Continued) **U003747645**

Waste Category: Waste oil and mixed oil
Disposal Method: Recycler
Tons: .6672
Facility County: San Francisco

O123 **WESTERN HEATING & PLUMBING** **HIST CORTESE** **S102441188**
West **600 TREAT STREET** **LUST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110** **HAZNET**
0.162 mi.
853 ft. **Site 4 of 7 in cluster O**

Relative:
Lower

Actual:
26 ft.

CORTESE:
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-0621

LUST:
Region: STATE
Global Id: T0607500542
Latitude: 37.760319
Longitude: -122.414085
Case Type: LUST Cleanup Site
Status: Completed - Case Closed
Status Date: 12/08/1995
Lead Agency: SAN FRANCISCO COUNTY LOP
Case Worker: SC
Local Agency: SAN FRANCISCO COUNTY LOP
RB Case Number: 38-0621
LOC Case Number: 10475
File Location: Not reported
Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Gasoline
Site History: Not reported

Click here to access the California GeoTracker records for this facility:

LUST:
Global Id: T0607500542
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

Global Id: T0607500542
Contact Type: Local Agency Caseworker
Contact Name: STEPHANIE CUSHING
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET #210
City: SAN FRANCISCO
Email: stephanie.cushing@sfdph.org
Phone Number: Not reported

LUST:

WESTERN HEATING & PLUMBING (Continued) **S102441188**

Global Id: T0607500542
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500542
Action Type: Other
Date: 01/01/1950
Action: Leak Discovery

HAZNET:
Year: 1995
Gepaid: CAC001129728
Contact: WESTERN PLUMBING & HEATING CO
Telephone: 0000000000
Mailing Name: Not reported
Mailing Address: 600 TREAT AVE
Mailing City,St,Zip: SAN FRANCISCO, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAD009466392
TSD County: 7
Waste Category: Other empty containers 30 gallons or more
Disposal Method: Recycler
Tons: 1.0000
Facility County: San Francisco

Year: 1995
Gepaid: CAC001129728
Contact: WESTERN PLUMBING & HEATING CO
Telephone: 0000000000
Mailing Name: Not reported
Mailing Address: 600 TREAT AVE
Mailing City,St,Zip: SAN FRANCISCO, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAL000048571
TSD County: Santa Clara
Waste Category: Waste oil and mixed oil
Disposal Method: Recycler
Tons: .5004
Facility County: San Francisco

Year: 1995
Gepaid: CAC001129728
Contact: WESTERN PLUMBING & HEATING CO
Telephone: 0000000000
Mailing Name: Not reported
Mailing Address: 600 TREAT AVE
Mailing City,St,Zip: SAN FRANCISCO, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAD043260702
TSD County: San Mateo
Waste Category: Unspecified oil-containing waste
Disposal Method: Recycler
Tons: .8340
Facility County: San Francisco

O124
West
1/8-1/4
0.162 mi.
853 ft.

WESTERN HEATING & PLUMBING
600 TREAT STREET
SAN FRANCISCO, CA 94110

LUST S104165327
N/A

Site 5 of 7 in cluster O

Relative:
Lower

Actual:
26 ft.

LUST REG 2:

Region:	2
Facility Id:	38-0621
Facility Status:	Case Closed
Case Number:	10475
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	Not reported
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

SAN FRANCISCO CO. LUST:

Region:	SAN FRANCISCO
Facility ID:	38-0621
Facility Status:	Case Closed
Case Number:	10475
Case Type:	Other ground water affected
Release Date:	7/20/1995
Discovered Date:	7/20/1995
Substance:	Gasoline
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Remove Contents
Report Date:	7/20/1995
Case Closed:	12/8/1995
Closed Date:	12/8/1995
Leak Source:	Tank
Leak Cause:	Overfill
Leak Confirmed:	Not reported
Entered Date:	7/10/1995
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	SC
Cross Street:	19TH ST
NOR Date:	7/10/1995
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NT
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported

WESTERN HEATING & PLUMBING (Continued) **S104165327**

MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Not reported
Interim Remediation:	Not reported
Priority:	Not reported
Abatement:	Not reported
Enforcement Type:	NOR
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	Not reported
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Gasoline
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	6/23/95 [leak

O125 **WESTERN PLUMBING &** **UST** **U003906544**
West **600 TREAT AV** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.162 mi.
853 ft. **Site 6 of 7 in cluster O**

Relative: SAN FRANCISCO CO. UST:
Lower

Facility ID:	6434
Facility Status:	Not reported
Number Of Tanks:	2
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported

Actual:
26 ft.

WESTERN PLUMBING & (Continued) U003906544

2nd Care Of Add:	Not reported
Mailing Address:	450 - 6th Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Bay Area Tank
Application Date:	6/12/1995
Application Name:	Tim Gallagher
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	6/23/1995
UST Close ID:	2080
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported

WESTERN PLUMBING & (Continued) U003906544

Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	10/6/1995
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

P126 **CCSF/PTD/MUNI/POTR** UST U003916042
NE **2500 MARIPOSA ST** N/A
1/8-1/4 **SAN FRANCISCO, CA**
0.162 mi.
857 ft. **Site 4 of 9 in cluster P**

Relative: **Higher**

Actual: **55 ft.**

SAN FRANCISCO CO. UST:

Facility ID:	9450
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	6/20/1991
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported

CCSF/PTD/MUNI/POTR (Continued) **U003916042**

Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	869
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

P127 ***PUC/MUNI/POTRERO DIV** **CA FID UST S101592261**
NE **2500 MARIPOSA ST** **SWEEPS UST N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110** **HAZNET**
0.162 mi.
857 ft. **Site 5 of 9 in cluster P**

Relative:
Higher

Actual:
55 ft.

CA FID UST:

Facility ID:	38001968
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4155549254
Mail To:	Not reported
Mailing Address:	2500 MARIPOSA
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94110
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

SWEEPS UST:

Status:	Not reported
Comp Number:	9450
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-009450-000001
Actv Date:	Not reported
Capacity:	100
Tank Use:	UNKNOWN
Stg:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	1

Status:	Active
Comp Number:	9450
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	Not reported
Actv Date:	Not reported
Capacity:	Not reported
Tank Use:	Not reported
Stg:	Not reported
Content:	Not reported
Number Of Tanks:	Not reported

***PUC/MUNI/POTRERO DIV (Continued)** **S101592261**

HAZNET:

Year:	2011
Gepaid:	CAD982008120
Contact:	SCOTT NAKAMURA/HW PROG MGR
Telephone:	4152523994
Mailing Name:	Not reported
Mailing Address:	1390 MARKET ST STE 210
Mailing City,St,Zip:	SAN FRANCISCO, CA 941020000
Gen County:	Not reported
TSD EPA ID:	CAD980884183
TSD County:	Not reported
Waste Category:	Other organic solids
Disposal Method:	Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	1.7168
Facility County:	San Francisco

Year:	2011
Gepaid:	CAD982008120
Contact:	SCOTT NAKAMURA/HW PROG MGR
Telephone:	4152523994
Mailing Name:	Not reported
Mailing Address:	1390 MARKET ST STE 210
Mailing City,St,Zip:	SAN FRANCISCO, CA 941020000
Gen County:	Not reported
TSD EPA ID:	CA0000084517
TSD County:	Not reported
Waste Category:	Aqueous solution with total organic residues less than 10 percent
Disposal Method:	Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	8.7276
Facility County:	San Francisco

Year:	2010
Gepaid:	CAD982008120
Contact:	SCOTT NAKAMURA/HW PROG MGR
Telephone:	4152523994
Mailing Name:	Not reported
Mailing Address:	1390 MARKET ST STE 210
Mailing City,St,Zip:	SAN FRANCISCO, CA 941020000
Gen County:	Not reported
TSD EPA ID:	CAD059494310
TSD County:	Not reported
Waste Category:	Other organic solids
Disposal Method:	Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.6
Facility County:	San Francisco

Year:	2010
Gepaid:	CAD982008120
Contact:	SCOTT NAKAMURA/HW PROG MGR
Telephone:	4152523994
Mailing Name:	Not reported
Mailing Address:	1390 MARKET ST STE 210
Mailing City,St,Zip:	SAN FRANCISCO, CA 941020000
Gen County:	Not reported

***PUC/MUNI/POTRERO DIV (Continued)** **S101592261**

TSD EPA ID: NVD980895338
TSD County: Not reported
Waste Category: Other organic solids
Disposal Method: Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.3125
Facility County: San Francisco

Year: 2010
Gepaid: CAD982008120
Contact: SCOTT NAKAMURA/HW PROG MGR
Telephone: 4152523994
Mailing Name: Not reported
Mailing Address: 1390 MARKET ST STE 210
Mailing City,St,Zip: SAN FRANCISCO, CA 941020000
Gen County: Not reported
TSD EPA ID: CA0000084517
TSD County: Not reported
Waste Category: Aqueous solution with total organic residues less than 10 percent
Disposal Method: Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.2394
Facility County: San Francisco

Click this hyperlink while viewing on your computer to access
45 additional CA_HAZNET: record(s) in the EDR Site Report.

P128 **POTRERO FACILITY** **RCRA-LQG** **1007199691**
NE **2500 MARIPOSA STREET** **CAD982008120**
1/8-1/4 **SAN FRANCISCO, CA 94110**
0.162 mi.
857 ft. **Site 6 of 9 in cluster P**

Relative: **Higher**

Actual: **55 ft.**

RCRA-LQG:
Date form received by agency: 06/24/2002
Facility name: POTRERO FACILITY
Facility address: 2500 MARIPOSA STREET
SAN FRANCISCO, CA 94110
EPA ID: CAD982008120
Mailing address: 949 PRESIDIO AVENUE, ROOM 238
SAN FRANCISCO, CA 94115
Contact: PHILLIP A CALHOUN
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: (415) 923-6264
Contact email: PHIL_CALHOUN@CI.SF.CA.US
EPA Region: 09
Classification: Large Quantity Generator
Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting

POTRERO FACILITY (Continued) **1007199691**

from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Handler Activities Summary:
- U.S. importer of hazardous waste: No
- Mixed waste (haz. and radioactive): No
- Recycler of hazardous waste: No
- Transporter of hazardous waste: No
- Treater, storer or disposer of HW: No
- Underground injection activity: No
- On-site burner exemption: No
- Furnace exemption: No
- Used oil fuel burner: No
- Used oil processor: No
- User oil refiner: No
- Used oil fuel marketer to burner: No
- Used oil Specification marketer: No
- Used oil transfer facility: No
- Used oil transporter: No

Universal Waste Summary:
- Waste type: Batteries
- Accumulated waste on-site: Unknown
- Generated waste on-site: Yes

- Waste type: Lamps
- Accumulated waste on-site: Unknown
- Generated waste on-site: Yes

Historical Generators:
- Date form received by agency: 10/12/2000
- Facility name: POTRERO FACILITY
- Classification: Large Quantity Generator

- Date form received by agency: 03/17/1992
- Facility name: POTRERO FACILITY
- Site name: CCSF PUC MUNI POTRERO
- Classification: Large Quantity Generator

- Date form received by agency: 05/24/1990
- Facility name: POTRERO FACILITY
- Site name: SF MUNICIPAL RAILWAY PATRERO DIVISION
- Classification: Large Quantity Generator

- Violation Status: No violations found

O129 **METKIN TOOL AND** **UST U004003793**
WSW **630 TREAT AV** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.162 mi.
857 ft. **Site 7 of 7 in cluster O**

Relative:
Lower

Actual:
26 ft.

SAN FRANCISCO CO. UST:
- Facility ID: 7500
- Facility Status: Not reported
- Number Of Tanks: 2

METKIN TOOL AND (Continued) **U004003793**

Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	630 Treat Avenue
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Metkin Tool and
Application Date:	6/30/1995
Application Name:	Valerian P. Metkin
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	2099
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported

METKIN TOOL AND (Continued) **U004003793**

Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	10/30/1998
UST Close ID:	3344
Type Of Spill Protection:	Not reported

Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported

METKIN TOOL AND (Continued) U004003793

Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	4/16/1999
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

J130 **COMMERCIAL** UST U003864977
SW **2417 HARRISON ST** N/A
1/8-1/4 **SAN FRANCISCO, CA**
0.162 mi.
858 ft. **Site 17 of 17 in cluster J**

Relative:
Lower

Actual:
32 ft.

SAN FRANCISCO CO. UST:

Facility ID:	24625
Facility Status:	Not reported
Number Of Tanks:	Not reported
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	2/22/1994
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported

COMMERCIAL (Continued) **U003864977**

Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	3/2/1994
UST Close ID:	1608
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	1/17/1995
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported

COMMERCIAL (Continued) **U003864977**

Ball Float Present: Not reported
Fill Tube Present: Not reported
Other Tank Leak Detection Present: Not reported

R131 **PG & E TREAT** **HIST CORTESE** **S102435160**
WNW **536 TREAT** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.163 mi.
863 ft. **Site 1 of 4 in cluster R**

Relative: **Lower**

Actual: **24 ft.**

CORTESE:
Region: CORTESE
Facility County Code: 38
Reg By: LTNKA
Reg Id: 38-0238

R132 **(SHOTWELL SVC. CENTER)** **HIST UST** **U001595365**
WNW **536 TREAT AVE** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110**
0.163 mi.
863 ft. **Site 2 of 4 in cluster R**

Relative: **Lower**

Actual: **24 ft.**

HIST UST:
Region: STATE
Facility ID: 00000028239
Facility Type: Other
Other Type: UTILITY
Total Tanks: 0006
Contact Name: W. H. LINDEMAN
Telephone: 4157814211
Owner Name: PACIFIC GAS AND ELECTRIC COMPA
Owner Address: 77 BEALE STREET
Owner City,St,Zip: SAN FRANCISCO, CA 94106

Tank Num: 001
Container Num: 6
Year Installed: Not reported
Tank Capacity: 00000200
Tank Used for: WASTE
Type of Fuel: WASTE OIL
Tank Construction: Not reported
Leak Detection: Stock Inventor

Tank Num: 002
Container Num: 5
Year Installed: Not reported
Tank Capacity: 00002000
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Tank Construction: Not reported
Leak Detection: Stock Inventor

Tank Num: 003
Container Num: 1
Year Installed: 1969
Tank Capacity: 00010000

(SHOTWELL SVC. CENTER) (Continued) **U001595365**

Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Tank Construction: 1/4 inches
Leak Detection: Stock Inventor

Tank Num: 004
Container Num: 2
Year Installed: 1972
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Tank Construction: 1/4 inches
Leak Detection: Stock Inventor

Tank Num: 005
Container Num: 3
Year Installed: Not reported
Tank Capacity: 00000000
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Tank Construction: Not reported
Leak Detection: Stock Inventor

Tank Num: 006
Container Num: 4
Year Installed: Not reported
Tank Capacity: 00000500
Tank Used for: WASTE
Type of Fuel: WASTE OIL
Tank Construction: Not reported
Leak Detection: Stock Inventor

R133 **PG&E TREAT ST GARAGE** **RCRA-SQG 1000199080**
WNW **536 TREAT ST** **FINDS CAD981460249**
1/8-1/4 **SAN FRANCISCO, CA 94110**
0.163 mi.
863 ft. **Site 3 of 4 in cluster R**

Relative: RCRA-SQG:
Lower
Date form received by agency: 09/01/1996
Facility name: PG&E TREAT ST GARAGE
Actual: Facility address: 536 TREAT ST
24 ft. SAN FRANCISCO, CA 94110
EPA ID: CAD981460249
Mailing address: 77 BEALE ST ATT H M HOWE
SAN FRANCISCO, CA 94106
Contact: Not reported
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 09
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of

PG&E TREAT ST GARAGE (Continued) **1000199080**

hazardous waste at any time

Owner/Operator Summary:
- Owner/operator name: NOT REQUIRED
- Owner/operator address: NOT REQUIRED
  NOT REQUIRED, ME 99999
- Owner/operator country: Not reported
- Owner/operator telephone: (415) 555-1212
- Legal status: Private
- Owner/Operator Type: Operator
- Owner/Op start date: Not reported
- Owner/Op end date: Not reported

- Owner/operator name: PG&E
- Owner/operator address: NOT REQUIRED
  NOT REQUIRED, ME 99999
- Owner/operator country: Not reported
- Owner/operator telephone: (415) 555-1212
- Legal status: Private
- Owner/Operator Type: Owner
- Owner/Op start date: Not reported
- Owner/Op end date: Not reported

Handler Activities Summary:
- U.S. Importer of hazardous waste: No
- Mixed waste (haz. and radioactive): No
- Recycler of hazardous waste: No
- Transporter of hazardous waste: No
- Treater, storer or disposer of HW: No
- Underground injection activity: No
- On-site burner exemption: No
- Furnace exemption: No
- Used oil fuel burner: No
- Used oil processor: No
- User oil refiner: No
- Used oil fuel marketer to burner: No
- Used oil Specification marketer: No
- Used oil transfer facility: No
- Used oil transporter: No

Historical Generators:
- Date form received by agency: 04/03/1990
- Facility name: PG&E TREAT ST GARAGE
- Classification: Large Quantity Generator

- Date form received by agency: 04/09/1986
- Facility name: PG&E TREAT ST GARAGE
- Classification: Large Quantity Generator

- Violation Status: No violations found

FINDS:

- Registry ID: 110002715152

Environmental Interest/Information System

PG&E TREAT ST GARAGE (Continued) **1000199080**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

R134 **PG&E TREAT STREET COMPLEX** **LUST** **S103472665**
WNW **536 TREAT STREET** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110**
0.163 mi.
863 ft. **Site 4 of 4 in cluster R**

Relative:
Lower

Actual:
24 ft.

LUST REG 2:

Region:	2
Facility Id:	38-0238
Facility Status:	Case Closed
Case Number:	10226
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	Not reported
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

SAN FRANCISCO CO. LUST:

Region:	SAN FRANCISCO
Facility ID:	38-0238
Facility Status:	Case Closed
Case Number:	10226
Case Type:	Other ground water affected
Release Date:	12/15/1987
Discovered Date:	12/9/1987
Substance:	Gasoline
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Close Tank
Report Date:	12/15/1987
Case Closed:	8/26/1998
Closed Date:	8/26/1998
Leak Source:	Tank
Leak Cause:	Structure Failure
Leak Confirmed:	Not reported
Entered Date:	3/8/1994
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	PG &E
RP Address:	Not reported

PG&E TREAT STREET COMPLEX (Continued) **S103472665**

Operator:	Not reported
Staff Initial:	VP
Facility Staff:	SC
Cross Street:	18TH ST
NOR Date:	3/8/1994
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	YES
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	7/29/1996
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	Yes
Priority:	Not reported
Abatement:	Remove Free Product - remove floating product from water table, Excavate and Dispose - remove contaminated soil and dispose in approved site
Enforcement Type:	2A
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	5/20/1986
Free Product:	Yes
Depth to Grnd Wtr:	6.75-10.35
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Gasoline
Enforcement Type:	2A
Amount of Free Produce:	Not reported
Benzene Test:	YES
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	12/15/87 [leak

S135 **VACANT LOT** **CA FID UST S101592135**
SW **3221 20TH ST** **SWEEPS UST N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110** **CHMIRS**
0.165 mi.
873 ft. **Site 1 of 3 in cluster S**

Relative:
Lower

Actual:
32 ft.

CA FID UST:

Facility ID:	38000660
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4150000000
Mail To:	Not reported
Mailing Address:	3221 20TH ST
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94110
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

SWEEPS UST:

Status:	Not reported
Comp Number:	7491
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-007491-000001
Actv Date:	Not reported
Capacity:	560
Tank Use:	UNKNOWN
Stg:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	1

Status:	Not reported
Comp Number:	8406
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-008406-000001
Actv Date:	Not reported
Capacity:	1
Tank Use:	UNKNOWN
Stg:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	1

VACANT LOT (Continued) **S101592135**

Status: Active
Comp Number: 7491
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Tank Status: Not reported
Owner Tank Id: Not reported
Swrcb Tank Id: Not reported
Actv Date: Not reported
Capacity: Not reported
Tank Use: Not reported
Stg: Not reported
Content: Not reported
Number Of Tanks: Not reported

Status: Active
Comp Number: 8406
Number: 9
Board Of Equalization: Not reported
Referral Date: 09-30-92
Action Date: 12-10-91
Created Date: 01-01-01
Tank Status: Not reported
Owner Tank Id: Not reported
Swrcb Tank Id: Not reported
Actv Date: Not reported
Capacity: Not reported
Tank Use: Not reported
Stg: Not reported
Content: Not reported
Number Of Tanks: Not reported

CHMIRS:
OES Incident Number: '10-2745
OES notification: 05/02/2010
OES Date: Not reported
OES Time: Not reported
Incident Date: Not reported
Date Completed: Not reported
Property Use: Not reported
Agency Id Number: Not reported
Agency Incident Number: Not reported
Time Notified: Not reported
Time Completed: Not reported
Surrounding Area: Not reported
Estimated Temperature: Not reported
Property Management: Not reported
Special Studies 1: Not reported
Special Studies 2: Not reported
Special Studies 3: Not reported
Special Studies 4: Not reported
Special Studies 5: Not reported
Special Studies 6: Not reported
More Than Two Substances Involved?: Not reported
Resp Agncy Personel # Of Decontaminated: Not reported

VACANT LOT (Continued) **S101592135**

Responding Agency Personel # Of Injuries:	Not reported
Responding Agency Personel # Of Fatalities:	Not reported
Others Number Of Decontaminated:	Not reported
Others Number Of Injuries:	Not reported
Others Number Of Fatalities:	Not reported
Vehicle Make/year:	Not reported
Vehicle License Number:	Not reported
Vehicle State:	Not reported
Vehicle Id Number:	Not reported
CA/DOT/PUC/ICC Number:	Not reported
Company Name:	Not reported
Reporting Officer Name/ID:	Not reported
Report Date:	Not reported
Comments:	Not reported
Facility Telephone:	Not reported
Waterway Involved:	No
Waterway:	Not reported
Spill Site:	Merchant/Business
Cleanup By:	Contractor
Containment:	Not reported
What Happened:	Not reported
Type:	Not reported
Measure:	Gal(s)
Other:	Not reported
Date/Time:	1400
Year:	2010
Agency:	PG&E
Incident Date:	5/2/2010
Admin Agency:	San Francisco County Health Department
Amount:	Not reported
Contained:	Yes
Site Type:	Not reported
E Date:	Not reported
Substance:	PCB Mineral Oil
Quantity Released:	0.5
BBLS:	Not reported
Cups:	Not reported
CUFT:	Not reported
Gallons:	Not reported
Grams:	Not reported
Pounds:	Not reported
Liters:	Not reported
Ounces:	Not reported
Pints:	Not reported
Quarts:	Not reported
Sheen:	Not reported
Tons:	Not reported
Unknown:	Not reported
Evacuations:	Not reported
Number of Injuries:	Not reported
Number of Fatalities:	Not reported
Description:	Caller states that a pole top transformer sprayed PCB mineral oil out on a tree and the ground. 30ppm PCBs.

S136 **AUTO ELECTRICAL** **UST** **U003902897**
SW **3221 20TH ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.165 mi.
873 ft. **Site 2 of 3 in cluster S**

Relative:
Lower

Actual:
32 ft.

SAN FRANCISCO CO. UST:

Facility ID:	8406
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	8/13/1987
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	29
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported

AUTO ELECTRICAL (Continued) **U003902897**

Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

T137 **SF NEON INC.** **UST** **U004004336**
East **690 POTRERO AV** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.168 mi.
889 ft. **Site 1 of 2 in cluster T**

Relative:
Higher

Actual:
71 ft.

SAN FRANCISCO CO. UST:

Facility ID:	9163
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	4/5/1988
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported

SF NEON INC. (Continued) **U004004336**

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	510
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported

SF NEON INC. (Continued) **U004004336**

Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

T138 **SF NEON INC.** **CA FID UST S101592603**
East **690 POTRERO AVE** **SWEEPS UST N/A**
1/8-1/4 **SAN FRANCISCO, CA 94100**
0.168 mi.
889 ft. **Site 2 of 2 in cluster T**

Relative:
Higher

Actual:
71 ft.

CA FID UST:

Facility ID:	38005482
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4150000000
Mail To:	Not reported
Mailing Address:	690 POTRERO AVE
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94100
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

SWEEPS UST:

Status:	Not reported
Comp Number:	9163
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-009163-000001
Actv Date:	Not reported
Capacity:	500
Tank Use:	UNKNOWN
Stg:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	1

Status:	Active
Comp Number:	9163
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Tank Status:	Not reported
Owner Tank Id:	Not reported

SF NEON INC. (Continued) **S101592603**

Swrcb Tank Id:	Not reported
Actv Date:	Not reported
Capacity:	Not reported
Tank Use:	Not reported
Stg:	Not reported
Content:	Not reported
Number Of Tanks:	Not reported

Q139 **VIC S SERVICE STATION** **EDR US Hist Auto Stat** **1009000773**
ENE **600 POTRERO AVE** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.170 mi.
898 ft. **Site 3 of 5 in cluster Q**

Relative:
Higher

Actual:
63 ft.

EDR Historical Auto Stations:

Name:	MIROLO DANL
Year:	1940
Type:	GASOLINE AND OIL SERVICE STATION
Name:	MIROLO DANL
Year:	1940
Type:	GASOLINE AND OIL SERVICE STATIONS
Name:	DAN S MOBILGAS STATION
Year:	1953
Type:	GASOLINE STATIONS
Name:	WALT S MOBILGAS SERVICE
Year:	1958
Type:	GASOLINE STATIONS
Name:	WALT S MOBILGAS SERVICE
Year:	1958
Type:	GASOLINE STATIONS
Name:	LAKES SERVICE STATION
Year:	1962
Type:	GASOLINE STATIONS
Name:	VIC S SERVICE STATION
Year:	1966
Type:	GASOLINE STATIONS
Name:	VIC S SERVICE STATION
Year:	1966
Type:	GASOLINE STATIONS

Q140
ENE
1/8-1/4
0.172 mi.
908 ft.

EWING C E
601 POTRERO AVE
SAN FRANCISCO, CA

EDR US Hist Auto Stat **1008999223**
N/A

Site 4 of 5 in cluster Q

Relative:
Higher

Actual:
64 ft.

EDR Historical Auto Stations:

Name:	EWING C E
Year:	1935
Type:	GASOLINE AND OIL SERVICE STATION
Name:	EWING C E
Year:	1935
Type:	GASOLINE AND OIL SERVICE STATION
Name:	EWING C E
Year:	1935
Type:	GASOLINE AND OIL SERVICE STATIONS
Name:	EWING C E
Year:	1940
Type:	GASOLINE AND OIL SERVICE STATIONS
Name:	EWING C E
Year:	1940
Type:	GASOLINE AND OIL SERVICE STATION
Name:	STORY GUY A
Year:	1953
Type:	GASOLINE STATIONS

U141
NE
1/8-1/4
0.176 mi.
931 ft.

ALART MECHANICAL
445 HAMPSHIRE ST
SAN FRANCISCO, CA

UST **U003902804**
N/A

Site 1 of 4 in cluster U

Relative:
Higher

Actual:
58 ft.

SAN FRANCISCO CO. UST:

Facility ID:	6592
Facility Status:	Not reported
Number Of Tanks:	4
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	255 Shipley Street
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Golden Gate Tank
Application Date:	10/17/1995
Application Name:	Jim Tracy
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported

ALART MECHANICAL (Continued) **U003902804**

Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	11/22/1995
UST Close ID:	2187
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	2/22/1996
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported

ALART MECHANICAL (Continued) **U003902804**

Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

U142 **ALART PLUMBING, INC.** **CA FID UST S101623251**
NE **445 HAMPSHIRE ST** **SWEEPS UST N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110**
0.176 mi.
931 ft. **Site 2 of 4 in cluster U**

Relative:
Higher

Actual:
58 ft.

CA FID UST:

Facility ID:	38003097
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4156215219
Mail To:	Not reported
Mailing Address:	445 HAMPSHIRE ST
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94110
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

SWEEPS UST:

Status:	Active
Comp Number:	6592
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Tank Status:	A
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-006592-000001
Actv Date:	09-30-92
Capacity:	1000
Tank Use:	M.V. FUEL
Stg:	P
Content:	REG UNLEADED
Number Of Tanks:	4

Status:	Active
Comp Number:	6592
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Tank Status:	A
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-006592-000002

ALART PLUMBING, INC. (Continued) **S101623251**

Actv Date:	09-30-92
Capacity:	1000
Tank Use:	M.V. FUEL
Stg:	P
Content:	REG UNLEADED
Number Of Tanks:	Not reported
Status:	Active
Comp Number:	6592
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Tank Status:	A
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-006592-000003
Actv Date:	09-30-92
Capacity:	4000
Tank Use:	M.V. FUEL
Stg:	P
Content:	REG UNLEADED
Number Of Tanks:	Not reported
Status:	Active
Comp Number:	6592
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Tank Status:	A
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-006592-000004
Actv Date:	09-30-92
Capacity:	2000
Tank Use:	M.V. FUEL
Stg:	P
Content:	REG UNLEADED
Number Of Tanks:	Not reported

U143 **TRALA PARTNERSHIP** **HIST CORTESE** **S102439195**
NE **445 HAMPSHIRE STREET** **LUST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110** **HAZNET**
0.176 mi.
931 ft. **Site 3 of 4 in cluster U**

Relative:
Higher

Actual:
58 ft.

CORTESE:

Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-0712

LUST:

Region:	STATE
Global Id:	T0607500621
Latitude:	37.763731

TRALA PARTNERSHIP (Continued) **S102439195**

Longitude:	-122.408047
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	03/28/1996
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	AL
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-0712
LOC Case Number:	10565
File Location:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

LUST:

Global Id:	T0607500621
Contact Type:	Regional Board Caseworker
Contact Name:	VIC PAL
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY STREET, SUITE 1400
City:	OAKLAND
Email:	vpal@waterboards.ca.gov
Phone Number:	Not reported

Global Id:	T0607500621
Contact Type:	Local Agency Caseworker
Contact Name:	ALBERT LEE
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET, #210
City:	SAN FRANCISCO
Email:	albert.lee@sfdph.org
Phone Number:	Not reported

LUST:

Global Id:	T0607500621
Action Type:	Other
Date:	01/01/1950
Action:	Leak Reported

Global Id:	T0607500621
Action Type:	Other
Date:	01/01/1950
Action:	Leak Discovery

LUST REG 2:

Region:	2
Facility Id:	38-0712
Facility Status:	Case Closed
Case Number:	10565
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST

TRALA PARTNERSHIP (Continued) **S102439195**

Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:

Region:	SAN FRANCISCO
Facility ID:	38-0712
Facility Status:	Case Closed
Case Number:	10565
Case Type:	Soil only
Release Date:	11/2/1995
Discovered Date:	11/22/1995
Substance:	Gasoline
Substance Qty:	Not reported
How Discovered:	Tank Closure
How Stopped:	Close Tank
Report Date:	11/2/1995
Case Closed:	3/28/1996
Closed Date:	3/28/1996
Leak Source:	Tank
Leak Cause:	Overfill
Leak Confirmed:	Not reported
Entered Date:	11/29/1995
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	AL
Cross Street:	17TH ST
NOR Date:	11/29/1995
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NT
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	12/21/1995
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Not reported
Interim Remediation:	Not reported
Priority:	Not reported
Abatement:	Not reported
Enforcement Type:	NOR
Enforcement Due Date:	Not reported

TRALA PARTNERSHIP (Continued) **S102439195**

Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	Not reported
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Gasoline
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

HAZNET:

Year:	2000
Gepaid:	CAC002282425
Contact:	ARTHUR BRUSCHERA
Telephone:	4156215219
Mailing Name:	Not reported
Mailing Address:	445 HAMPSHIRE ST
Mailing City,St,Zip:	SAN FRANCISCO, CA 941101416
Gen County:	San Francisco
TSD EPA ID:	CAD028409019
TSD County:	Los Angeles
Waste Category:	Unspecified oil-containing waste
Disposal Method:	Not reported
Tons:	.4795
Facility County:	San Francisco

Year:	1995
Gepaid:	CAC001055096
Contact:	BRUSCHERA GALLIANO
Telephone:	0000000000
Mailing Name:	Not reported
Mailing Address:	445 HAMPSHIRE ST
Mailing City,St,Zip:	SAN FRANCISCO, CA 941100000
Gen County:	San Francisco
TSD EPA ID:	CAD083166728
TSD County:	Stanislaus
Waste Category:	Unspecified oil-containing waste

TRALA PARTNERSHIP (Continued) **S102439195**

Disposal Method: Recycler
Tons: 2.9190
Facility County: San Francisco

Year: 1995
Gepaid: CAC001055096
Contact: BRUSCHERA GALLIANO
Telephone: 0000000000
Mailing Name: Not reported
Mailing Address: 445 HAMPSHIRE ST
Mailing City,St,Zip: SAN FRANCISCO, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAD028409019
TSD County: Los Angeles
Waste Category: Unspecified organic liquid mixture
Disposal Method: Treatment, Tank
Tons: .6255
Facility County: San Francisco

Year: 1995
Gepaid: CAC001055096
Contact: BRUSCHERA GALLIANO
Telephone: 0000000000
Mailing Name: Not reported
Mailing Address: 445 HAMPSHIRE ST
Mailing City,St,Zip: SAN FRANCISCO, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAD004771168
TSD County: San Francisco
Waste Category: Other empty containers 30 gallons or more
Disposal Method: Disposal, Land Fill
Tons: 3.0000
Facility County: San Francisco

Year: 1995
Gepaid: CAC001055096
Contact: BRUSCHERA GALLIANO
Telephone: 0000000000
Mailing Name: Not reported
Mailing Address: 445 HAMPSHIRE ST
Mailing City,St,Zip: SAN FRANCISCO, CA 941100000
Gen County: San Francisco
TSD EPA ID: CAD004771168
TSD County: San Francisco
Waste Category: Other empty containers 30 gallons or more
Disposal Method: Recycler
Tons: 1.0000
Facility County: San Francisco

Click this hyperlink while viewing on your computer to access additional CA_HAZNET: detail in the EDR Site Report.

U144
NE
1/8-1/4
0.176 mi.
931 ft.

ALART PLUMBING, INC.
445 HAMPSHIRE ST
SAN FRANCISCO, CA 94110

HIST UST **U001595372**
N/A

Site 4 of 4 in cluster U

Relative:
Higher

Actual:
58 ft.

HIST UST:

Region:	STATE
Facility ID:	00000063640
Facility Type:	Other
Other Type:	CONTRACTOR
Total Tanks:	0004
Contact Name:	Not reported
Telephone:	4156215219
Owner Name:	ALART PLUMBING, INC.
Owner Address:	445 HAMPSHIRE ST
Owner City,St,Zip:	SAN FRANCISCO, CA 94110
Tank Num:	001
Container Num:	A-1
Year Installed:	1980
Tank Capacity:	00001000
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Tank Construction:	Not reported
Leak Detection:	Stock Inventor, Pressure Test
Tank Num:	002
Container Num:	C-1
Year Installed:	1978
Tank Capacity:	00001000
Tank Used for:	PRODUCT
Type of Fuel:	PREMIUM
Tank Construction:	Not reported
Leak Detection:	Stock Inventor, Pressure Test
Tank Num:	003
Container Num:	C-2
Year Installed:	1978
Tank Capacity:	00004000
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Tank Construction:	Not reported
Leak Detection:	Stock Inventor, Pressure Test
Tank Num:	004
Container Num:	B-1
Year Installed:	1978
Tank Capacity:	00000500
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Tank Construction:	Not reported
Leak Detection:	Stock Inventor, Pressure Test

Q145
ENE
1/8-1/4
0.177 mi.
933 ft.

579 POTRERO AVE
SAN FRANCISCO, CA 94110

Site 5 of 5 in cluster Q

Relative:
Higher

Actual:
65 ft.

EDR US Hist Auto Stat **1015559669**
N/A

EDR Historical Auto Stations:

Name:	K & K AUTO SERVICE & BODY
Year:	1999
Address:	579 POTRERO AVE
Name:	K & K AUTO SERVICE & BODY
Year:	2000
Address:	579 POTRERO AVE
Name:	K & K AUTO SERVICE
Year:	2001
Address:	579 POTRERO AVE
Name:	K & K AUTO SERVICE
Year:	2002
Address:	579 POTRERO AVE
Name:	K & K AUTO SERVICE & BODY
Year:	2003
Address:	579 POTRERO AVE
Name:	K & K AUTO SERVICE & BODY
Year:	2004
Address:	579 POTRERO AVE
Name:	K & K AUTO SERVICE & BODY
Year:	2005
Address:	579 POTRERO AVE
Name:	K & K AUTO SERVICE & BODY
Year:	2006
Address:	579 POTRERO AVE
Name:	K & K AUTO SERVICE & BODY
Year:	2008
Address:	579 POTRERO AVE
Name:	K & K AUTO SERVICE & BODY
Year:	2009
Address:	579 POTRERO AVE
Name:	K & K AUTO SVC & BODY
Year:	2010
Address:	579 POTRERO AVE
Name:	K & K AUTO SERVICE & BODY
Year:	2011
Address:	579 POTRERO AVE
Name:	POTRERO PERFORMANCE AUTO
Year:	2012
Address:	579 POTRERO AVE

P146 **NETWORK COURIER** **UST** **U004003824**
NE **2440 MARIPOSA ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.188 mi.
991 ft. **Site 7 of 9 in cluster P**

Relative:
Higher

Actual:
65 ft.

SAN FRANCISCO CO. UST:

Facility ID:	24806
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	12/15/1994
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	12/30/1994
UST Close ID:	1915
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported

NETWORK COURIER (Continued) **U004003824**

Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	3/2/1995
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

P147 **RUDY MARK MILLER** **LUST S102801605**
NE **2440 MARIPOSA STREET** **HAZNET N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110**
0.188 mi.
991 ft. **Site 8 of 9 in cluster P**

Relative:
Higher

Actual:
65 ft.

LUST REG 2:

Region:	2
Facility Id:	38-0548
Facility Status:	Case Closed
Case Number:	10719
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	Not reported
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

SAN FRANCISCO CO. LUST:

Region:	SAN FRANCISCO
Facility ID:	38-0548

RUDY MARK MILLER (Continued) **S102801605**

Facility Status:	Case Closed
Case Number:	10719
Case Type:	Soil only
Release Date:	3/2/1995
Discovered Date:	2/17/1995
Substance:	Gasoline
Substance Qty:	Not reported
How Discovered:	Not reported
How Stopped:	Not reported
Report Date:	3/2/1995
Case Closed:	10/30/1996
Closed Date:	10/30/1996
Leak Source:	Tank
Leak Cause:	Structure Failure
Leak Confirmed:	Not reported
Entered Date:	10/29/1996
Number of Wells:	Not reported
Regional Board:	San Francisco Bay Region
Local Agency:	38000
Lead Agency:	Local Agency
Program:	LOP
Responsible Party:	Not reported
RP Address:	Not reported
Operator:	Not reported
Staff Initial:	VP
Facility Staff:	AL
Cross Street:	HAMPSHIRE ST
NOR Date:	10/29/1996
MTBE Current:	Not reported
MTBE Current Date:	Not reported
MTBE:	NT
Maximum MTBE Soil:	Not reported
Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	Yes
Priority:	Low Priority Site
Abatement:	Excavate and Dispose - remove contaminated soil and dispose in approved site, Remove Free Product - remove floating product from water table
Enforcement Type:	NOR
Enforcement Due Date:	10/29/1996
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	Not reported
Free Product:	No
Depth to Grnd Wtr:	Not reported

RUDY MARK MILLER (Continued) **S102801605**

Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Gasoline
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

HAZNET:

Year:	1995
Gepaid:	CAC001008024
Contact:	RUDY MARK MILLER
Telephone:	0000000000
Mailing Name:	Not reported
Mailing Address:	2440 MARIPOSA STREET
Mailing City,St,Zip:	SAN FRANCISCO, CA 941100000
Gen County:	San Francisco
TSD EPA ID:	CAL000048571
TSD County:	Santa Clara
Waste Category:	Waste oil and mixed oil
Disposal Method:	Recycler
Tons:	1.2510
Facility County:	San Francisco

P148 **NETWORK COURIER SERVICES** **HIST CORTESE U003716620**
NE **2440 MARIPOSA STREET** **LUST N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110**
0.188 mi.
991 ft. **Site 9 of 9 in cluster P**

Relative:
Higher

Actual:
65 ft.

CORTESE:

Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-0548

LUST:

Region:	STATE
Global Id:	T0607500487
Latitude:	37.763425
Longitude:	-122.406606
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed

NETWORK COURIER SERVICES (Continued) **U003716620**

Status Date:	10/30/1996
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	AL
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-0548
LOC Case Number:	10719
File Location:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

LUST:

Global Id:	T0607500487
Contact Type:	Regional Board Caseworker
Contact Name:	VIC PAL
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY STREET, SUITE 1400
City:	OAKLAND
Email:	vpal@waterboards.ca.gov
Phone Number:	Not reported

Global Id:	T0607500487
Contact Type:	Local Agency Caseworker
Contact Name:	ALBERT LEE
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET, #210
City:	SAN FRANCISCO
Email:	albert.lee@sfdph.org
Phone Number:	Not reported

LUST:

Global Id:	T0607500487
Action Type:	ENFORCEMENT
Date:	10/29/1996
Action:	Notice of Responsibility

Global Id:	T0607500487
Action Type:	Other
Date:	01/01/1950
Action:	Leak Reported

Global Id:	T0607500487
Action Type:	Other
Date:	01/01/1950
Action:	Leak Discovery

V149 **MIRAGE INVESTMENT,** **UST** **U003904052**
SSW **2451 HARRISON ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.192 mi.
1014 ft. **Site 1 of 4 in cluster V**

Relative:
Higher

Actual:
34 ft.

SAN FRANCISCO CO. UST:

Facility ID:	24626
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Not reported
Application Date:	4/23/1987
Application Name:	Not reported
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	5/6/1987
UST Close ID:	287
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported

MIRAGE INVESTMENT, (Continued) **U003904052**

Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

V150
SSW
1/8-1/4
0.192 mi.
1014 ft.

MIRAGE INVESTMENT, INC.
2451 HARRISON ST
SAN FRANCISCO, CA 94110

CA FID UST **S101592350**
SWEEPS UST **N/A**

Site 2 of 4 in cluster V

Relative:
Higher

Actual:
34 ft.

CA FID UST:

Facility ID:	38003489
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4150000000
Mail To:	Not reported
Mailing Address:	2451 HARRISON ST
Mailing Address 2:	Not reported
Mailing City,St,Zip:	SAN FRANCISCO 94110
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

SWEEPS UST:

MIRAGE INVESTMENT, INC. (Continued) **S101592350**

Status:	Not reported
Comp Number:	609
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-000609-000001
Actv Date:	Not reported
Capacity:	280
Tank Use:	UNKNOWN
Stg:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	1

Status:	Active
Comp Number:	609
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	Not reported
Actv Date:	Not reported
Capacity:	Not reported
Tank Use:	Not reported
Stg:	Not reported
Content:	Not reported
Number Of Tanks:	Not reported

V151 **RUSSELL FRANK** **EDR US Hist Cleaners** **1009177600**
SSW **2450 HARRISON** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.192 mi.
1016 ft. **Site 3 of 4 in cluster V**

Relative: EDR Historical Cleaners:
Higher

Name:	STANDARD LAUNDRY
Year:	1930
Type:	LAUNDRIES-STEAM

Actual:
34 ft.

Name:	PHOENIX LINEN SUPPLY & LAUNDRY CO
Year:	1935
Type:	LAUNDRIES-STEAM

Name:	RUSSELL FRANK
Year:	1940
Type:	LAUNDRIES-STEAM

Name:	ECONOMY LAUNDRY
Year:	1940
Type:	LAUNDRIES-STEAM

V152 **ECONOMY LAUNDRY** **EDR US Hist Cleaners** **1009129674**
SSW **2450 HARRISON ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.193 mi.
1019 ft. **Site 4 of 4 in cluster V**

Relative: EDR Historical Cleaners:
Higher
Name: STANDARD LAUNDRY
Year: 1930
Actual: Type: LAUNDRIES-STEA
34 ft.

Name: PHOENIX LINEN SUPPLY & LAUNDRY CO
Year: 1935
Type: LAUNDRIES-STEA

Name: PHOENIX LINEN SUPPLY & LAUNDRY CO
Year: 1935
Type: LAUNDRIES-STEA

Name: RUSSELL FRANK
Year: 1940
Type: LAUNDRIES STEAM

Name: ECONOMY LAUNDRY
Year: 1940
Type: LAUNDRIES STEAM

S153 **F & G AUTOMOTIVE REPAIR** **EDR US Hist Auto Stat** **1009001469**
SW **707 TREAT AVE** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.196 mi.
1036 ft. **Site 3 of 3 in cluster S**

Relative: EDR Historical Auto Stations:
Higher
Name: PARAMOUNT REPAIR SHOP
Year: 1925
Actual: Type: AUTOMOBILE REPAIRING
34 ft.

Name: PISCITELLO FRANK
Year: 1930
Type: AUTOMOBILE REPAIRING

Name: PISCITELLO FRANK
Year: 1930
Type: AUTOMOBILE REPAIRING

Name: PISCITELLO FRANK
Year: 1935
Type: AUTOMOBILE REPAIRING

Name: PISCITELLO FRANK
Year: 1935
Type: AUTOMOBILE REPAIRING

Name: ANDREWS JOHN
Year: 1940
Type: AUTOMOBILE REPAIRING

Name: ANDREWS JOHN
Year: 1940

F & G AUTOMOTIVE REPAIR (Continued) **1009001469**

Type: AUTOMOBILE REPAIRING

Name: ARNOLD W M
Year: 1944
Type: AUTOMOBILE GARAGES

Name: F & G AUTOMOTIVE REPAIR GARAGE
Year: 1949
Type: AUTOMOBILE REPAIRING

Name: F & G AUTO & EQUIPMENT REPAIR
Year: 1953
Type: AUTOMOBILE REPAIRING

Name: F & G AUTOMOTIVE REPAIR
Year: 1958
Type: AUTOMOBILE REPAIRING

Name: F & G AUTOMOTIVE REPAIR
Year: 1958
Type: AUTOMOBILE REPAIRING

Name: F & G AUTOMOTIVE REPAIR
Year: 1962
Type: AUTOMOBILE REPAIRING

Name: F&G AUTOMOTIVE REPAIR
Year: 1962
Type: AUTOMOBILE REPAIRING

Name: FRASER EDWARDS CO
Year: 1966
Type: AUTOMOBILE REPAIRING

Name: FRASER EDWARDS CO
Year: 1966
Type: AUTOMOBILE REPAIRING

Name: FRASER EDWARDS CO
Year: 1971
Type: AUTOMOBILE REPAIRING

W154 **BERTELSEN L T** **EDR US Hist Auto Stat** **1008998305**
NE **519 POTRERO AVE** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.197 mi.
1040 ft. **Site 1 of 3 in cluster W**

Relative:
Higher

Actual:
70 ft.

EDR Historical Auto Stations:

Name: BERTELSEN L T
Year: 1940
Type: AUTOMOBILE REPAIRING

Name: BERTELSEN L T
Year: 1940
Type: AUTOMOBILE REPAIRING

Name: BERTELSEN L T

BERTELSEN L T (Continued) **1008998305**

Year: 1949
Type: AUTOMOBILE REPAIRING

Name: BERTELSEN L T
Year: 1949
Type: AUTOMOBILE REPAIRING

X155 **NICHIREN, SHOSHU,** **UST** **U003904108**
North **1800 BRYANT ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.201 mi.
1062 ft. **Site 1 of 10 in cluster X**

Relative:
Higher

Actual:
58 ft.

SAN FRANCISCO CO. UST:

Facility ID:	21678
Facility Status:	Not reported
Number Of Tanks:	1
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	3931 Luneman Road
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	William Dubovsky
Application Date:	6/4/1997
Application Name:	William Dubovsky
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	7/31/1997
UST Close ID:	2950
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported

NICHIREN, SHOSHU, (Continued) **U003904108**

Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

X156 **VACANT LOT** **LUST S105244841**
North **1800 BRYANT STREET** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110**
0.201 mi.
1062 ft. **Site 2 of 10 in cluster X**

Relative: **Higher**

Actual: **58 ft.**

LUST REG 2:

Region:	2
Facility Id:	38-0937
Facility Status:	Case Closed
Case Number:	10868
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	Not reported
Pollution Characterization Began:	Not reported

VACANT LOT (Continued) **S105244841**

Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 38-0937
Facility Status: Case Closed
Case Number: 10868
Case Type: Soil only
Release Date: 8/8/1997
Discovered Date: 8/18/1997
Substance: Diesel
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Close Tank
Report Date: 8/8/1997
Case Closed: 10/7/1997
Closed Date: 10/7/1997
Leak Source: Unknown
Leak Cause: Unknown
Leak Confirmed: Not reported
Entered Date: 9/17/1997
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: REDMOND
RP Address: Not reported
Operator: Not reported
Staff Initial: VP
Facility Staff: MA
Cross Street: 17TH ST
NOR Date: 9/17/1997
MTBE Current: Not reported
MTBE Current Date: Not reported
MTBE: NT
Maximum MTBE Soil: Not reported
Maximum MTBE GW: Not reported
MTBE DATE: Not reported
Review Date: Not reported
Workplan Submitted: Not reported
Assessment Underway: Not reported
Pollution Characterization: Not reported
Corrective Action Plan: Not reported
Remediation Underway: Not reported
Monitoring Begun: Not reported
Funding: Federal
Interim Remediation: Yes
Priority: Not reported
Abatement: Remove Free Product - remove floating product from water table
Enforcement Type: NOR
Enforcement Due Date: Not reported
Basin: Downtown Basin
Beneficial Use: No
Lat/Long: Not reported

VACANT LOT (Continued) **S105244841**

CUFID:	Not reported
Suspended:	No
Stopped Date:	8/5/1997
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Diesel fuel oil
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	ND
Maximum Soil GW:	ND
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

X157 **VACANT LOT** **HIST CORTESE** **S103636927**
North **1800 BRYANT STREET** **LUST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110** **HAZNET**
0.201 mi.
1062 ft. **Site 3 of 10 in cluster X**

Relative:
Higher

Actual:
58 ft.

CORTESE:

Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-0937

LUST:

Region:	STATE
Global Id:	T0607500831
Latitude:	37.764088
Longitude:	-122.410828
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	10/07/1997
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	MA
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-0937
LOC Case Number:	10868
File Location:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Diesel
Site History:	Not reported

VACANT LOT (Continued) **S103636927**

Click here to access the California GeoTracker records for this facility:

LUST:

Global Id:	T0607500831
Contact Type:	Regional Board Caseworker
Contact Name:	VIC PAL
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY STREET, SUITE 1400
City:	OAKLAND
Email:	vpal@waterboards.ca.gov
Phone Number:	Not reported

Global Id:	T0607500831
Contact Type:	Local Agency Caseworker
Contact Name:	MAMDOUH AWWAD
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET, #210
City:	SAN FRANCISCO
Email:	mamdouh.awwad@sfdph.org
Phone Number:	Not reported

LUST:

Global Id:	T0607500831
Action Type:	Other
Date:	01/01/1950
Action:	Leak Reported

Global Id:	T0607500831
Action Type:	Other
Date:	01/01/1950
Action:	Leak Discovery

HAZNET:

Year:	1997
Gepaid:	CAC001166944
Contact:	MICHAEL SPEAR
Telephone:	9166214394
Mailing Name:	Not reported
Mailing Address:	208 MONTCALM
Mailing City,St,Zip:	SAN FRANCISCO, CA 941100000
Gen County:	San Francisco
TSD EPA ID:	CAT080025711
TSD County:	San Bernardino
Waste Category:	Waste oil and mixed oil
Disposal Method:	Recycler
Tons:	1.5637
Facility County:	San Francisco

W158
NE
1/8-1/4
0.205 mi.
1083 ft.

CRUZ GULF SERVICE
501 POTRERO AVE
SAN FRANCISCO, CA

Site 2 of 3 in cluster W

EDR US Hist Auto Stat 1009001582
N/A

Relative:
Higher

Actual:
70 ft.

EDR Historical Auto Stations:

Name:	EVERETT S SERVICE STATION
Year:	1953
Type:	GASOLINE STATIONS
Name:	EVERETT S SERVICE STATION
Year:	1958
Type:	GASOLINE STATIONS
Name:	EVERETT S SERVICE STATION
Year:	1958
Type:	GASOLINE STATIONS
Name:	RIVERA S SERVICE STATION
Year:	1962
Type:	GASOLINE STATIONS
Name:	CRUZ GULF SERVICE
Year:	1966
Type:	GASOLINE STATIONS
Name:	CRUZ GULF SERVICE
Year:	1966
Type:	GASOLINE STATIONS
Name:	CRUZ GULF SERVICE
Year:	1971
Type:	GASOLINE STATIONS
Name:	CRUZ GULF SERVICE
Year:	1971
Type:	GASOLINE STATIONS
Name:	CRUZ GULF SERVICE
Year:	1977
Type:	GASOLINE STATIONS
Name:	CRUZ GULF SERVICE
Year:	1977
Type:	GASOLINE STATIONS

X159
North
1/8-1/4
0.206 mi.
1086 ft.

FRANK & SAM PEERLESS SERVICE STATION
1798 BRYANT
SAN FRANCISCO, CA

Site 4 of 10 in cluster X

EDR US Hist Auto Stat 1009070000
N/A

Relative:
Higher

Actual:
59 ft.

EDR Historical Auto Stations:

Name:	FRANK & SAM PEERLESS SERVICE STATION
Year:	1958
Type:	GASOLINE STATIONS
Name:	JOHN S SIGNAL SERVICE STATION
Year:	1962

FRANK & SAM PEERLESS SERVICE STATION (Continued) **1009070000**

Type: GASOLINE STATIONS

X160 **LOGAN S SERVICE** **EDR US Hist Auto Stat** **1009069902**
North **2700 17TH** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.206 mi.
1086 ft. **Site 5 of 10 in cluster X**

Relative: EDR Historical Auto Stations:
Higher Name: LOGAN S SERVICE
Year: 1953
Actual: Type: GASOLINE STATIONS
59 ft.

X161 **OROWHEAT BAKING CO.** **CA FID UST** **S101592145**
North **1798 BRYANT ST** **SWEEPS UST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110**
0.207 mi.
1091 ft. **Site 6 of 10 in cluster X**

Relative: CA FID UST:
Higher Facility ID: 38000734
Regulated By: UTNKA
Actual: Regulated ID: Not reported
59 ft. Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4150000000
Mail To: Not reported
Mailing Address: 1798 BRYANT ST
Mailing Address 2: Not reported
Mailing City,St,Zip: SAN FRANCISCO 94110
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

SWEEPS UST:
Status: Not reported
Comp Number: 8248
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Tank Status: Not reported
Owner Tank Id: Not reported
Swrcb Tank Id: 38-000-008248-000001
Actv Date: Not reported
Capacity: 1000
Tank Use: UNKNOWN
Stg: PRODUCT
Content: UNSPECIFIED
Number Of Tanks: 1

OROWHEAT BAKING CO. (Continued) **S101592145**

Status:	Active
Comp Number:	8248
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	Not reported
Actv Date:	Not reported
Capacity:	Not reported
Tank Use:	Not reported
Stg:	Not reported
Content:	Not reported
Number Of Tanks:	Not reported

X162 **OROWEAT BAKING** **UST** **U004003847**
North **1798 BRYANT ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.207 mi.
1091 ft. **Site 7 of 10 in cluster X**

Relative: **Higher**

Actual: **59 ft.**

SAN FRANCISCO CO. UST:

Facility ID:	8248
Facility Status:	Not reported
Number Of Tanks:	0
Owner/Operator Name:	Not reported
Owner/Operator Title:	Not reported
Owner Name:	Not reported
Care Of Addr:	Not reported
2nd Care Of Add:	Not reported
Mailing Address:	100 Pine St, 10th
Mailing City,St,Zip:	Not reported
Permit Number:	Not reported
Permit Approved By:	Not reported
Permit Expiration Date:	Not reported
Applications:	Geomatrix
Application Date:	2/4/1998
Application Name:	Michael R. Keim
Action Type:	Not reported
Yr Spill/Overfill Installed1:	Not reported
Yr Spill/Overfill Installed2:	Not reported
Yr Spill/Overfill Installed3:	Not reported
Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported
Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported

OROWEAT BAKING (Continued) **U004003847**

Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	2/10/1998
UST Close ID:	3158
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	5/4/1998
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

Tank ID:	Not reported
Tank Test:	Not reported
Local Tank Id:	Not reported
Tank Manufacturer:	Not reported
Compartmentalized Tank:	Not reported
# Of Tank Compartments:	Not reported
Date Tank Installed:	Not reported

OROWEAT BAKING (Continued) **U004003847**

Tank Capacity:	Not reported
Additional Desc:	Not reported
Tank Use:	Not reported
Petroleum Type:	Not reported
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Not reported
Primary Tank Material:	Not reported
Secondary Tank Material:	Not reported
Tank Interior Lining:	Not reported
Date Interior Lining Install:	Not reported
Date Closed:	1/11/1988
UST Close ID:	369
Type Of Spill Protection:	Not reported
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	Not reported
Othr Tnk Corrosive Prtctn:	Not reported
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Not reported
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	Not reported
Tank Filled With Inert Material:	Not reported
Piping System Type (Underground):	Not reported
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Not reported
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Not reported
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Not reported
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	Not reported
Dispenser Containment Type:	Not reported
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	Not reported
2nd Containment Test:	Not reported
Spill Containment Present:	Not reported
Drop Tube Present:	Not reported
Striker Plate Present:	Not reported
Alarm Present:	Not reported
Ball Float Present:	Not reported
Fill Tube Present:	Not reported
Other Tank Leak Detection Present:	Not reported

X163 **FRANK & SAM PEERLESS SERVICE STATION** **EDR US Hist Auto Stat** **1009000976**
North **1798 BRYANT ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.207 mi.
1091 ft. **Site 8 of 10 in cluster X**

Relative: EDR Historical Auto Stations:
Higher Name: FRANK & SAM PEERLESS SERVICE STATION
Year: 1958
Actual: Type: GASOLINE STATIONS
59 ft.

X164 **ROBERT ALEXIS** **EDR US Hist Auto Stat** **1009069036**
North **1790 BRYANT** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.213 mi.
1124 ft. **Site 9 of 10 in cluster X**

Relative: EDR Historical Auto Stations:
Higher Name: ROBERT ALEXIS
Year: 1940
Actual: Type: GASOLINE AND OIL SERVICE STATIONS
60 ft.

X165 **ROBERT ALEXIS** **EDR US Hist Auto Stat** **1008999599**
North **1790 BRYANT ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.213 mi.
1126 ft. **Site 10 of 10 in cluster X**

Relative: EDR Historical Auto Stations:
Higher Name: ROBERT ALEXIS
Year: 1940
Actual: Type: GASOLINE AND OIL SERVICE STATION
60 ft.

Y166 **WOLFE SERVICE STATION** **EDR US Hist Auto Stat** **1008999529**
West **2297 FOLSOM ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.218 mi.
1149 ft. **Site 1 of 10 in cluster Y**

Relative: EDR Historical Auto Stations:
Lower Name: WOLFE SERVICE STATION
Year: 1935
Actual: Type: GASOLINE AND OIL SERVICE STATION
27 ft.

Name: WOLFE SERVICE STATION
Year: 1935
Type: GASOLINE AND OIL SERVICE STATION

Y167 **WOLFE SERVICE STATION** **EDR US Hist Auto Stat** **1009001639**
West **2289 FOLSOM ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.218 mi.
1150 ft. **Site 2 of 10 in cluster Y**

Relative: EDR Historical Auto Stations:
Lower Name: WOLFE SERVICE STATION
Year: 1958
Actual: Type: GASOLINE STATIONS
26 ft.

Z168 **MELODY CLEANERS** **EDR US Hist Cleaners** **1009181025**
South **2800 21ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA**
0.219 mi.
1154 ft. **Site 1 of 3 in cluster Z**

Relative: EDR Historical Cleaners:
Higher Name: MELODY CLEANERS
Year: 1958
Actual: Type: CLEANERS AND DYERS
38 ft.

Name: MELODY CLEANERS
Year: 1962
Type: CLEANERS AND DYERS

Name: SUTTER MELODY CLEANERS
Year: 1966
Type: CLEANERS AND DYERS

Y169 **FIRE STATION #7** **HIST UST** **U001595387**
West **2300 FOLSOM ST** **HAZNET** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110**
0.220 mi.
1159 ft. **Site 3 of 10 in cluster Y**

Relative: HIST UST:
Lower Region: STATE
Facility ID: 00000055048
Actual: Facility Type: Other
27 ft. Other Type: FIREFIGHTING
Total Tanks: 0002
Contact Name: JAMES EDWARDS
Telephone: 4156479894
Owner Name: CITY AND COUNTY OF SAN FRANCIS
Owner Address: 260 GOLDEN GATE AVENUE
Owner City,St,Zip: SAN FRANCISCO, CA 94102

Tank Num: 001
Container Num: #7-A
Year Installed: 1955
Tank Capacity: 00000550
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Tank Construction: 10 gauge
Leak Detection: Stock Inventor

Tank Num: 002

FIRE STATION #7 (Continued) **U001595387**

Container Num: #7-B
Year Installed: 1955
Tank Capacity: 00000550
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Tank Construction: 10 gauge
Leak Detection: Stock Inventor

HAZNET:
Year: 2006
Gepaid: CAC002609492
Contact: ROBERT BAGLEY
Telephone: 4155548376
Mailing Name: Not reported
Mailing Address: 2075 WILLIAMS ST
Mailing City,St,Zip: SAN LEANDRO, CA 945772305
Gen County: San Francisco
TSD EPA ID: CAD981382732
TSD County: Alameda
Waste Category: Asbestos containing waste
Disposal Method: M132
Tons: 3.37
Facility County: San Francisco

Y170 ***SFFD/FIRE STATION #7** **CA FID UST S101591995**
West **2300 FOLSOM ST** **SWEEPS UST N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110**
0.220 mi.
1159 ft. **Site 4 of 10 in cluster Y**

Relative:
Lower

Actual:
27 ft.

CA FID UST:
Facility ID: 38000321
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4150000000
Mail To: Not reported
Mailing Address: 2300 FOLSOM ST
Mailing Address 2: Not reported
Mailing City,St,Zip: SAN FRANCISCO 94110
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

SWEEPS UST:
Status: Not reported
Comp Number: 6024
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported

***SFFD/FIRE STATION #7 (Continued)** **S101591995**

Tank Status:	Not reported
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-006024-000002
Actv Date:	Not reported
Capacity:	550
Tank Use:	UNKNOWN
Stg:	PRODUCT
Content:	UNSPECIFIED
Number Of Tanks:	1

Status:	Active
Comp Number:	6024
Number:	9
Board Of Equalization:	Not reported
Referral Date:	09-30-92
Action Date:	12-10-91
Created Date:	01-01-01
Tank Status:	A
Owner Tank Id:	Not reported
Swrcb Tank Id:	38-000-006024-000001
Actv Date:	09-30-92
Capacity:	1000
Tank Use:	M.V. FUEL
Stg:	P
Content:	REG UNLEADED
Number Of Tanks:	1

Y171 **SFFD STATION #7** **HIST CORTESE** **S103956659**
West **2300 FOLSOM ST** **LUST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94107** **HAZNET**
0.220 mi.
1159 ft. **Site 5 of 10 in cluster Y**

Relative:
Lower

Actual:
27 ft.

CORTESE:

Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-0286

Region:	CORTESE
Facility County Code:	38
Reg By:	LTNKA
Reg Id:	38-1097

LUST:

Region:	STATE
Global Id:	T0607500989
Latitude:	37.76035
Longitude:	-122.415055
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	09/29/2008
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	SC
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-1097
LOC Case Number:	10818

SFFD STATION #7 (Continued) **S103956659**

File Location: Local Agency
Potential Media Affect: Soil
Potential Contaminants of Concern: Diesel
Site History: Not reported

Click here to access the California GeoTracker records for this facility:

LUST:
Global Id: T0607500989
Contact Type: Local Agency Caseworker
Contact Name: STEPHANIE CUSHING
Organization Name: SAN FRANCISCO COUNTY LOP
Address: 1390 MARKET STREET #210
City: SAN FRANCISCO
Email: stephanie.cushing@sfdph.org
Phone Number: Not reported

Global Id: T0607500989
Contact Type: Regional Board Caseworker
Contact Name: VIC PAL
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: vpal@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0607500989
Action Type: ENFORCEMENT
Date: 08/04/2008
Action: LOP Case Closure Summary to RB

Global Id: T0607500989
Action Type: ENFORCEMENT
Date: 09/29/2008
Action: Closure/No Further Action Letter

Global Id: T0607500989
Action Type: Other
Date: 01/01/1950
Action: Leak Reported

Global Id: T0607500989
Action Type: ENFORCEMENT
Date: 01/14/2008
Action: Site Visit / Inspection / Sampling

Global Id: T0607500989
Action Type: ENFORCEMENT
Date: 01/15/2008
Action: Site Visit / Inspection / Sampling

Global Id: T0607500989
Action Type: ENFORCEMENT
Date: 07/23/2008
Action: File review

SFFD STATION #7 (Continued) **S103956659**

Global Id:	T0607500989
Action Type:	Other
Date:	01/01/1950
Action:	Leak Discovery
Global Id:	T0607500989
Action Type:	ENFORCEMENT
Date:	08/13/2003
Action:	File review
Region:	STATE
Global Id:	T0607500251
Latitude:	37.760262
Longitude:	-122.413869
Case Type:	LUST Cleanup Site
Status:	Completed - Case Closed
Status Date:	03/21/1994
Lead Agency:	SAN FRANCISCO COUNTY LOP
Case Worker:	SC
Local Agency:	SAN FRANCISCO COUNTY LOP
RB Case Number:	38-0286
LOC Case Number:	10167
File Location:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Diesel
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

LUST:

Global Id:	T0607500251
Contact Type:	Regional Board Caseworker
Contact Name:	VIC PAL
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY STREET, SUITE 1400
City:	OAKLAND
Email:	vpal@waterboards.ca.gov
Phone Number:	Not reported
Global Id:	T0607500251
Contact Type:	Local Agency Caseworker
Contact Name:	STEPHANIE CUSHING
Organization Name:	SAN FRANCISCO COUNTY LOP
Address:	1390 MARKET STREET #210
City:	SAN FRANCISCO
Email:	stephanie.cushing@sfdph.org
Phone Number:	Not reported

LUST:

Global Id:	T0607500251
Action Type:	Other
Date:	01/01/1950
Action:	Leak Reported
Global Id:	T0607500251
Action Type:	Other

SFFD STATION #7 (Continued) **S103956659**

Date: 01/01/1950
Action: Leak Discovery

LUST REG 2:
Region: 2
Facility Id: 38-1097
Facility Status: Leak being confirmed
Case Number: 10818
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: 5/2/1997
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN FRANCISCO CO. LUST:
Region: SAN FRANCISCO
Facility ID: 38-1097
Facility Status: Leak being confirmed
Case Number: 10818
Case Type: Soil only
Release Date: 5/2/1997
Discovered Date: 5/14/1997
Substance: Diesel
Substance Qty: Not reported
How Discovered: Tank Closure
How Stopped: Repair Tank
Report Date: 5/2/1997
Case Closed: Not reported
Closed Date: Not reported
Leak Source: Unknown
Leak Cause: Unknown
Leak Confirmed: 5/20/1997
Entered Date: 5/20/1997
Number of Wells: Not reported
Regional Board: San Francisco Bay Region
Local Agency: 38000
Lead Agency: Local Agency
Program: LOP
Responsible Party: Not reported
RP Address: Not reported
Operator: Not reported
Staff Initial: VP
Facility Staff: SC
Cross Street: 19TH ST
NOR Date: 5/20/1997
MTBE Current: Not reported
MTBE Current Date: Not reported
MTBE: NT
Maximum MTBE Soil: Not reported

SFFD STATION #7 (Continued) **S103956659**

Maximum MTBE GW:	Not reported
MTBE DATE:	Not reported
Review Date:	Not reported
Workplan Submitted:	Not reported
Assessment Underway:	Not reported
Pollution Characterization:	Not reported
Corrective Action Plan:	Not reported
Remediation Underway:	Not reported
Monitoring Begun:	Not reported
Funding:	Federal
Interim Remediation:	No
Priority:	Not reported
Abatement:	No Action Taken - no action has as yet been taken at the site
Enforcement Type:	Informal Enforcement Actions,including Notices of Violations and Staff Enforcement Letters
Enforcement Due Date:	Not reported
Basin:	Downtown Basin
Beneficial Use:	No
Lat/Long:	Not reported
CUFID:	Not reported
Suspended:	No
Stopped Date:	2/26/1997
Free Product:	No
Depth to Grnd Wtr:	Not reported
Gradient:	Not reported
Benzene:	Not reported
Primary Substance:	Diesel fuel oil
Enforcement Type:	Not reported
Amount of Free Produce:	Not reported
Benzene Test:	Not reported
Maximum Soil GW:	Not reported
Max Soil Concentration:	Not reported
TPH Tested:	Not reported
Max TPH GW:	Not reported
Max TPH Soil:	Not reported
TPH Date:	Not reported
Block:	Not reported
Lot:	Not reported
Notify:	False
TPH Current:	Not reported
TPH Current Date:	Not reported
Grnd Wtr Qualifier:	Not reported
Soil Qualifier:	Not reported
Comments:	Not reported
Summary:	Not reported

HAZNET:

Year:	1997
Gepaid:	CAC000767248
Contact:	CITY & COUNTY OF SF FIRE DEPT
Telephone:	4155548376
Mailing Name:	Not reported
Mailing Address:	1680 MISSION ST
Mailing City,St,Zip:	SAN FRANCISCO, CA 941030000
Gen County:	San Francisco
TSD EPA ID:	CAD980887418
TSD County:	1
Waste Category:	Waste oil and mixed oil

SFFD STATION #7 (Continued) **S103956659**

Disposal Method: Recycler
Tons: 1.0424
Facility County: San Francisco

Year: 1997
Gepaid: CAC000767248
Contact: CITY & COUNTY OF SF FIRE DEPT
Telephone: 4155548376
Mailing Name: Not reported
Mailing Address: 1680 MISSION ST
Mailing City,St,Zip: SAN FRANCISCO, CA 941030000
Gen County: San Francisco
TSD EPA ID: CAD009466392
TSD County: 7
Waste Category: Other empty containers 30 gallons or more
Disposal Method: Recycler
Tons: .2750
Facility County: San Francisco

Y172 **CCSF/SFFD/STATION #7** **UST** **U003932330**
West **2300 FOLSOM ST** **N/A**
1/8-1/4 **SAN FRANCISCO, CA 94110**
0.220 mi.
1159 ft. **Site 6 of 10 in cluster Y**

Relative:
Lower

Actual:
27 ft.

UST:
Facility ID: 6024
Latitude: 37.76035
Longitude: -122.4149

SAN FRANCISCO CO. UST:
Facility ID: 6024
Facility Status: Not reported
Number Of Tanks: Not reported
Owner/Operator Name: Not reported
Owner/Operator Title: Not reported
Owner Name: City & County of
Care Of Addr: SFFD HQ - Attn.
2nd Care Of Add: Not reported
Mailing Address: 698 02nd ST
Mailing City,St,Zip: San Francisco, CA 94107
Permit Number: Not reported
Permit Approved By: Not reported
Permit Expiration Date: Not reported
Applications: Not reported
Application Date: Not reported
Application Name: Not reported
Action Type: 1
Yr Spill/Overfill Installed1: Not reported
Yr Spill/Overfill Installed2: Not reported
Yr Spill/Overfill Installed3: Not reported

Tank ID: 1002
Tank Test: Not reported
Local Tank Id: 6024001002
Tank Manufacturer: Not reported
Compartmentalized Tank: No

CCSF/SFFD/STATION #7 (Continued) **U003932330**

# Of Tank Compartments:	Not reported
Date Tank Installed:	9/1/1997
Tank Capacity:	3000
Additional Desc:	Not reported
Tank Use:	1
Petroleum Type:	Diesel
Common Name:	Not reported
Case Number:	Not reported
Type Of Tank:	Double wall
Primary Tank Material:	Fiberglass/plastic
Secondary Tank Material:	Not reported
Tank Interior Lining:	Unlined
Date Interior Lining Install:	Not reported
Date Closed:	Not reported
UST Close ID:	Not reported
Type Of Spill Protection:	spill containment
Date Alarm Overfill Protection Installed:	Not reported
Date Ball Float Overfill Protection Installed:	Not reported
Date Fill Tube Shut Overfill Protection Installed:	Not reported
Overfill Protection Exempt:	No
Othr Tnk Corrosive Prtctn:	Unknown
Date Corrosive Prtctn Install:	Not reported
Tank Leak Detection (single walled):	Not reported
Tank Leak Detection (double wall):	Continuous Interstitial Monitoring
Estimated Date Last Used:	Not reported
Estimated Qty Of Substance Remaining:	0
Tank Filled With Inert Material:	0
Piping System Type (Underground):	Pressure
Piping System Type (Aboveground):	Not reported
Piping Construction (Underground):	Double Wall
Piping Manufacturer (Underground):	Not reported
Piping Construction (Aboveground):	Not reported
Piping Manufacturer (Aboveground):	Not reported
Piping Material & Corrosion Protection (Underground):	Fiberglass
Piping Material & Corrosion Protection (Aboveground):	Not reported
Piping Leak Detection (Undrgrnd - Single Wall):	Not reported
Piping Leak Detection (2nd Contained):	Sump Sensor, Alarms ,Auto Shutoff For Leaks, Pressure, Auto Leak Detctr ,Flow Shutoff Or Restricn
Piping Leak Detection (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Underground:	Not reported
Piping Leak Detection (Aboveground - Single Wall):	Not reported
Piping Leak Detection (Underground - 2nd Contained):	Not reported
Piping Leak Detection Underground (Emrgncy Gnrtrs):	Not reported
Pipe Integrity Test, Aboveground:	Not reported
Date Dispenser Containment Installed:	9/1/1997
Dispenser Containment Type:	Continuous Dispenser Pan Sensor & Audible & Visual Alarms
Date Certified (Tank Unit):	Not reported
Certified Date:	Not reported
Last Annual Monitoring Cert:	9/27/2007
2nd Containment Test:	9/19/2007
Spill Containment Present:	Yes
Drop Tube Present:	No
Striker Plate Present:	No
Alarm Present:	Yes
Ball Float Present:	No
Fill Tube Present:	Yes
Other Tank Leak Detection Present:	No

PHASE II ENVIRONMENTAL SITE ASSESSMENT
681 Florida Street
San Francisco, California

Prepared For:

681 Florida Housing Associates, L.P.
201 Eddy Street
San Francisco, California 94102

Prepared By:

Langan Engineering and Environmental Services, Inc.
555 Montgomery Street, Suite 1300
San Francisco, California 94111



Adam Brown, PG #9324
Project Geologist

Peter Cusack
Senior Associate/VP

25 June 2018
750615606

TABLE OF CONTENTS

1.0 INTRODUCTION....1

2.0 PROJECT DESCRIPTION....1

3.0 BACKGROUND....2

4.0 PREVIOUS REPORTS....2

5.0 FIELD INVESTIGATION....4

6.0 SUBSURFACE CONDITIONS....5

7.0 SAMPLE SELECTION AND ANALYTICAL TESTING....5
7.1 Soil Testing....5
7.2 Groundwater Testing....6

8.0 LABORATORY TEST RESULTS AND EVALUATION....7
8.1 Soil Analytical Results Non-Metals....7
8.2 Soil Analytical Results Metals....7
8.3 Groundwater Analytical Results....8

9.0 CONCLUSIONS AND PRELIMINARY RECOMMENDATIONS....8

10.0 LIMITATIONS....9

REFERENCES

TABLES

FIGURES

APPENDICES

\\Langan.com\data\OAK\data6\750615606\Office Data\Reports\750615606.01 ABB_Phase II ESA Report_681 Florida Street_San Francisco.docx

TABLES

Table 1 Soil Analytical Results – Non-metals

Table 2 Soil Analytical Results – Metals

Table 3 Groundwater Analytical Results – Non-metals

Table 4 Groundwater Analytical Results – Metals

FIGURES

Figure 1 Site Location

Figure 2 Site Plan

APPENDICES

Appendix A Boring Logs

Appendix B Certified Analytical Laboratory Reports

PHASE II ENVIRONMENTAL SITE ASSESSMENT
681 Florida Street
San Francisco, California

1.0 INTRODUCTION

This Phase II Environmental Site Assessment (ESA) was prepared for the proposed development located at 681 Florida Street in San Francisco, California (the "Site"). The current project Site is rectangular with plan dimensions of approximately 200 by 95 feet (0.44 acres). It is bound by Bryant Street on the east, Florida Street on the west, and buildings to the south, and a mixed use development under construction, referred to as "2000 Bryant Street," to the north (Figure 1). The Site was previously part of a larger lot; however, a lot line adjustment was completed on 22 December 2016 dividing the Site into two parcels. The Site is now identified by Assessor's Parcel Number (APN) 40-220-28. It is our understanding that APN 40-220-28 was dedicated to the City of San Francisco Mayor's Office of Housing for affordable housing development. The Site is currently empty and was previously occupied by two-story concrete and brick buildings constructed at grade. The previous buildings were demolished during the construction of 2000 Bryant Street.

The Site is within the Maher Area and therefore subject to the requirements of Article 22A of the San Francisco Public Health Code (Maher Ordinance). Article 22A states that construction projects in San Francisco, which are bayward of the historic 1852 high tide line or within the expanded Maher Area and disturb more than 50 cubic yards of soil, require assessment of the site history (Phase I ESA) and soil quality (Phase II ESA or Environmental Site Characterization (ESC)) of the material that will be encountered during construction in accordance with Article 22A. Previous investigations of properties within the Maher zone have found fill material with elevated levels of metals and petroleum hydrocarbons as a result of the 1906 earthquake and fire.

2.0 PROJECT DESCRIPTION

The proposed development includes a 130-unit housing project for low income and homeless families in the Mission District, including arts-related Production, Design and Repair ("PDR") space on the ground floor. The 681 Florida Street project will include 44 studio, 31 one-bedroom, 38 two-bedroom, and 17 three-bedroom apartments. The ground floor will include offices for management and services staff and a community room. Based on the architectural drawings, prepared by Mithun, Inc. dated 8 June 2018, a partial-basement is

planned on the eastern portion of the project for an electrical room and fire pump. Excavations for the proposed building foundations, remedial grading, and partial-basement could extend as much as 20 feet below existing ground surface (bgs).

3.0 BACKGROUND

Prior to the lot line adjustment, the Site was referred to as 2044 through 2070 Bryant Street during previous environmental investigations. Based on the findings of the Phase I ESA, prepared by PES Environmental, Inc. (PES), for 2044 through 2070 Bryant Street, San Francisco, California, dated 18 June 2013, the Site was primarily vacant with some residential lots as early as 1889. By 1914 the Site was occupied by an iron works, and by 1950 the Site was occupied by the previous two-story concrete and brick buildings (which are now demolished). Previous occupants of the two-story concrete and brick buildings included vehicle companies, machine shops, and other light commercial industries. Most recently, the warehouse and office spaces were formerly used by American Conservatory Theater (ACT) to store, construct, and fabricate items for theater productions.

4.0 PREVIOUS REPORTS

In preparation of this Phase II ESA, we have reviewed the following reports and documents:

- PES Environmental, Inc., Phase I Environmental Site Assessment, 2044 through 2070 Bryant Street, San Francisco, California, dated 18 June 2013.
- PES Environmental, Inc., Results of Limited Subsurface Investigation, 2044 through 2070 Bryant Street, San Francisco, California, dated 31 July 2013.
- PES Environmental, Inc., Site Mitigation Plan, 2044 through 2070 Bryant Street, San Francisco, California, dated 27 August 2013.
- San Francisco Department of Public Health, Site Assessment and Mitigation (DPH SAM), Environmental Document Review, 2040–2070 Bryant Street, San Francisco, California SMED 960 dated 9 October 2013.
- PES Environmental, Inc., Site Mitigation Plan Addendum, 2070 Bryant Street, San Francisco, California, dated 21 May 2014.
- City and County of San Francisco (SFDPH), Conditional Site Mitigation Plan Approval, Conceptual Planned Development, 2000-2030, 2044-2070 Bryant Street, 2813-2815 18th Street and 611 Florida Street, San Francisco, California, dated 21 July 2014.

- Langan Engineering and Environmental Services, Inc., Phase I Environmental Site Assessment, 2000 and 2070 Bryant Street, San Francisco, California, dated 15 August 2017.

- Langan Engineering and Environmental Services, Inc., Geotechnical Investigation, 681 Florida Street, San Francisco, California, dated 23 October 2017.

In April 2013, PES drilled a total of 4 exploratory borings on or in the direct vicinity of the Site (then referred to as 2060-2070 Bryant) for the collection and analysis of soil and groundwater samples. Soil samples were collected between 2.0 and 5.0 feet below the ground surface (bgs). No Total Petroleum Hydrocarbons (TPH) quantified as gas (TPHg), quantified as diesel (TPHd), or quantified as motor oil (TPHmo) were detected above laboratory reporting limits in any of the samples analyzed. No Volatile Organic Compounds (VOCs) or Polychlorinated Biphenyls (PCBs) were detected above the laboratory reporting limits in any of the soil samples analyzed. Detected concentrations of total metals were below the San Francisco Bay Regional Water Quality Control Board (RWQCB), Environmental Screening Levels, Direct Exposure Human Health Risk Levels (Table S-1), Residential Shallow Soil Exposure, dated February 2016 (Residential ESLs), or background levels in all soil samples except for one sample. Lead was detected above the Residential ESL at one location with a concentration of 160 milligrams per kilogram (mg/kg) exceeding the residential ESL of 80 mg/kg. No soluble testing was performed by PES to determine if concentrations of lead exceeded State or Federal hazardous waste criteria.

Groundwater analytical results indicated the presence of elevated concentrations of dissolved metals, TPH, and VOCs exceeding Residential ESLs. Based on current development plans, groundwater will most likely be encountered during construction in quantities that require its removal for the excavation of the partial basement structure. One VOC in groundwater, trichloroethene (TCE) detected at concentrations ranging from 35 micrograms per liter (µg/L) to 75 µg/L, exceeded the RWQCB Groundwater Vapor Intrusion Human Health Risk Level for shallow groundwater in the residential land use scenario of 5.6 µg/L. As a result, the San Francisco Department of Public Health (SFDPH) in their letter dated 9 October 2013 requested that a vapor mitigation system (VMS) be included in future building design to mitigate intrusion of soil vapor. The vapor mitigation systems (VMS) consists of a continuous, spray-applied vapor barrier membrane located immediately beneath the structural building slab, combined with a horizontal collection and venting system installed below the vapor barrier membrane to allow any soil vapors that would otherwise collect beneath the slab to migrate and vent to the atmosphere outside the building.

5.0 FIELD INVESTIGATION

Langan performed a subsurface investigation on 31 May 2018, to evaluate the quality of the material (soil and groundwater) that will be encountered during construction in accordance with Article 22A. In addition, soil samples were analyzed for constituents to satisfy soil profiling scenarios generally accepted by landfills, and a groundwater sample was analyzed for general compliance with the San Francisco Public Utilities Commission (SFPUC) batch wastewater discharge permit requirements for construction dewatering and discharge.

On 31 May 2018, four exploratory borings, EB-1 through EB-4, were advanced to depths of approximately eight to 20 feet bgs at the locations shown on Figure 2. Prior to initiating the field activities, Underground Service Alert North 811 (USA North) was notified and a private utility locator was employed to confirm locations of underground utilities prior to intrusive activities. Under a permit from SFDPH, all drilling activities were performed by Gregg Drilling and Testing, Inc. of Martinez, California. The soil cores were visually logged by Langan in general accordance with the Unified Soil Classification System (USCS), working under the supervision of a California licensed professional geologist. The locations and depths of the soil borings were based on the proposed building footprint to provide roughly equal lateral and vertical coverage, where soil will likely be excavated during future development.

Soil samples were collected from each boring by a hydraulically driven direct push drill rig advancing a continuous four-foot (ft.) long Macro-core soil sampler (or similar) with an acetate sleeve to a depth of approximately eight feet bgs. Soil samples were collected at approximately 2.0, 4.0, 6.0, and 8.0 feet bgs and every 2.0 feet bgs until the terminus of the deeper boring for the partial-basement (EB-3) at 20 feet bgs. Approximately six-inch sample lengths were cut from the liners and ends were covered with Teflon, sealed with plastic end caps, labeled, and stored in an ice-cooled chest for delivery to McCampbell Analytical, Inc. (McCampbell) a California Department of Health Services certified analytical laboratory in Pittsburg, California. All samples were delivered under chain-of-custody procedures. Boring logs from this investigation are presented in Appendix A as Figures A-1 through A-4. The soil encountered was classified in accordance with the soil classification chart on Figure A-5. Upon completion of the soil sampling, the boreholes were backfilled with neat cement grout under the supervision of the SFDPH grout inspector.

Originally grab groundwater samples were proposed to be collected at two locations (EB-2 and EB-3). However, due to low flow groundwater conditions, three grab groundwater samples were collected as follows; EB-2-GW, EB-3-GW, and GW-1. GW-1 was collected from multiple

locations (EB-1 through EB-4) to assist in collecting sufficient volume to complete the analytical schedule. To facilitate the collection of groundwater samples, a temporary ¾-inch diameter, Schedule 40 polyvinyl chloride (PVC) casing with a section of 0.010-inch screen was installed within the borehole. Groundwater samples were collected directly into laboratory-supplied sample containers, using a peristaltic pump. Samples were appropriately labeled and stored in an ice-cooled chest until delivery to McCampbell.

6.0 SUBSURFACE CONDITIONS

Subsurface conditions are based on our subsurface investigation and the previous geotechnical investigations completed by Langan for the adjacent 2000 Bryant Street development. The explorations performed at the project Site indicate the presence of about 13 to 14 feet of fill. The fill consists of a heterogeneous mix of loose to dense gravel, and sand, with occasional thin layers of medium stiff to stiff silt, and clay, and contains debris including concrete, wood, and potentially serpentinite rock fragments. No serpentinite rock fragments were observed in the fill material during the subsurface investigation. Beneath the fill are interbedded alluvial soils consisting of stiff to very stiff sandy clay and medium dense to dense sand with silt or varying amounts of clay to depths of approximately 27 to 28 feet bgs. These alluvial soils are underlain by the Colma formation. The Colma formation extends to a depth of approximately 67 feet bgs, and consists of medium dense to very dense sand with varying amounts of clay and silt. Groundwater was encountered at approximately 8 to 10 feet bgs at the time of drilling during the 2018 investigation.

7.0 SAMPLE SELECTION AND ANALYTICAL TESTING

The Phase II ESA sampling and analytical testing was chosen to satisfy Article 22A requirements and profiling scenarios generally accepted by landfills.

7.1 Soil Testing

To assess the potential for soil contamination resulting from past activities and nearby off-Site operations, selected soil samples were analyzed for some or all of the following compounds listed below.

- TPHg, TPHd, and TPHmo by EPA Method 8015M;
- VOCs by EPA Method 8260B;
- Semi-volatile organic compounds (SVOCs) by EPA Method 8270C;

- Asbestos by California Air Resource Board (CARB) 435 Method;
- Organochlorine pesticides (OCPs) by EPA Method 8081A;
- PCBs by EPA Method 8082;
- pH by EPA Method 9045C;
- Total cyanide by EPA Method 4500;
- Acid soluble sulfides by EPA Method 4500;
- California Assessment Manual (CAM) 17 metals by EPA Method 6020; and
- Leaking Underground Fuel Tank (LUFT) 5 metals by EPA Method 6010/7000.

Samples with concentrations of any metal greater than ten times the soluble threshold limit concentration (STLC) were also analyzed for soluble metals using the California waste extraction test (WET) method. Any total threshold limit concentration (TTLC) concentration exceeding 20 times the STLC value, or if the STLC value after analysis with the WET method exceeded the State of California hazardous waste criteria the sample was submitted for analysis by the Federal toxicity characteristic leaching potential (TCLP). These analyses were necessary to assess if metal concentrations in soil exceed State and/or Federal hazardous waste criteria.

7.2 Groundwater Testing

Groundwater was sampled to assist obtaining a future SFPUC batch wastewater discharge permit for disposal of groundwater during potential construction dewatering, and to satisfy SFPDH Article 22A requirements. The groundwater samples were analyzed for some or all of the following:

- TPHg, TPHd, and TPHmo by EPA Method 8015M;
- VOCs by EPA Method 8260B;
- SVOCs by EPA Method 8270C;
- OCPs by EPA Method 8081A;
- PCBs by EPA Method 8082;
- Total CAM 17 metals by EPA Method E200.8;

- Dissolved CAM 17 metals by EPA Method E200.8;
- Total suspended solids (TSS) by EPA Method SM2540;
- Chemical oxygen demand (COD) by EPA Method SM5220;
- Phenolics by EPA Method E420.4;
- pH by EPA Method SM4500;
- Total Cyanides by EPA Method SM4500;
- Dissolved sulfides by EPA Method SM4500; and
- Flashpoint by EPA Method SW1010.

8.0 LABORATORY TEST RESULTS AND EVALUATION

The laboratory analytical results are discussed below and summarized on Tables 1 through 4. Copies of the certified laboratory analytical reports are presented in Appendix B.

8.1 Soil Analytical Results Non-Metals

Soil analytical results for parameters other than metals are summarized in Table 1. TPHd was detected in four of the 11 samples analyzed at concentrations ranging from 1.0 milligram per kilogram (mg/kg) to 5.0 mg/kg. TPHmo was detected in four of the 11 samples analyzed at concentrations ranging from 5.2 mg/kg to 130 mg/kg. Low concentrations of the SVOC Phenol were detected in two of the six samples analyzed at concentrations of 0.016 mg/kg and 0.84 mg/kg. No other SVOCs were detected above laboratory reporting limits in the samples analyzed. pH was detected at 8.42 standard units (S.U.) in the one sample analyzed. No TPHg, VOCs, OCPs, PCBs, cyanide, sulfides, or asbestos were detected in any of the samples analyzed.

8.2 Soil Analytical Results Metals

The metal analytical results are summarized in Table 2. Total lead was detected at or above the laboratory reporting limits in each of the 11 samples analyzed at concentrations ranging from 1.4 mg/kg to 4.4 mg/kg (Table 2). Total lead was not detected at concentrations above 50 mg/kg; therefore, no samples were analyzed for STLC or TCLP lead to determine soluble lead levels.

Total chromium was detected at or above the laboratory reporting limit in each of the 11 samples analyzed at concentrations ranging from 27 mg/kg to 110 mg/kg (Table 2). Total chromium was detected at concentrations above 50 mg/kg (10 times the STLC) but below 2,500 mg/kg (TTLC) in five of the soil samples. These five samples were subsequently analyzed for STLC and TCLP chromium (if necessary) to determine soluble chromium levels. STLC chromium was detected in two of the five samples analyzed at concentrations of 0.19 milligrams per liter (mg/L) and 0.36 mg/L. TCLP chromium was not detected above the laboratory reporting limit in the one sample analyzed. None of the solubility results exceeded the State of California or Federal hazardous waste criteria of 5 mg/L (Table 2).

The remaining metal concentrations were within normal[1] background ranges found in the western United States[1].

8.3 Groundwater Analytical Results

Due to low flow groundwater conditions, three grab groundwater samples were collected as follows; EB-2-GW, EB-3-GW, and GW-1. GW-1 was collected from multiple locations (EB-1 through EB-4) to assist in collecting sufficient volume to complete the analytical schedule. TPHd was detected in groundwater sample EB-3-GW at a concentration of 160 µg/L. TCE was detected in groundwater sample EB-2-GW at a concentration of 16 µg/L. No other VOCs, SVOCs, OCPS, PCBs, or dissolved sulfides were detected above laboratory reporting limits in the groundwater samples analyzed. The groundwater analytical results for cyanide, phenolics, COD, TSS, flashpoint, and pH are summarized in Table 3 (non-metals). Total and dissolved metals were detected in both of the samples analyzed (Table 4).

9.0 CONCLUSIONS AND PRELIMINARY RECOMMENDATIONS

The results from Langan's May 2018 Phase II ESA indicated that the Site is underlain by a layer of fill material with low concentrations of petroleum hydrocarbons and heavy metals. No hazardous soil was detected during this subsurface investigation. The results of the environmental investigation indicate that TCE, a VOC, was detected at concentration of 16 µg/L, which exceeds the RWQCB Groundwater Vapor Intrusion Human Health Risk Level for shallow groundwater in the residential land use scenario (5.6 µg/L). Because TCE was not detected in soil samples collected from the Site, the TCE detected in groundwater is likely associated with an off-Site source. The SFDPH may request that a VMS be included in future

[1] Environmental Resources Management. *Feasibility Study, Hookston Station, Pleasant Hill, California*. Appendix A, Table A-2, "Comparison of Background Concentrations of Metals in Bay Area Soils," July 2006.

building design to mitigate intrusion of soil vapor, or that further soil vapor sampling and testing may need to be performed to confirm the vapor intrusion human health risk levels in soil vapor beneath the Site.

The fill material that will be excavated and disposed of off-site during construction activities will most likely be disposed of as Class II non-hazardous waste. Native material beneath the fill layer is typically disposed of as Class III unrestricted material. Final soil acceptance is dependent on the receiving landfill or facility's acceptance criteria. Groundwater was encountered between eight to ten feet bgs beneath the Site, and the proposed construction activities have the potential to encounter groundwater in quantities that will require its removal from the subsurface. If dewatering and removal of groundwater is required for construction; a permit should be obtained from SFPUC prior to any groundwater discharge. Based on the available data, it is unlikely that the groundwater would require treatment prior to disposal (excluding a settling tank for suspended solids). SFPUC determines final acceptance of the groundwater into the combined sanitary sewer system according to the guidelines established in the SFPUC *Batch Wastewater Discharge Permit Requirements* dated 18 May 2012.

Because fill material and contaminated groundwater exists beneath the Site, a SMP and a HASP (prepared by others) should be prepared and implemented prior to construction. The SMP will provide recommended measures to mitigate the long-term environmental or health and safety (H&S) risks caused by the presence of fill material and contaminated groundwater beneath the Site. The HASP will outline proper soil and groundwater handling procedures and health and safety requirements to minimize worker and public exposure to fill materials and contaminated groundwater during construction. The presence of fill material and contaminated groundwater pose soil and groundwater management and potential health risks to be addressed as part of the Site development activities. The SMP objectives will be to minimize exposure to construction workers, nearby residents and/or pedestrians, and future site users to constituents in the soil and groundwater.

10.0 LIMITATIONS

Descriptions of specific field activities and historical events are based on our observations and on information provided by others. The opinions and information presented in this report apply to site conditions and the information that was available at the time the work was performed and do not apply to changes of which we are not aware or have not had the opportunity to evaluate. Langan makes no guarantees or warranties with respect to the accuracy or completeness of this information.

REFERENCES

Environmental Resources Management. *Feasibility Study, Hookston Station, Pleasant Hill, California. Appendix A, Table A-2, "Comparison of Background Concentrations of Metals in Bay Area Soils,"* dated July 2006.

San Francisco Public Utilities Commission, *Batch Wastewater Discharge Permit Requirements* dated 18 May 2012.

PES Environmental, Inc., *Phase I Environmental Site Assessment, 2044 through 2070 Bryant Street, San Francisco, California*, dated 18 June 2013.

PES Environmental, Inc., *Results of Limited Subsurface Investigation, 2044 through 2070 Bryant Street, San Francisco*, California, dated 31 July 2013.

PES Environmental, Inc., *Site Mitigation Plan, 2044 through 2070 Bryant Street, San Francisco, California*, dated 27 August 2013.

San Francisco Department of Public Health, *Site Assessment and Mitigation (DPH SAM), Environmental Document Review, 2040–2070 Bryant Street, San Francisco, California SMED 960* dated 9 October 2013.

PES Environmental, Inc., *Site Mitigation Plan Addendum, 2070 Bryant Street, San Francisco, California*, dated 21 May 2014.

City and County of San Francisco (SFDPH), *Conditional Site Mitigation Plan Approval, Conceptual Planned Development, 2000-2030, 2044-2070 Bryant Street, 2813-2815 18th Street and 611 Florida Street, San Francisco, California*, dated 21 July 2014.

San Francisco Bay Regional Water Quality Control Board, *Environmental Screening Levels* dated 22 February 2016.

Langan Engineering and Environmental Services, Inc., *Phase I Environmental Site Assessment, 2000 and 2070 Bryant Street, San Francisco, California*, dated 15 August 2017.

Langan Engineering and Environmental Services, Inc., *Geotechnical Investigation, 681 Florida Street, San Francisco, California*, dated 23 October 2017.

TABLES

Table 1
Soil Analytical Results - Non-Metals
681 Florida Street
San Francisco, California

Sample ID	Sample Depth (feet)	Approximate Sample Elevation [1]	Date Sampled	TPHg	TPHd	TPHmo	VOCs	Phenol	All other SVOCs	PCBs	OCPs	Total Cyanide	Acid Soluble Sulfides	pH	Asbestos (CARB 435)
				(mg/kg)										S.U.	(%)
EB-1-2	2	18.00	05/31/18	< 1.0	< 1.0	< 5.0	ND	< 0.25	ND	ND	ND	--	--	--	< 0.25
EB-1-6	6	14.00	05/31/18	< 1.0	< 1.0	< 5.0	ND	--	--	--	--	--	--	--	--
EB-2-4	4	16.00	05/31/18	< 1.0	< 1.0	< 5.0	ND	< 0.25	ND	ND	ND	--	--	--	< 0.25
EB-2-8	8	12.00	05/31/18	< 1.0	< 1.0	5.2	ND	--	--	--	--	--	--	--	--
EB-3-2	2	20.00	05/31/18	< 1.0	5.0	130	ND	--	--	ND	ND	--	--	--	--
EB-3-6	6	16.00	05/31/18	< 1.0	< 1.0	6.6	ND	< 0.25	ND	ND	ND	< 0.10	< 10	8.42	< 0.25
EB-3-10	10	12.00	05/31/18	< 1.0	< 1.0	< 5.0	ND	--	--	--	--	--	--	--	--
EB-3-14	14	8.00	05/31/18	< 1.0	1.3	< 5.0	ND	0.84	ND	--	--	--	--	--	--
EB-3-18	18	4.00	05/31/18	< 1.0	1.0	< 5.0	ND	0.016	ND	ND	ND	--	--	--	< 0.25
EB-4-4	4	18.00	05/31/18	< 1.0	< 1.0	7.0	ND	--	--	--	--	--	--	--	--
EB-4-8	8	14.00	05/31/18	< 1.0	2.2	< 5.0	ND	< 0.25	ND	ND	ND	--	--	--	< 0.25

Notes:

[1] Elevation - Historic San Francsico City Datum
TPHg - Total Petroleum Hydrocarbons as Gasoline, EPA Method 8015M
TPHd - Total Petroleum Hydrocarbons as Diesel, EPA Method 8015M
TPHmo - Total Petroleum Hydrocarbons as Motor Oil, EPA Method 8015M
VOCs - Volatile Organic Compounds, EPA Method 8260B
SVOCs - Semi-volatile Organic Compounds, EPA Method 8270C
PCBs - Polychlorinated Biphenyls, EPA Method 8082
OCPs - Organochlorine Pesticides, EPA Method 8081A
Asbestos by California Air Resource Board (CARB) 435 Method
mg/kg - milligrams per kilograms
S.U. - Standard pH units
< 1.0 - Analyte was not detected at or above the laboratory reporting limit
ND - Not detected at or above the laboratory reporting limit
-- Not Analyzed

Table 2
Soil Analytical Results - Metals
681 Florida Street
San Francisco, California

Sample ID	Depth (feet)	Approximate Sample Elevation[1]	Date Sampled	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	STLC Chromium	TCLP Chromium	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
				(mg/kg)						(mg/L)		(mg/kg)										
EB-1-2	2	18.00	05/31/18	< 0.5	1.8	45	< 0.5	< 0.25	35	--	--	5.7	5.4	1.9	< 0.05	< 0.5	35	< 0.5	< 0.5	< 0.5	26	17
EB-1-6	6	14.00	05/31/18	--	--	--	--	< 0.25	43	--	--	--	--	4.4	--	--	50	--	--	--	--	25
EB-2-4	4	16.00	05/31/18	< 0.5	0.81	31	< 0.5	< 0.25	31	--	--	5.2	4.2	1.5	< 0.05	< 0.5	36	< 0.5	< 0.5	< 0.5	21	17
EB-2-8	8	12.00	05/31/18	--	--	--	--	< 0.25	27	--	--	--	--	1.4	--	--	35	--	--	--	--	17
EB-3-2	2	20.00	05/31/18	--	--	--	--	< 0.25	51	0.19	--	--	--	3.4	--	--	75	--	--	--	--	29
EB-3-6	6	16.00	05/31/18	< 0.5	0.84	38	< 0.5	< 0.25	32	--	--	5.4	4.8	1.7	< 0.05	< 0.5	41	< 0.5	< 0.5	< 0.5	24	20
EB-3-10	10	12.00	05/31/18	--	--	--	--	< 0.25	54	< 0.1	--	--	--	1.8	--	--	46	--	--	--	--	25
EB-3-14	14	8.00	05/31/18	< 0.5	0.97	39	< 0.5	< 0.25	110	0.36	< 0.1	18	9.6	2.9	< 0.05	< 0.5	190	< 0.5	< 0.5	< 0.5	42	40
EB-3-18	18	4.00	05/31/18	< 0.5	1.2	30	< 0.5	< 0.25	67	< 0.1	--	8.5	6.5	2.0	0.098	1.2	79	< 0.5	< 0.5	< 0.5	41	25
EB-4-4	4	18.00	05/31/18	--	--	--	--	< 0.25	56	< 0.11	--	--	--	2.2	--	--	63	--	--	--	--	24
EB-4-8	8	14.00	05/31/18	< 0.5	0.82	42	< 0.5	< 0.25	42	--	--	7.2	5.2	1.7	< 0.05	0.54	49	< 0.5	< 0.5	< 0.5	28	23
Hazardous Waste Criteria																						
TTLC (mg/kg)				500	500	10,000	75	100	2,500	--	--	8,000	2,500	1,000	20	3,500	2,000	100	500	700	2,400	5,000
STLC (mg/L)				15	5.0	100	0.75	1.0	--	5	--	80	25	5	0.2	350	20	1.0	5	7.0	24	250
TCLP (mg/L)				--	5.0	100	--	1.0	--	--	5	--	--	5	0.2	--	--	1.0	5	--	--	--

Notes:
[1]Elevation - Historic San Francsico City Datum
mg/kg - milligrams per kilograms
mg/L - milligrams per Liter
< 0.25 - Analyte was not detected at or above the laboratory reporting limit
-- Not analyzed or not established
TTLC - California Total Threshold Limit Concentration
STLC - California Soluble Threshold Limit Concentration
TCLP - Federal Toxicity Characteristic Leaching Potential Analysis
Bold - sample concentration exceeds hazardous waste criteria
b - Sample concentration was detected above the reporting limit in the method blank

Table 3
Groundwater Analytical Results - Non-Metals
681 Florida Street
San Francisco, California

Sample ID	Sample Date	TPHg	TPHd	TPHmo	Trichloroethene	All other VOCs	SVOCs	OCPs	PCBs	Total Cyanide	Phenolics	COD	Dissolved Sulfide	Total Suspended Solids	Flashpoint	pH
		(µg/L)											(mg/L)		(^{0}C)	(S.U.)
EB-2-GW	05/31/18	--	--	--	16	ND	--	--	--	--	--	--	--	--	--	--
EB-3-GW	05/31/18	< 50	160	< 250	--	--	--	ND	ND	--	--	--	--	--	--	--
GW-1	05/31/18	--	--	--	--	--	ND	--	--	6.9	2.1	21	< 0.05	24,100	> 100	9.15

Notes:
µg/L - micrograms per liter
mg/L - milligrams per liter
S.U. - Standard pH units @ 25 ^{0}C
TPHg - Total Petroleum Hydrocarbons as Gasoline, EPA Method 8015M
TPHd - Total Petroleum Hydrocarbons as Diesel Range, EPA Method 8015M
TPHmo - Total Petroleum Hydrocarbons as Motor Oil, EPA Method 8015M
VOC - Volatile Organics Compounds, EPA 8260B
SVOC - Semi-volatile Organics Compounds, EPA Method 8270C
PCBs - Polychlorinated Biphenyls, EPA Method 8082
OCPs - Organochlorine Pesticides, EPA Method 8081A
COD - Chemical Oxygen Demand
< 50 - Analyte was not detected above the laboratory reporting limit (50 µg/L)

Table 4
Groundwater Analytical Results - Metals
681 Florida Street
San Francisco, California

Sample ID	Sample Date	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Colbalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
		(µg/L)																
		Total Metals																
EB-3-GW	05/31/18	< 50	< 50	3,400	< 50	< 25	2,000	780	480.0	290	5.9	< 50	4,300.0	< 50	< 19	< 50	830	1,500
		Dissolved Metals																
EB-3-GW	05/31/18	< 0.5	2.2	44	< 0.5	< 0.25	3.7	< 0.5	2	< 0.5	< 0.05	33	4	< 0.5	< 0.19	< 0.5	12.0	< 15

Notes:
µg/L - micrograms per liter
< 1.0 - Analyte was not detected above the laboratory reporting limit (1.0 µg/L).

LANGAN

FIGURES



NOTES:

0 1,000 2,000

Feet

N
W E
S

World street basemap is provided through Langan's Esri ArcGIS software licensing and ArcGIS online.
Credits: Sources: Esri, DeLorme, NAVTEQ, USGS, Intermap, iPC, NRCAN.

681 FLORIDA STREET
San Francisco, California

SITE LOCATION MAP

LANGAN

Date 06/04/18	Project No. 750615606	Figure 1



EXPLANATION

EB-1 Approximate location of boring by Langan, May 2018

Site boundary

0 40 Feet

Approximate scale

Reference: Basemap from a drawing titled "Site Survey of a Portion of Assessor's Block 4022 for 681 Florida Street Housing Associates, L.P., dated 03/26/18.

681 FLORIDA STREEET
San Francisco, California

SITE PLAN

LANGAN

Date 06/04/18 | Project No. 750615606 | Figure 2

\\langan.com\data\OAK\data6\750615606\Cadd Data - 750615606\2D-DesignFiles\Environmental\750615606-N-SP0101.dwg 6/04/18

APPENDIX A

BORING LOGS

PROJECT: **681 FLORIDA STREET**
San Francisco, California

Log of Boring EB-1

Boring location: See Site Plan, Figure 2 | Logged by: K. Staehlin

Date started: 5/31/18 | Date finished: 5/31/18

Drilling method: Direct Push

Hammer weight/drop: NA | Hammer type: NA

Sampler: Continuous

DEPTH (feet)	SAMPLES: Sample ID	Sample	Blow Count	Recovery (Inches)	PID (ppm)	LITHOLOGY	MATERIAL DESCRIPTION
							8 inches aggregate base (AB)
1						SP	SAND (SP) brown, loose to medium dense, dry to moist, no odor
2	EB-1-2.0	●		40/48			
3							
4	EB-1-4.0	●					
5							
6	EB-1-6.0	●		48/48			
7							wet
8	EB-1-8.0	●					▽ (05/31/18)
9							saturated
10				48/48			
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

Boring terminated at a depth of 12 feet below ground surface.
Borhole backfilled with cement grout.
Groundwater encountered at 8.02 feet below ground surface during drilling.

LANGAN

Project No.: 750615606 | Figure: A-1

TEST ENVIRONMENTAL INCHES 750615606.GPJ T&R.GDT 6/7/18

PROJECT: **681 FLORIDA STREET**
San Francisco, California

Log of Boring EB-2

Boring location: See Site Plan, Figure 2 | Logged by: K. Staehlin

Date started: 5/31/18 | Date finished: 5/31/18

Drilling method: Direct Push

Hammer weight/drop: NA | Hammer type: NA

Sampler: Continuous

DEPTH (feet)	SAMPLES: Sample ID	Sample	Blow Count	Recovery (Inches)	PID (ppm)	LITHOLOGY	MATERIAL DESCRIPTION
							8 inches aggregate base (AB)
1						SP	SAND (SP) brown, loose to medium dense, dry to moist, no odor
2	EB-2-2.0			48/48			
3							
4	EB-2-4.0						
5				36/36			
6	EB-2-6.0						
7							
8	EB-2-8.0						wet ▽ (05/31/18, EB-2-GW)
9				48/48			saturated
10							increasing fines
11							
12				12/12			
13							
14							
15							
16							
17							
18							
19							
20							

Boring terminated at a depth of 12 feet below ground surface.
Borhole backfilled with cement grout.
Groundwater encountered at 8.15 feet below ground surface during drilling.

LANGAN

Project No.: 750615606 | Figure: A-2

TEST ENVIRONMENTAL INCHES 750615606.GPJ T&R.GDT 6/7/18

PROJECT:	**681 FLORIDA STREET** San Francisco, California	**Log of Boring EB-3** PAGE 1 OF 1
Boring location: See Site Plan, Figure 2		Logged by: K. Staehlin
Date started: 5/31/18	Date finished: 5/31/18	
Drilling method: Direct Push		
Hammer weight/drop: NA	Hammer type: NA	
Sampler: Continuous		

DEPTH (feet)	SAMPLES: Sample ID	SAMPLES: Sample	SAMPLES: Blow Count	SAMPLES: Recovery (Inches)	PID (ppm)	LITHOLOGY	MATERIAL DESCRIPTION
							8 inches aggregate base (AB)
1						SP	SAND (SP) orange-brown, loose to medium dense, dry to moist, no odor
2	EB-3-2.0	●		36/48			
3							
4	EB-3-4.0	●					
5							
6	EB-3-6.0	●		36/36			
7							brown
8	EB-3-8.0	●					wet
9				36/36			
10	EB-3-10.0	●					saturated ▽ (05/31/18, EB-3-GW)
11						SC	CLAYEY SAND (SC) brown, medium dense, wet, no odor
12	EB-3-12.0	●		48/48		SP	SAND (SP) brown, medium dense to dense, wet to saturated, no odor
13						SP-SC	SILTY SAND/ SAND with CLAY (SP-SC) gray-brown, dense, wet to saturated, no odor various wet to saturated lenses
14	EB-3-14.0	●					brown
15							
16	EB-3-16.0	●		48/48			
17						SP	SAND (SP) brown, medium dense, wet to staturated, no odor
18	EB-3-18.0	●					
19				24/24			
20	EB-3-20.0	●					

Boring terminated at a depth of 20 feet below ground surface.
Borhole backfilled with cement grout.
Groundwater encountered at 9.92 feet below ground surface during drilling.

LANGAN

Project No.:	Figure:
750615606	A-3

TEST ENVIRONMENTAL INCHES 750615606.GPJ T&R.GDT 6/7/18

PROJECT: **681 FLORIDA STREET**
San Francisco, California

Log of Boring EB-4

Boring location: See Site Plan, Figure 2 | Logged by: K. Staehlin

Date started: 5/31/18 | Date finished: 5/31/18

Drilling method: Direct Push

Hammer weight/drop: NA | Hammer type: NA

Sampler: Continuous

DEPTH (feet)	SAMPLES: Sample ID	Sample	Blow Count	Recovery (Inches)	PID (ppm)	LITHOLOGY	MATERIAL DESCRIPTION
							8 inches aggregate base (AB)
1							SAND (SP)
2	EB-4-2.0	●		48/48			orange-brown, loose to medium dense, dry to moist, no odor
3							
4	EB-4-4.0	●					
5							gray-brown
6	EB-4-6.0	●		44/48		SP	
7							brown
8	EB-4-8.0	●					
9							
10				46/48			wet ▽ (05/31/18)
11							saturated
12							
13							
14							
15							
16							
17							
18							
19							
20							

Boring terminated at a depth of 12 feet below ground surface.
Borhole backfilled with cement grout.
Groundwater encountered at 10.16 feet below ground surface during drilling.

LANGAN

Project No.: 750615606 | Figure: A-4

TEST ENVIRONMENTAL INCHES 750615606.GPJ T&R.GDT 6/7/18

UNIFIED SOIL CLASSIFICATION SYSTEM

Major Divisions		Symbols	Typical Names
Coarse-Grained Soils (more than half of soil > no. 200 sieve size)	Gravels (More than half of coarse fraction > no. 4 sieve size)	GW	Well-graded gravels or gravel-sand mixtures, little or no fines
		GP	Poorly-graded gravels or gravel-sand mixtures, little or no fines
		GM	Silty gravels, gravel-sand-silt mixtures
		GC	Clayey gravels, gravel-sand-clay mixtures
	Sands (More than half of coarse fraction < no. 4 sieve size)	SW	Well-graded sands or gravelly sands, little or no fines
		SP	Poorly-graded sands or gravelly sands, little or no fines
		SM	Silty sands, sand-silt mixtures
		SC	Clayey sands, sand-clay mixtures
Fine -Grained Soils (more than half of soil < no. 200 sieve size)	Silts and Clays LL = < 50	ML	Inorganic silts and clayey silts of low plasticity, sandy silts, gravelly silts
		CL	Inorganic clays of low to medium plasticity, gravelly clays, sandy clays, lean clays
		OL	Organic silts and organic silt-clays of low plasticity
	Silts and Clays LL = > 50	MH	Inorganic silts of high plasticity
		CH	Inorganic clays of high plasticity, fat clays
		OH	Organic silts and clays of high plasticity
Highly Organic Soils		PT	Peat and other highly organic soils

GRAIN SIZE CHART

Classification	Range of Grain Sizes	
	U.S. Standard Sieve Size	Grain Size in Millimeters
Boulders	Above 12"	Above 305
Cobbles	12" to 3"	305 to 76.2
Gravel	3" to No. 4	76.2 to 4.76
coarse	3" to 3/4"	76.2 to 19.1
fine	3/4" to No. 4	19.1 to 4.76
Sand	No. 4 to No. 200	4.76 to 0.075
coarse	No. 4 to No. 10	4.76 to 2.00
medium	No. 10 to No. 40	2.00 to 0.420
fine	No. 40 to No. 200	0.420 to 0.075
Silt and Clay	Below No. 200	Below 0.075

Unstabilized groundwater level

Stabilized groundwater level

SAMPLE DESIGNATIONS/SYMBOLS



Sample taken with Sprague & Henwood split-barrel sampler with a 3.0-inch outside diameter and a 2.43-inch inside diameter. Darkened area indicates soil recovered



Classification sample taken with Standard Penetration Test sampler



Undisturbed sample taken with thin-walled tube



Disturbed sample



Sampling attempted with no recovery



Core sample



Analytical laboratory sample



Sample taken with Direct Push or Drive sampler

SAMPLER TYPE

C Core barrel

CA California split-barrel sampler with 2.5-inch outside diameter and a 1.93-inch inside diameter

D&M Dames & Moore piston sampler using 2.5-inch outside diameter, thin-walled tube

O Osterberg piston sampler using 3.0-inch outside diameter, thin-walled Shelby tube

PT Pitcher tube sampler using 3.0-inch outside diameter, thin-walled Shelby tube

S&H Sprague & Henwood split-barrel sampler with a 3.0-inch outside diameter and a 2.43-inch inside diameter

SPT Standard Penetration Test (SPT) split-barrel sampler with a 2.0-inch outside diameter and a 1.5-inch inside diameter

ST Shelby Tube (3.0-inch outside diameter, thin-walled tube) advanced with hydraulic pressure

681 FLORIDA STREET
San Francisco, California

LANGAN

CLASSIFICATION CHART

Date 06/04/18 | Project No. 750615606 | Figure A-5

APPENDIX B

CERTIFIED ANALYTICAL LABORATORY REPORTS

McCampbell Analytical, Inc.
"When Quality Counts"

Analytical Report

WorkOrder: 1806055

Report Created for: Langan

555 Montgomery St., Suite 1300
San Francisco, CA 94111

Project Contact: Adam Brown
Project P.O.:
Project: 750615606; 681 Florida Street

Project Received: 06/01/2018

Analytical Report reviewed & approved for release on 06/08/2018 by:

Angela Rydelius
Laboratory Manager

The report shall not be reproduced except in full, without the written approval of the laboratory. The analytical results relate only to the items tested. Results reported conform to the most current NELAP standards, where applicable, unless otherwise stated in the case narrative.

1534 Willow Pass Rd. Pittsburg, CA 94565 ♦ TEL: (877) 252-9262 ♦ FAX: (925) 252-9269 ♦ www.mccampbell.com
CA ELAP 1644 ♦ NELAP 4033 ORELAP

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Glossary of Terms & Qualifier Definitions

Client: Langan
Project: 750615606; 681 Florida Street
WorkOrder: 1806055

Glossary Abbreviation

%D	Serial Dilution Percent Difference
95% Interval	95% Confident Interval
DF	Dilution Factor
DI WET	(DISTLC) Waste Extraction Test using DI water
DISS	Dissolved (direct analysis of 0.45 µm filtered and acidified water sample)
DLT	Dilution Test (Serial Dilution)
DUP	Duplicate
EDL	Estimated Detection Limit
ERS	External reference sample. Second source calibration verification.
ITEF	International Toxicity Equivalence Factor
LCS	Laboratory Control Sample
MB	Method Blank
MB % Rec	% Recovery of Surrogate in Method Blank, if applicable
MDL	Method Detection Limit
ML	Minimum Level of Quantitation
MS	Matrix Spike
MSD	Matrix Spike Duplicate
N/A	Not Applicable
ND	Not detected at or above the indicated MDL or RL
NR	Data Not Reported due to matrix interference or insufficient sample amount.
PDS	Post Digestion Spike
PDSD	Post Digestion Spike Duplicate
PF	Prep Factor
RD	Relative Difference
RL	Reporting Limit (The RL is the lowest calibration standard in a multipoint calibration.)
RPD	Relative Percent Deviation
RRT	Relative Retention Time
SPK Val	Spike Value
SPKRef Val	Spike Reference Value
SPLP	Synthetic Precipitation Leachate Procedure
ST	Sorbent Tube
TCLP	Toxicity Characteristic Leachate Procedure
TEQ	Toxicity Equivalents
WET (STLC)	Waste Extraction Test (Soluble Threshold Limit Concentration)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Glossary of Terms & Qualifier Definitions

Client: Langan
Project: 750615606; 681 Florida Street
WorkOrder: 1806055

Analytical Qualifiers

S	Surrogate spike recovery outside accepted recovery limits
a3	Sample diluted due to high organic content.
e2	Diesel range compounds are significant; no recognizable pattern
e6	One to a few isolated peaks present in the TPH(d/mo) chromatogram
e7	Oil range compounds are significant
j1	See attached narrative
k10	CARB 435 Exception 1 - No asbestos detected

Quality Control Qualifiers

F2	LCS/LCSD recovery and/or RPD is out of acceptance criteria.
F3	The surrogate standard recovery and/or RPD is outside of acceptance limits.
F5	LCS recovery is outside of acceptance limits; however, the data is acceptable by NELAP criteria.
F10	MS/MSD outside control limits. Physical or chemical interferences exist due to sample matrix.
F11	DLT outside control limits. Physical or chemical interferences exist due to sample matrix. Sample results may be estimates.

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Case Narrative

Client: Langan
Work Order: 1806055
Project: 750615606; 681 Florida Street
June 11, 2018

j1) The soil surrogates spiked in batches 159208 & 159235 for EPA 8260 was spiked 10 times lower in the extraction solvent. Therefore, the recoveries for the following surrogates should be considered out to 10% versus 100%:
Benzene-d6
Ethylbenzene-d10
1,2-DCB-d4

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B
Date Prepared:	6/1/18	**Analytical Method:**	SW8081A/8082
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Organochlorine Pesticides + PCBs

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-1-2.0	1806055-001A	Soil	05/31/2018 07:54	GC23 06051870.D	159233

Analytes	Result	RL	DF	Date Analyzed
Aldrin	ND	0.0010	1	06/06/2018 10:40
a-BHC	ND	0.0010	1	06/06/2018 10:40
b-BHC	ND	0.0010	1	06/06/2018 10:40
d-BHC	ND	0.0010	1	06/06/2018 10:40
g-BHC	ND	0.0010	1	06/06/2018 10:40
Chlordane (Technical)	ND	0.025	1	06/06/2018 10:40
a-Chlordane	ND	0.0010	1	06/06/2018 10:40
g-Chlordane	ND	0.0010	1	06/06/2018 10:40
p,p-DDD	ND	0.0010	1	06/06/2018 10:40
p,p-DDE	ND	0.0010	1	06/06/2018 10:40
p,p-DDT	ND	0.0010	1	06/06/2018 10:40
Dieldrin	ND	0.0010	1	06/06/2018 10:40
Endosulfan I	ND	0.0010	1	06/06/2018 10:40
Endosulfan II	ND	0.0010	1	06/06/2018 10:40
Endosulfan sulfate	ND	0.0010	1	06/06/2018 10:40
Endrin	ND	0.0010	1	06/06/2018 10:40
Endrin aldehyde	ND	0.0010	1	06/06/2018 10:40
Endrin ketone	ND	0.0010	1	06/06/2018 10:40
Heptachlor	ND	0.0010	1	06/06/2018 10:40
Heptachlor epoxide	ND	0.0010	1	06/06/2018 10:40
Hexachlorobenzene	ND	0.010	1	06/06/2018 10:40
Hexachlorocyclopentadiene	ND	0.020	1	06/06/2018 10:40
Methoxychlor	ND	0.0010	1	06/06/2018 10:40
Toxaphene	ND	0.050	1	06/06/2018 10:40
Aroclor1016	ND	0.050	1	06/06/2018 10:40
Aroclor1221	ND	0.050	1	06/06/2018 10:40
Aroclor1232	ND	0.050	1	06/06/2018 10:40
Aroclor1242	ND	0.050	1	06/06/2018 10:40
Aroclor1248	ND	0.050	1	06/06/2018 10:40
Aroclor1254	ND	0.050	1	06/06/2018 10:40
Aroclor1260	ND	0.050	1	06/06/2018 10:40
PCBs, total	ND	0.050	1	06/06/2018 10:40

Surrogates	REC (%)	Limits	
Decachlorobiphenyl	96	70-130	06/06/2018 10:40

Analyst(s): LT

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B
Date Prepared:	6/1/18	**Analytical Method:**	SW8081A/8082
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Organochlorine Pesticides + PCBs

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-4.0	1806055-006A	Soil	05/31/2018 08:59	GC23 06051871.D	159233

Analytes	Result	RL	DF	Date Analyzed
Aldrin	ND	0.0010	1	06/06/2018 10:56
a-BHC	ND	0.0010	1	06/06/2018 10:56
b-BHC	ND	0.0010	1	06/06/2018 10:56
d-BHC	ND	0.0010	1	06/06/2018 10:56
g-BHC	ND	0.0010	1	06/06/2018 10:56
Chlordane (Technical)	ND	0.025	1	06/06/2018 10:56
a-Chlordane	ND	0.0010	1	06/06/2018 10:56
g-Chlordane	ND	0.0010	1	06/06/2018 10:56
p,p-DDD	ND	0.0010	1	06/06/2018 10:56
p,p-DDE	ND	0.0010	1	06/06/2018 10:56
p,p-DDT	ND	0.0010	1	06/06/2018 10:56
Dieldrin	ND	0.0010	1	06/06/2018 10:56
Endosulfan I	ND	0.0010	1	06/06/2018 10:56
Endosulfan II	ND	0.0010	1	06/06/2018 10:56
Endosulfan sulfate	ND	0.0010	1	06/06/2018 10:56
Endrin	ND	0.0010	1	06/06/2018 10:56
Endrin aldehyde	ND	0.0010	1	06/06/2018 10:56
Endrin ketone	ND	0.0010	1	06/06/2018 10:56
Heptachlor	ND	0.0010	1	06/06/2018 10:56
Heptachlor epoxide	ND	0.0010	1	06/06/2018 10:56
Hexachlorobenzene	ND	0.010	1	06/06/2018 10:56
Hexachlorocyclopentadiene	ND	0.020	1	06/06/2018 10:56
Methoxychlor	ND	0.0010	1	06/06/2018 10:56
Toxaphene	ND	0.050	1	06/06/2018 10:56
Aroclor1016	ND	0.050	1	06/06/2018 10:56
Aroclor1221	ND	0.050	1	06/06/2018 10:56
Aroclor1232	ND	0.050	1	06/06/2018 10:56
Aroclor1242	ND	0.050	1	06/06/2018 10:56
Aroclor1248	ND	0.050	1	06/06/2018 10:56
Aroclor1254	ND	0.050	1	06/06/2018 10:56
Aroclor1260	ND	0.050	1	06/06/2018 10:56
PCBs, total	ND	0.050	1	06/06/2018 10:56

Surrogates	REC (%)	Limits	
Decachlorobiphenyl	95	70-130	06/06/2018 10:56

Analyst(s): LT

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B
Date Prepared:	6/1/18	**Analytical Method:**	SW8081A/8082
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Organochlorine Pesticides + PCBs

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-2.0	1806055-009A	Soil	05/31/2018 10:01	GC23 06051872.D	159233

Analytes	Result	RL	DF	Date Analyzed
Aldrin	ND	0.010	10	06/06/2018 11:12
a-BHC	ND	0.010	10	06/06/2018 11:12
b-BHC	ND	0.010	10	06/06/2018 11:12
d-BHC	ND	0.010	10	06/06/2018 11:12
g-BHC	ND	0.010	10	06/06/2018 11:12
Chlordane (Technical)	ND	0.25	10	06/06/2018 11:12
a-Chlordane	ND	0.010	10	06/06/2018 11:12
g-Chlordane	ND	0.010	10	06/06/2018 11:12
p,p-DDD	ND	0.010	10	06/06/2018 11:12
p,p-DDE	ND	0.010	10	06/06/2018 11:12
p,p-DDT	ND	0.010	10	06/06/2018 11:12
Dieldrin	ND	0.010	10	06/06/2018 11:12
Endosulfan I	ND	0.010	10	06/06/2018 11:12
Endosulfan II	ND	0.010	10	06/06/2018 11:12
Endosulfan sulfate	ND	0.010	10	06/06/2018 11:12
Endrin	ND	0.010	10	06/06/2018 11:12
Endrin aldehyde	ND	0.010	10	06/06/2018 11:12
Endrin ketone	ND	0.010	10	06/06/2018 11:12
Heptachlor	ND	0.010	10	06/06/2018 11:12
Heptachlor epoxide	ND	0.010	10	06/06/2018 11:12
Hexachlorobenzene	ND	0.10	10	06/06/2018 11:12
Hexachlorocyclopentadiene	ND	0.20	10	06/06/2018 11:12
Methoxychlor	ND	0.010	10	06/06/2018 11:12
Toxaphene	ND	0.50	10	06/06/2018 11:12
Aroclor1016	ND	0.50	10	06/06/2018 11:12
Aroclor1221	ND	0.50	10	06/06/2018 11:12
Aroclor1232	ND	0.50	10	06/06/2018 11:12
Aroclor1242	ND	0.50	10	06/06/2018 11:12
Aroclor1248	ND	0.50	10	06/06/2018 11:12
Aroclor1254	ND	0.50	10	06/06/2018 11:12
Aroclor1260	ND	0.50	10	06/06/2018 11:12
PCBs, total	ND	0.50	10	06/06/2018 11:12

Surrogates	REC (%)	Limits	
Decachlorobiphenyl	101	70-130	06/06/2018 11:12

Analyst(s): LT Analytical Comments: a3

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B
Date Prepared:	6/1/18	**Analytical Method:**	SW8081A/8082
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Organochlorine Pesticides + PCBs

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-6.0	1806055-011A	Soil	05/31/2018 10:11	GC23 06051873.D	159233

Analytes	Result	RL	DF	Date Analyzed
Aldrin	ND	0.0010	1	06/06/2018 11:28
a-BHC	ND	0.0010	1	06/06/2018 11:28
b-BHC	ND	0.0010	1	06/06/2018 11:28
d-BHC	ND	0.0010	1	06/06/2018 11:28
g-BHC	ND	0.0010	1	06/06/2018 11:28
Chlordane (Technical)	ND	0.025	1	06/06/2018 11:28
a-Chlordane	ND	0.0010	1	06/06/2018 11:28
g-Chlordane	ND	0.0010	1	06/06/2018 11:28
p,p-DDD	ND	0.0010	1	06/06/2018 11:28
p,p-DDE	ND	0.0010	1	06/06/2018 11:28
p,p-DDT	ND	0.0010	1	06/06/2018 11:28
Dieldrin	ND	0.0010	1	06/06/2018 11:28
Endosulfan I	ND	0.0010	1	06/06/2018 11:28
Endosulfan II	ND	0.0010	1	06/06/2018 11:28
Endosulfan sulfate	ND	0.0010	1	06/06/2018 11:28
Endrin	ND	0.0010	1	06/06/2018 11:28
Endrin aldehyde	ND	0.0010	1	06/06/2018 11:28
Endrin ketone	ND	0.0010	1	06/06/2018 11:28
Heptachlor	ND	0.0010	1	06/06/2018 11:28
Heptachlor epoxide	ND	0.0010	1	06/06/2018 11:28
Hexachlorobenzene	ND	0.010	1	06/06/2018 11:28
Hexachlorocyclopentadiene	ND	0.020	1	06/06/2018 11:28
Methoxychlor	ND	0.0010	1	06/06/2018 11:28
Toxaphene	ND	0.050	1	06/06/2018 11:28
Aroclor1016	ND	0.050	1	06/06/2018 11:28
Aroclor1221	ND	0.050	1	06/06/2018 11:28
Aroclor1232	ND	0.050	1	06/06/2018 11:28
Aroclor1242	ND	0.050	1	06/06/2018 11:28
Aroclor1248	ND	0.050	1	06/06/2018 11:28
Aroclor1254	ND	0.050	1	06/06/2018 11:28
Aroclor1260	ND	0.050	1	06/06/2018 11:28
PCBs, total	ND	0.050	1	06/06/2018 11:28

Surrogates	REC (%)	Limits	
Decachlorobiphenyl	94	70-130	06/06/2018 11:28

Analyst(s): LT

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B
Date Prepared:	6/1/18	**Analytical Method:**	SW8081A/8082
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Organochlorine Pesticides + PCBs

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-4-8.0	1806055-022A	Soil	05/31/2018 11:30	GC20 06011852.D	159233

Analytes	Result	RL	DF	Date Analyzed
Aldrin	ND	0.0010	1	06/02/2018 07:41
a-BHC	ND	0.0010	1	06/02/2018 07:41
b-BHC	ND	0.0010	1	06/02/2018 07:41
d-BHC	ND	0.0010	1	06/02/2018 07:41
g-BHC	ND	0.0010	1	06/02/2018 07:41
Chlordane (Technical)	ND	0.025	1	06/02/2018 07:41
a-Chlordane	ND	0.0010	1	06/02/2018 07:41
g-Chlordane	ND	0.0010	1	06/02/2018 07:41
p,p-DDD	ND	0.0010	1	06/02/2018 07:41
p,p-DDE	ND	0.0010	1	06/02/2018 07:41
p,p-DDT	ND	0.0010	1	06/02/2018 07:41
Dieldrin	ND	0.0010	1	06/02/2018 07:41
Endosulfan I	ND	0.0010	1	06/02/2018 07:41
Endosulfan II	ND	0.0010	1	06/02/2018 07:41
Endosulfan sulfate	ND	0.0010	1	06/02/2018 07:41
Endrin	ND	0.0010	1	06/02/2018 07:41
Endrin aldehyde	ND	0.0010	1	06/02/2018 07:41
Endrin ketone	ND	0.0010	1	06/02/2018 07:41
Heptachlor	ND	0.0010	1	06/02/2018 07:41
Heptachlor epoxide	ND	0.0010	1	06/02/2018 07:41
Hexachlorobenzene	ND	0.010	1	06/02/2018 07:41
Hexachlorocyclopentadiene	ND	0.020	1	06/02/2018 07:41
Methoxychlor	ND	0.0010	1	06/02/2018 07:41
Toxaphene	ND	0.050	1	06/02/2018 07:41
Aroclor1016	ND	0.050	1	06/02/2018 07:41
Aroclor1221	ND	0.050	1	06/02/2018 07:41
Aroclor1232	ND	0.050	1	06/02/2018 07:41
Aroclor1242	ND	0.050	1	06/02/2018 07:41
Aroclor1248	ND	0.050	1	06/02/2018 07:41
Aroclor1254	ND	0.050	1	06/02/2018 07:41
Aroclor1260	ND	0.050	1	06/02/2018 07:41
PCBs, total	ND	0.050	1	06/02/2018 07:41

Surrogates	REC (%)	Limits	
Decachlorobiphenyl	89	70-130	06/02/2018 07:41

Analyst(s): CK

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B/3640Am/3630Cm
Date Prepared:	6/4/18	**Analytical Method:**	SW8081A/8082
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Organochlorine Pesticides + PCBs

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-18.0	1806055-017A	Soil	05/31/2018 10:39	GC23 06051860.D	159284

Analytes	Result	RL	DF	Date Analyzed
Aldrin	ND	0.00010	1	06/06/2018 08:03
a-BHC	ND	0.00010	1	06/06/2018 08:03
b-BHC	ND	0.00030	1	06/06/2018 08:03
d-BHC	ND	0.00020	1	06/06/2018 08:03
g-BHC	ND	0.00010	1	06/06/2018 08:03
Chlordane (Technical)	ND	0.0025	1	06/06/2018 08:03
a-Chlordane	ND	0.00010	1	06/06/2018 08:03
g-Chlordane	ND	0.00010	1	06/06/2018 08:03
p,p-DDD	ND	0.00010	1	06/06/2018 08:03
p,p-DDE	ND	0.00010	1	06/06/2018 08:03
p,p-DDT	ND	0.00010	1	06/06/2018 08:03
Dieldrin	ND	0.00010	1	06/06/2018 08:03
Endosulfan I	ND	0.00010	1	06/06/2018 08:03
Endosulfan II	ND	0.00010	1	06/06/2018 08:03
Endosulfan sulfate	ND	0.00010	1	06/06/2018 08:03
Endrin	ND	0.00010	1	06/06/2018 08:03
Endrin aldehyde	ND	0.00010	1	06/06/2018 08:03
Endrin ketone	ND	0.00010	1	06/06/2018 08:03
Heptachlor	ND	0.00010	1	06/06/2018 08:03
Heptachlor epoxide	ND	0.00010	1	06/06/2018 08:03
Hexachlorobenzene	ND	0.0010	1	06/06/2018 08:03
Hexachlorocyclopentadiene	ND	0.0020	1	06/06/2018 08:03
Methoxychlor	ND	0.00020	1	06/06/2018 08:03
Toxaphene	ND	0.0050	1	06/06/2018 08:03
Aroclor1016	ND	0.0050	1	06/06/2018 08:03
Aroclor1221	ND	0.0050	1	06/06/2018 08:03
Aroclor1232	ND	0.0050	1	06/06/2018 08:03
Aroclor1242	ND	0.0050	1	06/06/2018 08:03
Aroclor1248	ND	0.0050	1	06/06/2018 08:03
Aroclor1254	ND	0.0050	1	06/06/2018 08:03
Aroclor1260	ND	0.0050	1	06/06/2018 08:03
PCBs, total	ND	0.0050	1	06/06/2018 08:03

Surrogates	REC (%)	Limits	
Decachlorobiphenyl	52	20-145	06/06/2018 08:03

Analyst(s): LT

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-1-2.0	1806055-001A	Soil	05/31/2018 07:54	GC18 06081807.D	159235

Analytes	Result	RL	DF	Date Analyzed
Acetone	ND	0.10	1	06/08/2018 11:34
tert-Amyl methyl ether (TAME)	ND	0.0050	1	06/08/2018 11:34
Benzene	ND	0.0050	1	06/08/2018 11:34
Bromobenzene	ND	0.0050	1	06/08/2018 11:34
Bromochloromethane	ND	0.0050	1	06/08/2018 11:34
Bromodichloromethane	ND	0.0050	1	06/08/2018 11:34
Bromoform	ND	0.0050	1	06/08/2018 11:34
Bromomethane	ND	0.0050	1	06/08/2018 11:34
2-Butanone (MEK)	ND	0.020	1	06/08/2018 11:34
t-Butyl alcohol (TBA)	ND	0.050	1	06/08/2018 11:34
n-Butyl benzene	ND	0.0050	1	06/08/2018 11:34
sec-Butyl benzene	ND	0.0050	1	06/08/2018 11:34
tert-Butyl benzene	ND	0.0050	1	06/08/2018 11:34
Carbon Disulfide	ND	0.0050	1	06/08/2018 11:34
Carbon Tetrachloride	ND	0.0050	1	06/08/2018 11:34
Chlorobenzene	ND	0.0050	1	06/08/2018 11:34
Chloroethane	ND	0.0050	1	06/08/2018 11:34
Chloroform	ND	0.0050	1	06/08/2018 11:34
Chloromethane	ND	0.0050	1	06/08/2018 11:34
2-Chlorotoluene	ND	0.0050	1	06/08/2018 11:34
4-Chlorotoluene	ND	0.0050	1	06/08/2018 11:34
Dibromochloromethane	ND	0.0050	1	06/08/2018 11:34
1,2-Dibromo-3-chloropropane	ND	0.0040	1	06/08/2018 11:34
1,2-Dibromoethane (EDB)	ND	0.0040	1	06/08/2018 11:34
Dibromomethane	ND	0.0050	1	06/08/2018 11:34
1,2-Dichlorobenzene	ND	0.0050	1	06/08/2018 11:34
1,3-Dichlorobenzene	ND	0.0050	1	06/08/2018 11:34
1,4-Dichlorobenzene	ND	0.0050	1	06/08/2018 11:34
Dichlorodifluoromethane	ND	0.0050	1	06/08/2018 11:34
1,1-Dichloroethane	ND	0.0050	1	06/08/2018 11:34
1,2-Dichloroethane (1,2-DCA)	ND	0.0040	1	06/08/2018 11:34
1,1-Dichloroethene	ND	0.0050	1	06/08/2018 11:34
cis-1,2-Dichloroethene	ND	0.0050	1	06/08/2018 11:34
trans-1,2-Dichloroethene	ND	0.0050	1	06/08/2018 11:34
1,2-Dichloropropane	ND	0.0050	1	06/08/2018 11:34
1,3-Dichloropropane	ND	0.0050	1	06/08/2018 11:34
2,2-Dichloropropane	ND	0.0050	1	06/08/2018 11:34

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-1-2.0	1806055-001A	Soil	05/31/2018 07:54	GC18 06081807.D	159235

Analytes	Result	RL	DF	Date Analyzed
1,1-Dichloropropene	ND	0.0050	1	06/08/2018 11:34
cis-1,3-Dichloropropene	ND	0.0050	1	06/08/2018 11:34
trans-1,3-Dichloropropene	ND	0.0050	1	06/08/2018 11:34
Diisopropyl ether (DIPE)	ND	0.0050	1	06/08/2018 11:34
Ethylbenzene	ND	0.0050	1	06/08/2018 11:34
Ethyl tert-butyl ether (ETBE)	ND	0.0050	1	06/08/2018 11:34
Freon 113	ND	0.0050	1	06/08/2018 11:34
Hexachlorobutadiene	ND	0.0050	1	06/08/2018 11:34
Hexachloroethane	ND	0.0050	1	06/08/2018 11:34
2-Hexanone	ND	0.0050	1	06/08/2018 11:34
Isopropylbenzene	ND	0.0050	1	06/08/2018 11:34
4-Isopropyl toluene	ND	0.0050	1	06/08/2018 11:34
Methyl-t-butyl ether (MTBE)	ND	0.0050	1	06/08/2018 11:34
Methylene chloride	ND	0.0050	1	06/08/2018 11:34
4-Methyl-2-pentanone (MIBK)	ND	0.0050	1	06/08/2018 11:34
Naphthalene	ND	0.0050	1	06/08/2018 11:34
n-Propyl benzene	ND	0.0050	1	06/08/2018 11:34
Styrene	ND	0.0050	1	06/08/2018 11:34
1,1,1,2-Tetrachloroethane	ND	0.0050	1	06/08/2018 11:34
1,1,2,2-Tetrachloroethane	ND	0.0050	1	06/08/2018 11:34
Tetrachloroethene	ND	0.0050	1	06/08/2018 11:34
Toluene	ND	0.0050	1	06/08/2018 11:34
1,2,3-Trichlorobenzene	ND	0.0050	1	06/08/2018 11:34
1,2,4-Trichlorobenzene	ND	0.0050	1	06/08/2018 11:34
1,1,1-Trichloroethane	ND	0.0050	1	06/08/2018 11:34
1,1,2-Trichloroethane	ND	0.0050	1	06/08/2018 11:34
Trichloroethene	ND	0.0050	1	06/08/2018 11:34
Trichlorofluoromethane	ND	0.0050	1	06/08/2018 11:34
1,2,3-Trichloropropane	ND	0.0050	1	06/08/2018 11:34
1,2,4-Trimethylbenzene	ND	0.0050	1	06/08/2018 11:34
1,3,5-Trimethylbenzene	ND	0.0050	1	06/08/2018 11:34
Vinyl Chloride	ND	0.0050	1	06/08/2018 11:34
Xylenes, Total	ND	0.0050	1	06/08/2018 11:34

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-1-2.0	**1806055-001A**	**Soil**	**05/31/2018 07:54**	**GC18 06081807.D**	**159235**

Analytes	Result	RL	DF	Date Analyzed
Surrogates	**REC (%)**	**Limits**		
Dibromofluoromethane	109	82-136		06/08/2018 11:34
Toluene-d8	121	92-139		06/08/2018 11:34
4-BFB	104	82-135		06/08/2018 11:34
Benzene-d6	102	55-122		06/08/2018 11:34
Ethylbenzene-d10	97	58-141		06/08/2018 11:34
1,2-DCB-d4	76	51-107		06/08/2018 11:34

Analyst(s): KF

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-1-6.0	1806055-003A	Soil	05/31/2018 08:12	GC18 06061823.D	159235

Analytes	Result	RL	DF	Date Analyzed
Acetone	ND	0.10	1	06/06/2018 22:06
tert-Amyl methyl ether (TAME)	ND	0.0050	1	06/06/2018 22:06
Benzene	ND	0.0050	1	06/06/2018 22:06
Bromobenzene	ND	0.0050	1	06/06/2018 22:06
Bromochloromethane	ND	0.0050	1	06/06/2018 22:06
Bromodichloromethane	ND	0.0050	1	06/06/2018 22:06
Bromoform	ND	0.0050	1	06/06/2018 22:06
Bromomethane	ND	0.0050	1	06/06/2018 22:06
2-Butanone (MEK)	ND	0.020	1	06/06/2018 22:06
t-Butyl alcohol (TBA)	ND	0.050	1	06/06/2018 22:06
n-Butyl benzene	ND	0.0050	1	06/06/2018 22:06
sec-Butyl benzene	ND	0.0050	1	06/06/2018 22:06
tert-Butyl benzene	ND	0.0050	1	06/06/2018 22:06
Carbon Disulfide	ND	0.0050	1	06/06/2018 22:06
Carbon Tetrachloride	ND	0.0050	1	06/06/2018 22:06
Chlorobenzene	ND	0.0050	1	06/06/2018 22:06
Chloroethane	ND	0.0050	1	06/06/2018 22:06
Chloroform	ND	0.0050	1	06/06/2018 22:06
Chloromethane	ND	0.0050	1	06/06/2018 22:06
2-Chlorotoluene	ND	0.0050	1	06/06/2018 22:06
4-Chlorotoluene	ND	0.0050	1	06/06/2018 22:06
Dibromochloromethane	ND	0.0050	1	06/06/2018 22:06
1,2-Dibromo-3-chloropropane	ND	0.0040	1	06/06/2018 22:06
1,2-Dibromoethane (EDB)	ND	0.0040	1	06/06/2018 22:06
Dibromomethane	ND	0.0050	1	06/06/2018 22:06
1,2-Dichlorobenzene	ND	0.0050	1	06/06/2018 22:06
1,3-Dichlorobenzene	ND	0.0050	1	06/06/2018 22:06
1,4-Dichlorobenzene	ND	0.0050	1	06/06/2018 22:06
Dichlorodifluoromethane	ND	0.0050	1	06/06/2018 22:06
1,1-Dichloroethane	ND	0.0050	1	06/06/2018 22:06
1,2-Dichloroethane (1,2-DCA)	ND	0.0040	1	06/06/2018 22:06
1,1-Dichloroethene	ND	0.0050	1	06/06/2018 22:06
cis-1,2-Dichloroethene	ND	0.0050	1	06/06/2018 22:06
trans-1,2-Dichloroethene	ND	0.0050	1	06/06/2018 22:06
1,2-Dichloropropane	ND	0.0050	1	06/06/2018 22:06
1,3-Dichloropropane	ND	0.0050	1	06/06/2018 22:06
2,2-Dichloropropane	ND	0.0050	1	06/06/2018 22:06

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-1-6.0	1806055-003A	Soil	05/31/2018 08:12	GC18 06061823.D	159235

Analytes	Result	RL	DF	Date Analyzed
1,1-Dichloropropene	ND	0.0050	1	06/06/2018 22:06
cis-1,3-Dichloropropene	ND	0.0050	1	06/06/2018 22:06
trans-1,3-Dichloropropene	ND	0.0050	1	06/06/2018 22:06
Diisopropyl ether (DIPE)	ND	0.0050	1	06/06/2018 22:06
Ethylbenzene	ND	0.0050	1	06/06/2018 22:06
Ethyl tert-butyl ether (ETBE)	ND	0.0050	1	06/06/2018 22:06
Freon 113	ND	0.0050	1	06/06/2018 22:06
Hexachlorobutadiene	ND	0.0050	1	06/06/2018 22:06
Hexachloroethane	ND	0.0050	1	06/06/2018 22:06
2-Hexanone	ND	0.0050	1	06/06/2018 22:06
Isopropylbenzene	ND	0.0050	1	06/06/2018 22:06
4-Isopropyl toluene	ND	0.0050	1	06/06/2018 22:06
Methyl-t-butyl ether (MTBE)	ND	0.0050	1	06/06/2018 22:06
Methylene chloride	ND	0.0050	1	06/06/2018 22:06
4-Methyl-2-pentanone (MIBK)	ND	0.0050	1	06/06/2018 22:06
Naphthalene	ND	0.0050	1	06/06/2018 22:06
n-Propyl benzene	ND	0.0050	1	06/06/2018 22:06
Styrene	ND	0.0050	1	06/06/2018 22:06
1,1,1,2-Tetrachloroethane	ND	0.0050	1	06/06/2018 22:06
1,1,2,2-Tetrachloroethane	ND	0.0050	1	06/06/2018 22:06
Tetrachloroethene	ND	0.0050	1	06/06/2018 22:06
Toluene	ND	0.0050	1	06/06/2018 22:06
1,2,3-Trichlorobenzene	ND	0.0050	1	06/06/2018 22:06
1,2,4-Trichlorobenzene	ND	0.0050	1	06/06/2018 22:06
1,1,1-Trichloroethane	ND	0.0050	1	06/06/2018 22:06
1,1,2-Trichloroethane	ND	0.0050	1	06/06/2018 22:06
Trichloroethene	ND	0.0050	1	06/06/2018 22:06
Trichlorofluoromethane	ND	0.0050	1	06/06/2018 22:06
1,2,3-Trichloropropane	ND	0.0050	1	06/06/2018 22:06
1,2,4-Trimethylbenzene	ND	0.0050	1	06/06/2018 22:06
1,3,5-Trimethylbenzene	ND	0.0050	1	06/06/2018 22:06
Vinyl Chloride	ND	0.0050	1	06/06/2018 22:06
Xylenes, Total	ND	0.0050	1	06/06/2018 22:06

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-1-6.0	**1806055-003A**	**Soil**	**05/31/2018 08:12**	**GC18 06061823.D**	**159235**

Analytes	Result	RL	DF	Date Analyzed
Surrogates	**REC (%)**	**Limits**		
Dibromofluoromethane	106	82-136		06/06/2018 22:06
Toluene-d8	121	92-139		06/06/2018 22:06
4-BFB	105	82-135		06/06/2018 22:06
Benzene-d6	103	55-122		06/06/2018 22:06
Ethylbenzene-d10	103	58-141		06/06/2018 22:06
1,2-DCB-d4	78	51-107		06/06/2018 22:06

Analyst(s): KF

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-4.0	1806055-006A	Soil	05/31/2018 08:59	GC18 06061833.D	159235

Analytes	Result	RL	DF	Date Analyzed
Acetone	ND	0.10	1	06/07/2018 04:43
tert-Amyl methyl ether (TAME)	ND	0.0050	1	06/07/2018 04:43
Benzene	ND	0.0050	1	06/07/2018 04:43
Bromobenzene	ND	0.0050	1	06/07/2018 04:43
Bromochloromethane	ND	0.0050	1	06/07/2018 04:43
Bromodichloromethane	ND	0.0050	1	06/07/2018 04:43
Bromoform	ND	0.0050	1	06/07/2018 04:43
Bromomethane	ND	0.0050	1	06/07/2018 04:43
2-Butanone (MEK)	ND	0.020	1	06/07/2018 04:43
t-Butyl alcohol (TBA)	ND	0.050	1	06/07/2018 04:43
n-Butyl benzene	ND	0.0050	1	06/07/2018 04:43
sec-Butyl benzene	ND	0.0050	1	06/07/2018 04:43
tert-Butyl benzene	ND	0.0050	1	06/07/2018 04:43
Carbon Disulfide	ND	0.0050	1	06/07/2018 04:43
Carbon Tetrachloride	ND	0.0050	1	06/07/2018 04:43
Chlorobenzene	ND	0.0050	1	06/07/2018 04:43
Chloroethane	ND	0.0050	1	06/07/2018 04:43
Chloroform	ND	0.0050	1	06/07/2018 04:43
Chloromethane	ND	0.0050	1	06/07/2018 04:43
2-Chlorotoluene	ND	0.0050	1	06/07/2018 04:43
4-Chlorotoluene	ND	0.0050	1	06/07/2018 04:43
Dibromochloromethane	ND	0.0050	1	06/07/2018 04:43
1,2-Dibromo-3-chloropropane	ND	0.0040	1	06/07/2018 04:43
1,2-Dibromoethane (EDB)	ND	0.0040	1	06/07/2018 04:43
Dibromomethane	ND	0.0050	1	06/07/2018 04:43
1,2-Dichlorobenzene	ND	0.0050	1	06/07/2018 04:43
1,3-Dichlorobenzene	ND	0.0050	1	06/07/2018 04:43
1,4-Dichlorobenzene	ND	0.0050	1	06/07/2018 04:43
Dichlorodifluoromethane	ND	0.0050	1	06/07/2018 04:43
1,1-Dichloroethane	ND	0.0050	1	06/07/2018 04:43
1,2-Dichloroethane (1,2-DCA)	ND	0.0040	1	06/07/2018 04:43
1,1-Dichloroethene	ND	0.0050	1	06/07/2018 04:43
cis-1,2-Dichloroethene	ND	0.0050	1	06/07/2018 04:43
trans-1,2-Dichloroethene	ND	0.0050	1	06/07/2018 04:43
1,2-Dichloropropane	ND	0.0050	1	06/07/2018 04:43
1,3-Dichloropropane	ND	0.0050	1	06/07/2018 04:43
2,2-Dichloropropane	ND	0.0050	1	06/07/2018 04:43

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-4.0	1806055-006A	Soil	05/31/2018 08:59	GC18 06061833.D	159235

Analytes	Result	RL	DF	Date Analyzed
1,1-Dichloropropene	ND	0.0050	1	06/07/2018 04:43
cis-1,3-Dichloropropene	ND	0.0050	1	06/07/2018 04:43
trans-1,3-Dichloropropene	ND	0.0050	1	06/07/2018 04:43
Diisopropyl ether (DIPE)	ND	0.0050	1	06/07/2018 04:43
Ethylbenzene	ND	0.0050	1	06/07/2018 04:43
Ethyl tert-butyl ether (ETBE)	ND	0.0050	1	06/07/2018 04:43
Freon 113	ND	0.0050	1	06/07/2018 04:43
Hexachlorobutadiene	ND	0.0050	1	06/07/2018 04:43
Hexachloroethane	ND	0.0050	1	06/07/2018 04:43
2-Hexanone	ND	0.0050	1	06/07/2018 04:43
Isopropylbenzene	ND	0.0050	1	06/07/2018 04:43
4-Isopropyl toluene	ND	0.0050	1	06/07/2018 04:43
Methyl-t-butyl ether (MTBE)	ND	0.0050	1	06/07/2018 04:43
Methylene chloride	ND	0.0050	1	06/07/2018 04:43
4-Methyl-2-pentanone (MIBK)	ND	0.0050	1	06/07/2018 04:43
Naphthalene	ND	0.0050	1	06/07/2018 04:43
n-Propyl benzene	ND	0.0050	1	06/07/2018 04:43
Styrene	ND	0.0050	1	06/07/2018 04:43
1,1,1,2-Tetrachloroethane	ND	0.0050	1	06/07/2018 04:43
1,1,2,2-Tetrachloroethane	ND	0.0050	1	06/07/2018 04:43
Tetrachloroethene	ND	0.0050	1	06/07/2018 04:43
Toluene	ND	0.0050	1	06/07/2018 04:43
1,2,3-Trichlorobenzene	ND	0.0050	1	06/07/2018 04:43
1,2,4-Trichlorobenzene	ND	0.0050	1	06/07/2018 04:43
1,1,1-Trichloroethane	ND	0.0050	1	06/07/2018 04:43
1,1,2-Trichloroethane	ND	0.0050	1	06/07/2018 04:43
Trichloroethene	ND	0.0050	1	06/07/2018 04:43
Trichlorofluoromethane	ND	0.0050	1	06/07/2018 04:43
1,2,3-Trichloropropane	ND	0.0050	1	06/07/2018 04:43
1,2,4-Trimethylbenzene	ND	0.0050	1	06/07/2018 04:43
1,3,5-Trimethylbenzene	ND	0.0050	1	06/07/2018 04:43
Vinyl Chloride	ND	0.0050	1	06/07/2018 04:43
Xylenes, Total	ND	0.0050	1	06/07/2018 04:43

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-4.0	1806055-006A	Soil	05/31/2018 08:59	GC18 06061833.D	159235

Analytes	Result	RL	DF	Date Analyzed
Surrogates	**REC (%)**	**Limits**		
Dibromofluoromethane	101	82-136		06/07/2018 04:43
Toluene-d8	124	92-139		06/07/2018 04:43
4-BFB	102	82-135		06/07/2018 04:43
Benzene-d6	94	55-122		06/07/2018 04:43
Ethylbenzene-d10	98	58-141		06/07/2018 04:43
1,2-DCB-d4	74	51-107		06/07/2018 04:43

Analyst(s): KF

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-8.0	1806055-008A	Soil	05/31/2018 09:11	GC18 06061824.D	159235

Analytes	Result	RL	DF	Date Analyzed
Acetone	ND	0.10	1	06/06/2018 22:46
tert-Amyl methyl ether (TAME)	ND	0.0050	1	06/06/2018 22:46
Benzene	ND	0.0050	1	06/06/2018 22:46
Bromobenzene	ND	0.0050	1	06/06/2018 22:46
Bromochloromethane	ND	0.0050	1	06/06/2018 22:46
Bromodichloromethane	ND	0.0050	1	06/06/2018 22:46
Bromoform	ND	0.0050	1	06/06/2018 22:46
Bromomethane	ND	0.0050	1	06/06/2018 22:46
2-Butanone (MEK)	ND	0.020	1	06/06/2018 22:46
t-Butyl alcohol (TBA)	ND	0.050	1	06/06/2018 22:46
n-Butyl benzene	ND	0.0050	1	06/06/2018 22:46
sec-Butyl benzene	ND	0.0050	1	06/06/2018 22:46
tert-Butyl benzene	ND	0.0050	1	06/06/2018 22:46
Carbon Disulfide	ND	0.0050	1	06/06/2018 22:46
Carbon Tetrachloride	ND	0.0050	1	06/06/2018 22:46
Chlorobenzene	ND	0.0050	1	06/06/2018 22:46
Chloroethane	ND	0.0050	1	06/06/2018 22:46
Chloroform	ND	0.0050	1	06/06/2018 22:46
Chloromethane	ND	0.0050	1	06/06/2018 22:46
2-Chlorotoluene	ND	0.0050	1	06/06/2018 22:46
4-Chlorotoluene	ND	0.0050	1	06/06/2018 22:46
Dibromochloromethane	ND	0.0050	1	06/06/2018 22:46
1,2-Dibromo-3-chloropropane	ND	0.0040	1	06/06/2018 22:46
1,2-Dibromoethane (EDB)	ND	0.0040	1	06/06/2018 22:46
Dibromomethane	ND	0.0050	1	06/06/2018 22:46
1,2-Dichlorobenzene	ND	0.0050	1	06/06/2018 22:46
1,3-Dichlorobenzene	ND	0.0050	1	06/06/2018 22:46
1,4-Dichlorobenzene	ND	0.0050	1	06/06/2018 22:46
Dichlorodifluoromethane	ND	0.0050	1	06/06/2018 22:46
1,1-Dichloroethane	ND	0.0050	1	06/06/2018 22:46
1,2-Dichloroethane (1,2-DCA)	ND	0.0040	1	06/06/2018 22:46
1,1-Dichloroethene	ND	0.0050	1	06/06/2018 22:46
cis-1,2-Dichloroethene	ND	0.0050	1	06/06/2018 22:46
trans-1,2-Dichloroethene	ND	0.0050	1	06/06/2018 22:46
1,2-Dichloropropane	ND	0.0050	1	06/06/2018 22:46
1,3-Dichloropropane	ND	0.0050	1	06/06/2018 22:46
2,2-Dichloropropane	ND	0.0050	1	06/06/2018 22:46

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-8.0	1806055-008A	Soil	05/31/2018 09:11	GC18 06061824.D	159235

Analytes	Result	RL	DF	Date Analyzed
1,1-Dichloropropene	ND	0.0050	1	06/06/2018 22:46
cis-1,3-Dichloropropene	ND	0.0050	1	06/06/2018 22:46
trans-1,3-Dichloropropene	ND	0.0050	1	06/06/2018 22:46
Diisopropyl ether (DIPE)	ND	0.0050	1	06/06/2018 22:46
Ethylbenzene	ND	0.0050	1	06/06/2018 22:46
Ethyl tert-butyl ether (ETBE)	ND	0.0050	1	06/06/2018 22:46
Freon 113	ND	0.0050	1	06/06/2018 22:46
Hexachlorobutadiene	ND	0.0050	1	06/06/2018 22:46
Hexachloroethane	ND	0.0050	1	06/06/2018 22:46
2-Hexanone	ND	0.0050	1	06/06/2018 22:46
Isopropylbenzene	ND	0.0050	1	06/06/2018 22:46
4-Isopropyl toluene	ND	0.0050	1	06/06/2018 22:46
Methyl-t-butyl ether (MTBE)	ND	0.0050	1	06/06/2018 22:46
Methylene chloride	ND	0.0050	1	06/06/2018 22:46
4-Methyl-2-pentanone (MIBK)	ND	0.0050	1	06/06/2018 22:46
Naphthalene	ND	0.0050	1	06/06/2018 22:46
n-Propyl benzene	ND	0.0050	1	06/06/2018 22:46
Styrene	ND	0.0050	1	06/06/2018 22:46
1,1,1,2-Tetrachloroethane	ND	0.0050	1	06/06/2018 22:46
1,1,2,2-Tetrachloroethane	ND	0.0050	1	06/06/2018 22:46
Tetrachloroethene	ND	0.0050	1	06/06/2018 22:46
Toluene	ND	0.0050	1	06/06/2018 22:46
1,2,3-Trichlorobenzene	ND	0.0050	1	06/06/2018 22:46
1,2,4-Trichlorobenzene	ND	0.0050	1	06/06/2018 22:46
1,1,1-Trichloroethane	ND	0.0050	1	06/06/2018 22:46
1,1,2-Trichloroethane	ND	0.0050	1	06/06/2018 22:46
Trichloroethene	ND	0.0050	1	06/06/2018 22:46
Trichlorofluoromethane	ND	0.0050	1	06/06/2018 22:46
1,2,3-Trichloropropane	ND	0.0050	1	06/06/2018 22:46
1,2,4-Trimethylbenzene	ND	0.0050	1	06/06/2018 22:46
1,3,5-Trimethylbenzene	ND	0.0050	1	06/06/2018 22:46
Vinyl Chloride	ND	0.0050	1	06/06/2018 22:46
Xylenes, Total	ND	0.0050	1	06/06/2018 22:46

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-8.0	**1806055-008A**	**Soil**	**05/31/2018 09:11**	**GC18 06061824.D**	**159235**

Analytes	Result	RL	DF	Date Analyzed
Surrogates	**REC (%)**	**Limits**		
Dibromofluoromethane	99	82-136		06/06/2018 22:46
Toluene-d8	119	92-139		06/06/2018 22:46
4-BFB	100	82-135		06/06/2018 22:46
Benzene-d6	94	55-122		06/06/2018 22:46
Ethylbenzene-d10	95	58-141		06/06/2018 22:46
1,2-DCB-d4	73	51-107		06/06/2018 22:46

Analyst(s): KF

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-2.0	1806055-009A	Soil	05/31/2018 10:01	GC18 06061825.D	159235

Analytes	Result	RL	DF	Date Analyzed
Acetone	ND	0.10	1	06/06/2018 23:26
tert-Amyl methyl ether (TAME)	ND	0.0050	1	06/06/2018 23:26
Benzene	ND	0.0050	1	06/06/2018 23:26
Bromobenzene	ND	0.0050	1	06/06/2018 23:26
Bromochloromethane	ND	0.0050	1	06/06/2018 23:26
Bromodichloromethane	ND	0.0050	1	06/06/2018 23:26
Bromoform	ND	0.0050	1	06/06/2018 23:26
Bromomethane	ND	0.0050	1	06/06/2018 23:26
2-Butanone (MEK)	ND	0.020	1	06/06/2018 23:26
t-Butyl alcohol (TBA)	ND	0.050	1	06/06/2018 23:26
n-Butyl benzene	ND	0.0050	1	06/06/2018 23:26
sec-Butyl benzene	ND	0.0050	1	06/06/2018 23:26
tert-Butyl benzene	ND	0.0050	1	06/06/2018 23:26
Carbon Disulfide	ND	0.0050	1	06/06/2018 23:26
Carbon Tetrachloride	ND	0.0050	1	06/06/2018 23:26
Chlorobenzene	ND	0.0050	1	06/06/2018 23:26
Chloroethane	ND	0.0050	1	06/06/2018 23:26
Chloroform	ND	0.0050	1	06/06/2018 23:26
Chloromethane	ND	0.0050	1	06/06/2018 23:26
2-Chlorotoluene	ND	0.0050	1	06/06/2018 23:26
4-Chlorotoluene	ND	0.0050	1	06/06/2018 23:26
Dibromochloromethane	ND	0.0050	1	06/06/2018 23:26
1,2-Dibromo-3-chloropropane	ND	0.0040	1	06/06/2018 23:26
1,2-Dibromoethane (EDB)	ND	0.0040	1	06/06/2018 23:26
Dibromomethane	ND	0.0050	1	06/06/2018 23:26
1,2-Dichlorobenzene	ND	0.0050	1	06/06/2018 23:26
1,3-Dichlorobenzene	ND	0.0050	1	06/06/2018 23:26
1,4-Dichlorobenzene	ND	0.0050	1	06/06/2018 23:26
Dichlorodifluoromethane	ND	0.0050	1	06/06/2018 23:26
1,1-Dichloroethane	ND	0.0050	1	06/06/2018 23:26
1,2-Dichloroethane (1,2-DCA)	ND	0.0040	1	06/06/2018 23:26
1,1-Dichloroethene	ND	0.0050	1	06/06/2018 23:26
cis-1,2-Dichloroethene	ND	0.0050	1	06/06/2018 23:26
trans-1,2-Dichloroethene	ND	0.0050	1	06/06/2018 23:26
1,2-Dichloropropane	ND	0.0050	1	06/06/2018 23:26
1,3-Dichloropropane	ND	0.0050	1	06/06/2018 23:26
2,2-Dichloropropane	ND	0.0050	1	06/06/2018 23:26

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-2.0	1806055-009A	Soil	05/31/2018 10:01	GC18 06061825.D	159235

Analytes	Result	RL	DF	Date Analyzed
1,1-Dichloropropene	ND	0.0050	1	06/06/2018 23:26
cis-1,3-Dichloropropene	ND	0.0050	1	06/06/2018 23:26
trans-1,3-Dichloropropene	ND	0.0050	1	06/06/2018 23:26
Diisopropyl ether (DIPE)	ND	0.0050	1	06/06/2018 23:26
Ethylbenzene	ND	0.0050	1	06/06/2018 23:26
Ethyl tert-butyl ether (ETBE)	ND	0.0050	1	06/06/2018 23:26
Freon 113	ND	0.0050	1	06/06/2018 23:26
Hexachlorobutadiene	ND	0.0050	1	06/06/2018 23:26
Hexachloroethane	ND	0.0050	1	06/06/2018 23:26
2-Hexanone	ND	0.0050	1	06/06/2018 23:26
Isopropylbenzene	ND	0.0050	1	06/06/2018 23:26
4-Isopropyl toluene	ND	0.0050	1	06/06/2018 23:26
Methyl-t-butyl ether (MTBE)	ND	0.0050	1	06/06/2018 23:26
Methylene chloride	ND	0.0050	1	06/06/2018 23:26
4-Methyl-2-pentanone (MIBK)	ND	0.0050	1	06/06/2018 23:26
Naphthalene	ND	0.0050	1	06/06/2018 23:26
n-Propyl benzene	ND	0.0050	1	06/06/2018 23:26
Styrene	ND	0.0050	1	06/06/2018 23:26
1,1,1,2-Tetrachloroethane	ND	0.0050	1	06/06/2018 23:26
1,1,2,2-Tetrachloroethane	ND	0.0050	1	06/06/2018 23:26
Tetrachloroethene	ND	0.0050	1	06/06/2018 23:26
Toluene	ND	0.0050	1	06/06/2018 23:26
1,2,3-Trichlorobenzene	ND	0.0050	1	06/06/2018 23:26
1,2,4-Trichlorobenzene	ND	0.0050	1	06/06/2018 23:26
1,1,1-Trichloroethane	ND	0.0050	1	06/06/2018 23:26
1,1,2-Trichloroethane	ND	0.0050	1	06/06/2018 23:26
Trichloroethene	ND	0.0050	1	06/06/2018 23:26
Trichlorofluoromethane	ND	0.0050	1	06/06/2018 23:26
1,2,3-Trichloropropane	ND	0.0050	1	06/06/2018 23:26
1,2,4-Trimethylbenzene	ND	0.0050	1	06/06/2018 23:26
1,3,5-Trimethylbenzene	ND	0.0050	1	06/06/2018 23:26
Vinyl Chloride	ND	0.0050	1	06/06/2018 23:26
Xylenes, Total	ND	0.0050	1	06/06/2018 23:26

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-2.0	1806055-009A	Soil	05/31/2018 10:01	GC18 06061825.D	159235

Analytes	Result	RL	DF	Date Analyzed
Surrogates	**REC (%)**	**Limits**		
Dibromofluoromethane	106	82-136		06/06/2018 23:26
Toluene-d8	120	92-139		06/06/2018 23:26
4-BFB	99	82-135		06/06/2018 23:26
Benzene-d6	106	55-122		06/06/2018 23:26
Ethylbenzene-d10	105	58-141		06/06/2018 23:26
1,2-DCB-d4	80	51-107		06/06/2018 23:26

Analyst(s): KF

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-6.0	1806055-011A	Soil	05/31/2018 10:11	GC18 06061826.D	159235

Analytes	Result	RL	DF	Date Analyzed
Acetone	ND	0.10	1	06/07/2018 00:05
tert-Amyl methyl ether (TAME)	ND	0.0050	1	06/07/2018 00:05
Benzene	ND	0.0050	1	06/07/2018 00:05
Bromobenzene	ND	0.0050	1	06/07/2018 00:05
Bromochloromethane	ND	0.0050	1	06/07/2018 00:05
Bromodichloromethane	ND	0.0050	1	06/07/2018 00:05
Bromoform	ND	0.0050	1	06/07/2018 00:05
Bromomethane	ND	0.0050	1	06/07/2018 00:05
2-Butanone (MEK)	ND	0.020	1	06/07/2018 00:05
t-Butyl alcohol (TBA)	ND	0.050	1	06/07/2018 00:05
n-Butyl benzene	ND	0.0050	1	06/07/2018 00:05
sec-Butyl benzene	ND	0.0050	1	06/07/2018 00:05
tert-Butyl benzene	ND	0.0050	1	06/07/2018 00:05
Carbon Disulfide	ND	0.0050	1	06/07/2018 00:05
Carbon Tetrachloride	ND	0.0050	1	06/07/2018 00:05
Chlorobenzene	ND	0.0050	1	06/07/2018 00:05
Chloroethane	ND	0.0050	1	06/07/2018 00:05
Chloroform	ND	0.0050	1	06/07/2018 00:05
Chloromethane	ND	0.0050	1	06/07/2018 00:05
2-Chlorotoluene	ND	0.0050	1	06/07/2018 00:05
4-Chlorotoluene	ND	0.0050	1	06/07/2018 00:05
Dibromochloromethane	ND	0.0050	1	06/07/2018 00:05
1,2-Dibromo-3-chloropropane	ND	0.0040	1	06/07/2018 00:05
1,2-Dibromoethane (EDB)	ND	0.0040	1	06/07/2018 00:05
Dibromomethane	ND	0.0050	1	06/07/2018 00:05
1,2-Dichlorobenzene	ND	0.0050	1	06/07/2018 00:05
1,3-Dichlorobenzene	ND	0.0050	1	06/07/2018 00:05
1,4-Dichlorobenzene	ND	0.0050	1	06/07/2018 00:05
Dichlorodifluoromethane	ND	0.0050	1	06/07/2018 00:05
1,1-Dichloroethane	ND	0.0050	1	06/07/2018 00:05
1,2-Dichloroethane (1,2-DCA)	ND	0.0040	1	06/07/2018 00:05
1,1-Dichloroethene	ND	0.0050	1	06/07/2018 00:05
cis-1,2-Dichloroethene	ND	0.0050	1	06/07/2018 00:05
trans-1,2-Dichloroethene	ND	0.0050	1	06/07/2018 00:05
1,2-Dichloropropane	ND	0.0050	1	06/07/2018 00:05
1,3-Dichloropropane	ND	0.0050	1	06/07/2018 00:05
2,2-Dichloropropane	ND	0.0050	1	06/07/2018 00:05

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-6.0	1806055-011A	Soil	05/31/2018 10:11	GC18 06061826.D	159235

Analytes	Result	RL	DF	Date Analyzed
1,1-Dichloropropene	ND	0.0050	1	06/07/2018 00:05
cis-1,3-Dichloropropene	ND	0.0050	1	06/07/2018 00:05
trans-1,3-Dichloropropene	ND	0.0050	1	06/07/2018 00:05
Diisopropyl ether (DIPE)	ND	0.0050	1	06/07/2018 00:05
Ethylbenzene	ND	0.0050	1	06/07/2018 00:05
Ethyl tert-butyl ether (ETBE)	ND	0.0050	1	06/07/2018 00:05
Freon 113	ND	0.0050	1	06/07/2018 00:05
Hexachlorobutadiene	ND	0.0050	1	06/07/2018 00:05
Hexachloroethane	ND	0.0050	1	06/07/2018 00:05
2-Hexanone	ND	0.0050	1	06/07/2018 00:05
Isopropylbenzene	ND	0.0050	1	06/07/2018 00:05
4-Isopropyl toluene	ND	0.0050	1	06/07/2018 00:05
Methyl-t-butyl ether (MTBE)	ND	0.0050	1	06/07/2018 00:05
Methylene chloride	ND	0.0050	1	06/07/2018 00:05
4-Methyl-2-pentanone (MIBK)	ND	0.0050	1	06/07/2018 00:05
Naphthalene	ND	0.0050	1	06/07/2018 00:05
n-Propyl benzene	ND	0.0050	1	06/07/2018 00:05
Styrene	ND	0.0050	1	06/07/2018 00:05
1,1,1,2-Tetrachloroethane	ND	0.0050	1	06/07/2018 00:05
1,1,2,2-Tetrachloroethane	ND	0.0050	1	06/07/2018 00:05
Tetrachloroethene	ND	0.0050	1	06/07/2018 00:05
Toluene	ND	0.0050	1	06/07/2018 00:05
1,2,3-Trichlorobenzene	ND	0.0050	1	06/07/2018 00:05
1,2,4-Trichlorobenzene	ND	0.0050	1	06/07/2018 00:05
1,1,1-Trichloroethane	ND	0.0050	1	06/07/2018 00:05
1,1,2-Trichloroethane	ND	0.0050	1	06/07/2018 00:05
Trichloroethene	ND	0.0050	1	06/07/2018 00:05
Trichlorofluoromethane	ND	0.0050	1	06/07/2018 00:05
1,2,3-Trichloropropane	ND	0.0050	1	06/07/2018 00:05
1,2,4-Trimethylbenzene	ND	0.0050	1	06/07/2018 00:05
1,3,5-Trimethylbenzene	ND	0.0050	1	06/07/2018 00:05
Vinyl Chloride	ND	0.0050	1	06/07/2018 00:05
Xylenes, Total	ND	0.0050	1	06/07/2018 00:05

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-6.0	**1806055-011A**	**Soil**	**05/31/2018 10:11**	**GC18 06061826.D**	**159235**

Analytes	Result	RL	DF	Date Analyzed
Surrogates	**REC (%)**	**Limits**		
Dibromofluoromethane	106	82-136		06/07/2018 00:05
Toluene-d8	121	92-139		06/07/2018 00:05
4-BFB	102	82-135		06/07/2018 00:05
Benzene-d6	108	55-122		06/07/2018 00:05
Ethylbenzene-d10	104	58-141		06/07/2018 00:05
1,2-DCB-d4	80	51-107		06/07/2018 00:05

Analyst(s): KF

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-10.0	1806055-013A	Soil	05/31/2018 10:21	GC18 06061827.D	159235

Analytes	Result	RL	DF	Date Analyzed
Acetone	ND	0.10	1	06/07/2018 00:46
tert-Amyl methyl ether (TAME)	ND	0.0050	1	06/07/2018 00:46
Benzene	ND	0.0050	1	06/07/2018 00:46
Bromobenzene	ND	0.0050	1	06/07/2018 00:46
Bromochloromethane	ND	0.0050	1	06/07/2018 00:46
Bromodichloromethane	ND	0.0050	1	06/07/2018 00:46
Bromoform	ND	0.0050	1	06/07/2018 00:46
Bromomethane	ND	0.0050	1	06/07/2018 00:46
2-Butanone (MEK)	ND	0.020	1	06/07/2018 00:46
t-Butyl alcohol (TBA)	ND	0.050	1	06/07/2018 00:46
n-Butyl benzene	ND	0.0050	1	06/07/2018 00:46
sec-Butyl benzene	ND	0.0050	1	06/07/2018 00:46
tert-Butyl benzene	ND	0.0050	1	06/07/2018 00:46
Carbon Disulfide	ND	0.0050	1	06/07/2018 00:46
Carbon Tetrachloride	ND	0.0050	1	06/07/2018 00:46
Chlorobenzene	ND	0.0050	1	06/07/2018 00:46
Chloroethane	ND	0.0050	1	06/07/2018 00:46
Chloroform	ND	0.0050	1	06/07/2018 00:46
Chloromethane	ND	0.0050	1	06/07/2018 00:46
2-Chlorotoluene	ND	0.0050	1	06/07/2018 00:46
4-Chlorotoluene	ND	0.0050	1	06/07/2018 00:46
Dibromochloromethane	ND	0.0050	1	06/07/2018 00:46
1,2-Dibromo-3-chloropropane	ND	0.0040	1	06/07/2018 00:46
1,2-Dibromoethane (EDB)	ND	0.0040	1	06/07/2018 00:46
Dibromomethane	ND	0.0050	1	06/07/2018 00:46
1,2-Dichlorobenzene	ND	0.0050	1	06/07/2018 00:46
1,3-Dichlorobenzene	ND	0.0050	1	06/07/2018 00:46
1,4-Dichlorobenzene	ND	0.0050	1	06/07/2018 00:46
Dichlorodifluoromethane	ND	0.0050	1	06/07/2018 00:46
1,1-Dichloroethane	ND	0.0050	1	06/07/2018 00:46
1,2-Dichloroethane (1,2-DCA)	ND	0.0040	1	06/07/2018 00:46
1,1-Dichloroethene	ND	0.0050	1	06/07/2018 00:46
cis-1,2-Dichloroethene	ND	0.0050	1	06/07/2018 00:46
trans-1,2-Dichloroethene	ND	0.0050	1	06/07/2018 00:46
1,2-Dichloropropane	ND	0.0050	1	06/07/2018 00:46
1,3-Dichloropropane	ND	0.0050	1	06/07/2018 00:46
2,2-Dichloropropane	ND	0.0050	1	06/07/2018 00:46

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-10.0	1806055-013A	Soil	05/31/2018 10:21	GC18 06061827.D	159235

Analytes	Result	RL	DF	Date Analyzed
1,1-Dichloropropene	ND	0.0050	1	06/07/2018 00:46
cis-1,3-Dichloropropene	ND	0.0050	1	06/07/2018 00:46
trans-1,3-Dichloropropene	ND	0.0050	1	06/07/2018 00:46
Diisopropyl ether (DIPE)	ND	0.0050	1	06/07/2018 00:46
Ethylbenzene	ND	0.0050	1	06/07/2018 00:46
Ethyl tert-butyl ether (ETBE)	ND	0.0050	1	06/07/2018 00:46
Freon 113	ND	0.0050	1	06/07/2018 00:46
Hexachlorobutadiene	ND	0.0050	1	06/07/2018 00:46
Hexachloroethane	ND	0.0050	1	06/07/2018 00:46
2-Hexanone	ND	0.0050	1	06/07/2018 00:46
Isopropylbenzene	ND	0.0050	1	06/07/2018 00:46
4-Isopropyl toluene	ND	0.0050	1	06/07/2018 00:46
Methyl-t-butyl ether (MTBE)	ND	0.0050	1	06/07/2018 00:46
Methylene chloride	ND	0.0050	1	06/07/2018 00:46
4-Methyl-2-pentanone (MIBK)	ND	0.0050	1	06/07/2018 00:46
Naphthalene	ND	0.0050	1	06/07/2018 00:46
n-Propyl benzene	ND	0.0050	1	06/07/2018 00:46
Styrene	ND	0.0050	1	06/07/2018 00:46
1,1,1,2-Tetrachloroethane	ND	0.0050	1	06/07/2018 00:46
1,1,2,2-Tetrachloroethane	ND	0.0050	1	06/07/2018 00:46
Tetrachloroethene	ND	0.0050	1	06/07/2018 00:46
Toluene	ND	0.0050	1	06/07/2018 00:46
1,2,3-Trichlorobenzene	ND	0.0050	1	06/07/2018 00:46
1,2,4-Trichlorobenzene	ND	0.0050	1	06/07/2018 00:46
1,1,1-Trichloroethane	ND	0.0050	1	06/07/2018 00:46
1,1,2-Trichloroethane	ND	0.0050	1	06/07/2018 00:46
Trichloroethene	ND	0.0050	1	06/07/2018 00:46
Trichlorofluoromethane	ND	0.0050	1	06/07/2018 00:46
1,2,3-Trichloropropane	ND	0.0050	1	06/07/2018 00:46
1,2,4-Trimethylbenzene	ND	0.0050	1	06/07/2018 00:46
1,3,5-Trimethylbenzene	ND	0.0050	1	06/07/2018 00:46
Vinyl Chloride	ND	0.0050	1	06/07/2018 00:46
Xylenes, Total	ND	0.0050	1	06/07/2018 00:46

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-10.0	**1806055-013A**	**Soil**	**05/31/2018 10:21**	**GC18 06061827.D**	**159235**

Analytes	Result	RL	DF	Date Analyzed
Surrogates	**REC (%)**	**Limits**		
Dibromofluoromethane	103	82-136		06/07/2018 00:46
Toluene-d8	119	92-139		06/07/2018 00:46
4-BFB	103	82-135		06/07/2018 00:46
Benzene-d6	98	55-122		06/07/2018 00:46
Ethylbenzene-d10	98	58-141		06/07/2018 00:46
1,2-DCB-d4	75	51-107		06/07/2018 00:46

Analyst(s): KF

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-14.0	1806055-015A	Soil	05/31/2018 10:26	GC18 06061828.D	159235

Analytes	Result	RL	DF	Date Analyzed
Acetone	ND	0.10	1	06/07/2018 01:26
tert-Amyl methyl ether (TAME)	ND	0.0050	1	06/07/2018 01:26
Benzene	ND	0.0050	1	06/07/2018 01:26
Bromobenzene	ND	0.0050	1	06/07/2018 01:26
Bromochloromethane	ND	0.0050	1	06/07/2018 01:26
Bromodichloromethane	ND	0.0050	1	06/07/2018 01:26
Bromoform	ND	0.0050	1	06/07/2018 01:26
Bromomethane	ND	0.0050	1	06/07/2018 01:26
2-Butanone (MEK)	ND	0.020	1	06/07/2018 01:26
t-Butyl alcohol (TBA)	ND	0.050	1	06/07/2018 01:26
n-Butyl benzene	ND	0.0050	1	06/07/2018 01:26
sec-Butyl benzene	ND	0.0050	1	06/07/2018 01:26
tert-Butyl benzene	ND	0.0050	1	06/07/2018 01:26
Carbon Disulfide	ND	0.0050	1	06/07/2018 01:26
Carbon Tetrachloride	ND	0.0050	1	06/07/2018 01:26
Chlorobenzene	ND	0.0050	1	06/07/2018 01:26
Chloroethane	ND	0.0050	1	06/07/2018 01:26
Chloroform	ND	0.0050	1	06/07/2018 01:26
Chloromethane	ND	0.0050	1	06/07/2018 01:26
2-Chlorotoluene	ND	0.0050	1	06/07/2018 01:26
4-Chlorotoluene	ND	0.0050	1	06/07/2018 01:26
Dibromochloromethane	ND	0.0050	1	06/07/2018 01:26
1,2-Dibromo-3-chloropropane	ND	0.0040	1	06/07/2018 01:26
1,2-Dibromoethane (EDB)	ND	0.0040	1	06/07/2018 01:26
Dibromomethane	ND	0.0050	1	06/07/2018 01:26
1,2-Dichlorobenzene	ND	0.0050	1	06/07/2018 01:26
1,3-Dichlorobenzene	ND	0.0050	1	06/07/2018 01:26
1,4-Dichlorobenzene	ND	0.0050	1	06/07/2018 01:26
Dichlorodifluoromethane	ND	0.0050	1	06/07/2018 01:26
1,1-Dichloroethane	ND	0.0050	1	06/07/2018 01:26
1,2-Dichloroethane (1,2-DCA)	ND	0.0040	1	06/07/2018 01:26
1,1-Dichloroethene	ND	0.0050	1	06/07/2018 01:26
cis-1,2-Dichloroethene	ND	0.0050	1	06/07/2018 01:26
trans-1,2-Dichloroethene	ND	0.0050	1	06/07/2018 01:26
1,2-Dichloropropane	ND	0.0050	1	06/07/2018 01:26
1,3-Dichloropropane	ND	0.0050	1	06/07/2018 01:26
2,2-Dichloropropane	ND	0.0050	1	06/07/2018 01:26

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-14.0	1806055-015A	Soil	05/31/2018 10:26	GC18 06061828.D	159235

Analytes	Result	RL	DF	Date Analyzed
1,1-Dichloropropene	ND	0.0050	1	06/07/2018 01:26
cis-1,3-Dichloropropene	ND	0.0050	1	06/07/2018 01:26
trans-1,3-Dichloropropene	ND	0.0050	1	06/07/2018 01:26
Diisopropyl ether (DIPE)	ND	0.0050	1	06/07/2018 01:26
Ethylbenzene	ND	0.0050	1	06/07/2018 01:26
Ethyl tert-butyl ether (ETBE)	ND	0.0050	1	06/07/2018 01:26
Freon 113	ND	0.0050	1	06/07/2018 01:26
Hexachlorobutadiene	ND	0.0050	1	06/07/2018 01:26
Hexachloroethane	ND	0.0050	1	06/07/2018 01:26
2-Hexanone	ND	0.0050	1	06/07/2018 01:26
Isopropylbenzene	ND	0.0050	1	06/07/2018 01:26
4-Isopropyl toluene	ND	0.0050	1	06/07/2018 01:26
Methyl-t-butyl ether (MTBE)	ND	0.0050	1	06/07/2018 01:26
Methylene chloride	ND	0.0050	1	06/07/2018 01:26
4-Methyl-2-pentanone (MIBK)	ND	0.0050	1	06/07/2018 01:26
Naphthalene	ND	0.0050	1	06/07/2018 01:26
n-Propyl benzene	ND	0.0050	1	06/07/2018 01:26
Styrene	ND	0.0050	1	06/07/2018 01:26
1,1,1,2-Tetrachloroethane	ND	0.0050	1	06/07/2018 01:26
1,1,2,2-Tetrachloroethane	ND	0.0050	1	06/07/2018 01:26
Tetrachloroethene	ND	0.0050	1	06/07/2018 01:26
Toluene	ND	0.0050	1	06/07/2018 01:26
1,2,3-Trichlorobenzene	ND	0.0050	1	06/07/2018 01:26
1,2,4-Trichlorobenzene	ND	0.0050	1	06/07/2018 01:26
1,1,1-Trichloroethane	ND	0.0050	1	06/07/2018 01:26
1,1,2-Trichloroethane	ND	0.0050	1	06/07/2018 01:26
Trichloroethene	ND	0.0050	1	06/07/2018 01:26
Trichlorofluoromethane	ND	0.0050	1	06/07/2018 01:26
1,2,3-Trichloropropane	ND	0.0050	1	06/07/2018 01:26
1,2,4-Trimethylbenzene	ND	0.0050	1	06/07/2018 01:26
1,3,5-Trimethylbenzene	ND	0.0050	1	06/07/2018 01:26
Vinyl Chloride	ND	0.0050	1	06/07/2018 01:26
Xylenes, Total	ND	0.0050	1	06/07/2018 01:26

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-14.0	**1806055-015A**	**Soil**	**05/31/2018 10:26**	**GC18 06061828.D**	**159235**

Analytes	Result	RL	DF	Date Analyzed
Surrogates	**REC (%)**	**Limits**		
Dibromofluoromethane	105	82-136		06/07/2018 01:26
Toluene-d8	123	92-139		06/07/2018 01:26
4-BFB	105	82-135		06/07/2018 01:26
Benzene-d6	108	55-122		06/07/2018 01:26
Ethylbenzene-d10	108	58-141		06/07/2018 01:26
1,2-DCB-d4	82	51-107		06/07/2018 01:26

Analyst(s): KF

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-4-4.0	1806055-020A	Soil	05/31/2018 11:20	GC18 06061829.D	159235

Analytes	Result	RL	DF	Date Analyzed
Acetone	ND	0.10	1	06/07/2018 02:05
tert-Amyl methyl ether (TAME)	ND	0.0050	1	06/07/2018 02:05
Benzene	ND	0.0050	1	06/07/2018 02:05
Bromobenzene	ND	0.0050	1	06/07/2018 02:05
Bromochloromethane	ND	0.0050	1	06/07/2018 02:05
Bromodichloromethane	ND	0.0050	1	06/07/2018 02:05
Bromoform	ND	0.0050	1	06/07/2018 02:05
Bromomethane	ND	0.0050	1	06/07/2018 02:05
2-Butanone (MEK)	ND	0.020	1	06/07/2018 02:05
t-Butyl alcohol (TBA)	ND	0.050	1	06/07/2018 02:05
n-Butyl benzene	ND	0.0050	1	06/07/2018 02:05
sec-Butyl benzene	ND	0.0050	1	06/07/2018 02:05
tert-Butyl benzene	ND	0.0050	1	06/07/2018 02:05
Carbon Disulfide	ND	0.0050	1	06/07/2018 02:05
Carbon Tetrachloride	ND	0.0050	1	06/07/2018 02:05
Chlorobenzene	ND	0.0050	1	06/07/2018 02:05
Chloroethane	ND	0.0050	1	06/07/2018 02:05
Chloroform	ND	0.0050	1	06/07/2018 02:05
Chloromethane	ND	0.0050	1	06/07/2018 02:05
2-Chlorotoluene	ND	0.0050	1	06/07/2018 02:05
4-Chlorotoluene	ND	0.0050	1	06/07/2018 02:05
Dibromochloromethane	ND	0.0050	1	06/07/2018 02:05
1,2-Dibromo-3-chloropropane	ND	0.0040	1	06/07/2018 02:05
1,2-Dibromoethane (EDB)	ND	0.0040	1	06/07/2018 02:05
Dibromomethane	ND	0.0050	1	06/07/2018 02:05
1,2-Dichlorobenzene	ND	0.0050	1	06/07/2018 02:05
1,3-Dichlorobenzene	ND	0.0050	1	06/07/2018 02:05
1,4-Dichlorobenzene	ND	0.0050	1	06/07/2018 02:05
Dichlorodifluoromethane	ND	0.0050	1	06/07/2018 02:05
1,1-Dichloroethane	ND	0.0050	1	06/07/2018 02:05
1,2-Dichloroethane (1,2-DCA)	ND	0.0040	1	06/07/2018 02:05
1,1-Dichloroethene	ND	0.0050	1	06/07/2018 02:05
cis-1,2-Dichloroethene	ND	0.0050	1	06/07/2018 02:05
trans-1,2-Dichloroethene	ND	0.0050	1	06/07/2018 02:05
1,2-Dichloropropane	ND	0.0050	1	06/07/2018 02:05
1,3-Dichloropropane	ND	0.0050	1	06/07/2018 02:05
2,2-Dichloropropane	ND	0.0050	1	06/07/2018 02:05

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-4-4.0	1806055-020A	Soil	05/31/2018 11:20	GC18 06061829.D	159235

Analytes	Result	RL	DF	Date Analyzed
1,1-Dichloropropene	ND	0.0050	1	06/07/2018 02:05
cis-1,3-Dichloropropene	ND	0.0050	1	06/07/2018 02:05
trans-1,3-Dichloropropene	ND	0.0050	1	06/07/2018 02:05
Diisopropyl ether (DIPE)	ND	0.0050	1	06/07/2018 02:05
Ethylbenzene	ND	0.0050	1	06/07/2018 02:05
Ethyl tert-butyl ether (ETBE)	ND	0.0050	1	06/07/2018 02:05
Freon 113	ND	0.0050	1	06/07/2018 02:05
Hexachlorobutadiene	ND	0.0050	1	06/07/2018 02:05
Hexachloroethane	ND	0.0050	1	06/07/2018 02:05
2-Hexanone	ND	0.0050	1	06/07/2018 02:05
Isopropylbenzene	ND	0.0050	1	06/07/2018 02:05
4-Isopropyl toluene	ND	0.0050	1	06/07/2018 02:05
Methyl-t-butyl ether (MTBE)	ND	0.0050	1	06/07/2018 02:05
Methylene chloride	ND	0.0050	1	06/07/2018 02:05
4-Methyl-2-pentanone (MIBK)	ND	0.0050	1	06/07/2018 02:05
Naphthalene	ND	0.0050	1	06/07/2018 02:05
n-Propyl benzene	ND	0.0050	1	06/07/2018 02:05
Styrene	ND	0.0050	1	06/07/2018 02:05
1,1,1,2-Tetrachloroethane	ND	0.0050	1	06/07/2018 02:05
1,1,2,2-Tetrachloroethane	ND	0.0050	1	06/07/2018 02:05
Tetrachloroethene	ND	0.0050	1	06/07/2018 02:05
Toluene	ND	0.0050	1	06/07/2018 02:05
1,2,3-Trichlorobenzene	ND	0.0050	1	06/07/2018 02:05
1,2,4-Trichlorobenzene	ND	0.0050	1	06/07/2018 02:05
1,1,1-Trichloroethane	ND	0.0050	1	06/07/2018 02:05
1,1,2-Trichloroethane	ND	0.0050	1	06/07/2018 02:05
Trichloroethene	ND	0.0050	1	06/07/2018 02:05
Trichlorofluoromethane	ND	0.0050	1	06/07/2018 02:05
1,2,3-Trichloropropane	ND	0.0050	1	06/07/2018 02:05
1,2,4-Trimethylbenzene	ND	0.0050	1	06/07/2018 02:05
1,3,5-Trimethylbenzene	ND	0.0050	1	06/07/2018 02:05
Vinyl Chloride	ND	0.0050	1	06/07/2018 02:05
Xylenes, Total	ND	0.0050	1	06/07/2018 02:05

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-4-4.0	**1806055-020A**	**Soil**	**05/31/2018 11:20**	**GC18 06061829.D**	**159235**

Analytes	Result	RL	DF	Date Analyzed
Surrogates	**REC (%)**	**Limits**		
Dibromofluoromethane	105	82-136		06/07/2018 02:05
Toluene-d8	120	92-139		06/07/2018 02:05
4-BFB	105	82-135		06/07/2018 02:05
Benzene-d6	104	55-122		06/07/2018 02:05
Ethylbenzene-d10	101	58-141		06/07/2018 02:05
1,2-DCB-d4	79	51-107		06/07/2018 02:05

Analyst(s): KF

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-4-8.0	1806055-022A	Soil	05/31/2018 11:30	GC18 06081808.D	159235

Analytes	Result	RL	DF	Date Analyzed
Acetone	ND	0.10	1	06/08/2018 12:13
tert-Amyl methyl ether (TAME)	ND	0.0050	1	06/08/2018 12:13
Benzene	ND	0.0050	1	06/08/2018 12:13
Bromobenzene	ND	0.0050	1	06/08/2018 12:13
Bromochloromethane	ND	0.0050	1	06/08/2018 12:13
Bromodichloromethane	ND	0.0050	1	06/08/2018 12:13
Bromoform	ND	0.0050	1	06/08/2018 12:13
Bromomethane	ND	0.0050	1	06/08/2018 12:13
2-Butanone (MEK)	ND	0.020	1	06/08/2018 12:13
t-Butyl alcohol (TBA)	ND	0.050	1	06/08/2018 12:13
n-Butyl benzene	ND	0.0050	1	06/08/2018 12:13
sec-Butyl benzene	ND	0.0050	1	06/08/2018 12:13
tert-Butyl benzene	ND	0.0050	1	06/08/2018 12:13
Carbon Disulfide	ND	0.0050	1	06/08/2018 12:13
Carbon Tetrachloride	ND	0.0050	1	06/08/2018 12:13
Chlorobenzene	ND	0.0050	1	06/08/2018 12:13
Chloroethane	ND	0.0050	1	06/08/2018 12:13
Chloroform	ND	0.0050	1	06/08/2018 12:13
Chloromethane	ND	0.0050	1	06/08/2018 12:13
2-Chlorotoluene	ND	0.0050	1	06/08/2018 12:13
4-Chlorotoluene	ND	0.0050	1	06/08/2018 12:13
Dibromochloromethane	ND	0.0050	1	06/08/2018 12:13
1,2-Dibromo-3-chloropropane	ND	0.0040	1	06/08/2018 12:13
1,2-Dibromoethane (EDB)	ND	0.0040	1	06/08/2018 12:13
Dibromomethane	ND	0.0050	1	06/08/2018 12:13
1,2-Dichlorobenzene	ND	0.0050	1	06/08/2018 12:13
1,3-Dichlorobenzene	ND	0.0050	1	06/08/2018 12:13
1,4-Dichlorobenzene	ND	0.0050	1	06/08/2018 12:13
Dichlorodifluoromethane	ND	0.0050	1	06/08/2018 12:13
1,1-Dichloroethane	ND	0.0050	1	06/08/2018 12:13
1,2-Dichloroethane (1,2-DCA)	ND	0.0040	1	06/08/2018 12:13
1,1-Dichloroethene	ND	0.0050	1	06/08/2018 12:13
cis-1,2-Dichloroethene	ND	0.0050	1	06/08/2018 12:13
trans-1,2-Dichloroethene	ND	0.0050	1	06/08/2018 12:13
1,2-Dichloropropane	ND	0.0050	1	06/08/2018 12:13
1,3-Dichloropropane	ND	0.0050	1	06/08/2018 12:13
2,2-Dichloropropane	ND	0.0050	1	06/08/2018 12:13

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-4-8.0	1806055-022A	Soil	05/31/2018 11:30	GC18 06081808.D	159235

Analytes	Result	RL	DF	Date Analyzed
1,1-Dichloropropene	ND	0.0050	1	06/08/2018 12:13
cis-1,3-Dichloropropene	ND	0.0050	1	06/08/2018 12:13
trans-1,3-Dichloropropene	ND	0.0050	1	06/08/2018 12:13
Diisopropyl ether (DIPE)	ND	0.0050	1	06/08/2018 12:13
Ethylbenzene	ND	0.0050	1	06/08/2018 12:13
Ethyl tert-butyl ether (ETBE)	ND	0.0050	1	06/08/2018 12:13
Freon 113	ND	0.0050	1	06/08/2018 12:13
Hexachlorobutadiene	ND	0.0050	1	06/08/2018 12:13
Hexachloroethane	ND	0.0050	1	06/08/2018 12:13
2-Hexanone	ND	0.0050	1	06/08/2018 12:13
Isopropylbenzene	ND	0.0050	1	06/08/2018 12:13
4-Isopropyl toluene	ND	0.0050	1	06/08/2018 12:13
Methyl-t-butyl ether (MTBE)	ND	0.0050	1	06/08/2018 12:13
Methylene chloride	ND	0.0050	1	06/08/2018 12:13
4-Methyl-2-pentanone (MIBK)	ND	0.0050	1	06/08/2018 12:13
Naphthalene	ND	0.0050	1	06/08/2018 12:13
n-Propyl benzene	ND	0.0050	1	06/08/2018 12:13
Styrene	ND	0.0050	1	06/08/2018 12:13
1,1,1,2-Tetrachloroethane	ND	0.0050	1	06/08/2018 12:13
1,1,2,2-Tetrachloroethane	ND	0.0050	1	06/08/2018 12:13
Tetrachloroethene	ND	0.0050	1	06/08/2018 12:13
Toluene	ND	0.0050	1	06/08/2018 12:13
1,2,3-Trichlorobenzene	ND	0.0050	1	06/08/2018 12:13
1,2,4-Trichlorobenzene	ND	0.0050	1	06/08/2018 12:13
1,1,1-Trichloroethane	ND	0.0050	1	06/08/2018 12:13
1,1,2-Trichloroethane	ND	0.0050	1	06/08/2018 12:13
Trichloroethene	ND	0.0050	1	06/08/2018 12:13
Trichlorofluoromethane	ND	0.0050	1	06/08/2018 12:13
1,2,3-Trichloropropane	ND	0.0050	1	06/08/2018 12:13
1,2,4-Trimethylbenzene	ND	0.0050	1	06/08/2018 12:13
1,3,5-Trimethylbenzene	ND	0.0050	1	06/08/2018 12:13
Vinyl Chloride	ND	0.0050	1	06/08/2018 12:13
Xylenes, Total	ND	0.0050	1	06/08/2018 12:13

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-4-8.0	**1806055-022A**	**Soil**	**05/31/2018 11:30**	**GC18 06081808.D**	**159235**

Analytes	Result	RL	DF	Date Analyzed
Surrogates	**REC (%)**	**Limits**		
Dibromofluoromethane	109	82-136		06/08/2018 12:13
Toluene-d8	124	92-139		06/08/2018 12:13
4-BFB	105	82-135		06/08/2018 12:13
Benzene-d6	111	55-122		06/08/2018 12:13
Ethylbenzene-d10	106	58-141		06/08/2018 12:13
1,2-DCB-d4	84	51-107		06/08/2018 12:13

Analyst(s): KF

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-18.0	1806055-017A	Soil	05/31/2018 10:39	GC38 06031818.D	159208

Analytes	Result	RL	DF	Date Analyzed
Acetone	ND	0.10	1	06/03/2018 22:23
tert-Amyl methyl ether (TAME)	ND	0.0050	1	06/03/2018 22:23
Benzene	ND	0.0050	1	06/03/2018 22:23
Bromobenzene	ND	0.0050	1	06/03/2018 22:23
Bromochloromethane	ND	0.0050	1	06/03/2018 22:23
Bromodichloromethane	ND	0.00025	1	06/03/2018 22:23
Bromoform	ND	0.0050	1	06/03/2018 22:23
Bromomethane	ND	0.0050	1	06/03/2018 22:23
2-Butanone (MEK)	ND	0.020	1	06/03/2018 22:23
t-Butyl alcohol (TBA)	ND	0.050	1	06/03/2018 22:23
n-Butyl benzene	ND	0.0050	1	06/03/2018 22:23
sec-Butyl benzene	ND	0.0050	1	06/03/2018 22:23
tert-Butyl benzene	ND	0.0050	1	06/03/2018 22:23
Carbon Disulfide	ND	0.0050	1	06/03/2018 22:23
Carbon Tetrachloride	ND	0.0050	1	06/03/2018 22:23
Chlorobenzene	ND	0.0050	1	06/03/2018 22:23
Chloroethane	ND	0.0050	1	06/03/2018 22:23
Chloroform	ND	0.0050	1	06/03/2018 22:23
Chloromethane	ND	0.0050	1	06/03/2018 22:23
2-Chlorotoluene	ND	0.0050	1	06/03/2018 22:23
4-Chlorotoluene	ND	0.0050	1	06/03/2018 22:23
Dibromochloromethane	ND	0.0050	1	06/03/2018 22:23
1,2-Dibromo-3-chloropropane	ND	0.00025	1	06/03/2018 22:23
1,2-Dibromoethane (EDB)	ND	0.00010	1	06/03/2018 22:23
Dibromomethane	ND	0.0050	1	06/03/2018 22:23
1,2-Dichlorobenzene	ND	0.0050	1	06/03/2018 22:23
1,3-Dichlorobenzene	ND	0.0050	1	06/03/2018 22:23
1,4-Dichlorobenzene	ND	0.0050	1	06/03/2018 22:23
Dichlorodifluoromethane	ND	0.0050	1	06/03/2018 22:23
1,1-Dichloroethane	ND	0.0050	1	06/03/2018 22:23
1,2-Dichloroethane (1,2-DCA)	ND	0.00025	1	06/03/2018 22:23
1,1-Dichloroethene	ND	0.00025	1	06/03/2018 22:23
cis-1,2-Dichloroethene	ND	0.0050	1	06/03/2018 22:23
trans-1,2-Dichloroethene	ND	0.0050	1	06/03/2018 22:23
1,2-Dichloropropane	ND	0.0050	1	06/03/2018 22:23
1,3-Dichloropropane	ND	0.0050	1	06/03/2018 22:23
2,2-Dichloropropane	ND	0.0050	1	06/03/2018 22:23

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-18.0	1806055-017A	Soil	05/31/2018 10:39	GC38 06031818.D	159208

Analytes	Result	RL	DF	Date Analyzed
1,1-Dichloropropene	ND	0.0050	1	06/03/2018 22:23
cis-1,3-Dichloropropene	ND	0.0050	1	06/03/2018 22:23
trans-1,3-Dichloropropene	ND	0.0050	1	06/03/2018 22:23
Diisopropyl ether (DIPE)	ND	0.0050	1	06/03/2018 22:23
Ethylbenzene	ND	0.0050	1	06/03/2018 22:23
Ethyl tert-butyl ether (ETBE)	ND	0.0050	1	06/03/2018 22:23
Freon 113	ND	0.0050	1	06/03/2018 22:23
Hexachlorobutadiene	ND	0.0050	1	06/03/2018 22:23
Hexachloroethane	ND	0.0050	1	06/03/2018 22:23
2-Hexanone	ND	0.0050	1	06/03/2018 22:23
Isopropylbenzene	ND	0.0050	1	06/03/2018 22:23
4-Isopropyl toluene	ND	0.0050	1	06/03/2018 22:23
Methyl-t-butyl ether (MTBE)	ND	0.0050	1	06/03/2018 22:23
Methylene chloride	ND	0.0050	1	06/03/2018 22:23
4-Methyl-2-pentanone (MIBK)	ND	0.0050	1	06/03/2018 22:23
Naphthalene	ND	0.0050	1	06/03/2018 22:23
n-Propyl benzene	ND	0.0050	1	06/03/2018 22:23
Styrene	ND	0.0050	1	06/03/2018 22:23
1,1,1,2-Tetrachloroethane	ND	0.0050	1	06/03/2018 22:23
1,1,2,2-Tetrachloroethane	ND	0.00025	1	06/03/2018 22:23
Tetrachloroethene	ND	0.00025	1	06/03/2018 22:23
Toluene	ND	0.0050	1	06/03/2018 22:23
1,2,3-Trichlorobenzene	ND	0.0050	1	06/03/2018 22:23
1,2,4-Trichlorobenzene	ND	0.0050	1	06/03/2018 22:23
1,1,1-Trichloroethane	ND	0.0050	1	06/03/2018 22:23
1,1,2-Trichloroethane	ND	0.0050	1	06/03/2018 22:23
Trichloroethene	ND	0.0050	1	06/03/2018 22:23
Trichlorofluoromethane	ND	0.0050	1	06/03/2018 22:23
1,2,3-Trichloropropane	ND	0.00025	1	06/03/2018 22:23
1,2,4-Trimethylbenzene	ND	0.0050	1	06/03/2018 22:23
1,3,5-Trimethylbenzene	ND	0.0050	1	06/03/2018 22:23
Vinyl Chloride	ND	0.00025	1	06/03/2018 22:23
Xylenes, Total	ND	0.0050	1	06/03/2018 22:23

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	mg/kg

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-18.0	**1806055-017A**	**Soil**	**05/31/2018 10:39**	**GC38 06031818.D**	**159208**

Analytes	Result		RL	DF	Date Analyzed
Surrogates	**REC (%)**	**Qualifiers**	**Limits**		
Dibromofluoromethane	103		82-136		06/03/2018 22:23
Toluene-d8	114		92-139		06/03/2018 22:23
4-BFB	122		82-135		06/03/2018 22:23
Benzene-d6	7	S	55-122		06/03/2018 22:23
Ethylbenzene-d10	8	S	58-141		06/03/2018 22:23
1,2-DCB-d4	7	S	51-107		06/03/2018 22:23

Analyst(s): HK Analytical Comments: j1

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B
Date Prepared:	6/4/18	**Analytical Method:**	SW8270C
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Semi-Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-1-2.0	1806055-001A	Soil	05/31/2018 07:54	GC17 06051834.D	159270

Analytes	Result	RL	DF	Date Analyzed
Acenaphthene	ND	0.25	1	06/06/2018 00:57
Acenaphthylene	ND	0.25	1	06/06/2018 00:57
Acetochlor	ND	0.25	1	06/06/2018 00:57
Anthracene	ND	0.25	1	06/06/2018 00:57
Benzidine	ND	1.3	1	06/06/2018 00:57
Benzo (a) anthracene	ND	0.25	1	06/06/2018 00:57
Benzo (a) pyrene	ND	0.25	1	06/06/2018 00:57
Benzo (b) fluoranthene	ND	0.25	1	06/06/2018 00:57
Benzo (g,h,i) perylene	ND	0.25	1	06/06/2018 00:57
Benzo (k) fluoranthene	ND	0.25	1	06/06/2018 00:57
Benzyl Alcohol	ND	1.3	1	06/06/2018 00:57
1,1-Biphenyl	ND	0.25	1	06/06/2018 00:57
Bis (2-chloroethoxy) Methane	ND	0.25	1	06/06/2018 00:57
Bis (2-chloroethyl) Ether	ND	0.25	1	06/06/2018 00:57
Bis (2-chloroisopropyl) Ether	ND	0.25	1	06/06/2018 00:57
Bis (2-ethylhexyl) Adipate	ND	0.25	1	06/06/2018 00:57
Bis (2-ethylhexyl) Phthalate	ND	0.25	1	06/06/2018 00:57
4-Bromophenyl Phenyl Ether	ND	0.25	1	06/06/2018 00:57
Butylbenzyl Phthalate	ND	0.25	1	06/06/2018 00:57
4-Chloroaniline	ND	0.50	1	06/06/2018 00:57
4-Chloro-3-methylphenol	ND	0.25	1	06/06/2018 00:57
2-Chloronaphthalene	ND	0.25	1	06/06/2018 00:57
2-Chlorophenol	ND	0.25	1	06/06/2018 00:57
4-Chlorophenyl Phenyl Ether	ND	0.25	1	06/06/2018 00:57
Chrysene	ND	0.25	1	06/06/2018 00:57
Dibenzo (a,h) anthracene	ND	0.25	1	06/06/2018 00:57
Dibenzofuran	ND	0.25	1	06/06/2018 00:57
Di-n-butyl Phthalate	ND	0.25	1	06/06/2018 00:57
1,2-Dichlorobenzene	ND	0.25	1	06/06/2018 00:57
1,3-Dichlorobenzene	ND	0.25	1	06/06/2018 00:57
1,4-Dichlorobenzene	ND	0.25	1	06/06/2018 00:57
3,3-Dichlorobenzidine	ND	0.50	1	06/06/2018 00:57
2,4-Dichlorophenol	ND	0.25	1	06/06/2018 00:57
Diethyl Phthalate	ND	0.25	1	06/06/2018 00:57
2,4-Dimethylphenol	ND	0.25	1	06/06/2018 00:57
Dimethyl Phthalate	ND	0.25	1	06/06/2018 00:57
4,6-Dinitro-2-methylphenol	ND	1.3	1	06/06/2018 00:57

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B
Date Prepared:	6/4/18	**Analytical Method:**	SW8270C
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Semi-Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-1-2.0	1806055-001A	Soil	05/31/2018 07:54	GC17 06051834.D	159270

Analytes	Result	RL	DF	Date Analyzed
2,4-Dinitrophenol	ND	6.3	1	06/06/2018 00:57
2,4-Dinitrotoluene	ND	0.25	1	06/06/2018 00:57
2,6-Dinitrotoluene	ND	0.25	1	06/06/2018 00:57
Di-n-octyl Phthalate	ND	0.50	1	06/06/2018 00:57
1,2-Diphenylhydrazine	ND	0.25	1	06/06/2018 00:57
Fluoranthene	ND	0.25	1	06/06/2018 00:57
Fluorene	ND	0.25	1	06/06/2018 00:57
Hexachlorobenzene	ND	0.25	1	06/06/2018 00:57
Hexachlorobutadiene	ND	0.25	1	06/06/2018 00:57
Hexachlorocyclopentadiene	ND	1.3	1	06/06/2018 00:57
Hexachloroethane	ND	0.25	1	06/06/2018 00:57
Indeno (1,2,3-cd) pyrene	ND	0.25	1	06/06/2018 00:57
Isophorone	ND	0.25	1	06/06/2018 00:57
2-Methylnaphthalene	ND	0.25	1	06/06/2018 00:57
2-Methylphenol (o-Cresol)	ND	0.25	1	06/06/2018 00:57
3 & 4-Methylphenol (m,p-Cresol)	ND	0.25	1	06/06/2018 00:57
Naphthalene	ND	0.25	1	06/06/2018 00:57
2-Nitroaniline	ND	1.3	1	06/06/2018 00:57
3-Nitroaniline	ND	1.3	1	06/06/2018 00:57
4-Nitroaniline	ND	1.3	1	06/06/2018 00:57
Nitrobenzene	ND	0.25	1	06/06/2018 00:57
2-Nitrophenol	ND	1.3	1	06/06/2018 00:57
4-Nitrophenol	ND	1.3	1	06/06/2018 00:57
N-Nitrosodiphenylamine	ND	0.25	1	06/06/2018 00:57
N-Nitrosodi-n-propylamine	ND	0.25	1	06/06/2018 00:57
Pentachlorophenol	ND	1.3	1	06/06/2018 00:57
Phenanthrene	ND	0.25	1	06/06/2018 00:57
Phenol	ND	0.25	1	06/06/2018 00:57
Pyrene	ND	0.25	1	06/06/2018 00:57
Pyridine	ND	0.25	1	06/06/2018 00:57
1,2,4-Trichlorobenzene	ND	0.25	1	06/06/2018 00:57
2,4,5-Trichlorophenol	ND	0.25	1	06/06/2018 00:57
2,4,6-Trichlorophenol	ND	0.25	1	06/06/2018 00:57

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B
Date Prepared:	6/4/18	**Analytical Method:**	SW8270C
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Semi-Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-1-2.0	**1806055-001A**	**Soil**	**05/31/2018 07:54**	**GC17 06051834.D**	**159270**

Analytes	Result	RL	DF	Date Analyzed
Surrogates	**REC (%)**	**Limits**		
2-Fluorophenol	94	30-130		06/06/2018 00:57
Phenol-d5	83	30-130		06/06/2018 00:57
Nitrobenzene-d5	83	30-130		06/06/2018 00:57
2-Fluorobiphenyl	74	30-130		06/06/2018 00:57
2,4,6-Tribromophenol	60	16-130		06/06/2018 00:57
4-Terphenyl-d14	81	30-130		06/06/2018 00:57

Analyst(s): REB

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B
Date Prepared:	6/4/18	**Analytical Method:**	SW8270C
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Semi-Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-4.0	1806055-006A	Soil	05/31/2018 08:59	GC17 06041822.D	159270

Analytes	Result	RL	DF	Date Analyzed
Acenaphthene	ND	0.25	1	06/04/2018 19:10
Acenaphthylene	ND	0.25	1	06/04/2018 19:10
Acetochlor	ND	0.25	1	06/04/2018 19:10
Anthracene	ND	0.25	1	06/04/2018 19:10
Benzidine	ND	1.3	1	06/04/2018 19:10
Benzo (a) anthracene	ND	0.25	1	06/04/2018 19:10
Benzo (a) pyrene	ND	0.25	1	06/04/2018 19:10
Benzo (b) fluoranthene	ND	0.25	1	06/04/2018 19:10
Benzo (g,h,i) perylene	ND	0.25	1	06/04/2018 19:10
Benzo (k) fluoranthene	ND	0.25	1	06/04/2018 19:10
Benzyl Alcohol	ND	1.3	1	06/04/2018 19:10
1,1-Biphenyl	ND	0.25	1	06/04/2018 19:10
Bis (2-chloroethoxy) Methane	ND	0.25	1	06/04/2018 19:10
Bis (2-chloroethyl) Ether	ND	0.25	1	06/04/2018 19:10
Bis (2-chloroisopropyl) Ether	ND	0.25	1	06/04/2018 19:10
Bis (2-ethylhexyl) Adipate	ND	0.25	1	06/04/2018 19:10
Bis (2-ethylhexyl) Phthalate	ND	0.25	1	06/04/2018 19:10
4-Bromophenyl Phenyl Ether	ND	0.25	1	06/04/2018 19:10
Butylbenzyl Phthalate	ND	0.25	1	06/04/2018 19:10
4-Chloroaniline	ND	0.50	1	06/04/2018 19:10
4-Chloro-3-methylphenol	ND	0.25	1	06/04/2018 19:10
2-Chloronaphthalene	ND	0.25	1	06/04/2018 19:10
2-Chlorophenol	ND	0.25	1	06/04/2018 19:10
4-Chlorophenyl Phenyl Ether	ND	0.25	1	06/04/2018 19:10
Chrysene	ND	0.25	1	06/04/2018 19:10
Dibenzo (a,h) anthracene	ND	0.25	1	06/04/2018 19:10
Dibenzofuran	ND	0.25	1	06/04/2018 19:10
Di-n-butyl Phthalate	ND	0.25	1	06/04/2018 19:10
1,2-Dichlorobenzene	ND	0.25	1	06/04/2018 19:10
1,3-Dichlorobenzene	ND	0.25	1	06/04/2018 19:10
1,4-Dichlorobenzene	ND	0.25	1	06/04/2018 19:10
3,3-Dichlorobenzidine	ND	0.50	1	06/04/2018 19:10
2,4-Dichlorophenol	ND	0.25	1	06/04/2018 19:10
Diethyl Phthalate	ND	0.25	1	06/04/2018 19:10
2,4-Dimethylphenol	ND	0.25	1	06/04/2018 19:10
Dimethyl Phthalate	ND	0.25	1	06/04/2018 19:10
4,6-Dinitro-2-methylphenol	ND	1.3	1	06/04/2018 19:10

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B
Date Prepared:	6/4/18	**Analytical Method:**	SW8270C
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Semi-Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-4.0	1806055-006A	Soil	05/31/2018 08:59	GC17 06041822.D	159270

Analytes	Result	RL	DF	Date Analyzed
2,4-Dinitrophenol	ND	6.3	1	06/04/2018 19:10
2,4-Dinitrotoluene	ND	0.25	1	06/04/2018 19:10
2,6-Dinitrotoluene	ND	0.25	1	06/04/2018 19:10
Di-n-octyl Phthalate	ND	0.50	1	06/04/2018 19:10
1,2-Diphenylhydrazine	ND	0.25	1	06/04/2018 19:10
Fluoranthene	ND	0.25	1	06/04/2018 19:10
Fluorene	ND	0.25	1	06/04/2018 19:10
Hexachlorobenzene	ND	0.25	1	06/04/2018 19:10
Hexachlorobutadiene	ND	0.25	1	06/04/2018 19:10
Hexachlorocyclopentadiene	ND	1.3	1	06/04/2018 19:10
Hexachloroethane	ND	0.25	1	06/04/2018 19:10
Indeno (1,2,3-cd) pyrene	ND	0.25	1	06/04/2018 19:10
Isophorone	ND	0.25	1	06/04/2018 19:10
2-Methylnaphthalene	ND	0.25	1	06/04/2018 19:10
2-Methylphenol (o-Cresol)	ND	0.25	1	06/04/2018 19:10
3 & 4-Methylphenol (m,p-Cresol)	ND	0.25	1	06/04/2018 19:10
Naphthalene	ND	0.25	1	06/04/2018 19:10
2-Nitroaniline	ND	1.3	1	06/04/2018 19:10
3-Nitroaniline	ND	1.3	1	06/04/2018 19:10
4-Nitroaniline	ND	1.3	1	06/04/2018 19:10
Nitrobenzene	ND	0.25	1	06/04/2018 19:10
2-Nitrophenol	ND	1.3	1	06/04/2018 19:10
4-Nitrophenol	ND	1.3	1	06/04/2018 19:10
N-Nitrosodiphenylamine	ND	0.25	1	06/04/2018 19:10
N-Nitrosodi-n-propylamine	ND	0.25	1	06/04/2018 19:10
Pentachlorophenol	ND	1.3	1	06/04/2018 19:10
Phenanthrene	ND	0.25	1	06/04/2018 19:10
Phenol	ND	0.25	1	06/04/2018 19:10
Pyrene	ND	0.25	1	06/04/2018 19:10
Pyridine	ND	0.25	1	06/04/2018 19:10
1,2,4-Trichlorobenzene	ND	0.25	1	06/04/2018 19:10
2,4,5-Trichlorophenol	ND	0.25	1	06/04/2018 19:10
2,4,6-Trichlorophenol	ND	0.25	1	06/04/2018 19:10

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B
Date Prepared:	6/4/18	**Analytical Method:**	SW8270C
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Semi-Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-4.0	**1806055-006A**	**Soil**	**05/31/2018 08:59**	**GC17 06041822.D**	**159270**

Analytes	Result	RL	DF	Date Analyzed
Surrogates	**REC (%)**	**Limits**		
2-Fluorophenol	87	30-130		06/04/2018 19:10
Phenol-d5	80	30-130		06/04/2018 19:10
Nitrobenzene-d5	72	30-130		06/04/2018 19:10
2-Fluorobiphenyl	64	30-130		06/04/2018 19:10
2,4,6-Tribromophenol	53	16-130		06/04/2018 19:10
4-Terphenyl-d14	74	30-130		06/04/2018 19:10

Analyst(s): REB

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B
Date Prepared:	6/4/18	**Analytical Method:**	SW8270C
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Semi-Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-6.0	1806055-011A	Soil	05/31/2018 10:11	GC17 06041821.D	159270

Analytes	Result	RL	DF	Date Analyzed
Acenaphthene	ND	0.25	1	06/04/2018 18:42
Acenaphthylene	ND	0.25	1	06/04/2018 18:42
Acetochlor	ND	0.25	1	06/04/2018 18:42
Anthracene	ND	0.25	1	06/04/2018 18:42
Benzidine	ND	1.3	1	06/04/2018 18:42
Benzo (a) anthracene	ND	0.25	1	06/04/2018 18:42
Benzo (a) pyrene	ND	0.25	1	06/04/2018 18:42
Benzo (b) fluoranthene	ND	0.25	1	06/04/2018 18:42
Benzo (g,h,i) perylene	ND	0.25	1	06/04/2018 18:42
Benzo (k) fluoranthene	ND	0.25	1	06/04/2018 18:42
Benzyl Alcohol	ND	1.3	1	06/04/2018 18:42
1,1-Biphenyl	ND	0.25	1	06/04/2018 18:42
Bis (2-chloroethoxy) Methane	ND	0.25	1	06/04/2018 18:42
Bis (2-chloroethyl) Ether	ND	0.25	1	06/04/2018 18:42
Bis (2-chloroisopropyl) Ether	ND	0.25	1	06/04/2018 18:42
Bis (2-ethylhexyl) Adipate	ND	0.25	1	06/04/2018 18:42
Bis (2-ethylhexyl) Phthalate	ND	0.25	1	06/04/2018 18:42
4-Bromophenyl Phenyl Ether	ND	0.25	1	06/04/2018 18:42
Butylbenzyl Phthalate	ND	0.25	1	06/04/2018 18:42
4-Chloroaniline	ND	0.50	1	06/04/2018 18:42
4-Chloro-3-methylphenol	ND	0.25	1	06/04/2018 18:42
2-Chloronaphthalene	ND	0.25	1	06/04/2018 18:42
2-Chlorophenol	ND	0.25	1	06/04/2018 18:42
4-Chlorophenyl Phenyl Ether	ND	0.25	1	06/04/2018 18:42
Chrysene	ND	0.25	1	06/04/2018 18:42
Dibenzo (a,h) anthracene	ND	0.25	1	06/04/2018 18:42
Dibenzofuran	ND	0.25	1	06/04/2018 18:42
Di-n-butyl Phthalate	ND	0.25	1	06/04/2018 18:42
1,2-Dichlorobenzene	ND	0.25	1	06/04/2018 18:42
1,3-Dichlorobenzene	ND	0.25	1	06/04/2018 18:42
1,4-Dichlorobenzene	ND	0.25	1	06/04/2018 18:42
3,3-Dichlorobenzidine	ND	0.50	1	06/04/2018 18:42
2,4-Dichlorophenol	ND	0.25	1	06/04/2018 18:42
Diethyl Phthalate	ND	0.25	1	06/04/2018 18:42
2,4-Dimethylphenol	ND	0.25	1	06/04/2018 18:42
Dimethyl Phthalate	ND	0.25	1	06/04/2018 18:42
4,6-Dinitro-2-methylphenol	ND	1.3	1	06/04/2018 18:42

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B
Date Prepared:	6/4/18	**Analytical Method:**	SW8270C
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Semi-Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-6.0	1806055-011A	Soil	05/31/2018 10:11	GC17 06041821.D	159270

Analytes	Result	RL	DF	Date Analyzed
2,4-Dinitrophenol	ND	6.3	1	06/04/2018 18:42
2,4-Dinitrotoluene	ND	0.25	1	06/04/2018 18:42
2,6-Dinitrotoluene	ND	0.25	1	06/04/2018 18:42
Di-n-octyl Phthalate	ND	0.50	1	06/04/2018 18:42
1,2-Diphenylhydrazine	ND	0.25	1	06/04/2018 18:42
Fluoranthene	ND	0.25	1	06/04/2018 18:42
Fluorene	ND	0.25	1	06/04/2018 18:42
Hexachlorobenzene	ND	0.25	1	06/04/2018 18:42
Hexachlorobutadiene	ND	0.25	1	06/04/2018 18:42
Hexachlorocyclopentadiene	ND	1.3	1	06/04/2018 18:42
Hexachloroethane	ND	0.25	1	06/04/2018 18:42
Indeno (1,2,3-cd) pyrene	ND	0.25	1	06/04/2018 18:42
Isophorone	ND	0.25	1	06/04/2018 18:42
2-Methylnaphthalene	ND	0.25	1	06/04/2018 18:42
2-Methylphenol (o-Cresol)	ND	0.25	1	06/04/2018 18:42
3 & 4-Methylphenol (m,p-Cresol)	ND	0.25	1	06/04/2018 18:42
Naphthalene	ND	0.25	1	06/04/2018 18:42
2-Nitroaniline	ND	1.3	1	06/04/2018 18:42
3-Nitroaniline	ND	1.3	1	06/04/2018 18:42
4-Nitroaniline	ND	1.3	1	06/04/2018 18:42
Nitrobenzene	ND	0.25	1	06/04/2018 18:42
2-Nitrophenol	ND	1.3	1	06/04/2018 18:42
4-Nitrophenol	ND	1.3	1	06/04/2018 18:42
N-Nitrosodiphenylamine	ND	0.25	1	06/04/2018 18:42
N-Nitrosodi-n-propylamine	ND	0.25	1	06/04/2018 18:42
Pentachlorophenol	ND	1.3	1	06/04/2018 18:42
Phenanthrene	ND	0.25	1	06/04/2018 18:42
Phenol	ND	0.25	1	06/04/2018 18:42
Pyrene	ND	0.25	1	06/04/2018 18:42
Pyridine	ND	0.25	1	06/04/2018 18:42
1,2,4-Trichlorobenzene	ND	0.25	1	06/04/2018 18:42
2,4,5-Trichlorophenol	ND	0.25	1	06/04/2018 18:42
2,4,6-Trichlorophenol	ND	0.25	1	06/04/2018 18:42

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B
Date Prepared:	6/4/18	**Analytical Method:**	SW8270C
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Semi-Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-6.0	**1806055-011A**	**Soil**	**05/31/2018 10:11**	**GC17 06041821.D**	**159270**

Analytes	Result	RL	DF	Date Analyzed
Surrogates	**REC (%)**	**Limits**		
2-Fluorophenol	97	30-130		06/04/2018 18:42
Phenol-d5	88	30-130		06/04/2018 18:42
Nitrobenzene-d5	81	30-130		06/04/2018 18:42
2-Fluorobiphenyl	67	30-130		06/04/2018 18:42
2,4,6-Tribromophenol	63	16-130		06/04/2018 18:42
4-Terphenyl-d14	78	30-130		06/04/2018 18:42

Analyst(s): REB

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B
Date Prepared:	6/4/18	**Analytical Method:**	SW8270C
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Semi-Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-14.0	1806055-015A	Soil	05/31/2018 10:26	GC17 06051835.D	159270

Analytes	Result	RL	DF	Date Analyzed
Acenaphthene	ND	0.25	1	06/06/2018 01:24
Acenaphthylene	ND	0.25	1	06/06/2018 01:24
Acetochlor	ND	0.25	1	06/06/2018 01:24
Anthracene	ND	0.25	1	06/06/2018 01:24
Benzidine	ND	1.3	1	06/06/2018 01:24
Benzo (a) anthracene	ND	0.25	1	06/06/2018 01:24
Benzo (a) pyrene	ND	0.25	1	06/06/2018 01:24
Benzo (b) fluoranthene	ND	0.25	1	06/06/2018 01:24
Benzo (g,h,i) perylene	ND	0.25	1	06/06/2018 01:24
Benzo (k) fluoranthene	ND	0.25	1	06/06/2018 01:24
Benzyl Alcohol	ND	1.3	1	06/06/2018 01:24
1,1-Biphenyl	ND	0.25	1	06/06/2018 01:24
Bis (2-chloroethoxy) Methane	ND	0.25	1	06/06/2018 01:24
Bis (2-chloroethyl) Ether	ND	0.25	1	06/06/2018 01:24
Bis (2-chloroisopropyl) Ether	ND	0.25	1	06/06/2018 01:24
Bis (2-ethylhexyl) Adipate	ND	0.25	1	06/06/2018 01:24
Bis (2-ethylhexyl) Phthalate	ND	0.25	1	06/06/2018 01:24
4-Bromophenyl Phenyl Ether	ND	0.25	1	06/06/2018 01:24
Butylbenzyl Phthalate	ND	0.25	1	06/06/2018 01:24
4-Chloroaniline	ND	0.50	1	06/06/2018 01:24
4-Chloro-3-methylphenol	ND	0.25	1	06/06/2018 01:24
2-Chloronaphthalene	ND	0.25	1	06/06/2018 01:24
2-Chlorophenol	ND	0.25	1	06/06/2018 01:24
4-Chlorophenyl Phenyl Ether	ND	0.25	1	06/06/2018 01:24
Chrysene	ND	0.25	1	06/06/2018 01:24
Dibenzo (a,h) anthracene	ND	0.25	1	06/06/2018 01:24
Dibenzofuran	ND	0.25	1	06/06/2018 01:24
Di-n-butyl Phthalate	ND	0.25	1	06/06/2018 01:24
1,2-Dichlorobenzene	ND	0.25	1	06/06/2018 01:24
1,3-Dichlorobenzene	ND	0.25	1	06/06/2018 01:24
1,4-Dichlorobenzene	ND	0.25	1	06/06/2018 01:24
3,3-Dichlorobenzidine	ND	0.50	1	06/06/2018 01:24
2,4-Dichlorophenol	ND	0.25	1	06/06/2018 01:24
Diethyl Phthalate	ND	0.25	1	06/06/2018 01:24
2,4-Dimethylphenol	ND	0.25	1	06/06/2018 01:24
Dimethyl Phthalate	ND	0.25	1	06/06/2018 01:24
4,6-Dinitro-2-methylphenol	ND	1.3	1	06/06/2018 01:24

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B
Date Prepared:	6/4/18	**Analytical Method:**	SW8270C
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Semi-Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-14.0	1806055-015A	Soil	05/31/2018 10:26	GC17 06051835.D	159270

Analytes	Result	RL	DF	Date Analyzed
2,4-Dinitrophenol	ND	6.3	1	06/06/2018 01:24
2,4-Dinitrotoluene	ND	0.25	1	06/06/2018 01:24
2,6-Dinitrotoluene	ND	0.25	1	06/06/2018 01:24
Di-n-octyl Phthalate	ND	0.50	1	06/06/2018 01:24
1,2-Diphenylhydrazine	ND	0.25	1	06/06/2018 01:24
Fluoranthene	ND	0.25	1	06/06/2018 01:24
Fluorene	ND	0.25	1	06/06/2018 01:24
Hexachlorobenzene	ND	0.25	1	06/06/2018 01:24
Hexachlorobutadiene	ND	0.25	1	06/06/2018 01:24
Hexachlorocyclopentadiene	ND	1.3	1	06/06/2018 01:24
Hexachloroethane	ND	0.25	1	06/06/2018 01:24
Indeno (1,2,3-cd) pyrene	ND	0.25	1	06/06/2018 01:24
Isophorone	ND	0.25	1	06/06/2018 01:24
2-Methylnaphthalene	ND	0.25	1	06/06/2018 01:24
2-Methylphenol (o-Cresol)	ND	0.25	1	06/06/2018 01:24
3 & 4-Methylphenol (m,p-Cresol)	ND	0.25	1	06/06/2018 01:24
Naphthalene	ND	0.25	1	06/06/2018 01:24
2-Nitroaniline	ND	1.3	1	06/06/2018 01:24
3-Nitroaniline	ND	1.3	1	06/06/2018 01:24
4-Nitroaniline	ND	1.3	1	06/06/2018 01:24
Nitrobenzene	ND	0.25	1	06/06/2018 01:24
2-Nitrophenol	ND	1.3	1	06/06/2018 01:24
4-Nitrophenol	ND	1.3	1	06/06/2018 01:24
N-Nitrosodiphenylamine	ND	0.25	1	06/06/2018 01:24
N-Nitrosodi-n-propylamine	ND	0.25	1	06/06/2018 01:24
Pentachlorophenol	ND	1.3	1	06/06/2018 01:24
Phenanthrene	ND	0.25	1	06/06/2018 01:24
Phenol	**0.84**	0.25	1	06/06/2018 01:24
Pyrene	ND	0.25	1	06/06/2018 01:24
Pyridine	ND	0.25	1	06/06/2018 01:24
1,2,4-Trichlorobenzene	ND	0.25	1	06/06/2018 01:24
2,4,5-Trichlorophenol	ND	0.25	1	06/06/2018 01:24
2,4,6-Trichlorophenol	ND	0.25	1	06/06/2018 01:24

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B
Date Prepared:	6/4/18	**Analytical Method:**	SW8270C
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Semi-Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-14.0	**1806055-015A**	**Soil**	**05/31/2018 10:26**	**GC17 06051835.D**	**159270**

Analytes	Result	RL	DF	Date Analyzed
Surrogates	**REC (%)**	**Limits**		
2-Fluorophenol	88	30-130		06/06/2018 01:24
Phenol-d5	76	30-130		06/06/2018 01:24
Nitrobenzene-d5	79	30-130		06/06/2018 01:24
2-Fluorobiphenyl	71	30-130		06/06/2018 01:24
2,4,6-Tribromophenol	49	16-130		06/06/2018 01:24
4-Terphenyl-d14	77	30-130		06/06/2018 01:24

Analyst(s): REB

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B
Date Prepared:	6/4/18	**Analytical Method:**	SW8270C
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Semi-Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-4-8.0	1806055-022A	Soil	05/31/2018 11:30	GC17 06051805.D	159270

Analytes	Result	RL	DF	Date Analyzed
Acenaphthene	ND	0.25	1	06/05/2018 11:12
Acenaphthylene	ND	0.25	1	06/05/2018 11:12
Acetochlor	ND	0.25	1	06/05/2018 11:12
Anthracene	ND	0.25	1	06/05/2018 11:12
Benzidine	ND	1.3	1	06/05/2018 11:12
Benzo (a) anthracene	ND	0.25	1	06/05/2018 11:12
Benzo (a) pyrene	ND	0.25	1	06/05/2018 11:12
Benzo (b) fluoranthene	ND	0.25	1	06/05/2018 11:12
Benzo (g,h,i) perylene	ND	0.25	1	06/05/2018 11:12
Benzo (k) fluoranthene	ND	0.25	1	06/05/2018 11:12
Benzyl Alcohol	ND	1.3	1	06/05/2018 11:12
1,1-Biphenyl	ND	0.25	1	06/05/2018 11:12
Bis (2-chloroethoxy) Methane	ND	0.25	1	06/05/2018 11:12
Bis (2-chloroethyl) Ether	ND	0.25	1	06/05/2018 11:12
Bis (2-chloroisopropyl) Ether	ND	0.25	1	06/05/2018 11:12
Bis (2-ethylhexyl) Adipate	ND	0.25	1	06/05/2018 11:12
Bis (2-ethylhexyl) Phthalate	ND	0.25	1	06/05/2018 11:12
4-Bromophenyl Phenyl Ether	ND	0.25	1	06/05/2018 11:12
Butylbenzyl Phthalate	ND	0.25	1	06/05/2018 11:12
4-Chloroaniline	ND	0.50	1	06/05/2018 11:12
4-Chloro-3-methylphenol	ND	0.25	1	06/05/2018 11:12
2-Chloronaphthalene	ND	0.25	1	06/05/2018 11:12
2-Chlorophenol	ND	0.25	1	06/05/2018 11:12
4-Chlorophenyl Phenyl Ether	ND	0.25	1	06/05/2018 11:12
Chrysene	ND	0.25	1	06/05/2018 11:12
Dibenzo (a,h) anthracene	ND	0.25	1	06/05/2018 11:12
Dibenzofuran	ND	0.25	1	06/05/2018 11:12
Di-n-butyl Phthalate	ND	0.25	1	06/05/2018 11:12
1,2-Dichlorobenzene	ND	0.25	1	06/05/2018 11:12
1,3-Dichlorobenzene	ND	0.25	1	06/05/2018 11:12
1,4-Dichlorobenzene	ND	0.25	1	06/05/2018 11:12
3,3-Dichlorobenzidine	ND	0.50	1	06/05/2018 11:12
2,4-Dichlorophenol	ND	0.25	1	06/05/2018 11:12
Diethyl Phthalate	ND	0.25	1	06/05/2018 11:12
2,4-Dimethylphenol	ND	0.25	1	06/05/2018 11:12
Dimethyl Phthalate	ND	0.25	1	06/05/2018 11:12
4,6-Dinitro-2-methylphenol	ND	1.3	1	06/05/2018 11:12

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B
Date Prepared:	6/4/18	**Analytical Method:**	SW8270C
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Semi-Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-4-8.0	1806055-022A	Soil	05/31/2018 11:30	GC17 06051805.D	159270

Analytes	Result	RL	DF	Date Analyzed
2,4-Dinitrophenol	ND	6.3	1	06/05/2018 11:12
2,4-Dinitrotoluene	ND	0.25	1	06/05/2018 11:12
2,6-Dinitrotoluene	ND	0.25	1	06/05/2018 11:12
Di-n-octyl Phthalate	ND	0.50	1	06/05/2018 11:12
1,2-Diphenylhydrazine	ND	0.25	1	06/05/2018 11:12
Fluoranthene	ND	0.25	1	06/05/2018 11:12
Fluorene	ND	0.25	1	06/05/2018 11:12
Hexachlorobenzene	ND	0.25	1	06/05/2018 11:12
Hexachlorobutadiene	ND	0.25	1	06/05/2018 11:12
Hexachlorocyclopentadiene	ND	1.3	1	06/05/2018 11:12
Hexachloroethane	ND	0.25	1	06/05/2018 11:12
Indeno (1,2,3-cd) pyrene	ND	0.25	1	06/05/2018 11:12
Isophorone	ND	0.25	1	06/05/2018 11:12
2-Methylnaphthalene	ND	0.25	1	06/05/2018 11:12
2-Methylphenol (o-Cresol)	ND	0.25	1	06/05/2018 11:12
3 & 4-Methylphenol (m,p-Cresol)	ND	0.25	1	06/05/2018 11:12
Naphthalene	ND	0.25	1	06/05/2018 11:12
2-Nitroaniline	ND	1.3	1	06/05/2018 11:12
3-Nitroaniline	ND	1.3	1	06/05/2018 11:12
4-Nitroaniline	ND	1.3	1	06/05/2018 11:12
Nitrobenzene	ND	0.25	1	06/05/2018 11:12
2-Nitrophenol	ND	1.3	1	06/05/2018 11:12
4-Nitrophenol	ND	1.3	1	06/05/2018 11:12
N-Nitrosodiphenylamine	ND	0.25	1	06/05/2018 11:12
N-Nitrosodi-n-propylamine	ND	0.25	1	06/05/2018 11:12
Pentachlorophenol	ND	1.3	1	06/05/2018 11:12
Phenanthrene	ND	0.25	1	06/05/2018 11:12
Phenol	ND	0.25	1	06/05/2018 11:12
Pyrene	ND	0.25	1	06/05/2018 11:12
Pyridine	ND	0.25	1	06/05/2018 11:12
1,2,4-Trichlorobenzene	ND	0.25	1	06/05/2018 11:12
2,4,5-Trichlorophenol	ND	0.25	1	06/05/2018 11:12
2,4,6-Trichlorophenol	ND	0.25	1	06/05/2018 11:12

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B
Date Prepared:	6/4/18	**Analytical Method:**	SW8270C
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Semi-Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-4-8.0	**1806055-022A**	**Soil**	**05/31/2018 11:30**	**GC17 06051805.D**	**159270**

Analytes	Result	RL	DF	Date Analyzed
Surrogates	**REC (%)**	**Limits**		
2-Fluorophenol	88	30-130		06/05/2018 11:12
Phenol-d5	81	30-130		06/05/2018 11:12
Nitrobenzene-d5	75	30-130		06/05/2018 11:12
2-Fluorobiphenyl	65	30-130		06/05/2018 11:12
2,4,6-Tribromophenol	40	16-130		06/05/2018 11:12
4-Terphenyl-d14	79	30-130		06/05/2018 11:12

Analyst(s): REB

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B/3640A
Date Prepared:	6/5/18	**Analytical Method:**	SW8270C
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Semi-Volatile Organics (Low Level) with GPC Cleanup

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-18.0	1806055-017A	Soil	05/31/2018 10:39	GC21 06051820.D	159327

Analytes	Result	MDL	RL	DF	Date Analyzed
Acenaphthene	ND	0.14	0.25	1	06/05/2018 18:01
Acenaphthylene	ND	0.14	0.25	1	06/05/2018 18:01
Acetochlor	ND	0.25	0.25	1	06/05/2018 18:01
Anthracene	ND	0.14	0.25	1	06/05/2018 18:01
Benzidine	ND	0.23	1.3	1	06/05/2018 18:01
Benzo (a) anthracene	ND	0.050	0.050	1	06/05/2018 18:01
Benzo (a) pyrene	ND	0.0025	0.0025	1	06/05/2018 18:01
Benzo (b) fluoranthene	ND	0.012	0.012	1	06/05/2018 18:01
Benzo (g,h,i) perylene	ND	0.15	0.25	1	06/05/2018 18:01
Benzo (k) fluoranthene	ND	0.16	0.25	1	06/05/2018 18:01
Benzyl Alcohol	ND	0.51	1.3	1	06/05/2018 18:01
1,1-Biphenyl	ND	0.15	0.25	1	06/05/2018 18:01
Bis (2-chloroethoxy) Methane	ND	0.14	0.25	1	06/05/2018 18:01
Bis (2-chloroethyl) Ether	ND	0.0012	0.0012	1	06/05/2018 18:01
Bis (2-chloroisopropyl) Ether	ND	0.0012	0.0012	1	06/05/2018 18:01
Bis (2-ethylhexyl) Adipate	ND	0.25	0.25	1	06/05/2018 18:01
Bis (2-ethylhexyl) Phthalate	ND	0.13	0.25	1	06/05/2018 18:01
4-Bromophenyl Phenyl Ether	ND	0.16	0.25	1	06/05/2018 18:01
Butylbenzyl Phthalate	ND	0.13	0.25	1	06/05/2018 18:01
4-Chloroaniline	ND	0.0012	0.0012	1	06/05/2018 18:01
4-Chloro-3-methylphenol	ND	0.12	0.25	1	06/05/2018 18:01
2-Chloronaphthalene	ND	0.16	0.25	1	06/05/2018 18:01
2-Chlorophenol	ND	0.0050	0.0050	1	06/05/2018 18:01
4-Chlorophenyl Phenyl Ether	ND	0.15	0.25	1	06/05/2018 18:01
Chrysene	ND	0.14	0.25	1	06/05/2018 18:01
Dibenzo (a,h) anthracene	ND	0.0025	0.0025	1	06/05/2018 18:01
Dibenzofuran	ND	0.13	0.25	1	06/05/2018 18:01
Di-n-butyl Phthalate	ND	0.13	0.25	1	06/05/2018 18:01
1,2-Dichlorobenzene	ND	0.12	0.25	1	06/05/2018 18:01
1,3-Dichlorobenzene	ND	0.14	0.25	1	06/05/2018 18:01
1,4-Dichlorobenzene	ND	0.025	0.025	1	06/05/2018 18:01
3,3-Dichlorobenzidine	ND	0.0050	0.0050	1	06/05/2018 18:01
2,4-Dichlorophenol	ND	0.0025	0.0025	1	06/05/2018 18:01
Diethyl Phthalate	ND	0.010	0.010	1	06/05/2018 18:01
2,4-Dimethylphenol	ND	0.025	0.025	1	06/05/2018 18:01
Dimethyl Phthalate	ND	0.0025	0.0025	1	06/05/2018 18:01
4,6-Dinitro-2-methylphenol	ND	0.13	1.3	1	06/05/2018 18:01

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B/3640A
Date Prepared:	6/5/18	**Analytical Method:**	SW8270C
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Semi-Volatile Organics (Low Level) with GPC Cleanup

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-18.0	1806055-017A	Soil	05/31/2018 10:39	GC21 06051820.D	159327

Analytes	Result	MDL	RL	DF	Date Analyzed
2,4-Dinitrophenol	ND	0.62	0.62	1	06/05/2018 18:01
2,4-Dinitrotoluene	ND	0.025	0.025	1	06/05/2018 18:01
2,6-Dinitrotoluene	ND	0.14	0.25	1	06/05/2018 18:01
Di-n-octyl Phthalate	ND	0.14	0.50	1	06/05/2018 18:01
1,2-Diphenylhydrazine	ND	0.16	0.25	1	06/05/2018 18:01
Fluoranthene	ND	0.13	0.25	1	06/05/2018 18:01
Fluorene	ND	0.14	0.25	1	06/05/2018 18:01
Hexachlorobenzene	ND	0.025	0.025	1	06/05/2018 18:01
Hexachlorobutadiene	ND	0.025	0.025	1	06/05/2018 18:01
Hexachlorocyclopentadiene	ND	0.73	1.3	1	06/05/2018 18:01
Hexachloroethane	ND	0.14	0.25	1	06/05/2018 18:01
Indeno (1,2,3-cd) pyrene	ND	0.012	0.012	1	06/05/2018 18:01
Isophorone	ND	0.12	0.25	1	06/05/2018 18:01
2-Methylnaphthalene	ND	0.025	0.025	1	06/05/2018 18:01
2-Methylphenol (o-Cresol)	ND	0.14	0.25	1	06/05/2018 18:01
3 & 4-Methylphenol (m,p-Cresol)	ND	0.12	0.25	1	06/05/2018 18:01
Naphthalene	ND	0.0025	0.0025	1	06/05/2018 18:01
2-Nitroaniline	ND	0.62	1.3	1	06/05/2018 18:01
3-Nitroaniline	ND	0.59	1.3	1	06/05/2018 18:01
4-Nitroaniline	ND	0.55	1.3	1	06/05/2018 18:01
Nitrobenzene	ND	0.14	0.25	1	06/05/2018 18:01
2-Nitrophenol	ND	0.64	1.3	1	06/05/2018 18:01
4-Nitrophenol	ND	0.41	1.3	1	06/05/2018 18:01
N-Nitrosodiphenylamine	ND	0.16	0.25	1	06/05/2018 18:01
N-Nitrosodi-n-propylamine	ND	0.012	0.012	1	06/05/2018 18:01
Pentachlorophenol	ND	0.32	1.3	1	06/05/2018 18:01
Phenanthrene	ND	0.14	0.25	1	06/05/2018 18:01
Phenol	**0.016**	0.0050	0.0050	1	06/05/2018 18:01
Pyrene	ND	0.13	0.25	1	06/05/2018 18:01
Pyridine	ND	0.25	0.25	1	06/05/2018 18:01
1,2,4-Trichlorobenzene	ND	0.14	0.25	1	06/05/2018 18:01
2,4,5-Trichlorophenol	ND	0.012	0.012	1	06/05/2018 18:01
2,4,6-Trichlorophenol	ND	0.012	0.012	1	06/05/2018 18:01

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B/3640A
Date Prepared:	6/5/18	**Analytical Method:**	SW8270C
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Semi-Volatile Organics (Low Level) with GPC Cleanup

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-18.0	**1806055-017A**	**Soil**	**05/31/2018 10:39**	**GC21 06051820.D**	**159327**

Analytes	Result	MDL	RL	DF	Date Analyzed
Surrogates	**REC (%)**		**Limits**		
2-Fluorophenol	84		30-130		06/05/2018 18:01
Phenol-d5	88		30-130		06/05/2018 18:01
Nitrobenzene-d5	80		30-130		06/05/2018 18:01
2-Fluorobiphenyl	63		30-130		06/05/2018 18:01
2,4,6-Tribromophenol	83		16-130		06/05/2018 18:01
4-Terphenyl-d14	61		30-130		06/05/2018 18:01

Analyst(s): REB

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3050B
Date Prepared:	6/1/18	**Analytical Method:**	SW6020
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

CAM / CCR 17 Metals

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-1-2.0	1806055-001A	Soil	05/31/2018 07:54	ICP-MS1 162SMPL.D	159241

Analytes	Result	RL	DF	Date Analyzed
Antimony	ND	0.50	1	06/06/2018 00:40
Arsenic	**1.8**	0.50	1	06/06/2018 00:40
Barium	**45**	5.0	1	06/06/2018 00:40
Beryllium	ND	0.50	1	06/06/2018 00:40
Cadmium	ND	0.25	1	06/06/2018 00:40
Chromium	**35**	0.50	1	06/06/2018 00:40
Cobalt	**5.7**	0.50	1	06/06/2018 00:40
Copper	**5.4**	0.50	1	06/06/2018 00:40
Lead	**1.9**	0.50	1	06/06/2018 00:40
Mercury	ND	0.050	1	06/06/2018 00:40
Molybdenum	ND	0.50	1	06/06/2018 00:40
Nickel	**35**	0.50	1	06/06/2018 00:40
Selenium	ND	0.50	1	06/06/2018 00:40
Silver	ND	0.50	1	06/06/2018 00:40
Thallium	ND	0.50	1	06/06/2018 00:40
Vanadium	**26**	0.50	1	06/06/2018 00:40
Zinc	**17**	5.0	1	06/06/2018 00:40

Surrogates	REC (%)	Limits	
Terbium	96	70-130	06/06/2018 00:40

Analyst(s): ND

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3050B
Date Prepared:	6/1/18	**Analytical Method:**	SW6020
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

CAM / CCR 17 Metals

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-4.0	1806055-006A	Soil	05/31/2018 08:59	ICP-MS1 164SMPL.D	159241

Analytes	Result	RL	DF	Date Analyzed
Antimony	ND	0.50	1	06/06/2018 00:52
Arsenic	**0.81**	0.50	1	06/06/2018 00:52
Barium	**31**	5.0	1	06/06/2018 00:52
Beryllium	ND	0.50	1	06/06/2018 00:52
Cadmium	ND	0.25	1	06/06/2018 00:52
Chromium	**31**	0.50	1	06/06/2018 00:52
Cobalt	**5.2**	0.50	1	06/06/2018 00:52
Copper	**4.2**	0.50	1	06/06/2018 00:52
Lead	**1.5**	0.50	1	06/06/2018 00:52
Mercury	ND	0.050	1	06/06/2018 00:52
Molybdenum	ND	0.50	1	06/06/2018 00:52
Nickel	**36**	0.50	1	06/06/2018 00:52
Selenium	ND	0.50	1	06/06/2018 00:52
Silver	ND	0.50	1	06/06/2018 00:52
Thallium	ND	0.50	1	06/06/2018 00:52
Vanadium	**21**	0.50	1	06/06/2018 00:52
Zinc	**17**	5.0	1	06/06/2018 00:52

Surrogates	REC (%)	Limits	
Terbium	96	70-130	06/06/2018 00:52

Analyst(s): ND

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3050B
Date Prepared:	6/1/18	**Analytical Method:**	SW6020
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

CAM / CCR 17 Metals

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-6.0	1806055-011A	Soil	05/31/2018 10:11	ICP-MS1 165SMPL.D	159241

Analytes	Result	RL	DF	Date Analyzed
Antimony	ND	0.50	1	06/06/2018 00:58
Arsenic	**0.84**	0.50	1	06/06/2018 00:58
Barium	**38**	5.0	1	06/06/2018 00:58
Beryllium	ND	0.50	1	06/06/2018 00:58
Cadmium	ND	0.25	1	06/06/2018 00:58
Chromium	**32**	0.50	1	06/06/2018 00:58
Cobalt	**5.4**	0.50	1	06/06/2018 00:58
Copper	**4.8**	0.50	1	06/06/2018 00:58
Lead	**1.7**	0.50	1	06/06/2018 00:58
Mercury	ND	0.050	1	06/06/2018 00:58
Molybdenum	ND	0.50	1	06/06/2018 00:58
Nickel	**41**	0.50	1	06/06/2018 00:58
Selenium	ND	0.50	1	06/06/2018 00:58
Silver	ND	0.50	1	06/06/2018 00:58
Thallium	ND	0.50	1	06/06/2018 00:58
Vanadium	**24**	0.50	1	06/06/2018 00:58
Zinc	**20**	5.0	1	06/06/2018 00:58

Surrogates	REC (%)	Limits	
Terbium	90	70-130	06/06/2018 00:58

Analyst(s): ND

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3050B
Date Prepared:	6/1/18	**Analytical Method:**	SW6020
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

CAM / CCR 17 Metals

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-14.0	1806055-015A	Soil	05/31/2018 10:26	ICP-MS2 030SMPL.D	159250

Analytes	Result	RL	DF	Date Analyzed
Antimony	ND	0.50	1	06/04/2018 11:18
Arsenic	**0.97**	0.50	1	06/04/2018 11:18
Barium	**39**	5.0	1	06/04/2018 11:18
Beryllium	ND	0.50	1	06/04/2018 11:18
Cadmium	ND	0.25	1	06/04/2018 11:18
Chromium	**110**	0.50	1	06/04/2018 11:18
Cobalt	**18**	0.50	1	06/04/2018 11:18
Copper	**9.6**	0.50	1	06/04/2018 11:18
Lead	**2.9**	0.50	1	06/04/2018 11:18
Mercury	ND	0.050	1	06/04/2018 11:18
Molybdenum	ND	0.50	1	06/04/2018 11:18
Nickel	**190**	0.50	1	06/04/2018 11:18
Selenium	ND	0.50	1	06/04/2018 11:18
Silver	ND	0.50	1	06/04/2018 11:18
Thallium	ND	0.50	1	06/04/2018 11:18
Vanadium	**42**	0.50	1	06/04/2018 11:18
Zinc	**40**	5.0	1	06/04/2018 11:18

Surrogates	REC (%)	Limits	
Terbium	103	70-130	06/04/2018 11:18

Analyst(s): ND

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3050B
Date Prepared:	6/1/18	**Analytical Method:**	SW6020
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

CAM / CCR 17 Metals

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-18.0	1806055-017A	Soil	05/31/2018 10:39	ICP-MS3 057SMPL.D	159250

Analytes	Result	RL	DF	Date Analyzed
Antimony	ND	0.50	1	06/05/2018 04:37
Arsenic	**1.2**	0.50	1	06/05/2018 04:37
Barium	**30**	5.0	1	06/05/2018 04:37
Beryllium	ND	0.50	1	06/05/2018 04:37
Cadmium	ND	0.25	1	06/05/2018 04:37
Chromium	**67**	0.50	1	06/05/2018 04:37
Cobalt	**8.5**	0.50	1	06/05/2018 04:37
Copper	**6.5**	0.50	1	06/05/2018 04:37
Lead	**2.0**	0.50	1	06/05/2018 04:37
Mercury	**0.098**	0.050	1	06/05/2018 04:37
Molybdenum	**1.2**	0.50	1	06/05/2018 04:37
Nickel	**79**	0.50	1	06/05/2018 04:37
Selenium	ND	0.50	1	06/05/2018 04:37
Silver	ND	0.50	1	06/05/2018 04:37
Thallium	ND	0.50	1	06/05/2018 04:37
Vanadium	**41**	0.50	1	06/05/2018 04:37
Zinc	**25**	5.0	1	06/05/2018 04:37

Surrogates	REC (%)	Limits	
Terbium	99	70-130	06/05/2018 04:37

Analyst(s): DB

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3050B
Date Prepared:	6/1/18	**Analytical Method:**	SW6020
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

CAM / CCR 17 Metals

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-4-8.0	1806055-022A	Soil	05/31/2018 11:30	ICP-MS3 059SMPL.D	159250

Analytes	Result	RL	DF	Date Analyzed
Antimony	ND	0.50	1	06/05/2018 04:50
Arsenic	**0.82**	0.50	1	06/05/2018 04:50
Barium	**42**	5.0	1	06/05/2018 04:50
Beryllium	ND	0.50	1	06/05/2018 04:50
Cadmium	ND	0.25	1	06/05/2018 04:50
Chromium	**42**	0.50	1	06/05/2018 04:50
Cobalt	**7.2**	0.50	1	06/05/2018 04:50
Copper	**5.2**	0.50	1	06/05/2018 04:50
Lead	**1.7**	0.50	1	06/05/2018 04:50
Mercury	ND	0.050	1	06/05/2018 04:50
Molybdenum	**0.54**	0.50	1	06/05/2018 04:50
Nickel	**49**	0.50	1	06/05/2018 04:50
Selenium	ND	0.50	1	06/05/2018 04:50
Silver	ND	0.50	1	06/05/2018 04:50
Thallium	ND	0.50	1	06/05/2018 04:50
Vanadium	**28**	0.50	1	06/05/2018 04:50
Zinc	**23**	5.0	1	06/05/2018 04:50

Surrogates	REC (%)	Limits	
Terbium	101	70-130	06/05/2018 04:50

Analyst(s): DB

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client: Langan
Date Received: 6/1/18 16:15
Date Prepared: 6/6/18-6/7/18
Project: 750615606; 681 Florida Street

WorkOrder: 1806055
Extraction Method: CARB 435 Asbestos
Analytical Method: 435 CARB
Unit: %

Asbestos (CARB 435) 400 Point Count

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-1-2.0	1806055-001A	Soil	05/31/2018 07:54	WetChem	159550

Analytes	Result	RL	DF	Date Analyzed
Asbestos	ND	0.25	1	06/07/2018 16:00

Analyst(s): DA Analytical Comments: k10

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-4.0	1806055-006A	Soil	05/31/2018 08:59	WetChem	159530

Analytes	Result	RL	DF	Date Analyzed
Asbestos	ND	0.25	1	06/07/2018 11:00

Analyst(s): DA Analytical Comments: k10

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-6.0	1806055-011A	Soil	05/31/2018 10:11	WetChem	159530

Analytes	Result	RL	DF	Date Analyzed
Asbestos	ND	0.25	1	06/07/2018 11:30

Analyst(s): DA Analytical Comments: k10

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-18.0	1806055-017A	Soil	05/31/2018 10:39	WetChem	159530

Analytes	Result	RL	DF	Date Analyzed
Asbestos	ND	0.25	1	06/07/2018 11:45

Analyst(s): DA Analytical Comments: k10

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	CARB 435 Asbestos
Date Prepared:	6/6/18-6/7/18	**Analytical Method:**	435 CARB
Project:	750615606; 681 Florida Street	**Unit:**	%

Asbestos (CARB 435) 400 Point Count

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-4-8.0	**1806055-022A**	**Soil**	**05/31/2018 11:30**	**WetChem**	**159530**

Analytes	Result	RL	DF	Date Analyzed
Asbestos	ND	0.25	1	06/07/2018 12:00

Analyst(s): DA

Analytical Comments: k10

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SM4500-CN⁻ E
Date Prepared:	6/7/18	**Analytical Method:**	SM4500-CN⁻ CE
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Cyanide, Total

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-6.0	1806055-011A	Soil	05/31/2018 10:11	WC_SKALAR 060818B1_24	159606

Analytes	Result	RL	DF	Date Analyzed
Total Cyanide	ND	0.10	1	06/08/2018 14:53

Analyst(s): NM

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8021B/8015Bm
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-1-2.0	1806055-001A	Soil	05/31/2018 07:54	GC19 06071831.D	159232

Analytes	Result	RL	DF	Date Analyzed
TPH(g) (C6-C12)	ND	1.0	1	06/08/2018 01:51
MTBE	---	0.050	1	06/08/2018 01:51
Benzene	---	0.0050	1	06/08/2018 01:51
Toluene	---	0.0050	1	06/08/2018 01:51
Ethylbenzene	---	0.0050	1	06/08/2018 01:51
Xylenes	---	0.0050	1	06/08/2018 01:51

Surrogates	REC (%)	Limits	
2-Fluorotoluene	85	62-126	06/08/2018 01:51

Analyst(s): IA

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-1-6.0	1806055-003A	Soil	05/31/2018 08:12	GC19 06071829.D	159232

Analytes	Result	RL	DF	Date Analyzed
TPH(g) (C6-C12)	ND	1.0	1	06/08/2018 00:50
MTBE	---	0.050	1	06/08/2018 00:50
Benzene	---	0.0050	1	06/08/2018 00:50
Toluene	---	0.0050	1	06/08/2018 00:50
Ethylbenzene	---	0.0050	1	06/08/2018 00:50
Xylenes	---	0.0050	1	06/08/2018 00:50

Surrogates	REC (%)	Limits	
2-Fluorotoluene	83	62-126	06/08/2018 00:50

Analyst(s): IA

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8021B/8015Bm
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-4.0	1806055-006A	Soil	05/31/2018 08:59	GC19 06071830.D	159232

Analytes	Result	RL	DF	Date Analyzed
TPH(g) (C6-C12)	ND	1.0	1	06/08/2018 01:21
MTBE	---	0.050	1	06/08/2018 01:21
Benzene	---	0.0050	1	06/08/2018 01:21
Toluene	---	0.0050	1	06/08/2018 01:21
Ethylbenzene	---	0.0050	1	06/08/2018 01:21
Xylenes	---	0.0050	1	06/08/2018 01:21

Surrogates	REC (%)	Limits	
2-Fluorotoluene	84	62-126	06/08/2018 01:21

Analyst(s): IA

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-8.0	1806055-008A	Soil	05/31/2018 09:11	GC19 06071836.D	159232

Analytes	Result	RL	DF	Date Analyzed
TPH(g) (C6-C12)	ND	1.0	1	06/08/2018 04:20
MTBE	---	0.050	1	06/08/2018 04:20
Benzene	---	0.0050	1	06/08/2018 04:20
Toluene	---	0.0050	1	06/08/2018 04:20
Ethylbenzene	---	0.0050	1	06/08/2018 04:20
Xylenes	---	0.0050	1	06/08/2018 04:20

Surrogates	REC (%)	Limits	
2-Fluorotoluene	85	62-126	06/08/2018 04:20

Analyst(s): IA

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8021B/8015Bm
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-2.0	1806055-009A	Soil	05/31/2018 10:01	GC19 06071832.D	159232

Analytes	Result	RL	DF	Date Analyzed
TPH(g) (C6-C12)	ND	1.0	1	06/08/2018 02:21
MTBE	---	0.050	1	06/08/2018 02:21
Benzene	---	0.0050	1	06/08/2018 02:21
Toluene	---	0.0050	1	06/08/2018 02:21
Ethylbenzene	---	0.0050	1	06/08/2018 02:21
Xylenes	---	0.0050	1	06/08/2018 02:21

Surrogates	REC (%)	Limits	
2-Fluorotoluene	80	62-126	06/08/2018 02:21

Analyst(s): IA

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-6.0	1806055-011A	Soil	05/31/2018 10:11	GC7 06071826.D	159232

Analytes	Result	RL	DF	Date Analyzed
TPH(g) (C6-C12)	ND	1.0	1	06/07/2018 23:34
MTBE	---	0.050	1	06/07/2018 23:34
Benzene	---	0.0050	1	06/07/2018 23:34
Toluene	---	0.0050	1	06/07/2018 23:34
Ethylbenzene	---	0.0050	1	06/07/2018 23:34
Xylenes	---	0.0050	1	06/07/2018 23:34

Surrogates	REC (%)	Limits	
2-Fluorotoluene	93	62-126	06/07/2018 23:34

Analyst(s): IA

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8021B/8015Bm
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-10.0	1806055-013A	Soil	05/31/2018 10:21	GC7 06071829.D	159232

Analytes	Result	RL	DF	Date Analyzed
TPH(g) (C6-C12)	ND	1.0	1	06/08/2018 01:03
MTBE	---	0.050	1	06/08/2018 01:03
Benzene	---	0.0050	1	06/08/2018 01:03
Toluene	---	0.0050	1	06/08/2018 01:03
Ethylbenzene	---	0.0050	1	06/08/2018 01:03
Xylenes	---	0.0050	1	06/08/2018 01:03

Surrogates	REC (%)	Limits	
2-Fluorotoluene	87	62-126	06/08/2018 01:03

Analyst(s): IA

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-14.0	1806055-015A	Soil	05/31/2018 10:26	GC19 06051844.D	159232

Analytes	Result	RL	DF	Date Analyzed
TPH(g) (C6-C12)	ND	1.0	1	06/06/2018 08:12
MTBE	---	0.050	1	06/06/2018 08:12
Benzene	---	0.0050	1	06/06/2018 08:12
Toluene	---	0.0050	1	06/06/2018 08:12
Ethylbenzene	---	0.0050	1	06/06/2018 08:12
Xylenes	---	0.0050	1	06/06/2018 08:12

Surrogates	REC (%)	Limits	
2-Fluorotoluene	85	62-126	06/06/2018 08:12

Analyst(s): IA

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8021B/8015Bm
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-18.0	1806055-017A	Soil	05/31/2018 10:39	GC7 06071830.D	159232

Analytes	Result	RL	DF	Date Analyzed
TPH(g) (C6-C12)	ND	1.0	1	06/08/2018 01:33
MTBE	---	0.050	1	06/08/2018 01:33
Benzene	---	0.0050	1	06/08/2018 01:33
Toluene	---	0.0050	1	06/08/2018 01:33
Ethylbenzene	---	0.0050	1	06/08/2018 01:33
Xylenes	---	0.0050	1	06/08/2018 01:33

Surrogates	REC (%)	Limits	
2-Fluorotoluene	92	62-126	06/08/2018 01:33

Analyst(s): IA

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-4-4.0	1806055-020A	Soil	05/31/2018 11:20	GC7 06071824.D	159232

Analytes	Result	RL	DF	Date Analyzed
TPH(g) (C6-C12)	ND	1.0	1	06/07/2018 22:35
MTBE	---	0.050	1	06/07/2018 22:35
Benzene	---	0.0050	1	06/07/2018 22:35
Toluene	---	0.0050	1	06/07/2018 22:35
Ethylbenzene	---	0.0050	1	06/07/2018 22:35
Xylenes	---	0.0050	1	06/07/2018 22:35

Surrogates	REC (%)	Limits	
2-Fluorotoluene	96	62-126	06/07/2018 22:35

Analyst(s): IA

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/1/18	**Analytical Method:**	SW8021B/8015Bm
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-4-8.0	1806055-022A	Soil	05/31/2018 11:30	GC19 06071837.D	159232

Analytes	Result	RL	DF	Date Analyzed
TPH(g) (C6-C12)	ND	1.0	1	06/08/2018 04:50
MTBE	---	0.050	1	06/08/2018 04:50
Benzene	---	0.0050	1	06/08/2018 04:50
Toluene	---	0.0050	1	06/08/2018 04:50
Ethylbenzene	---	0.0050	1	06/08/2018 04:50
Xylenes	---	0.0050	1	06/08/2018 04:50

Surrogates	REC (%)	Limits	
2-Fluorotoluene	89	62-126	06/08/2018 04:50

Analyst(s): IA

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3050B
Date Prepared:	6/1/18	**Analytical Method:**	SW6020
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

LUFT 5 Metals

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-1-6.0	1806055-003A	Soil	05/31/2018 08:12	ICP-MS1 163SMPL.D	159241

Analytes	Result	RL	DF	Date Analyzed
Cadmium	ND	0.25	1	06/06/2018 00:46
Chromium	**43**	0.50	1	06/06/2018 00:46
Lead	**4.4**	0.50	1	06/06/2018 00:46
Nickel	**50**	0.50	1	06/06/2018 00:46
Zinc	**25**	5.0	1	06/06/2018 00:46

Surrogates	REC (%)	Limits	
Terbium	95	70-130	06/06/2018 00:46

Analyst(s): ND

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-8.0	1806055-008A	Soil	05/31/2018 09:11	ICP-MS2 136SMPL.D	159241

Analytes	Result	RL	DF	Date Analyzed
Cadmium	ND	0.25	1	06/05/2018 22:37
Chromium	**27**	0.50	1	06/05/2018 22:37
Lead	**1.4**	0.50	1	06/05/2018 22:37
Nickel	**35**	0.50	1	06/05/2018 22:37
Zinc	**17**	5.0	1	06/05/2018 22:37

Surrogates	REC (%)	Limits	
Terbium	95	70-130	06/05/2018 22:37

Analyst(s): ND

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3050B
Date Prepared:	6/1/18	**Analytical Method:**	SW6020
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

LUFT 5 Metals

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-2.0	1806055-009A	Soil	05/31/2018 10:01	ICP-MS2 137SMPL.D	159241

Analytes	Result	RL	DF	Date Analyzed
Cadmium	ND	0.25	1	06/05/2018 22:43
Chromium	**51**	0.50	1	06/05/2018 22:43
Lead	**3.4**	0.50	1	06/05/2018 22:43
Nickel	**75**	0.50	1	06/05/2018 22:43
Zinc	**29**	5.0	1	06/05/2018 22:43

Surrogates	REC (%)	Limits	
Terbium	95	70-130	06/05/2018 22:43

Analyst(s): ND

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-10.0	1806055-013A	Soil	05/31/2018 10:21	ICP-MS2 138SMPL.D	159241

Analytes	Result	RL	DF	Date Analyzed
Cadmium	ND	0.25	1	06/05/2018 22:49
Chromium	**54**	0.50	1	06/05/2018 22:49
Lead	**1.8**	0.50	1	06/05/2018 22:49
Nickel	**46**	0.50	1	06/05/2018 22:49
Zinc	**25**	5.0	1	06/05/2018 22:49

Surrogates	REC (%)	Limits	
Terbium	93	70-130	06/05/2018 22:49

Analyst(s): ND

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3050B
Date Prepared:	6/1/18	**Analytical Method:**	SW6020
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

LUFT 5 Metals

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-4-4.0	**1806055-020A**	**Soil**	**05/31/2018 11:20**	**ICP-MS3 058SMPL.D**	**159250**

Analytes	Result	RL	DF	Date Analyzed
Cadmium	ND	0.25	1	06/05/2018 04:44
Chromium	**56**	0.50	1	06/05/2018 04:44
Lead	**2.2**	0.50	1	06/05/2018 04:44
Nickel	**63**	0.50	1	06/05/2018 04:44
Zinc	**24**	5.0	1	06/05/2018 04:44

Surrogates	REC (%)	Limits	
Terbium	100	70-130	06/05/2018 04:44

Analyst(s): DB

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW9045C
Date Prepared:	6/5/18	**Analytical Method:**	SW9045C
Project:	750615606; 681 Florida Street	**Unit:**	pH units @ 25°C

pH

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-6.0	**1806055-011A**	**Soil**	**05/31/2018 10:11**	**WetChem**	**159349**

Analytes	Result	Accuracy	DF	Date Analyzed
pH	**8.42**	±0.1	1	06/05/2018 14:21

Analyst(s): PHU

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW9030B/E376.2
Date Prepared:	6/6/18	**Analytical Method:**	SM4500 S^{-2} D
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Acid Soluble Sulfide - S

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-6.0	**1806055-011A**	**Soil**	**05/31/2018 10:11**	**SPECTROPHOTOMETER**	**159415**

Analytes	Result	RL	DF	Date Analyzed
Acid Soluble Sulfide - S	ND	10	1	06/06/2018 10:20

Analyst(s): RB

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B
Date Prepared:	6/4/18	**Analytical Method:**	SW8015B
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Total Extractable Petroleum Hydrocarbons w/out SG Clean-Up

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-1-2.0	1806055-001A	Soil	05/31/2018 07:54	GC9a 06041860.D	159312

Analytes	Result	RL	DF	Date Analyzed
TPH-Diesel (C10-C23)	ND	1.0	1	06/05/2018 04:20
TPH-Motor Oil (C18-C36)	ND	5.0	1	06/05/2018 04:20

Surrogates	REC (%)	Limits	
C9	87	74-123	06/05/2018 04:20

Analyst(s): JIS

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-1-6.0	1806055-003A	Soil	05/31/2018 08:12	GC9a 06041864.D	159312

Analytes	Result	RL	DF	Date Analyzed
TPH-Diesel (C10-C23)	ND	1.0	1	06/05/2018 05:38
TPH-Motor Oil (C18-C36)	ND	5.0	1	06/05/2018 05:38

Surrogates	REC (%)	Limits	
C9	87	74-123	06/05/2018 05:38

Analyst(s): JIS

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-4.0	1806055-006A	Soil	05/31/2018 08:59	GC9a 06041868.D	159312

Analytes	Result	RL	DF	Date Analyzed
TPH-Diesel (C10-C23)	ND	1.0	1	06/05/2018 06:55
TPH-Motor Oil (C18-C36)	ND	5.0	1	06/05/2018 06:55

Surrogates	REC (%)	Limits	
C9	87	74-123	06/05/2018 06:55

Analyst(s): JIS

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B
Date Prepared:	6/4/18	**Analytical Method:**	SW8015B
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Total Extractable Petroleum Hydrocarbons w/out SG Clean-Up

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-8.0	1806055-008A	Soil	05/31/2018 09:11	GC39A 06051810.D	159312

Analytes	Result	RL	DF	Date Analyzed
TPH-Diesel (C10-C23)	ND	1.0	1	06/05/2018 13:44
TPH-Motor Oil (C18-C36)	**5.2**	5.0	1	06/05/2018 13:44

Surrogates	REC (%)	Limits	
C9	84	74-123	06/05/2018 13:44

Analyst(s): JIS Analytical Comments: e7

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-2.0	1806055-009A	Soil	05/31/2018 10:01	GC11A 06071864.D	159312

Analytes	Result	RL	DF	Date Analyzed
TPH-Diesel (C10-C23)	**5.0**	2.0	2	06/08/2018 15:32
TPH-Motor Oil (C18-C36)	**130**	10	2	06/08/2018 15:32

Surrogates	REC (%)	Limits	
C9	88	74-123	06/08/2018 15:32

Analyst(s): JIS Analytical Comments: e7,e2

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-6.0	1806055-011A	Soil	05/31/2018 10:11	GC39A 06041822.D	159312

Analytes	Result	RL	DF	Date Analyzed
TPH-Diesel (C10-C23)	ND	1.0	1	06/04/2018 21:52
TPH-Motor Oil (C18-C36)	**6.6**	5.0	1	06/04/2018 21:52

Surrogates	REC (%)	Limits	
C9	85	74-123	06/04/2018 21:52

Analyst(s): JIS Analytical Comments: e7

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B
Date Prepared:	6/4/18	**Analytical Method:**	SW8015B
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Total Extractable Petroleum Hydrocarbons w/out SG Clean-Up

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-10.0	1806055-013A	Soil	05/31/2018 10:21	GC6A 06051814.D	159312

Analytes	Result	RL	DF	Date Analyzed
TPH-Diesel (C10-C23)	ND	1.0	1	06/05/2018 13:43
TPH-Motor Oil (C18-C36)	ND	5.0	1	06/05/2018 13:43

Surrogates	REC (%)	Limits	
C9	90	74-123	06/05/2018 13:43

Analyst(s): JIS

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-14.0	1806055-015A	Soil	05/31/2018 10:26	GC6A 06051816.D	159312

Analytes	Result	RL	DF	Date Analyzed
TPH-Diesel (C10-C23)	**1.3**	1.0	1	06/05/2018 14:22
TPH-Motor Oil (C18-C36)	ND	5.0	1	06/05/2018 14:22

Surrogates	REC (%)	Limits	
C9	96	74-123	06/05/2018 14:22

Analyst(s): JIS Analytical Comments: e2,e6

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-18.0	1806055-017A	Soil	05/31/2018 10:39	GC6B 06051815.D	159312

Analytes	Result	RL	DF	Date Analyzed
TPH-Diesel (C10-C23)	**1.0**	1.0	1	06/05/2018 14:22
TPH-Motor Oil (C18-C36)	ND	5.0	1	06/05/2018 14:22

Surrogates	REC (%)	Limits	
C9	89	74-123	06/05/2018 14:22

Analyst(s): JIS Analytical Comments: e2,e6

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3550B
Date Prepared:	6/4/18	**Analytical Method:**	SW8015B
Project:	750615606; 681 Florida Street	**Unit:**	mg/Kg

Total Extractable Petroleum Hydrocarbons w/out SG Clean-Up

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-4-4.0	**1806055-020A**	**Soil**	**05/31/2018 11:20**	**GC39A 06041834.D**	**159312**

Analytes	Result	RL	DF	Date Analyzed
TPH-Diesel (C10-C23)	ND	1.0	1	06/05/2018 01:45
TPH-Motor Oil (C18-C36)	**7.0**	5.0	1	06/05/2018 01:45

Surrogates	REC (%)	Limits	
C9	85	74-123	06/05/2018 01:45

Analyst(s): JIS Analytical Comments: e7

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-4-8.0	**1806055-022A**	**Soil**	**05/31/2018 11:30**	**GC39A 06051814.D**	**159312**

Analytes	Result	RL	DF	Date Analyzed
TPH-Diesel (C10-C23)	**2.2**	1.0	1	06/05/2018 15:02
TPH-Motor Oil (C18-C36)	ND	5.0	1	06/05/2018 15:02

Surrogates	REC (%)	Limits	
C9	85	74-123	06/05/2018 15:02

Analyst(s): JIS Analytical Comments: e2,e6

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/1/18	**BatchID:**	159233
Date Analyzed:	6/1/18 - 6/2/18	**Extraction Method:**	SW3550B
Instrument:	GC20	**Analytical Method:**	SW8081A/8082
Matrix:	Soil	**Unit:**	mg/kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS/LCSD-159233

QC Summary Report for SW8081A/8082

Analyte	MB Result	RL	SPK Val	MB SS %REC	MB SS Limits
Aldrin	ND	0.0010	-	-	-
a-BHC	ND	0.0010	-	-	-
b-BHC	ND	0.0010	-	-	-
d-BHC	ND	0.0010	-	-	-
g-BHC	ND	0.0010	-	-	-
Chlordane (Technical)	ND	0.025	-	-	-
a-Chlordane	ND	0.0010	-	-	-
g-Chlordane	ND	0.0010	-	-	-
p,p-DDD	ND	0.0010	-	-	-
p,p-DDE	ND	0.0010	-	-	-
p,p-DDT	ND	0.0010	-	-	-
Dieldrin	ND	0.0010	-	-	-
Endosulfan I	ND	0.0010	-	-	-
Endosulfan II	ND	0.0010	-	-	-
Endosulfan sulfate	ND	0.0010	-	-	-
Endrin	ND	0.0010	-	-	-
Endrin aldehyde	ND	0.0010	-	-	-
Endrin ketone	ND	0.0010	-	-	-
Heptachlor	ND	0.0010	-	-	-
Heptachlor epoxide	ND	0.0010	-	-	-
Hexachlorobenzene	ND	0.010	-	-	-
Hexachlorocyclopentadiene	ND	0.020	-	-	-
Methoxychlor	ND	0.0010	-	-	-
Toxaphene	ND	0.050	-	-	-
Aroclor1016	ND	0.050	-	-	-
Aroclor1221	ND	0.050	-	-	-
Aroclor1232	ND	0.050	-	-	-
Aroclor1242	ND	0.050	-	-	-
Aroclor1248	ND	0.050	-	-	-
Aroclor1254	ND	0.050	-	-	-
Aroclor1260	ND	0.050	-	-	-
PCBs, total	ND	0.050	-	-	-
Surrogate Recovery					
Decachlorobiphenyl	0.0495		0.05	99	70-130

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/1/18	**BatchID:**	159233
Date Analyzed:	6/1/18 - 6/2/18	**Extraction Method:**	SW3550B
Instrument:	GC20	**Analytical Method:**	SW8081A/8082
Matrix:	Soil	**Unit:**	mg/kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS/LCSD-159233

QC Summary Report for SW8081A/8082

Analyte	LCS Result	LCSD Result	SPK Val	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Limit
Aldrin	0.0493	0.0497	0.050	99	99	70-130	0	20
a-BHC	0.0613	0.0619	0.050	123	124	70-130	0.959	20
b-BHC	0.0459	0.0463	0.050	92	93	70-130	0.845	20
d-BHC	0.0573	0.0575	0.050	115	115	70-130	0	20
g-BHC	0.0602	0.0606	0.050	120	121	70-130	0.617	20
a-Chlordane	0.0485	0.0488	0.050	97	98	70-130	0.622	20
g-Chlordane	0.0485	0.0485	0.050	97	97	70-130	0	20
p,p-DDD	0.0473	0.0471	0.050	95	94	70-130	0.435	20
p,p-DDE	0.0546	0.0548	0.050	109	110	70-130	0.425	20
p,p-DDT	0.0580	0.0573	0.050	116	115	70-130	1.30	20
Dieldrin	0.0641	0.0646	0.050	128	129	70-130	0.722	20
Endosulfan I	0.0607	0.0609	0.050	121	122	70-130	0.300	20
Endosulfan II	0.0447	0.0442	0.050	89	88	70-130	1.21	20
Endosulfan sulfate	0.0524	0.0515	0.050	105	103	70-130	1.74	20
Endrin	0.0645	0.0639	0.050	129	128	70-130	1.02	20
Endrin aldehyde	0.0503	0.0500	0.050	101	100	70-130	0.708	20
Endrin ketone	0.0524	0.0523	0.050	105	105	70-130	0	20
Heptachlor	0.0620	0.0613	0.050	124	123	70-130	1.20	20
Heptachlor epoxide	0.0477	0.0481	0.050	95	96	70-130	0.856	20
Hexachlorobenzene	0.0456	0.0455	0.050	91	91	50-150	0	20
Hexachlorocyclopentadiene	0.0447	0.0439	0.050	89	88	50-150	1.84	20
Methoxychlor	0.0541	0.0538	0.050	108	108	70-130	0	20
Aroclor1016	0.167	0.169	0.15	111	113	70-130	1.45	20
Aroclor1260	0.163	0.175	0.15	109	117	70-130	7.39	20
Surrogate Recovery								
Decachlorobiphenyl	0.0521	-	0.050	104	-	70-130	-	-

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/4/18	**BatchID:**	159284
Date Analyzed:	6/6/18 - 6/7/18	**Extraction Method:**	SW3550B/3640Am/3630Cm
Instrument:	GC23	**Analytical Method:**	SW8081A/8082
Matrix:	Soil	**Unit:**	mg/kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS/LCSD-159284

QC Summary Report for SW8081A/8082

Analyte	MB Result	RL	SPK Val	MB SS %REC	MB SS Limits
Aldrin	ND	0.00010	-	-	-
a-BHC	ND	0.00010	-	-	-
b-BHC	ND	0.00030	-	-	-
d-BHC	ND	0.00020	-	-	-
g-BHC	ND	0.00010	-	-	-
Chlordane (Technical)	ND	0.0025	-	-	-
a-Chlordane	ND	0.00010	-	-	-
g-Chlordane	ND	0.00010	-	-	-
p,p-DDD	ND	0.00010	-	-	-
p,p-DDE	ND	0.00010	-	-	-
p,p-DDT	ND	0.00010	-	-	-
Dieldrin	ND	0.00010	-	-	-
Endosulfan I	ND	0.00010	-	-	-
Endosulfan II	ND	0.00010	-	-	-
Endosulfan sulfate	ND	0.00010	-	-	-
Endrin	ND	0.00010	-	-	-
Endrin aldehyde	ND	0.00010	-	-	-
Endrin ketone	ND	0.00010	-	-	-
Heptachlor	ND	0.00010	-	-	-
Heptachlor epoxide	ND	0.00010	-	-	-
Hexachlorobenzene	ND	0.0010	-	-	-
Hexachlorocyclopentadiene	ND	0.0020	-	-	-
Methoxychlor	ND	0.00020	-	-	-
Toxaphene	ND	0.0050	-	-	-
Aroclor1016	ND	0.0050	-	-	-
Aroclor1221	ND	0.0050	-	-	-
Aroclor1232	ND	0.0050	-	-	-
Aroclor1242	ND	0.0050	-	-	-
Aroclor1248	ND	0.0050	-	-	-
Aroclor1254	ND	0.0050	-	-	-
Aroclor1260	ND	0.0050	-	-	-
PCBs, total	ND	0.0050	-	-	-
Surrogate Recovery					
Decachlorobiphenyl	0.00390		0.0050	78	28-170

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/4/18	**BatchID:**	159284
Date Analyzed:	6/6/18 - 6/7/18	**Extraction Method:**	SW3550B/3640Am/3630Cm
Instrument:	GC23	**Analytical Method:**	SW8081A/8082
Matrix:	Soil	**Unit:**	mg/kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS/LCSD-159284

QC Summary Report for SW8081A/8082

Analyte	LCS Result	LCSD Result	SPK Val	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Limit
Aldrin	0.00562	0.00563	0.0050	112	113	31-155	0.262	20
a-BHC	0.00570	0.00576	0.0050	114	115	32-160	1.06	20
b-BHC	0.00515	0.00508	0.0050	103	101	44-149	1.43	20
d-BHC	0.00587	0.00582	0.0050	117	116	37-157	0.858	20
g-BHC	0.00563	0.00575	0.0050	113	115	43-154	2.06	20
a-Chlordane	0.00517	0.00510	0.0050	103	102	39-150	1.23	20
g-Chlordane	0.00520	0.00514	0.0050	104	103	39-151	1.18	20
p,p-DDD	0.00387	0.00369	0.0050	77	74	30-158	4.75	20
p,p-DDE	0.00524	0.00520	0.0050	105	104	47-149	0.661	20
p,p-DDT	0.00483	0.00475	0.0050	97	95	56-166	1.70	20
Dieldrin	0.00578	0.00580	0.0050	116	116	50-163	0	20
Endosulfan I	0.00529	0.00527	0.0050	106	105	45-159	0.355	20
Endosulfan II	0.00454	0.00446	0.0050	91	89	41-155	1.95	20
Endosulfan sulfate	0.00508	0.00500	0.0050	102	100	45-156	1.64	20
Endrin	0.00603	0.00603	0.0050	121	121	54-154	0	20
Endrin aldehyde	0.00499	0.00491	0.0050	100	98	27-159	1.65	20
Endrin ketone	0.00472	0.00464	0.0050	94	93	40-147	1.76	20
Heptachlor	0.00621	0.00620	0.0050	124	124	52-165	0	20
Heptachlor epoxide	0.00517	0.00520	0.0050	103	104	46-145	0.667	20
Hexachlorobenzene	0.00518	0.00522	0.0050	104	104	22-156	0	20
Hexachlorocyclopentadiene	0.00401	0.00472	0.0050	80	94	43-173	16.3	20
Methoxychlor	0.00536	0.00506	0.0050	107	101	49-150	5.60	20
Aroclor1016	0.0138	0.0144	0.015	92	96	49-120	4.29	20
Aroclor1260	0.0134	0.0161	0.015	89	107	48-160	18.3	20
Surrogate Recovery								
Decachlorobiphenyl	0.00464	0.00437	0.0050	93	87	28-170	5.98	20

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/1/18	**BatchID:**	159235
Date Analyzed:	6/5/18 - 6/7/18	**Extraction Method:**	SW5030B
Instrument:	GC10, GC18	**Analytical Method:**	SW8260B
Matrix:	Soil	**Unit:**	mg/kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159235 1806038-001AMS/MSD

QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Acetone	ND	1.23	0.10	1	-	123	48-156
tert-Amyl methyl ether (TAME)	ND	0.0433	0.0050	0.050	-	87	56-115
Benzene	ND	0.0470	0.0050	0.050	-	94	63-131
Bromobenzene	ND	0.0470	0.0050	0.050	-	94	66-127
Bromochloromethane	ND	0.0464	0.0050	0.050	-	93	64-124
Bromodichloromethane	ND	0.0396	0.0050	0.050	-	79	64-120
Bromoform	ND	0.0317	0.0050	0.050	-	63	48-92
Bromomethane	ND	0.0605	0.0050	0.050	-	121	25-163
2-Butanone (MEK)	ND	0.180	0.020	0.20	-	90	51-133
t-Butyl alcohol (TBA)	ND	0.207	0.050	0.20	-	103	52-129
n-Butyl benzene	ND	0.0753	0.0050	0.050	-	151	83-200
sec-Butyl benzene	ND	0.0738	0.0050	0.050	-	148	81-199
tert-Butyl benzene	ND	0.0597	0.0050	0.050	-	119	79-178
Carbon Disulfide	ND	0.0441	0.0050	0.050	-	88	64-136
Carbon Tetrachloride	ND	0.0439	0.0050	0.050	-	88	66-140
Chlorobenzene	ND	0.0471	0.0050	0.050	-	94	73-116
Chloroethane	ND	0.0573	0.0050	0.050	-	115	35-147
Chloroform	ND	0.0451	0.0050	0.050	-	90	65-130
Chloromethane	ND	0.0477	0.0050	0.050	-	95	30-137
2-Chlorotoluene	ND	0.0561	0.0050	0.050	-	112	75-152
4-Chlorotoluene	ND	0.0520	0.0050	0.050	-	104	71-148
Dibromochloromethane	ND	0.0400	0.0050	0.050	-	80	61-106
1,2-Dibromo-3-chloropropane	ND	0.0160	0.0040	0.020	-	80	36-120
1,2-Dibromoethane (EDB)	ND	0.0454	0.0040	0.050	-	91	67-118
Dibromomethane	ND	0.0438	0.0050	0.050	-	88	61-116
1,2-Dichlorobenzene	ND	0.0394	0.0050	0.050	-	79	59-106
1,3-Dichlorobenzene	ND	0.0509	0.0050	0.050	-	102	75-129
1,4-Dichlorobenzene	ND	0.0458	0.0050	0.050	-	92	66-127
Dichlorodifluoromethane	ND	0.0228	0.0050	0.050	-	46	13-74
1,1-Dichloroethane	ND	0.0481	0.0050	0.050	-	96	65-134
1,2-Dichloroethane (1,2-DCA)	ND	0.0461	0.0040	0.050	-	92	57-131
1,1-Dichloroethene	ND	0.0444	0.0050	0.050	-	89	62-127
cis-1,2-Dichloroethene	ND	0.0464	0.0050	0.050	-	93	66-130
trans-1,2-Dichloroethene	ND	0.0458	0.0050	0.050	-	92	60-131
1,2-Dichloropropane	ND	0.0466	0.0050	0.050	-	93	63-127
1,3-Dichloropropane	ND	0.0478	0.0050	0.050	-	96	68-124
2,2-Dichloropropane	ND	0.0468	0.0050	0.050	-	94	63-150

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/1/18	**BatchID:**	159235
Date Analyzed:	6/5/18 - 6/7/18	**Extraction Method:**	SW5030B
Instrument:	GC10, GC18	**Analytical Method:**	SW8260B
Matrix:	Soil	**Unit:**	mg/kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159235 1806038-001AMS/MSD

QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
1,1-Dichloropropene	ND	0.0459	0.0050	0.050	-	92	67-134
cis-1,3-Dichloropropene	ND	0.0481	0.0050	0.050	-	96	65-138
trans-1,3-Dichloropropene	ND	0.0461	0.0050	0.050	-	92	66-124
Diisopropyl ether (DIPE)	ND	0.0455	0.0050	0.050	-	91	58-129
Ethylbenzene	ND	0.0518	0.0050	0.050	-	103	73-145
Ethyl tert-butyl ether (ETBE)	ND	0.0455	0.0050	0.050	-	91	62-125
Freon 113	ND	0.0408	0.0050	0.050	-	82	55-116
Hexachlorobutadiene	ND	0.0500	0.0050	0.050	-	100	75-178
Hexachloroethane	ND	0.0586	0.0050	0.050	-	117	75-152
2-Hexanone	ND	0.0404	0.0050	0.050	-	81	41-113
Isopropylbenzene	ND	0.0516	0.0050	0.050	-	103	67-172
4-Isopropyl toluene	ND	0.0667	0.0050	0.050	-	133	88-171
Methyl-t-butyl ether (MTBE)	ND	0.0460	0.0050	0.050	-	92	58-122
Methylene chloride	ND	0.0499	0.0050	0.050	-	100	57-140
4-Methyl-2-pentanone (MIBK)	ND	0.0383	0.0050	0.050	-	77	42-117
Naphthalene	ND	0.0233	0.0050	0.050	-	47	29-65
n-Propyl benzene	ND	0.0636	0.0050	0.050	-	127	85-174
Styrene	ND	0.0392	0.0050	0.050	-	78	63-126
1,1,1,2-Tetrachloroethane	ND	0.0453	0.0050	0.050	-	91	68-131
1,1,2,2-Tetrachloroethane	ND	0.0420	0.0050	0.050	-	84	45-121
Tetrachloroethene	ND	0.0521	0.0050	0.050	-	104	65-150
Toluene	ND	0.0498	0.0050	0.050	-	100	72-135
1,2,3-Trichlorobenzene	ND	0.0260	0.0050	0.050	-	52	35-80
1,2,4-Trichlorobenzene	ND	0.0337	0.0050	0.050	-	67	45-103
1,1,1-Trichloroethane	ND	0.0434	0.0050	0.050	-	87	67-137
1,1,2-Trichloroethane	ND	0.0426	0.0050	0.050	-	85	67-117
Trichloroethene	ND	0.0492	0.0050	0.050	-	98	62-135
Trichlorofluoromethane	ND	0.0411	0.0050	0.050	-	82	56-124
1,2,3-Trichloropropane	ND	0.0475	0.0050	0.050	-	95	58-133
1,2,4-Trimethylbenzene	ND	0.0585	0.0050	0.050	-	117	78-161
1,3,5-Trimethylbenzene	ND	0.0617	0.0050	0.050	-	123	85-170
Vinyl Chloride	ND	0.0502	0.0050	0.050	-	100	32-142
Xylenes, Total	ND	0.136	0.0050	0.15	-	90	70-137

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/1/18	**BatchID:**	159235
Date Analyzed:	6/5/18 - 6/7/18	**Extraction Method:**	SW5030B
Instrument:	GC10, GC18	**Analytical Method:**	SW8260B
Matrix:	Soil	**Unit:**	mg/kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159235 1806038-001AMS/MSD

QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Surrogate Recovery							
Dibromofluoromethane	0.133	0.135		0.12	106	108	87-127
Toluene-d8	0.165	0.163		0.12	132	131	93-141
4-BFB	0.0129	0.0132		0.012	103	106	84-137
Benzene-d6	0.101	0.00803		0.10	101	8, F3	67-131
Ethylbenzene-d10	0.117	0.00943		0.10	117	9, F3	78-153
1,2-DCB-d4	0.0771	0.00865		0.10	77	9, F3	63-109

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/1/18	**BatchID:**	159235
Date Analyzed:	6/5/18 - 6/7/18	**Extraction Method:**	SW5030B
Instrument:	GC10, GC18	**Analytical Method:**	SW8260B
Matrix:	Soil	**Unit:**	mg/kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159235 1806038-001AMS/MSD

QC Summary Report for SW8260B

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Acetone	0.968	1.08	1	ND	91	103	36-141	11.1	20
tert-Amyl methyl ether (TAME)	0.0379	0.0409	0.050	ND	76	82	46-105	7.66	20
Benzene	0.0408	0.0443	0.050	ND	82	89	46-124	8.15	20
Bromobenzene	0.0388	0.0450	0.050	ND	78	90	50-119	14.7	20
Bromochloromethane	0.0444	0.0486	0.050	ND	89	97	42-122	9.01	20
Bromodichloromethane	0.0423	0.0462	0.050	ND	85	92	48-112	9.01	20
Bromoform	0.0297	0.0315	0.050	ND	59	63	36-90	5.82	20
Bromomethane	0.0369	0.0393	0.050	ND	74	79	10-149	6.14	20
2-Butanone (MEK)	0.190	0.213	0.20	ND	95	106	43-114	11.2	20
t-Butyl alcohol (TBA)	0.194	0.224	0.20	ND	97	112	33-123	14.2	20
n-Butyl benzene	0.0555	0.0631	0.050	ND	111	126	40-185	12.8	20
sec-Butyl benzene	0.0528	0.0583	0.050	ND	106	117	40-183	9.81	20
tert-Butyl benzene	0.0481	0.0542	0.050	ND	96	108	44-168	12.0	20
Carbon Disulfide	0.0420	0.0463	0.050	ND	84	93	23-139	9.72	20
Carbon Tetrachloride	0.0420	0.0464	0.050	ND	84	93	43-133	9.84	20
Chlorobenzene	0.0401	0.0439	0.050	ND	80	88	51-115	9.20	20
Chloroethane	0.0448	0.0472	0.050	ND	90	94	16-138	5.25	20
Chloroform	0.0423	0.0466	0.050	ND	85	93	54-117	9.60	20
Chloromethane	0.0317	0.0340	0.050	ND	63	68	14-128	6.95	20
2-Chlorotoluene	0.0460	0.0514	0.050	ND	92	103	54-141	11.1	20
4-Chlorotoluene	0.0446	0.0497	0.050	ND	89	99	52-134	10.8	20
Dibromochloromethane	0.0380	0.0413	0.050	ND	76	83	46-102	8.31	20
1,2-Dibromo-3-chloropropane	0.0129	0.0147	0.020	ND	65	73	16-120	12.8	20
1,2-Dibromoethane (EDB)	0.0396	0.0425	0.050	ND	79	85	48-113	7.00	20
Dibromomethane	0.0422	0.0463	0.050	ND	84	93	44-110	9.38	20
1,2-Dichlorobenzene	0.0362	0.0394	0.050	ND	72	79	43-106	8.51	20
1,3-Dichlorobenzene	0.0438	0.0488	0.050	ND	88	98	49-128	10.8	20
1,4-Dichlorobenzene	0.0438	0.0488	0.050	ND	88	98	48-120	10.8	20
Dichlorodifluoromethane	0.0128	0.0142	0.050	ND	26	28	8-63	9.65	20
1,1-Dichloroethane	0.0425	0.0467	0.050	ND	85	93	50-122	9.32	20
1,2-Dichloroethane (1,2-DCA)	0.0419	0.0458	0.050	ND	84	92	46-116	8.96	20
1,1-Dichloroethene	0.0477	0.0527	0.050	ND	95	105	37-124	9.95	20
cis-1,2-Dichloroethene	0.0430	0.0480	0.050	ND	86	96	47-123	11.0	20
trans-1,2-Dichloroethene	0.0432	0.0478	0.050	ND	86	96	31-131	10.2	20
1,2-Dichloropropane	0.0430	0.0471	0.050	ND	86	94	50-116	9.04	20
1,3-Dichloropropane	0.0407	0.0443	0.050	ND	81	89	52-115	8.48	20
2,2-Dichloropropane	0.0414	0.0458	0.050	ND	83	91	43-137	10.0	20

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/1/18	**BatchID:**	159235
Date Analyzed:	6/5/18 - 6/7/18	**Extraction Method:**	SW5030B
Instrument:	GC10, GC18	**Analytical Method:**	SW8260B
Matrix:	Soil	**Unit:**	mg/kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159235 1806038-001AMS/MSD

QC Summary Report for SW8260B

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
1,1-Dichloropropene	0.0427	0.0468	0.050	ND	85	94	43-126	9.35	20
cis-1,3-Dichloropropene	0.0399	0.0435	0.050	ND	80	87	35-134	8.67	20
trans-1,3-Dichloropropene	0.0399	0.0433	0.050	ND	80	87	35-124	8.32	20
Diisopropyl ether (DIPE)	0.0414	0.0445	0.050	ND	83	89	49-116	7.14	20
Ethylbenzene	0.0429	0.0468	0.050	ND	86	94	49-137	8.67	20
Ethyl tert-butyl ether (ETBE)	0.0403	0.0437	0.050	ND	81	87	50-113	8.12	20
Freon 113	0.0337	0.0372	0.050	ND	67	74	28-114	9.77	20
Hexachlorobutadiene	0.0507	0.0581	0.050	ND	101	116	22-180	13.6	20
Hexachloroethane	0.0469	0.0546	0.050	ND	94	109	28-158	15.1	20
2-Hexanone	0.0322	0.0346	0.050	ND	64	69	31-102	7.16	20
Isopropylbenzene	0.0500	0.0581	0.050	ND	100	116	50-153	14.9	20
4-Isopropyl toluene	0.0524	0.0588	0.050	ND	105	118	41-171	11.4	20
Methyl-t-butyl ether (MTBE)	0.0428	0.0474	0.050	ND	86	95	48-110	10.3	20
Methylene chloride	0.0432	0.0482	0.050	ND	86	96	42-127	11.0	20
4-Methyl-2-pentanone (MIBK)	0.0324	0.0341	0.050	ND	65	68	24-114	5.34	20
Naphthalene	0.0215	0.0244	0.050	ND	43	49	19-69	12.5	20
n-Propyl benzene	0.0506	0.0566	0.050	ND	101	113	46-168	11.1	20
Styrene	0.0373	0.0388	0.050	ND	75	78	42-122	4.05	20
1,1,1,2-Tetrachloroethane	0.0397	0.0436	0.050	ND	79	87	52-121	9.30	20
1,1,2,2-Tetrachloroethane	0.0229	0.0263	0.050	ND	46	53	27-116	13.8	20
Tetrachloroethene	0.0397	0.0442	0.050	ND	79	88	37-149	10.8	20
Toluene	0.0419	0.0459	0.050	ND	84	92	52-124	9.29	20
1,2,3-Trichlorobenzene	0.0260	0.0294	0.050	ND	52	59	20-86	12.3	20
1,2,4-Trichlorobenzene	0.0329	0.0379	0.050	ND	66	76	24-107	14.1	20
1,1,1-Trichloroethane	0.0438	0.0487	0.050	ND	88	97	48-128	10.5	20
1,1,2-Trichloroethane	0.0408	0.0441	0.050	ND	82	88	51-110	7.77	20
Trichloroethene	0.0537	0.0591	0.050	ND	107	118	42-128	9.57	20
Trichlorofluoromethane	0.0360	0.0398	0.050	ND	72	80	31-121	10.2	20
1,2,3-Trichloropropane	0.0402	0.0467	0.050	ND	80	93	50-115	14.9	20
1,2,4-Trimethylbenzene	0.0480	0.0544	0.050	ND	96	109	48-151	12.4	20
1,3,5-Trimethylbenzene	0.0495	0.0563	0.050	ND	99	113	51-159	12.8	20
Vinyl Chloride	0.0372	0.0394	0.050	ND	74	79	11-136	5.64	20
Xylenes, Total	0.122	0.129	0.15	ND	81	86	38-141	5.58	20

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/1/18	**BatchID:**	159235
Date Analyzed:	6/5/18 - 6/7/18	**Extraction Method:**	SW5030B
Instrument:	GC10, GC18	**Analytical Method:**	SW8260B
Matrix:	Soil	**Unit:**	mg/kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159235 1806038-001AMS/MSD

QC Summary Report for SW8260B

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Surrogate Recovery									
Dibromofluoromethane	0.146	0.149	0.12		117	119	82-136	2.03	20
Toluene-d8	0.149	0.149	0.12		119	119	92-139	0	20
4-BFB	0.0135	0.0143	0.012		108	114	82-135	6.07	20
Benzene-d6	0.00961	0.0104	0.10		10,F3	10,F3	55-122	0	20
Ethylbenzene-d10	0.00954	0.0104	0.10		10,F3	10,F3	58-141	0	20
1,2-DCB-d4	0.0118	0.0131	0.10		12,F3	13,F3	51-107	9.71	20

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/1/18	**BatchID:**	159208
Date Analyzed:	6/3/18	**Extraction Method:**	SW5030B
Instrument:	GC38	**Analytical Method:**	SW8260B
Matrix:	Soil	**Unit:**	mg/kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159208 1806017-001AMS/MSD

QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Acetone	ND	0.203	0.10	0.20	-	101	48-156
tert-Amyl methyl ether (TAME)	ND	0.00793	0.0050	0.010	-	79	56-115
Benzene	ND	0.00909	0.0050	0.010	-	91	63-131
Bromobenzene	ND	0.00930	0.0050	0.010	-	93	66-127
Bromochloromethane	ND	0.00925	0.0050	0.010	-	93	64-124
Bromodichloromethane	0.000535	0.00743	0.00025	0.010	-	74	64-120
Bromoform	ND	0.00643	0.0050	0.010	-	64	48-92
Bromomethane	ND	0.00921	0.0050	0.010	-	92	25-163
2-Butanone (MEK)	ND	0.0284	0.020	0.040	-	71	51-133
t-Butyl alcohol (TBA)	ND	0.0342	0.050	0.040	-	86	52-129
n-Butyl benzene	ND	0.0122	0.0050	0.010	-	122	83-200
sec-Butyl benzene	ND	0.0117	0.0050	0.010	-	117	81-199
tert-Butyl benzene	ND	0.0114	0.0050	0.010	-	114	79-178
Carbon Disulfide	ND	0.00768	0.0050	0.010	-	77	64-136
Carbon Tetrachloride	ND	0.00780	0.0050	0.010	-	78	66-140
Chlorobenzene	ND	0.00887	0.0050	0.010	-	89	73-116
Chloroethane	ND	0.00871	0.0050	0.010	-	87	35-147
Chloroform	ND	0.00927	0.0050	0.010	-	93	65-130
Chloromethane	ND	0.00554	0.0050	0.010	-	55	30-137
2-Chlorotoluene	ND	0.0108	0.0050	0.010	-	108	75-152
4-Chlorotoluene	ND	0.0111	0.0050	0.010	-	111	71-148
Dibromochloromethane	ND	0.00683	0.0050	0.010	-	68	61-106
1,2-Dibromo-3-chloropropane	ND	0.00267	0.00025	0.0040	-	67	36-120
1,2-Dibromoethane (EDB)	0.000306	0.00784	0.00010	0.010	-	78	67-118
Dibromomethane	ND	0.00852	0.0050	0.010	-	85	61-116
1,2-Dichlorobenzene	ND	0.00802	0.0050	0.010	-	80	59-106
1,3-Dichlorobenzene	ND	0.00912	0.0050	0.010	-	91	75-129
1,4-Dichlorobenzene	ND	0.00891	0.0050	0.010	-	89	66-127
Dichlorodifluoromethane	ND	0.00288	0.0050	0.010	-	29	13-74
1,1-Dichloroethane	ND	0.00890	0.0050	0.010	-	89	65-134
1,2-Dichloroethane (1,2-DCA)	ND	0.00867	0.00025	0.010	-	87	57-131
1,1-Dichloroethene	ND	0.00912	0.00025	0.010	-	91	62-127
cis-1,2-Dichloroethene	ND	0.00932	0.0050	0.010	-	93	66-130
trans-1,2-Dichloroethene	ND	0.00920	0.0050	0.010	-	92	60-131
1,2-Dichloropropane	ND	0.00880	0.0050	0.010	-	88	63-127
1,3-Dichloropropane	ND	0.00852	0.0050	0.010	-	85	68-124
2,2-Dichloropropane	ND	0.00784	0.0050	0.010	-	78	63-150

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/1/18	**BatchID:**	159208
Date Analyzed:	6/3/18	**Extraction Method:**	SW5030B
Instrument:	GC38	**Analytical Method:**	SW8260B
Matrix:	Soil	**Unit:**	mg/kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159208 1806017-001AMS/MSD

QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
1,1-Dichloropropene	ND	0.00891	0.0050	0.010	-	89	67-134
cis-1,3-Dichloropropene	ND	0.00848	0.0050	0.010	-	85	65-138
trans-1,3-Dichloropropene	ND	0.00860	0.0050	0.010	-	86	66-124
Diisopropyl ether (DIPE)	ND	0.00864	0.0050	0.010	-	86	58-129
Ethylbenzene	ND	0.00930	0.0050	0.010	-	93	73-145
Ethyl tert-butyl ether (ETBE)	ND	0.00834	0.0050	0.010	-	83	62-125
Freon 113	ND	0.00775	0.0050	0.010	-	77	55-116
Hexachlorobutadiene	ND	0.00793	0.0050	0.010	-	79	75-178
Hexachloroethane	ND	0.00859	0.0050	0.010	-	86	75-152
2-Hexanone	ND	0.00661	0.0050	0.010	-	66	41-113
Isopropylbenzene	ND	0.0115	0.0050	0.010	-	115	67-172
4-Isopropyl toluene	ND	0.0116	0.0050	0.010	-	116	88-171
Methyl-t-butyl ether (MTBE)	ND	0.00914	0.0050	0.010	-	91	58-122
Methylene chloride	ND	0.0105	0.0050	0.010	-	105	57-140
4-Methyl-2-pentanone (MIBK)	ND	0.00698	0.0050	0.010	-	70	42-117
Naphthalene	ND	0.00481	0.0050	0.010	-	48	29-65
n-Propyl benzene	ND	0.0116	0.0050	0.010	-	116	85-174
Styrene	ND	0.00824	0.0050	0.010	-	82	63-126
1,1,1,2-Tetrachloroethane	ND	0.00807	0.0050	0.010	-	81	68-131
1,1,2,2-Tetrachloroethane	ND	0.00806	0.00025	0.010	-	81	45-121
Tetrachloroethene	ND	0.00851	0.00025	0.010	-	85	65-150
Toluene	ND	0.00973	0.0050	0.010	-	97	72-135
1,2,3-Trichlorobenzene	ND	0.00527	0.0050	0.010	-	53	35-80
1,2,4-Trichlorobenzene	ND	0.00649	0.0050	0.010	-	65	45-103
1,1,1-Trichloroethane	ND	0.00906	0.0050	0.010	-	91	67-137
1,1,2-Trichloroethane	ND	0.00862	0.0050	0.010	-	86	67-117
Trichloroethene	ND	0.00963	0.0050	0.010	-	96	62-135
Trichlorofluoromethane	ND	0.00720	0.0050	0.010	-	72	56-124
1,2,3-Trichloropropane	ND	0.00922	0.00025	0.010	-	92	58-133
1,2,4-Trimethylbenzene	ND	0.0108	0.0050	0.010	-	108	78-161
1,3,5-Trimethylbenzene	ND	0.0115	0.0050	0.010	-	115	85-170
Vinyl Chloride	0.000254	0.00765	0.00025	0.010	-	77	32-142
Xylenes, Total	ND	0.0274	0.0050	0.030	-	92	70-137

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/1/18	**BatchID:**	159208
Date Analyzed:	6/3/18	**Extraction Method:**	SW5030B
Instrument:	GC38	**Analytical Method:**	SW8260B
Matrix:	Soil	**Unit:**	mg/kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159208 1806017-001AMS/MSD

QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Surrogate Recovery							
Dibromofluoromethane	0.132	0.145		0.12	105	116	87-127
Toluene-d8	0.146	0.142		0.12	117	113	93-141
4-BFB	0.0156	0.0159		0.012	125	127	84-137
Benzene-d6	0.0816	0.00869		0.10	82	9, F2	67-131
Ethylbenzene-d10	0.101	0.00939		0.10	101	9, F2	78-153
1,2-DCB-d4	0.0823	0.00875		0.10	82	9, F2	63-109

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/1/18	**BatchID:**	159208
Date Analyzed:	6/3/18	**Extraction Method:**	SW5030B
Instrument:	GC38	**Analytical Method:**	SW8260B
Matrix:	Soil	**Unit:**	mg/kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159208 1806017-001AMS/MSD

QC Summary Report for SW8260B

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Acetone	0.247	0.245	0.20	ND	97	96	36-141	0.785	30
tert-Amyl methyl ether (TAME)	0.00754	0.00773	0.010	ND	75	77	46-105	2.56	30
Benzene	0.00854	0.00858	0.010	ND	85	86	46-124	0.381	30
Bromobenzene	0.00897	0.00917	0.010	ND	90	92	50-119	2.21	30
Bromochloromethane	0.00872	0.00890	0.010	ND	87	89	42-122	2.10	30
Bromodichloromethane	0.00704	0.00716	0.010	ND	65	66	48-112	1.75	30
Bromoform	0.00627	0.00642	0.010	ND	63	64	36-90	2.37	30
Bromomethane	0.00817	0.00766	0.010	ND	82	77	10-149	6.39	30
2-Butanone (MEK)	0.0378	0.0365	0.040	ND	86	82	43-114	3.54	30
t-Butyl alcohol (TBA)	0.0328	0.0343	0.040	ND	82	86	33-123	4.47	30
n-Butyl benzene	0.0116	0.0115	0.010	ND	116	115	40-185	0.739	30
sec-Butyl benzene	0.0110	0.0110	0.010	ND	110	110	40-183	0	30
tert-Butyl benzene	0.0102	0.0104	0.010	ND	102	104	44-168	1.74	30
Carbon Disulfide	0.00785	0.00794	0.010	ND	69	70	23-139	1.17	30
Carbon Tetrachloride	0.00732	0.00746	0.010	ND	58	59	43-133	1.99	30
Chlorobenzene	0.00842	0.00846	0.010	ND	84	85	51-115	0.587	30
Chloroethane	0.00780	0.00827	0.010	ND	78	83	16-138	5.82	30
Chloroform	0.00873	0.00882	0.010	ND	86	87	54-117	1.02	30
Chloromethane	0.00476	0.00474	0.010	ND	48	47	14-128	0.492	30
2-Chlorotoluene	0.0104	0.0108	0.010	ND	104	108	54-141	3.45	30
4-Chlorotoluene	0.0104	0.0101	0.010	ND	104	101	52-134	3.25	30
Dibromochloromethane	0.00656	0.00666	0.010	ND	53	54	46-102	1.62	30
1,2-Dibromo-3-chloropropane	0.00269	0.00273	0.0040	ND	67	68	16-120	1.53	30
1,2-Dibromoethane (EDB)	0.00760	0.00771	0.010	ND	73	74	48-113	1.40	30
Dibromomethane	0.00791	0.00826	0.010	ND	79	83	44-110	4.31	30
1,2-Dichlorobenzene	0.00790	0.00780	0.010	ND	79	78	43-106	1.29	30
1,3-Dichlorobenzene	0.00876	0.00841	0.010	ND	88	84	49-128	4.08	30
1,4-Dichlorobenzene	0.00862	0.00858	0.010	ND	86	86	48-120	0	30
Dichlorodifluoromethane	0.00235	0.00237	0.010	ND	23	24	8-63	1.19	30
1,1-Dichloroethane	0.00832	0.00837	0.010	ND	83	84	50-122	0.593	30
1,2-Dichloroethane (1,2-DCA)	0.00824	0.00835	0.010	ND	82	83	46-116	1.28	30
1,1-Dichloroethene	0.00842	0.00847	0.010	ND	84	85	37-124	0.590	30
cis-1,2-Dichloroethene	0.00864	0.00876	0.010	ND	86	88	47-123	1.44	30
trans-1,2-Dichloroethene	0.00841	0.00857	0.010	ND	84	86	31-131	1.90	30
1,2-Dichloropropane	0.00832	0.00840	0.010	ND	83	84	50-116	0.901	30
1,3-Dichloropropane	0.00808	0.00825	0.010	ND	81	83	52-115	2.06	30
2,2-Dichloropropane	0.00735	0.00744	0.010	ND	74	74	43-137	0	30

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/1/18	**BatchID:**	159208
Date Analyzed:	6/3/18	**Extraction Method:**	SW5030B
Instrument:	GC38	**Analytical Method:**	SW8260B
Matrix:	Soil	**Unit:**	mg/kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159208 1806017-001AMS/MSD

QC Summary Report for SW8260B

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
1,1-Dichloropropene	0.00822	0.00826	0.010	ND	82	83	43-126	0.511	30
cis-1,3-Dichloropropene	0.00785	0.00797	0.010	ND	78	80	35-134	1.57	30
trans-1,3-Dichloropropene	0.00815	0.00812	0.010	ND	65	65	35-124	0	30
Diisopropyl ether (DIPE)	0.00807	0.00824	0.010	ND	81	82	49-116	2.06	30
Ethylbenzene	0.00885	0.00879	0.010	ND	89	88	49-137	0.650	30
Ethyl tert-butyl ether (ETBE)	0.00780	0.00804	0.010	ND	78	80	50-113	3.02	30
Freon 113	0.00698	0.00688	0.010	ND	70	69	28-114	1.46	30
Hexachlorobutadiene	0.00732	0.00759	0.010	ND	73	76	22-180	3.53	30
Hexachloroethane	0.00818	0.00810	0.010	ND	68	67	28-158	1.07	30
2-Hexanone	0.00631	0.00642	0.010	ND	49	50	31-102	1.84	30
Isopropylbenzene	0.0111	0.0108	0.010	ND	111	108	50-153	2.87	30
4-Isopropyl toluene	0.0110	0.0109	0.010	ND	109	109	41-171	0	30
Methyl-t-butyl ether (MTBE)	0.00838	0.00868	0.010	ND	84	87	48-110	3.53	30
Methylene chloride	0.00981	0.00970	0.010	ND	82	81	42-127	1.14	30
4-Methyl-2-pentanone (MIBK)	0.00679	0.00701	0.010	ND	68	70	24-114	3.18	30
Naphthalene	0.00501	0.00504	0.010	ND	49	49	19-69	0	30
n-Propyl benzene	0.0107	0.0107	0.010	ND	107	107	46-168	0	30
Styrene	0.00777	0.00787	0.010	ND	78	79	42-122	1.28	30
1,1,1,2-Tetrachloroethane	0.00770	0.00780	0.010	ND	77	78	52-121	1.23	30
1,1,2,2-Tetrachloroethane	0.00816	0.00819	0.010	ND	81	81	27-116	0	30
Tetrachloroethene	0.00804	0.00797	0.010	ND	80	79	37-149	0.868	30
Toluene	0.00913	0.00906	0.010	ND	91	91	52-124	0	30
1,2,3-Trichlorobenzene	0.00543	0.00520	0.010	ND	54	52	20-86	4.37	30
1,2,4-Trichlorobenzene	0.00672	0.00640	0.010	ND	67	64	24-107	4.96	30
1,1,1-Trichloroethane	0.00849	0.00854	0.010	ND	85	85	48-128	0	30
1,1,2-Trichloroethane	0.00828	0.00840	0.010	ND	83	84	51-110	1.41	30
Trichloroethene	0.00905	0.00901	0.010	ND	90	90	42-128	0	30
Trichlorofluoromethane	0.00650	0.00665	0.010	ND	65	66	31-121	2.16	30
1,2,3-Trichloropropane	0.00912	0.00907	0.010	ND	91	90	50-115	0.564	30
1,2,4-Trimethylbenzene	0.0102	0.0101	0.010	ND	102	101	48-151	1.10	30
1,3,5-Trimethylbenzene	0.0110	0.0106	0.010	ND	109	106	51-159	3.15	30
Vinyl Chloride	0.00698	0.00687	0.010	ND	67	66	11-136	1.68	30
Xylenes, Total	0.0259	0.0258	0.030	ND	86	86	38-141	0	30

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/1/18	**BatchID:**	159208
Date Analyzed:	6/3/18	**Extraction Method:**	SW5030B
Instrument:	GC38	**Analytical Method:**	SW8260B
Matrix:	Soil	**Unit:**	mg/kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159208 1806017-001AMS/MSD

QC Summary Report for SW8260B

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Surrogate Recovery									
Dibromofluoromethane	0.144	0.145	0.12		116	116	82-136	0	30
Toluene-d8	0.141	0.141	0.12		113	113	92-139	0	30
4-BFB	0.0158	0.0154	0.012		126	123	82-135	2.40	30
Benzene-d6	0.00831	0.00793	0.10		8	8	55-122	0	30
Ethylbenzene-d10	0.00894	0.00862	0.10		9	9	58-141	0	30
1,2-DCB-d4	0.00862	0.00813	0.10		9	8	51-107	5.77	30

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/4/18	**BatchID:**	159270
Date Analyzed:	6/4/18	**Extraction Method:**	SW3550B
Instrument:	GC21	**Analytical Method:**	SW8270C
Matrix:	Soil	**Unit:**	mg/Kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159270 1806042-003AMS/MSD

QC Summary Report for SW8270C

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Acenaphthene	ND	3.25	0.25	5	-	65	46-118
Acenaphthylene	ND	3.64	0.25	5	-	73	43-122
Acetochlor	ND	-	0.25	-	-	-	-
Anthracene	ND	3.39	0.25	5	-	68	47-125
Benzidine	ND	1.06	1.3	5	-	21	13-83
Benzo (a) anthracene	ND	3.57	0.25	5	-	71	53-117
Benzo (a) pyrene	ND	4.25	0.25	5	-	85	53-138
Benzo (b) fluoranthene	ND	3.62	0.25	5	-	72	48-125
Benzo (g,h,i) perylene	ND	4.32	0.25	5	-	86	51-146
Benzo (k) fluoranthene	ND	3.34	0.25	5	-	67	53-124
Benzyl Alcohol	ND	4.63	1.3	5	-	93	51-105
1,1-Biphenyl	ND	-	0.25	-	-	-	-
Bis (2-chloroethoxy) Methane	ND	3.46	0.25	5	-	69	48-115
Bis (2-chloroethyl) Ether	ND	3.36	0.25	5	-	67	51-105
Bis (2-chloroisopropyl) Ether	ND	4.10	0.25	5	-	82, F2	85-119
Bis (2-ethylhexyl) Adipate	ND	3.63	0.25	5	-	73	46-117
Bis (2-ethylhexyl) Phthalate	ND	3.92	0.25	5	-	78	50-124
4-Bromophenyl Phenyl Ether	ND	3.34	0.25	5	-	67, F2	70-112
Butylbenzyl Phthalate	ND	3.96	0.25	5	-	79	55-127
4-Chloroaniline	ND	2.60	0.50	5	-	52	18-77
4-Chloro-3-methylphenol	ND	4.03	0.25	5	-	81	49-123
2-Chloronaphthalene	ND	3.07	0.25	5	-	61	44-109
2-Chlorophenol	ND	3.90	0.25	5	-	78	55-116
4-Chlorophenyl Phenyl Ether	ND	3.62	0.25	5	-	72	45-122
Chrysene	ND	3.48	0.25	5	-	70	54-116
Dibenzo (a,h) anthracene	ND	3.96	0.25	5	-	79	52-141
Dibenzofuran	ND	3.55	0.25	5	-	71	46-117
Di-n-butyl Phthalate	ND	3.55	0.25	5	-	71	45-126
1,2-Dichlorobenzene	ND	3.70	0.25	5	-	74	55-105
1,3-Dichlorobenzene	ND	3.43	0.25	5	-	69	51-104
1,4-Dichlorobenzene	ND	3.05	0.25	5	-	61	50-102
3,3-Dichlorobenzidine	ND	2.07	0.50	5	-	41	20-84
2,4-Dichlorophenol	ND	4.08	0.25	5	-	82	54-124
Diethyl Phthalate	ND	3.52	0.25	5	-	70	42-118
2,4-Dimethylphenol	ND	4.21	0.25	5	-	84	53-120
Dimethyl Phthalate	ND	3.58	0.25	5	-	72	45-118
4,6-Dinitro-2-methylphenol	ND	3.89	1.3	5	-	78	32-126

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/4/18	**BatchID:**	159270
Date Analyzed:	6/4/18	**Extraction Method:**	SW3550B
Instrument:	GC21	**Analytical Method:**	SW8270C
Matrix:	Soil	**Unit:**	mg/Kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159270 1806042-003AMS/MSD

QC Summary Report for SW8270C

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
2,4-Dinitrophenol	ND	4.80	6.3	5	-	96	20-130
2,4-Dinitrotoluene	ND	4.07	0.25	5	-	81	47-117
2,6-Dinitrotoluene	ND	3.86	0.25	5	-	77	48-121
Di-n-octyl Phthalate	ND	4.05	0.50	5	-	81	40-150
1,2-Diphenylhydrazine	ND	3.63	0.25	5	-	73, F2	88-117
Fluoranthene	ND	3.66	0.25	5	-	73	45-126
Fluorene	ND	3.52	0.25	5	-	70	43-118
Hexachlorobenzene	ND	3.22	0.25	5	-	64	47-130
Hexachlorobutadiene	ND	3.22	0.25	5	-	64	50-121
Hexachlorocyclopentadiene	ND	2.65	1.3	5	-	53	30-89
Hexachloroethane	ND	3.40	0.25	5	-	68	50-106
Indeno (1,2,3-cd) pyrene	ND	4.06	0.25	5	-	81	51-138
Isophorone	ND	2.67	0.25	5	-	53	38-92
2-Methylnaphthalene	ND	3.65	0.25	5	-	73	51-121
2-Methylphenol (o-Cresol)	ND	3.70	0.25	5	-	74	48-114
3 & 4-Methylphenol (m,p-Cresol)	ND	3.85	0.25	5	-	77	30-130
Naphthalene	ND	3.26	0.25	5	-	65	50-113
2-Nitroaniline	ND	4.46	1.3	5	-	89	45-115
3-Nitroaniline	ND	3.01	1.3	5	-	60	31-93
4-Nitroaniline	ND	4.09	1.3	5	-	82	41-108
Nitrobenzene	ND	3.86	0.25	5	-	77	49-122
2-Nitrophenol	ND	4.18	1.3	5	-	84	54-121
4-Nitrophenol	ND	4.65	1.3	5	-	93	40-102
N-Nitrosodiphenylamine	ND	-	0.25	-	-	-	-
N-Nitrosodi-n-propylamine	ND	4.22	0.25	5	-	84	47-108
Pentachlorophenol	ND	4.09	1.3	5	-	82	39-134
Phenanthrene	ND	3.21	0.25	5	-	64	49-123
Phenol	ND	4.09	0.25	5	-	82	49-107
Pyrene	ND	3.28	0.25	5	-	66	55-124
Pyridine	ND	7.79	0.25	5	-	156, F2	70-130
1,2,4-Trichlorobenzene	ND	3.70	0.25	5	-	74	51-121
2,4,5-Trichlorophenol	ND	3.96	0.25	5	-	79	45-126
2,4,6-Trichlorophenol	ND	3.71	0.25	5	-	74	46-128

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/4/18	**BatchID:**	159270
Date Analyzed:	6/4/18	**Extraction Method:**	SW3550B
Instrument:	GC21	**Analytical Method:**	SW8270C
Matrix:	Soil	**Unit:**	mg/Kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159270 1806042-003AMS/MSD

QC Summary Report for SW8270C

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Surrogate Recovery							
2-Fluorophenol	4.61	4.22		5	92	84	47-125
Phenol-d5	5.00	4.40		5	100	88	45-117
Nitrobenzene-d5	4.13	3.95		5	83	79	39-121
2-Fluorobiphenyl	3.55	3.43		5	71	69	35-120
2,4,6-Tribromophenol	4.20	4.25		5	84	85	32-111
4-Terphenyl-d14	3.64	3.56		5	73	71	32-128

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/4/18	**BatchID:**	159270
Date Analyzed:	6/4/18	**Extraction Method:**	SW3550B
Instrument:	GC21	**Analytical Method:**	SW8270C
Matrix:	Soil	**Unit:**	mg/Kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159270 1806042-003AMS/MSD

QC Summary Report for SW8270C

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Acenaphthene	NR	NR		ND<0.5	NR	NR	-	NR	-
Acenaphthylene	NR	NR		ND<0.5	NR	NR	-	NR	-
Anthracene	NR	NR		ND<0.5	NR	NR	-	NR	-
Benzidine	NR	NR		ND<2.6	NR	NR	-	NR	-
Benzo (a) anthracene	NR	NR		ND<0.5	NR	NR	-	NR	-
Benzo (a) pyrene	NR	NR		ND<0.5	NR	NR	-	NR	-
Benzo (b) fluoranthene	NR	NR		ND<0.5	NR	NR	-	NR	-
Benzo (g,h,i) perylene	NR	NR		ND<0.5	NR	NR	-	NR	-
Benzo (k) fluoranthene	NR	NR		ND<0.5	NR	NR	-	NR	-
Benzyl Alcohol	NR	NR		ND<2.6	NR	NR	-	NR	-
Bis (2-chloroethoxy) Methane	NR	NR		ND<0.5	NR	NR	-	NR	-
Bis (2-chloroethyl) Ether	NR	NR		ND<0.5	NR	NR	-	NR	-
Bis (2-chloroisopropyl) Ether	NR	NR		ND<0.5	NR	NR	-	NR	-
Bis (2-ethylhexyl) Adipate	NR	NR		ND<0.5	NR	NR	-	NR	-
Bis (2-ethylhexyl) Phthalate	NR	NR		ND<0.5	NR	NR	-	NR	-
4-Bromophenyl Phenyl Ether	NR	NR		ND<0.5	NR	NR	-	NR	-
Butylbenzyl Phthalate	NR	NR		ND<0.5	NR	NR	-	NR	-
4-Chloroaniline	NR	NR		ND<1	NR	NR	-	NR	-
4-Chloro-3-methylphenol	NR	NR		ND<0.5	NR	NR	-	NR	-
2-Chloronaphthalene	NR	NR		ND<0.5	NR	NR	-	NR	-
2-Chlorophenol	NR	NR		ND<0.5	NR	NR	-	NR	-
4-Chlorophenyl Phenyl Ether	NR	NR		ND<0.5	NR	NR	-	NR	-
Chrysene	NR	NR		ND<0.5	NR	NR	-	NR	-
Dibenzo (a,h) anthracene	NR	NR		ND<0.5	NR	NR	-	NR	-
Dibenzofuran	NR	NR		ND<0.5	NR	NR	-	NR	-
Di-n-butyl Phthalate	NR	NR		ND<0.5	NR	NR	-	NR	-
1,2-Dichlorobenzene	NR	NR		ND<0.5	NR	NR	-	NR	-
1,3-Dichlorobenzene	NR	NR		ND<0.5	NR	NR	-	NR	-
1,4-Dichlorobenzene	NR	NR		ND<0.5	NR	NR	-	NR	-
3,3-Dichlorobenzidine	NR	NR		ND<1	NR	NR	-	NR	-
2,4-Dichlorophenol	NR	NR		ND<0.5	NR	NR	-	NR	-
Diethyl Phthalate	NR	NR		ND<0.5	NR	NR	-	NR	-
2,4-Dimethylphenol	NR	NR		ND<0.5	NR	NR	-	NR	-
Dimethyl Phthalate	NR	NR		ND<0.5	NR	NR	-	NR	-
4,6-Dinitro-2-methylphenol	NR	NR		ND<2.6	NR	NR	-	NR	-
2,4-Dinitrophenol	NR	NR		ND<13	NR	NR	-	NR	-
2,4-Dinitrotoluene	NR	NR		ND<0.5	NR	NR	-	NR	-

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/4/18	**BatchID:**	159270
Date Analyzed:	6/4/18	**Extraction Method:**	SW3550B
Instrument:	GC21	**Analytical Method:**	SW8270C
Matrix:	Soil	**Unit:**	mg/Kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159270 1806042-003AMS/MSD

QC Summary Report for SW8270C

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
2,6-Dinitrotoluene	NR	NR		ND<0.5	NR	NR	-	NR	-
Di-n-octyl Phthalate	NR	NR		ND<1	NR	NR	-	NR	-
1,2-Diphenylhydrazine	NR	NR		ND<0.5	NR	NR	-	NR	-
Fluoranthene	NR	NR		ND<0.5	NR	NR	-	NR	-
Fluorene	NR	NR		ND<0.5	NR	NR	-	NR	-
Hexachlorobenzene	NR	NR		ND<0.5	NR	NR	-	NR	-
Hexachlorobutadiene	NR	NR		ND<0.5	NR	NR	-	NR	-
Hexachlorocyclopentadiene	NR	NR		ND<2.6	NR	NR	-	NR	-
Hexachloroethane	NR	NR		ND<0.5	NR	NR	-	NR	-
Indeno (1,2,3-cd) pyrene	NR	NR		ND<0.5	NR	NR	-	NR	-
Isophorone	NR	NR		ND<0.5	NR	NR	-	NR	-
2-Methylnaphthalene	NR	NR		ND<0.5	NR	NR	-	NR	-
2-Methylphenol (o-Cresol)	NR	NR		ND<0.5	NR	NR	-	NR	-
3 & 4-Methylphenol (m,p-Cresol)	NR	NR		ND<0.5	NR	NR	-	NR	-
Naphthalene	NR	NR		ND<0.5	NR	NR	-	NR	-
2-Nitroaniline	NR	NR		ND<2.6	NR	NR	-	NR	-
3-Nitroaniline	NR	NR		ND<2.6	NR	NR	-	NR	-
4-Nitroaniline	NR	NR		ND<2.6	NR	NR	-	NR	-
Nitrobenzene	NR	NR		ND<0.5	NR	NR	-	NR	-
2-Nitrophenol	NR	NR		ND<2.6	NR	NR	-	NR	-
4-Nitrophenol	NR	NR		ND<2.6	NR	NR	-	NR	-
N-Nitrosodi-n-propylamine	NR	NR		ND<0.5	NR	NR	-	NR	-
Pentachlorophenol	NR	NR		ND<2.6	NR	NR	-	NR	-
Phenanthrene	NR	NR		ND<0.5	NR	NR	-	NR	-
Phenol	NR	NR		ND<0.5	NR	NR	-	NR	-
Pyrene	NR	NR		ND<0.5	NR	NR	-	NR	-
Pyridine	NR	NR		ND<0.5	NR	NR	-	NR	-
1,2,4-Trichlorobenzene	NR	NR		ND<0.5	NR	NR	-	NR	-
2,4,5-Trichlorophenol	NR	NR		ND<0.5	NR	NR	-	NR	-
2,4,6-Trichlorophenol	NR	NR		ND<0.5	NR	NR	-	NR	-

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/4/18	**BatchID:**	159270
Date Analyzed:	6/4/18	**Extraction Method:**	SW3550B
Instrument:	GC21	**Analytical Method:**	SW8270C
Matrix:	Soil	**Unit:**	mg/Kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159270 1806042-003AMS/MSD

QC Summary Report for SW8270C

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Surrogate Recovery									
2-Fluorophenol	NR	NR			NR	NR	-	NR	-
Phenol-d5	NR	NR			NR	NR	-	NR	-
Nitrobenzene-d5	NR	NR			NR	NR	-	NR	-
2-Fluorobiphenyl	NR	NR			NR	NR	-	NR	-
2,4,6-Tribromophenol	NR	NR			NR	NR	-	NR	-
4-Terphenyl-d14	NR	NR			NR	NR	-	NR	-

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/5/18	**BatchID:**	159327
Date Analyzed:	6/5/18	**Extraction Method:**	SW3550B/3640A
Instrument:	GC21	**Analytical Method:**	SW8270C
Matrix:	Soil	**Unit:**	mg/Kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159327 1806017-004AMS/MSD

QC Summary Report for SW8270C (Low Level) w/ GPC

Analyte	MB Result	LCS Result	MDL	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Acenaphthene	ND	3.30	0.14	0.25	5	-	66	32-118
Acenaphthylene	ND	3.69	0.14	0.25	5	-	74	32-122
Acetochlor	ND	-	0.25	0.25	-	-	-	-
Anthracene	ND	3.41	0.14	0.25	5	-	68	36-125
Benzidine	ND	1.03	0.23	1.3	5	-	21	4-83
Benzo (a) anthracene	ND	3.60	0.050	0.050	5	-	72	35-117
Benzo (a) pyrene	ND	4.27	0.0025	0.0025	5	-	85	42-138
Benzo (b) fluoranthene	ND	3.70	0.012	0.012	5	-	74	37-125
Benzo (g,h,i) perylene	ND	4.19	0.15	0.25	5	-	84	45-146
Benzo (k) fluoranthene	ND	3.41	0.16	0.25	5	-	68	39-124
Benzyl Alcohol	ND	4.76	0.51	1.3	5	-	95	5-105
1,1-Biphenyl	ND	-	0.15	0.25	-	-	-	-
Bis (2-chloroethoxy) Methane	ND	3.67	0.14	0.25	5	-	73	35-115
Bis (2-chloroethyl) Ether	ND	3.60	0.0012	0.0012	5	-	72	35-105
Bis (2-chloroisopropyl) Ether	ND	4.39	0.0012	0.0012	5	-	88	34-119
Bis (2-ethylhexyl) Adipate	ND	3.72	0.25	0.25	5	-	74	27-117
Bis (2-ethylhexyl) Phthalate	ND	3.95	0.13	0.25	5	-	79	34-124
4-Bromophenyl Phenyl Ether	ND	3.46	0.16	0.25	5	-	69	33-112
Butylbenzyl Phthalate	ND	4.06	0.13	0.25	5	-	81	35-127
4-Chloroaniline	ND	2.34	0.0012	0.0012	5	-	47	12-77
4-Chloro-3-methylphenol	ND	4.53	0.12	0.25	5	-	91	35-123
2-Chloronaphthalene	ND	3.13	0.16	0.25	5	-	63	28-109
2-Chlorophenol	ND	4.24	0.0050	0.0050	5	-	85	38-116
4-Chlorophenyl Phenyl Ether	ND	3.72	0.15	0.25	5	-	74	33-122
Chrysene	ND	3.41	0.14	0.25	5	-	68	37-116
Dibenzo (a,h) anthracene	ND	3.91	0.0025	0.0025	5	-	78	43-141
Dibenzofuran	ND	3.68	0.13	0.25	5	-	74	33-117
Di-n-butyl Phthalate	ND	3.58	0.13	0.25	5	-	72	38-126
1,2-Dichlorobenzene	ND	3.90	0.12	0.25	5	-	78	34-105
1,3-Dichlorobenzene	ND	3.64	0.14	0.25	5	-	73	33-104
1,4-Dichlorobenzene	ND	3.23	0.025	0.025	5	-	65	31-102
3,3-Dichlorobenzidine	ND	1.98	0.0050	0.0050	5	-	40	14-84
2,4-Dichlorophenol	ND	4.44	0.0025	0.0025	5	-	89	31-124
Diethyl Phthalate	ND	3.60	0.010	0.010	5	-	72	35-118
2,4-Dimethylphenol	ND	4.67	0.025	0.025	5	-	93	30-120
Dimethyl Phthalate	ND	3.64	0.0025	0.0025	5	-	73	33-118
4,6-Dinitro-2-methylphenol	ND	4.13	0.13	1.3	5	-	83	12-126

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/5/18	**BatchID:**	159327
Date Analyzed:	6/5/18	**Extraction Method:**	SW3550B/3640A
Instrument:	GC21	**Analytical Method:**	SW8270C
Matrix:	Soil	**Unit:**	mg/Kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159327 1806017-004AMS/MSD

QC Summary Report for SW8270C (Low Level) w/ GPC

Analyte	MB Result	LCS Result	MDL	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
2,4-Dinitrophenol	ND	5.48	0.62	0.62	5	-	110	8-130
2,4-Dinitrotoluene	ND	4.18	0.025	0.025	5	-	84	38-117
2,6-Dinitrotoluene	ND	4.03	0.14	0.25	5	-	81	35-121
Di-n-octyl Phthalate	ND	4.15	0.14	0.50	5	-	83	42-150
1,2-Diphenylhydrazine	ND	3.69	0.16	0.25	5	-	74	30-117
Fluoranthene	ND	3.63	0.13	0.25	5	-	73	38-126
Fluorene	ND	3.58	0.14	0.25	5	-	72	34-118
Hexachlorobenzene	ND	3.28	0.025	0.025	5	-	66	30-130
Hexachlorobutadiene	ND	3.38	0.025	0.025	5	-	68	33-121
Hexachlorocyclopentadiene	ND	2.50	0.73	1.3	5	-	50	8-89
Hexachloroethane	ND	3.61	0.14	0.25	5	-	72	32-106
Indeno (1,2,3-cd) pyrene	ND	3.97	0.012	0.012	5	-	79	43-138
Isophorone	ND	3.04	0.12	0.25	5	-	61	26-92
2-Methylnaphthalene	ND	3.85	0.025	0.025	5	-	77	30-121
2-Methylphenol (o-Cresol)	ND	4.14	0.14	0.25	5	-	83	34-114
3 & 4-Methylphenol (m,p-Cresol)	ND	4.21	0.12	0.25	5	-	84	26-130
Naphthalene	ND	3.42	0.0025	0.0025	5	-	68	33-113
2-Nitroaniline	ND	4.67	0.62	1.3	5	-	93	29-115
3-Nitroaniline	ND	2.78	0.59	1.3	5	-	56	25-93
4-Nitroaniline	ND	4.29	0.55	1.3	5	-	86	31-108
Nitrobenzene	ND	4.18	0.14	0.25	5	-	84	33-122
2-Nitrophenol	ND	4.60	0.64	1.3	5	-	92	32-121
4-Nitrophenol	ND	4.85	0.41	1.3	5	-	97	27-102
N-Nitrosodiphenylamine	ND	2.11	0.16	0.25	5	-	42, F2	43-64
N-Nitrosodi-n-propylamine	ND	4.59	0.012	0.012	5	-	92	25-108
Pentachlorophenol	ND	4.26	0.32	1.3	5	-	85	28-134
Phenanthrene	ND	3.22	0.14	0.25	5	-	64	36-123
Phenol	ND	4.45	0.0050	0.0050	5	-	89	33-107
Pyrene	ND	3.30	0.13	0.25	5	-	66	38-124
Pyridine	ND	7.80	0.25	0.25	5	-	156, F2	30-130
1,2,4-Trichlorobenzene	ND	3.94	0.14	0.25	5	-	79	34-121
2,4,5-Trichlorophenol	ND	4.17	0.012	0.012	5	-	83	31-126
2,4,6-Trichlorophenol	ND	3.83	0.012	0.012	5	-	77	32-128

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/5/18	**BatchID:**	159327
Date Analyzed:	6/5/18	**Extraction Method:**	SW3550B/3640A
Instrument:	GC21	**Analytical Method:**	SW8270C
Matrix:	Soil	**Unit:**	mg/Kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159327 1806017-004AMS/MSD

QC Summary Report for SW8270C (Low Level) w/ GPC

Analyte	MB Result	LCS Result	MDL	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Surrogate Recovery								
2-Fluorophenol	4.59	4.45			5	92	89	31-108
Phenol-d5	4.87	4.83			5	97	97	32-106
Nitrobenzene-d5	4.06	4.18			5	81	84	27-109
2-Fluorobiphenyl	3.48	3.43			5	70	69	26-100
2,4,6-Tribromophenol	3.95	4.28			5	79	86	25-106
4-Terphenyl-d14	3.17	3.54			5	63	71	27-113

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/5/18	**BatchID:**	159327
Date Analyzed:	6/5/18	**Extraction Method:**	SW3550B/3640A
Instrument:	GC21	**Analytical Method:**	SW8270C
Matrix:	Soil	**Unit:**	mg/Kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159327 1806017-004AMS/MSD

QC Summary Report for SW8270C (Low Level) w/ GPC

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Acenaphthene	NR	NR		ND<2.5	NR	NR	-	NR	-
Acenaphthylene	NR	NR		ND<2.5	NR	NR	-	NR	-
Anthracene	NR	NR		ND<2.5	NR	NR	-	NR	-
Benzidine	NR	NR		ND<13	NR	NR	-	NR	-
Benzo (a) anthracene	NR	NR		ND<0.5	NR	NR	-	NR	-
Benzo (a) pyrene	NR	NR		ND<0.025	NR	NR	-	NR	-
Benzo (b) fluoranthene	NR	NR		ND<0.12	NR	NR	-	NR	-
Benzo (g,h,i) perylene	NR	NR		ND<2.5	NR	NR	-	NR	-
Benzo (k) fluoranthene	NR	NR		ND<2.5	NR	NR	-	NR	-
Benzyl Alcohol	NR	NR		ND<13	NR	NR	-	NR	-
Bis (2-chloroethoxy) Methane	NR	NR		ND<2.5	NR	NR	-	NR	-
Bis (2-chloroethyl) Ether	NR	NR		ND<0.012	NR	NR	-	NR	-
Bis (2-chloroisopropyl) Ether	NR	NR		ND<0.012	NR	NR	-	NR	-
Bis (2-ethylhexyl) Adipate	NR	NR		ND<2.5	NR	NR	-	NR	-
Bis (2-ethylhexyl) Phthalate	NR	NR		ND<2.5	NR	NR	-	NR	-
4-Bromophenyl Phenyl Ether	NR	NR		ND<2.5	NR	NR	-	NR	-
Butylbenzyl Phthalate	NR	NR		ND<2.5	NR	NR	-	NR	-
4-Chloroaniline	NR	NR		ND<0.012	NR	NR	-	NR	-
4-Chloro-3-methylphenol	NR	NR		ND<2.5	NR	NR	-	NR	-
2-Chloronaphthalene	NR	NR		ND<2.5	NR	NR	-	NR	-
2-Chlorophenol	NR	NR		ND<0.05	NR	NR	-	NR	-
4-Chlorophenyl Phenyl Ether	NR	NR		ND<2.5	NR	NR	-	NR	-
Chrysene	NR	NR		ND<2.5	NR	NR	-	NR	-
Dibenzo (a,h) anthracene	NR	NR		ND<0.025	NR	NR	-	NR	-
Dibenzofuran	NR	NR		ND<2.5	NR	NR	-	NR	-
Di-n-butyl Phthalate	NR	NR		ND<2.5	NR	NR	-	NR	-
1,2-Dichlorobenzene	NR	NR		ND<2.5	NR	NR	-	NR	-
1,3-Dichlorobenzene	NR	NR		ND<2.5	NR	NR	-	NR	-
1,4-Dichlorobenzene	NR	NR		ND<0.25	NR	NR	-	NR	-
3,3-Dichlorobenzidine	NR	NR		ND<0.05	NR	NR	-	NR	-
2,4-Dichlorophenol	NR	NR		ND<0.025	NR	NR	-	NR	-
Diethyl Phthalate	NR	NR		ND<0.1	NR	NR	-	NR	-
2,4-Dimethylphenol	NR	NR		ND<0.25	NR	NR	-	NR	-
Dimethyl Phthalate	NR	NR		ND<0.025	NR	NR	-	NR	-
4,6-Dinitro-2-methylphenol	NR	NR		ND<13	NR	NR	-	NR	-
2,4-Dinitrophenol	NR	NR		ND<6.2	NR	NR	-	NR	-
2,4-Dinitrotoluene	NR	NR		ND<0.25	NR	NR	-	NR	-

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/5/18	**BatchID:**	159327
Date Analyzed:	6/5/18	**Extraction Method:**	SW3550B/3640A
Instrument:	GC21	**Analytical Method:**	SW8270C
Matrix:	Soil	**Unit:**	mg/Kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159327 1806017-004AMS/MSD

QC Summary Report for SW8270C (Low Level) w/ GPC

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
2,6-Dinitrotoluene	NR	NR		ND<2.5	NR	NR	-	NR	-
Di-n-octyl Phthalate	NR	NR		ND<5	NR	NR	-	NR	-
1,2-Diphenylhydrazine	NR	NR		ND<2.5	NR	NR	-	NR	-
Fluoranthene	NR	NR		ND<2.5	NR	NR	-	NR	-
Fluorene	NR	NR		ND<2.5	NR	NR	-	NR	-
Hexachlorobenzene	NR	NR		ND<0.25	NR	NR	-	NR	-
Hexachlorobutadiene	NR	NR		ND<0.25	NR	NR	-	NR	-
Hexachlorocyclopentadiene	NR	NR		ND<13	NR	NR	-	NR	-
Hexachloroethane	NR	NR		ND<2.5	NR	NR	-	NR	-
Indeno (1,2,3-cd) pyrene	NR	NR		ND<0.12	NR	NR	-	NR	-
Isophorone	NR	NR		ND<2.5	NR	NR	-	NR	-
2-Methylnaphthalene	NR	NR		ND<0.25	NR	NR	-	NR	-
2-Methylphenol (o-Cresol)	NR	NR		ND<2.5	NR	NR	-	NR	-
3 & 4-Methylphenol (m,p-Cresol)	NR	NR		ND<2.5	NR	NR	-	NR	-
Naphthalene	NR	NR		ND<0.025	NR	NR	-	NR	-
2-Nitroaniline	NR	NR		ND<13	NR	NR	-	NR	-
3-Nitroaniline	NR	NR		ND<13	NR	NR	-	NR	-
4-Nitroaniline	NR	NR		ND<13	NR	NR	-	NR	-
Nitrobenzene	NR	NR		ND<2.5	NR	NR	-	NR	-
2-Nitrophenol	NR	NR		ND<13	NR	NR	-	NR	-
4-Nitrophenol	NR	NR		ND<13	NR	NR	-	NR	-
N-Nitrosodiphenylamine	NR	NR		ND<2.5	NR	NR	-	NR	-
N-Nitrosodi-n-propylamine	NR	NR		ND<0.12	NR	NR	-	NR	-
Pentachlorophenol	NR	NR		ND<13	NR	NR	-	NR	-
Phenanthrene	NR	NR		ND<2.5	NR	NR	-	NR	-
Phenol	NR	NR		ND<0.05	NR	NR	-	NR	-
Pyrene	NR	NR		ND<2.5	NR	NR	-	NR	-
Pyridine	NR	NR		ND<2.5	NR	NR	-	NR	-
1,2,4-Trichlorobenzene	NR	NR		ND<2.5	NR	NR	-	NR	-
2,4,5-Trichlorophenol	NR	NR		ND<0.12	NR	NR	-	NR	-
2,4,6-Trichlorophenol	NR	NR		ND<0.12	NR	NR	-	NR	-

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/5/18	**BatchID:**	159327
Date Analyzed:	6/5/18	**Extraction Method:**	SW3550B/3640A
Instrument:	GC21	**Analytical Method:**	SW8270C
Matrix:	Soil	**Unit:**	mg/Kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159327 1806017-004AMS/MSD

QC Summary Report for SW8270C (Low Level) w/ GPC

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Surrogate Recovery									
2-Fluorophenol	NR	NR			NR	NR	-	NR	-
Phenol-d5	NR	NR			NR	NR	-	NR	-
Nitrobenzene-d5	NR	NR			NR	NR	-	NR	-
2-Fluorobiphenyl	NR	NR			NR	NR	-	NR	-
2,4,6-Tribromophenol	NR	NR			NR	NR	-	NR	-
4-Terphenyl-d14	NR	NR			NR	NR	-	NR	-

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/1/18	**BatchID:**	159241
Date Analyzed:	6/4/18	**Extraction Method:**	SW3050B
Instrument:	ICP-MS2, ICP-MS3	**Analytical Method:**	SW6020
Matrix:	Soil	**Unit:**	mg/Kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159241 1806047-001AMS/MSD

QC Summary Report for Metals

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Antimony	ND	51.8	0.50	50	-	104	75-125
Arsenic	ND	47.0	0.50	50	-	94	75-125
Barium	ND	512	5.0	500	-	102	75-125
Beryllium	ND	52.4	0.50	50	-	105	75-125
Cadmium	ND	48.4	0.25	50	-	97	75-125
Chromium	ND	47.1	0.50	50	-	94	75-125
Cobalt	ND	53.0	0.50	50	-	106	75-125
Copper	ND	47.7	0.50	50	-	95	75-125
Lead	ND	50.9	0.50	50	-	102	75-125
Mercury	ND	1.23	0.050	1.25	-	98	75-125
Molybdenum	ND	51.8	0.50	50	-	104	75-125
Nickel	ND	48.6	0.50	50	-	97	75-125
Selenium	ND	49.2	0.50	50	-	98	75-125
Silver	ND	50.0	0.50	50	-	100	75-125
Thallium	ND	48.0	0.50	50	-	96	75-125
Vanadium	ND	47.4	0.50	50	-	95	75-125
Zinc	ND	485	5.0	500	-	97	75-125
Surrogate Recovery							
Terbium	504	506		500	101	101	70-130

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Antimony	ND	51.8	0.50	50	-	104	75-125
Arsenic	ND	47.0	0.50	50	-	94	75-125
Barium	ND	512	5.0	500	-	102	75-125
Beryllium	ND	52.4	0.50	50	-	105	75-125
Cadmium	ND	48.4	0.25	50	-	97	75-125
Chromium	ND	47.1	0.50	50	-	94	75-125
Cobalt	ND	53.0	0.50	50	-	106	75-125
Copper	ND	47.7	0.50	50	-	95	75-125
Lead	ND	50.9	0.50	50	-	102	75-125
Mercury	ND	1.23	0.050	1.25	-	98	75-125
Molybdenum	ND	51.8	0.50	50	-	104	75-125
Nickel	ND	48.6	0.50	50	-	97	75-125
Selenium	ND	49.2	0.50	50	-	98	75-125

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/1/18	**BatchID:**	159241
Date Analyzed:	6/4/18	**Extraction Method:**	SW3050B
Instrument:	ICP-MS2, ICP-MS3	**Analytical Method:**	SW6020
Matrix:	Soil	**Unit:**	mg/Kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159241 1806047-001AMS/MSD

QC Summary Report for Metals

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Silver	ND	50.0	0.50	50	-	100	75-125
Thallium	ND	48.0	0.50	50	-	96	75-125
Vanadium	ND	47.4	0.50	50	-	95	75-125
Zinc	ND	485	5.0	500	-	97	75-125
Surrogate Recovery							
Terbium	504	506		500	101	101	70-130

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/1/18	**BatchID:**	159241
Date Analyzed:	6/4/18	**Extraction Method:**	SW3050B
Instrument:	ICP-MS2, ICP-MS3	**Analytical Method:**	SW6020
Matrix:	Soil	**Unit:**	mg/Kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159241 1806047-001AMS/MSD

QC Summary Report for Metals

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Antimony	54.1	52.6	50	ND	108	105	75-125	2.70	20
Arsenic	49.9	48.3	50	ND	100	97	75-125	3.20	20
Barium	497	485	500	ND	99	97	75-125	2.34	20
Beryllium	48.7	47.2	50	ND	97	94	75-125	3.27	20
Cadmium	49.5	49.1	50	ND	99	98	75-125	0.913	20
Chromium	49.6	47.7	50	ND	99	95	75-125	3.93	20
Cobalt	51.7	49.4	50	ND	103	99	75-125	4.45	20
Copper	50.0	48.9	50	ND	99	97	75-125	2.21	20
Lead	49.9	48.7	50	ND	100	97	75-125	2.58	20
Mercury	1.23	1.21	1.25	ND	98	96	75-125	2.13	20
Molybdenum	51.0	49.6	50	ND	102	99	75-125	2.82	20
Nickel	49.9	49.1	50	ND	100	98	75-125	1.64	20
Selenium	50.0	49.2	50	ND	100	98	75-125	1.61	20
Silver	50.6	50.5	50	ND	101	101	75-125	0	20
Thallium	47.6	47.1	50	ND	95	94	75-125	1.08	20
Vanadium	49.0	47.6	50	ND	98	95	75-125	2.96	20
Zinc	505	499	500	ND	101	99	75-125	1.33	20
Surrogate Recovery									
Terbium	511	496	500		102	99	70-130	2.94	20

Analyte	DLT Result	DLTRef Val	%D	%D Limit
Antimony	ND<2.5	ND	-	-
Arsenic	ND<2.5	ND	-	-
Barium	ND<25	ND	-	-
Beryllium	ND<2.5	ND	-	-
Cadmium	ND<1.2	ND	-	-
Chromium	ND<2.5	ND	-	-
Cobalt	ND<2.5	ND	-	-
Copper	ND<2.5	ND	-	-
Lead	ND<2.5	ND	-	-
Mercury	ND<0.25	ND	-	-
Molybdenum	ND<2.5	ND	-	-
Nickel	ND<2.5	ND	-	-
Selenium	ND<2.5	ND	-	-

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/1/18	**BatchID:**	159241
Date Analyzed:	6/4/18	**Extraction Method:**	SW3050B
Instrument:	ICP-MS2, ICP-MS3	**Analytical Method:**	SW6020
Matrix:	Soil	**Unit:**	mg/Kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159241 1806047-001AMS/MSD

QC Summary Report for Metals

Analyte	DLT Result	DLTRef Val	%D	%D Limit
Silver	ND<2.5	ND	-	-
Thallium	ND<2.5	ND	-	-
Vanadium	ND<2.5	ND	-	-
Zinc	ND<25	ND	-	-

%D Control Limit applied to analytes with concentrations greater than 25 times the reporting limits.

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/1/18	**BatchID:**	159250
Date Analyzed:	6/4/18	**Extraction Method:**	SW3050B
Instrument:	ICP-MS2	**Analytical Method:**	SW6020
Matrix:	Soil	**Unit:**	mg/Kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159250 1806055-015AMS/MSD

QC Summary Report for Metals

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Antimony	ND	52.0	0.50	50	-	104	75-125
Arsenic	ND	49.5	0.50	50	-	99	75-125
Barium	ND	518	5.0	500	-	104	75-125
Beryllium	ND	51.6	0.50	50	-	103	75-125
Cadmium	ND	49.6	0.25	50	-	99	75-125
Chromium	ND	48.2	0.50	50	-	96	75-125
Cobalt	ND	51.9	0.50	50	-	104	75-125
Copper	ND	49.8	0.50	50	-	100	75-125
Lead	ND	50.7	0.50	50	-	101	75-125
Mercury	ND	1.28	0.050	1.25	-	102	75-125
Molybdenum	ND	51.9	0.50	50	-	104	75-125
Nickel	ND	50.3	0.50	50	-	101	75-125
Selenium	ND	50.4	0.50	50	-	101	75-125
Silver	ND	49.8	0.50	50	-	100	75-125
Thallium	ND	47.8	0.50	50	-	96	75-125
Vanadium	ND	48.5	0.50	50	-	97	75-125
Zinc	ND	498	5.0	500	-	100	75-125
Surrogate Recovery							
Terbium	488	508		500	98	102	70-130

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Antimony	ND	52.0	0.50	50	-	104	75-125
Arsenic	ND	49.5	0.50	50	-	99	75-125
Barium	ND	518	5.0	500	-	104	75-125
Beryllium	ND	51.6	0.50	50	-	103	75-125
Cadmium	ND	49.6	0.25	50	-	99	75-125
Chromium	ND	48.2	0.50	50	-	96	75-125
Cobalt	ND	51.9	0.50	50	-	104	75-125
Copper	ND	49.8	0.50	50	-	100	75-125
Lead	ND	50.7	0.50	50	-	101	75-125
Mercury	ND	1.28	0.050	1.25	-	102	75-125
Molybdenum	ND	51.9	0.50	50	-	104	75-125
Nickel	ND	50.3	0.50	50	-	101	75-125
Selenium	ND	50.4	0.50	50	-	101	75-125

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/1/18	**BatchID:**	159250
Date Analyzed:	6/4/18	**Extraction Method:**	SW3050B
Instrument:	ICP-MS2	**Analytical Method:**	SW6020
Matrix:	Soil	**Unit:**	mg/Kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159250 1806055-015AMS/MSD

QC Summary Report for Metals

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Silver	ND	49.8	0.50	50	-	100	75-125
Thallium	ND	47.8	0.50	50	-	96	75-125
Vanadium	ND	48.5	0.50	50	-	97	75-125
Zinc	ND	498	5.0	500	-	100	75-125
Surrogate Recovery							
Terbium	488	508		500	98	102	70-130

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/1/18	**BatchID:**	159250
Date Analyzed:	6/4/18	**Extraction Method:**	SW3050B
Instrument:	ICP-MS2	**Analytical Method:**	SW6020
Matrix:	Soil	**Unit:**	mg/Kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159250 1806055-015AMS/MSD

QC Summary Report for Metals

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Antimony	51.4	49.6	50	ND	103	99	75-125	3.62	20
Arsenic	47.9	45.3	50	0.9734	94	89	75-125	5.49	20
Barium	555	541	500	39.38	103	100	75-125	2.55	20
Beryllium	45.6	43.6	50	ND	91	87	75-125	4.35	20
Cadmium	48.7	47.3	50	ND	97	95	75-125	2.94	20
Chromium	132	135	50	106.9	50,F10	56,F10	75-125	1.95	20
Cobalt	60.2	61.6	50	17.65	85	88	75-125	2.27	20
Copper	55.7	54.2	50	9.568	92	89	75-125	2.60	20
Lead	53.8	52.4	50	2.898	102	99	75-125	2.69	20
Mercury	1.27	1.23	1.25	ND	98	94	75-125	3.37	20
Molybdenum	51.3	50.0	50	ND	103	100	75-125	2.74	20
Nickel	197	213	50	191.2	12,F10	44,F10	75-125	7.70	20
Selenium	49.2	48.2	50	ND	98	96	75-125	2.07	20
Silver	49.6	48.4	50	ND	99	97	75-125	2.31	20
Thallium	48.6	46.7	50	ND	97	93	75-125	3.90	20
Vanadium	82.2	80.6	50	41.61	81	78	75-125	2.01	20
Zinc	518	506	500	40.37	96	93	75-125	2.23	20
Surrogate Recovery									
Terbium	508	494	500		102	99	70-130	2.65	20

Analyte	DLT Result	DLTRef Val	%D	%D Limit
Antimony	ND<2.5	ND	-	-
Arsenic	ND<2.5	0.9734	-	-
Barium	44.6	39.38	13.3	-
Beryllium	ND<2.5	ND	-	-
Cadmium	ND<1.2	ND	-	-
Chromium	135	106.9	26.3,F11	20
Cobalt	23.1	17.65	30.9,F11	20
Copper	10.7	9.568	11.8	-
Lead	3.36	2.898	15.9	-
Mercury	ND<0.25	ND	-	-
Molybdenum	ND<2.5	ND	-	-
Nickel	215	191.2	12.4	20
Selenium	ND<2.5	ND	-	-

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/1/18	**BatchID:**	159250
Date Analyzed:	6/4/18	**Extraction Method:**	SW3050B
Instrument:	ICP-MS2	**Analytical Method:**	SW6020
Matrix:	Soil	**Unit:**	mg/Kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159250 1806055-015AMS/MSD

QC Summary Report for Metals

Analyte	DLT Result	DLTRef Val	%D	%D Limit
Silver	ND<2.5	ND	-	-
Thallium	ND<2.5	ND	-	-
Vanadium	52.2	41.61	25.5,F11	20
Zinc	44.9	40.37	11.2	-

%D Control Limit applied to analytes with concentrations greater than 25 times the reporting limits.

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/7/18	**BatchID:**	159606
Date Analyzed:	6/8/18	**Extraction Method:**	SM4500-CN⁻ E
Instrument:	WC_SKALAR	**Analytical Method:**	SM4500-CN⁻ CE
Matrix:	Soil	**Unit:**	mg/Kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159606 1806029-001AMS/MSD

QC Summary Report for SM4500-CN⁻ ABCE

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Total Cyanide	ND	0.864	0.10	0.80	-	108	85-115

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Total Cyanide	NR	NR		1	NR	NR	-	NR	-

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/1/18	**BatchID:**	159232
Date Analyzed:	6/2/18	**Extraction Method:**	SW5030B
Instrument:	GC7	**Analytical Method:**	SW8021B/8015Bm
Matrix:	Soil	**Unit:**	mg/Kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS/LCSD-159232 1806038-001AMS/MSD

QC Summary Report for SW8021B/8015Bm

Analyte	MB Result	RL	SPK Val	MB SS %REC	MB SS Limits
TPH(g) (C6-C12)	ND	1.0	-	-	-
MTBE	ND	0.050	-	-	-
Benzene	ND	0.0050	-	-	-
Toluene	ND	0.0050	-	-	-
Ethylbenzene	ND	0.0050	-	-	-
Xylenes	ND	0.0050	-	-	-
Surrogate Recovery					
2-Fluorotoluene	0.114		0.10	114	75-134

Analyte	LCS Result	LCSD Result	SPK Val	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Limit
TPH(btex)	0.551	0.559	0.60	92	93	82-118	1.49	20
MTBE	0.115	0.114	0.10	115	114	61-119	1.21	20
Benzene	0.111	0.105	0.10	111	105	77-128	5.73	20
Toluene	0.0980	0.0934	0.10	98	93	74-132	4.90	20
Ethylbenzene	0.109	0.104	0.10	109	104	84-127	5.09	20
Xylenes	0.308	0.306	0.30	103	102	86-129	0.708	20
Surrogate Recovery								
2-Fluorotoluene	0.105	0.0991	0.10	105	99	75-134	6.22	20

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
TPH(btex)	0.530	0.483	0.60	ND	88	80	58-129	9.31	20
MTBE	0.0962	0.0928	0.10	ND	96	93	47-118	3.57	20
Benzene	0.100	0.0971	0.10	ND	100	97	55-129	2.98	20
Toluene	0.0911	0.0936	0.10	ND	91	94	56-130	2.67	20
Ethylbenzene	0.100	0.0978	0.10	ND	101	98	63-129	2.68	20
Xylenes	0.293	0.287	0.30	ND	98	96	64-131	2.25	20
Surrogate Recovery									
2-Fluorotoluene	0.0926	0.0913	0.10		93	91	62-126	1.40	20

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/5/18	**BatchID:**	159349
Date Analyzed:	6/5/18	**Extraction Method:**	SW9045C
Instrument:	WetChem	**Analytical Method:**	SW9045C
Matrix:	Soil	**Unit:**	pH units @ 25°C
Project:	750615606; 681 Florida Street		

QC Summary Report for pH

SampID	Sample Result	Sample DF	Dup / Serial Dilution Result	Dup / Serial Dilution DF	Precision	Acceptance Criteria
1805C78-001L	7.68	1	7.68	1	0	0.1

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/6/18	**BatchID:**	159415
Date Analyzed:	6/6/18	**Extraction Method:**	SW9030B/E376.2
Instrument:	SPECTROPHOTOMETER	**Analytical Method:**	SM4500 S^{-2} D
Matrix:	Soil	**Unit:**	mg/Kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159415 1806055-011AMS/MSD

QC Summary Report for SM4500 S-2D

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Acid Soluble Sulfide - S	ND	48.0	10	50	-	96	80-120

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Acid Soluble Sulfide - S	44.0	43.6	50	ND	88	87	75-125	0.911	20

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/4/18 - 6/5/18	**BatchID:**	159312
Date Analyzed:	6/5/18	**Extraction Method:**	SW3550B
Instrument:	GC6B	**Analytical Method:**	SW8015B
Matrix:	Soil	**Unit:**	mg/Kg
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS/LCSD-159312 1806114-001AMS/MSD

QC Report for SW8015B w/out SG Clean-Up

Analyte	MB Result	RL	SPK Val	MB SS %REC	MB SS Limits
TPH-Diesel (C10-C23)	ND	1.0	-	-	-
TPH-Motor Oil (C18-C36)	ND	5.0	-	-	-
Surrogate Recovery					
C9	22.3		25	89	72-122

Analyte	LCS Result	LCSD Result	SPK Val	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Limit
TPH-Diesel (C10-C23)	28.4	30.5	40	71, F5	76	75-128	7.38	30
Surrogate Recovery								
C9	22.0	21.8	25	88	87	72-122	0.535	30

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
TPH-Diesel (C10-C23)	NR	NR		6.9	NR	NR	-	NR	-
Surrogate Recovery									
C9	NR	NR			NR	NR	-	NR	-

McCampbell Analytical, Inc.
1534 Willow Pass Rd
Pittsburg, CA 94565-1701
(925) 252-9262

CHAIN-OF-CUSTODY RECORD

WorkOrder: 1806055 **ClientCode: TWRF**

☐ WaterTrax ☐ WriteOn ☐ EDF ☐ Excel ☐ EQuIS ☑ Email ☐ HardCopy ☐ ThirdParty ☐ J-flag
☐ Detection Summary ☐ Dry-Weight

Report to:
Adam Brown
Langan
555 Montgomery St., Suite 1300
San Francisco, CA 94111
(415) 955-5244 FAX: (415) 955-9041

Email: abrown@langan.com
cc/3rd Party:
PO:
Project: 750615606; 681 Florida Street

Bill to:
Accounts Payable
Langan
555 Montgomery St., Suite 1300
San Francisco, CA 94111
Langan_InvoiceCapture@concursolutio

Requested TAT: 5 days;
Date Received: **06/01/2018**
Date Logged: **06/01/2018**

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)											
					1	2	3	4	5	6	7	8	9	10	11	12
1806055-001	EB-1-2.0	Soil	5/31/2018 07:54	☐		A	A		A		A	A		A		
1806055-003	EB-1-6.0	Soil	5/31/2018 08:12	☐			A							A	A	
1806055-006	EB-2-4.0	Soil	5/31/2018 08:59	☐		A	A		A		A	A		A		
1806055-008	EB-2-8.0	Soil	5/31/2018 09:11	☐			A							A	A	
1806055-009	EB-3-2.0	Soil	5/31/2018 10:01	☐		A	A							A	A	
1806055-011	EB-3-6.0	Soil	5/31/2018 10:11	☐		A	A		A		A	A	A	A		A
1806055-013	EB-3-10.0	Soil	5/31/2018 10:21	☐			A							A	A	
1806055-015	EB-3-14.0	Soil	5/31/2018 10:26	☐			A		A		A			A		
1806055-017	EB-3-18.0	Soil	5/31/2018 10:39	☐	A			A		A	A	A		A		
1806055-020	EB-4-4.0	Soil	5/31/2018 11:20	☐			A							A	A	
1806055-022	EB-4-8.0	Soil	5/31/2018 11:30	☐		A	A		A		A	A		A		

Test Legend:

1	8081pcB_ESL_LL_S	2	8081PCB_S	3	8260B_S	4	8260B_Scan-SIM_S
5	8270_S	6	8270_SCSM_S [J]	7	CAM17MS_TTLC_S	8	CARB435_400
9	CN_S	10	G-MBTEX_S	11	LUFTMS_6020_TTLC_S	12	PH_S

Prepared by: Keylen Juarez

The following SampIDs: 001A, 003A, 006A, 008A, 009A, 011A, 013A, 015A, 017A, 020A, 022A contain testgroup Multi Range_S.

Comments:

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).
Hazardous samples will be returned to client or disposed of at client expense.

McCampbell Analytical, Inc.
1534 Willow Pass Rd
Pittsburg, CA 94565-1701
(925) 252-9262

CHAIN-OF-CUSTODY RECORD

WorkOrder: 1806055 **ClientCode: TWRF**

☐ WaterTrax ☐ WriteOn ☐ EDF ☐ Excel ☐ EQuIS ☑ Email ☐ HardCopy ☐ ThirdParty ☐ J-flag
☐ Detection Summary ☐ Dry-Weight

Report to:
Adam Brown
Langan
555 Montgomery St., Suite 1300
San Francisco, CA 94111
(415) 955-5244 FAX: (415) 955-9041

Email: abrown@langan.com
cc/3rd Party:
PO:
Project: 750615606; 681 Florida Street

Bill to:
Accounts Payable
Langan
555 Montgomery St., Suite 1300
San Francisco, CA 94111
Langan_InvoiceCapture@concursolutio

Requested TAT: 5 days;
Date Received: **06/01/2018**
Date Logged: **06/01/2018**

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)											
					13	14	15	16	17	18	19	20	21	22	23	24
1806055-001	EB-1-2.0	Soil	5/31/2018 07:54	☐		A										
1806055-003	EB-1-6.0	Soil	5/31/2018 08:12	☐		A										
1806055-006	EB-2-4.0	Soil	5/31/2018 08:59	☐		A										
1806055-008	EB-2-8.0	Soil	5/31/2018 09:11	☐		A										
1806055-009	EB-3-2.0	Soil	5/31/2018 10:01	☐		A										
1806055-011	EB-3-6.0	Soil	5/31/2018 10:11	☐	A	A										
1806055-013	EB-3-10.0	Soil	5/31/2018 10:21	☐		A										
1806055-015	EB-3-14.0	Soil	5/31/2018 10:26	☐		A										
1806055-017	EB-3-18.0	Soil	5/31/2018 10:39	☐		A										
1806055-020	EB-4-4.0	Soil	5/31/2018 11:20	☐		A										
1806055-022	EB-4-8.0	Soil	5/31/2018 11:30	☐		A										

Test Legend:

13	SULFIDE_S	14	TPH(DMO)_S	15		16	
17		18		19		20	
21		22		23		24	

Prepared by: Keylen Juarez

The following SampIDs: 001A, 003A, 006A, 008A, 009A, 011A, 013A, 015A, 017A, 020A, 022A contain testgroup Multi Range_S.

Comments:

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).
Hazardous samples will be returned to client or disposed of at client expense.

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

WORK ORDER SUMMARY

Client Name: LANGAN **Project:** 750615606; 681 Florida Street **Work Order:** 1806055
Client Contact: Adam Brown **QC Level:** LEVEL 2
Contact's Email: abrown@langan.com **Comments:** **Date Logged:** 6/1/2018

☐ WaterTrax ☐ WriteOn ☐ EDF ☐ Excel ☐ Fax ☑ Email ☐ HardCopy ☐ ThirdParty ☐ J-flag

Lab ID	Client ID	Matrix	Test Name	Containers /Composites	Bottle & Preservative	De-chlorinated	Collection Date & Time	TAT	Sediment Content	Hold	SubOut
1806055-001A	EB-1-2.0	Soil	Multi-Range TPH(g,d,mo)	1	Acetate Liner	☐	5/31/2018 7:54	5 days		☐	
			Asbestos, CARB 435, 400 Point			☐		5 days		☐	
			SW6020 (CAM 17)			☐		5 days		☐	
			SW8270C (SVOCs)			☐		5 days		☐	
			SW8260B (VOCs)			☐		5 days		☐	
			SW8081A/8082 (OC Pesticides+PCBs)			☐		5 days		☐	
1806055-002A	EB-1-4.0	Soil		1	Acetate Liner	☐	5/31/2018 7:56			☑	
1806055-003A	EB-1-6.0	Soil	Multi-Range TPH(g,d,mo)	1	Acetate Liner	☐	5/31/2018 8:12	5 days		☐	
			SW6020 (LUFT)			☐		5 days		☐	
			SW8260B (VOCs)			☐		5 days		☐	
1806055-004A	EB-1-8.0	Soil		1	Acetate Liner	☐	5/31/2018 8:15			☑	
1806055-005A	EB-2-2.0	Soil		1	Acetate Liner	☐	5/31/2018 8:56			☑	
1806055-006A	EB-2-4.0	Soil	Multi-Range TPH(g,d,mo)	1	Acetate Liner	☐	5/31/2018 8:59	5 days		☐	
			Asbestos, CARB 435, 400 Point			☐		5 days		☐	
			SW6020 (CAM 17)			☐		5 days		☐	
			SW8270C (SVOCs)			☐		5 days		☐	

NOTES: - STLC and TCLP extractions require 2 days to complete; therefore, all TATs begin after the extraction is completed (i.e., One-day TAT yields results in 3 days from sample submission).

- MAI assumes that all material present in the provided sampling container is considered part of the sample - MAI does not exclude any material from the sample prior to sample preparation unless requested in writing by the client.

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

WORK ORDER SUMMARY

Client Name: LANGAN **Project:** 750615606; 681 Florida Street **Work Order:** 1806055
Client Contact: Adam Brown **QC Level:** LEVEL 2
Contact's Email: abrown@langan.com **Comments:** **Date Logged:** 6/1/2018

☐ WaterTrax ☐ WriteOn ☐ EDF ☐ Excel ☐ Fax ☑ Email ☐ HardCopy ☐ ThirdParty ☐ J-flag

Lab ID	Client ID	Matrix	Test Name	Containers /Composites	Bottle & Preservative	De-chlorinated	Collection Date & Time	TAT	Sediment Content	Hold	SubOut
1806055-006A	EB-2-4.0	Soil	SW8260B (VOCs)	1	Acetate Liner	☐	5/31/2018 8:59	5 days		☐	
			SW8081A/8082 (OC Pesticides+PCBs)			☐		5 days		☐	
1806055-007A	EB-2-6.0	Soil		1	Acetate Liner	☐	5/31/2018 9:03			☑	
1806055-008A	EB-2-8.0	Soil	SW6020 (LUFT)	1	Acetate Liner	☐	5/31/2018 9:11	5 days		☐	
			Multi-Range TPH(g,d,mo)			☐		5 days		☐	
			SW8260B (VOCs)			☐		5 days		☐	
1806055-009A	EB-3-2.0	Soil	SW6020 (LUFT)	1	Acetate Liner	☐	5/31/2018 10:01	5 days		☐	
			Multi-Range TPH(g,d,mo)			☐		5 days		☐	
			SW8260B (VOCs)			☐		5 days		☐	
			SW8081A/8082 (OC Pesticides+PCBs)			☐		5 days		☐	
1806055-010A	EB-3-4.0	Soil		1	Acetate Liner	☐	5/31/2018 10:06			☑	
1806055-011A	EB-3-6.0	Soil	SM4500S2D (Acid Soluble Sulfide)	1	Acetate Liner	☐	5/31/2018 10:11	5 days		☐	
			SW9045C (pH)			☐		5 days		☐	
			Multi-Range TPH(g,d,mo)			☐		5 days		☐	
			SM4500-CN^- ABCE (Cyanide, Total)			☐		5 days		☐	
			Asbestos, CARB 435, 400 Point			☐		5 days		☐	

NOTES: - STLC and TCLP extractions require 2 days to complete; therefore, all TATs begin after the extraction is completed (i.e., One-day TAT yields results in 3 days from sample submission).

- MAI assumes that all material present in the provided sampling container is considered part of the sample - MAI does not exclude any material from the sample prior to sample preparation unless requested in writing by the client.

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

WORK ORDER SUMMARY

Client Name: LANGAN **Project:** 750615606; 681 Florida Street **Work Order:** 1806055
Client Contact: Adam Brown **QC Level:** LEVEL 2
Contact's Email: abrown@langan.com **Comments:** **Date Logged:** 6/1/2018

☐ WaterTrax ☐ WriteOn ☐ EDF ☐ Excel ☐ Fax ☑ Email ☐ HardCopy ☐ ThirdParty ☐ J-flag

Lab ID	Client ID	Matrix	Test Name	Containers /Composites	Bottle & Preservative	De-chlorinated	Collection Date & Time	TAT	Sediment Content	Hold	SubOut
1806055-011A	EB-3-6.0	Soil	SW6020 (CAM 17)	1	Acetate Liner	☐	5/31/2018 10:11	5 days		☐	
			SW8270C (SVOCs)			☐		5 days		☐	
			SW8260B (VOCs)			☐		5 days		☐	
			SW8081A/8082 (OC Pesticides+PCBs)			☐		5 days		☐	
1806055-012A	EB-3-8.0	Soil		1	Acetate Liner	☐	5/31/2018 10:18			☑	
1806055-013A	EB-3-10.0	Soil	SW6020 (LUFT)	1	Acetate Liner	☐	5/31/2018 10:21	5 days		☐	
			Multi-Range TPH(g,d,mo)			☐		5 days		☐	
			SW8260B (VOCs)			☐		5 days		☐	
1806055-014A	EB-3-12.0	Soil		1	Acetate Liner	☐	5/31/2018 10:23			☑	
1806055-015A	EB-3-14.0	Soil	Multi-Range TPH(g,d,mo)	1	Acetate Liner	☐	5/31/2018 10:26	5 days		☐	
			SW6020 (CAM 17)			☐		5 days		☐	
			SW8270C (SVOCs)			☐		5 days		☐	
			SW8260B (VOCs)			☐		5 days		☐	
1806055-016A	EB-3-16.0	Soil		1	Acetate Liner	☐	5/31/2018 10:36			☑	
1806055-017A	EB-3-18.0	Soil	Multi-Range TPH(g,d,mo)	1	Acetate Liner	☐	5/31/2018 10:39	5 days		☐	
			Asbestos, CARB 435, 400 Point			☐		5 days		☐	

NOTES: - STLC and TCLP extractions require 2 days to complete; therefore, all TATs begin after the extraction is completed (i.e., One-day TAT yields results in 3 days from sample submission).

- MAI assumes that all material present in the provided sampling container is considered part of the sample - MAI does not exclude any material from the sample prior to sample preparation unless requested in writing by the client.

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

WORK ORDER SUMMARY

Client Name: LANGAN **Project:** 750615606; 681 Florida Street **Work Order:** 1806055
Client Contact: Adam Brown **QC Level:** LEVEL 2
Contact's Email: abrown@langan.com **Comments:** **Date Logged:** 6/1/2018

☐ WaterTrax ☐ WriteOn ☐ EDF ☐ Excel ☐ Fax ☑ Email ☐ HardCopy ☐ ThirdParty ☐ J-flag

Lab ID	Client ID	Matrix	Test Name	Containers /Composites	Bottle & Preservative	De-chlorinated	Collection Date & Time	TAT	Sediment Content	Hold	SubOut
1806055-017A	EB-3-18.0	Soil	SW6020 (CAM 17)	1	Acetate Liner	☐	5/31/2018 10:39	5 days		☐	
			SW8270C (SVOCs) ESLs			☐		5 days		☐	
			SW8260B (VOCs, Scan SIM)			☐		5 days		☐	
			SW8081A/8082 (OC Pesticides+PCBs) ESLs			☐		5 days		☐	
1806055-018A	EB-3-20.0	Soil		1	Acetate Liner	☐	5/31/2018 10:43			☑	
1806055-019A	EB-4-2.0	Soil		1	Acetate Liner	☐	5/31/2018 11:18			☑	
1806055-020A	EB-4-4.0	Soil	SW6020 (LUFT)	1	Acetate Liner	☐	5/31/2018 11:20	5 days		☐	
			Multi-Range TPH(g,d,mo)			☐		5 days		☐	
			SW8260B (VOCs)			☐		5 days		☐	
1806055-021A	EB-4-6.0	Soil		1	Acetate Liner	☐	5/31/2018 11:28			☑	
1806055-022A	EB-4-8.0	Soil	Multi-Range TPH(g,d,mo)	1	Acetate Liner	☐	5/31/2018 11:30	5 days		☐	
			Asbestos, CARB 435, 400 Point			☐		5 days		☐	
			SW6020 (CAM 17)			☐		5 days		☐	
			SW8270C (SVOCs)			☐		5 days		☐	
			SW8260B (VOCs)			☐		5 days		☐	
			SW8081A/8082 (OC Pesticides+PCBs)			☐		5 days		☐	

NOTES: - STLC and TCLP extractions require 2 days to complete; therefore, all TATs begin after the extraction is completed (i.e., One-day TAT yields results in 3 days from sample submission).

- MAI assumes that all material present in the provided sampling container is considered part of the sample - MAI does not exclude any material from the sample prior to sample preparation unless requested in writing by the client.

#1806055 * PLEASE C.C. ANNIE S. AT KSTAEHLIN@LANGAN.COM * 11047

LANGAN

CHAIN OF CUSTODY RECORD

- [X] 555 Montgomery Street. Suite 1300, San Francisco, CA 94111
- [ ] 501 14th Street, Third Floor, Oakland CA 94612
- [ ] 3320 Data Drive, Suite 350, Rancho Cordova, CA 95670-7982
- [ ] 4030 Moorpark Ave. Suite 210, San Jose, CA 95117-1849

Site Name: 681 FLORIDA STREET
Job Number: 750615606
Project Manager\Contact: ADAM BROWN
Samplers: KARIANNE STAEHLIN (KSS)
Recorder (Signature Required): [signature]

Turnaround Time: STANDARD

Field Sample Identification No.	Date	Time	Lab Sample No.	Matrix: Soil	Water	Air	Other	No. Containers & Preservative: HCL	H_2SO_4	HNO_3	Ice	Analysis Requested: TPH g,d,mo	VOCs	SVOCs	OCPs	PCBs	CAM 17	LUFT 5	pH	Sulfides	Cyanide	Asbestos by CARB 435	Silica gel clean-up	Hold	Remarks
EB-1-2.0	5/31/18	0754		X							X	X	X	X	X	X						X			
EB-1-4.0		0756		X							X													X	
EB-1-6.0		0812		X							X	X	X				X								
EB-1-8.0		0815		X							X													X	
EB-2-2.0		0856		X							X													X	
EB-2-4.0		0859		X							X	X	X	X	X	X	X						X		
EB-2-6.0		0903		X							X													X	
EB-2-8.0		0911		X							X	X	X				X								
EB-3-2.0		1001		X							X	X	X		X	X	X								
EB-3-4.0		1006		X							X													X	
EB-3-6.0		1011		X							X	X	X	X	X	X	X		X	X	X	X			
EB-3-8.0		1018		X							X													X	
EB-3-10.0		1021		X							X	X	X				X								
EB-3-12.0	5/31/18	1023		X							X													X	

Relinquished by: (Signature) [signature]	Date:	Time 1130	Received by: (Signature) LAP	Date 6.1.18	Time 1130
Relinquished by: (Signature) LAP	Date: 6.1.18	Time 1615	Received by: (Signature) [signature]	Date 6.1.18	Time 1615
Relinquished by: (Signature)	Date:	Time	Received by Lab: (Signature) [signature]	Date	Time

Sent to Laboratory (Name): McCAMPBELL ANALYTICAL
Laboratory Comments/Notes:

Method of Shipment: [X] Lab courier [ ] Fed Ex [ ] Airborne [ ] UPS [ ] Hand Carried [ ] Private Courier (Co. Name) _____

White Copy - Original Yellow Copy - Laboratory Pink Copy - Field

COC Number: 1.7° wet

#1806055 11048

LANGAN

CHAIN OF CUSTODY RECORD

[X] 555 Montgomery Street. Suite 1300, San Francisco, CA 94111
[ ] 501 14th Street, Third Floor, Oakland CA 94612
[ ] 3320 Data Drive, Suite 350, Rancho Cordova, CA 95670-7982
[ ] 4030 Moorpark Ave. Suite 210, San Jose, CA 95117-1849

Site Name: 6781 FLORIDA STREET
Job Number: 750615606
Project Manager\Contact: ADAM BROWN
Samplers: KSS
Recorder (Signature Required):

Turnaround Time: STANDARD

Field Sample Identification No.	Date	Time	Lab Sample No.	Matrix: Soil	Water	Air	Other	No. Containers & Preservative: HCL	H_2SO_4	HNO_3	Ice	Analysis Requested: TPHg/BTEX VOCs	SVOCs	OCPs	PCBs	CAM 17	LUFT 5	pH	SULFIDES	CYANIDE	ASBESTOS by CARB 435	Silica gel clean-up	Hold	Remarks
EB-3-14.0	5/31/18	1026		X							X	X	X			X								
EB-3-16.0		1036		X							X												X	
* EB-3-18.0		1039		X							X	X	X	X	X	X					X			← *FOR SAMPLE EB-3-18.0, PLEASE ANALYZE WITH LOWEST RLs/MDLs FOR COMPARISON TO RESIDENTIAL ESLs
EB-3-20.0		1043		X							X												X	
EB-4-2.0		1118		X							X												X	
EB-4-4.0		1120		X							X	X	X			X								
EB-4-6.0		1128		X							X												X	
EB-4-8.0	5/31/18	1130		X							X	X	X	X	X	X					X			

Relinquished by: (Signature)	Date:	Time	Received by: (Signature)	Date	Time
		1130	LAP	6.1.18	1130
LAP	6.1.18	1615		6.1.18	1615
Relinquished by: (Signature)	Date:	Time	Received by Lab: (Signature)	Date	Time

Sent to Laboratory (Name): McCAMPBELL ANALYTICAL
Laboratory Comments/Notes:

Method of Shipment: [X] Lab courier [ ] Fed Ex [ ] Airborne [ ] UPS [ ] Hand Carried [ ] Private Courier (Co. Name)

White Copy - Original Yellow Copy - Laboratory Pink Copy - Field COC Number:

1.7° wet

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Sample Receipt Checklist

Client Name:	**Langan**	Date and Time Received:	**6/1/2018 16:15**
Project:	**750615606; 681 Florida Street**	Date Logged:	**6/1/2018**
		Received by:	Keylen Juarez
WorkOrder №:	**1806055** Matrix: Soil	Logged by:	Keylen Juarez
Carrier:	Lorenzo Perez (MAI Courier)		

Chain of Custody (COC) Information

Chain of custody present?	Yes	☑	No	☐		
Chain of custody signed when relinquished and received?	Yes	☑	No	☐		
Chain of custody agrees with sample labels?	Yes	☑	No	☐		
Sample IDs noted by Client on COC?	Yes	☑	No	☐		
Date and Time of collection noted by Client on COC?	Yes	☑	No	☐		
Sampler's name noted on COC?	Yes	☑	No	☐		
COC agrees with Quote?	Yes	☐	No	☐	NA	☑

Sample Receipt Information

Custody seals intact on shipping container/cooler?	Yes	☑	No	☐	NA	☐
Shipping container/cooler in good condition?	Yes	☑	No	☐		
Samples in proper containers/bottles?	Yes	☑	No	☐		
Sample containers intact?	Yes	☑	No	☐		
Sufficient sample volume for indicated test?	Yes	☑	No	☐		

Sample Preservation and Hold Time (HT) Information

All samples received within holding time?	Yes	☑	No	☐	NA	☐
Samples Received on Ice?	Yes	☑	No	☐		
(Ice Type: WET ICE)						
Sample/Temp Blank temperature	Temp: 1.7°C				NA	☐
Water - VOA vials have zero headspace / no bubbles?	Yes	☐	No	☐	NA	☑
Sample labels checked for correct preservation?	Yes	☐	No	☑		
pH acceptable upon receipt (Metal: <2; 522: <4; 218.7: >8)?	Yes	☐	No	☐	NA	☑
UCMR Samples:						
pH tested and acceptable upon receipt (200.8: ≤2; 525.3: ≤4; 530: ≤7; 541: <3; 544: <6.5 & 7.5)?	Yes	☐	No	☐	NA	☑
Free Chlorine tested and acceptable upon receipt (<0.1mg/L)?	Yes	☐	No	☐	NA	☑

Comments:

McCampbell Analytical, Inc.

"When Quality Counts"

Analytical Report

WorkOrder: 1806055 A

Report Created for: Langan

555 Montgomery St., Suite 1300
San Francisco, CA 94111

Project Contact: Adam Brown
Project P.O.:
Project: 750615606; 681 Florida Street

Project Received: 06/01/2018

Analytical Report reviewed & approved for release on 06/18/2018 by:

Yen Cao

Project Manager

The report shall not be reproduced except in full, without the written approval of the laboratory. The analytical results relate only to the items tested. Results reported conform to the most current NELAP standards, where applicable, unless otherwise stated in the case narrative.

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Glossary of Terms & Qualifier Definitions

Client: Langan
Project: 750615606; 681 Florida Street
WorkOrder: 1806055 A

Glossary Abbreviation

%D	Serial Dilution Percent Difference
95% Interval	95% Confident Interval
DF	Dilution Factor
DI WET	(DISTLC) Waste Extraction Test using DI water
DISS	Dissolved (direct analysis of 0.45 µm filtered and acidified water sample)
DLT	Dilution Test (Serial Dilution)
DUP	Duplicate
EDL	Estimated Detection Limit
ERS	External reference sample. Second source calibration verification.
ITEF	International Toxicity Equivalence Factor
LCS	Laboratory Control Sample
MB	Method Blank
MB % Rec	% Recovery of Surrogate in Method Blank, if applicable
MDL	Method Detection Limit
ML	Minimum Level of Quantitation
MS	Matrix Spike
MSD	Matrix Spike Duplicate
N/A	Not Applicable
ND	Not detected at or above the indicated MDL or RL
NR	Data Not Reported due to matrix interference or insufficient sample amount.
PDS	Post Digestion Spike
PDSD	Post Digestion Spike Duplicate
PF	Prep Factor
RD	Relative Difference
RL	Reporting Limit (The RL is the lowest calibration standard in a multipoint calibration.)
RPD	Relative Percent Deviation
RRT	Relative Retention Time
SPK Val	Spike Value
SPKRef Val	Spike Reference Value
SPLP	Synthetic Precipitation Leachate Procedure
ST	Sorbent Tube
TCLP	Toxicity Characteristic Leachate Procedure
TEQ	Toxicity Equivalents
WET (STLC)	Waste Extraction Test (Soluble Threshold Limit Concentration)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client: Langan
Date Received: 6/1/18 16:15
Date Prepared: 6/12/18
Project: 750615606; 681 Florida Street

WorkOrder: 1806055
Extraction Method: CA Title 22
Analytical Method: SW6020
Unit: mg/L

Metals (STLC)

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-2.0	1806055-009A	Soil	05/31/2018 10:01	ICP-MS2 131SMPL.D	159820

Analytes	Result	RL	DF	Date Analyzed
Chromium	**0.19**	0.10	1	06/15/2018 01:01

Analyst(s): JC

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-10.0	1806055-013A	Soil	05/31/2018 10:21	ICP-MS2 132SMPL.D	159820

Analytes	Result	RL	DF	Date Analyzed
Chromium	ND	0.10	1	06/15/2018 01:07

Analyst(s): JC

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-14.0	1806055-015A	Soil	05/31/2018 10:26	ICP-MS2 133SMPL.D	159820

Analytes	Result	RL	DF	Date Analyzed
Chromium	**0.36**	0.10	1	06/15/2018 01:13

Analyst(s): JC

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-18.0	1806055-017A	Soil	05/31/2018 10:39	ICP-MS2 134SMPL.D	159820

Analytes	Result	RL	DF	Date Analyzed
Chromium	ND	0.10	1	06/15/2018 01:19

Analyst(s): JC

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	CA Title 22
Date Prepared:	6/12/18	**Analytical Method:**	SW6020
Project:	750615606; 681 Florida Street	**Unit:**	mg/L

Metals (STLC)

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-4-4.0	**1806055-020A**	**Soil**	**05/31/2018 11:20**	**ICP-MS2 135SMPL.D**	**159820**

Analytes	Result	RL	DF	Date Analyzed
Chromium	**0.11**	0.10	1	06/15/2018 01:26

Analyst(s): JC

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806055
Date Received:	6/1/18 16:15	**Extraction Method:**	SW1311/SW3010
Date Prepared:	6/12/18	**Analytical Method:**	SW6020
Project:	750615606; 681 Florida Street	**Unit:**	mg/L

Metals (TCLP)

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-14.0	**1806055-015A**	**Soil**	**05/31/2018 10:26**	**ICP-MS1 057SMPL.D**	**159842**

Analytes	Result	RL	DF	Date Analyzed
Chromium	ND	0.10	1	06/14/2018 19:17

Analyst(s): MIG

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/12/18	**BatchID:**	159820
Date Analyzed:	6/14/18	**Extraction Method:**	CA Title 22
Instrument:	ICP-MS2	**Analytical Method:**	SW6020
Matrix:	Soil	**Unit:**	mg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159820 1806479-001AMS/MSD

QC Summary Report for Metals (STLC)

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Chromium	ND	9.25	0.10	10	-	92	75-125

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Chromium	9.67	9.44	10	0.1112	96	93	75-125	2.45	20

Analyte	DLT Result	DLTRef Val	%D	%D Limit
Chromium	ND<0.50	0.1112	-	-

%D Control Limit applied to analytes with concentrations greater than 25 times the reporting limits.

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806055
Date Prepared:	6/12/18	**BatchID:**	159842
Date Analyzed:	6/14/18	**Extraction Method:**	SW1311/SW3010
Instrument:	ICP-MS1	**Analytical Method:**	SW6020
Matrix:	Soil	**Unit:**	mg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159842 1806055-015AMS/MSD

QC Summary Report for Metals (TCLP)

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Chromium	ND	9.46	0.10	10	-	95	75-125

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Chromium	9.41	9.35	10	ND	94	94	75-125	0	20

Analyte	DLT Result	DLTRef Val	%D	%D Limit
Chromium	ND<0.50	ND	-	-

%D Control Limit applied to analytes with concentrations greater than 25 times the reporting limits.

McCampbell Analytical, Inc.
1534 Willow Pass Rd
Pittsburg, CA 94565-1701
(925) 252-9262

CHAIN-OF-CUSTODY RECORD

WorkOrder: 1806055 A **ClientCode: TWRF**

☐ WaterTrax ☐ WriteOn ☐ EDF ☐ Excel ☐ Fax ☑ Email ☐ HardCopy ☐ ThirdParty ☐ J-flag
☒ Detection Summary ☒ Dry-Weight

Report to:
Adam Brown
Langan
555 Montgomery St., Suite 1300
San Francisco, CA 94111
(415) 955-5244 FAX: (415) 955-9041

Email: abrown@langan.com
cc/3rd Party: kstaehlin@langan.com;
PO:
Project: 750615606; 681 Florida Street

Bill to:
Accounts Payable
Langan
555 Montgomery St., Suite 1300
San Francisco, CA 94111
Langan_InvoiceCapture@concursolutio

Requested TAT: 5 days;

Date Received: **06/01/2018**
Date Logged: **06/01/2018**
Date Add-On: **06/11/2018**

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)											
					1	2	3	4	5	6	7	8	9	10	11	12
1806055-009	EB-3-2.0	Soil	5/31/2018 10:01	☐	A											
1806055-013	EB-3-10.0	Soil	5/31/2018 10:21	☐	A											
1806055-015	EB-3-14.0	Soil	5/31/2018 10:26	☐	A	A										
1806055-017	EB-3-18.0	Soil	5/31/2018 10:39	☐	A											
1806055-020	EB-4-4.0	Soil	5/31/2018 11:20	☐	A											

Test Legend:

1	CRMS_STLC_S	2	CRMS_TCLP_S	3		4	
5		6		7		8	
9		10		11		12	

Prepared by: Keylen Juarez

Add-On Prepared By: Tina Perez

Comments: 6/11/18 ADDED Cr STLC 09,013,015,017. & 20 CR STLC & TCLP

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).
Hazardous samples will be returned to client or disposed of at client expense.

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

WORK ORDER SUMMARY

Client Name: LANGAN
Client Contact: Adam Brown
Contact's Email abrown@langan.com

Project: 750615606; 681 Florida Street
Comments: 6/11/18 ADDED Cr_STLC 09,013,015,017. & 20 CR_STLC & TCLP

Work Order: 1806055
QC Level: LEVEL 2
Date Logged: 6/1/2018
Date Add-On: 6/11/2018

Lab ID	Client ID	Matrix	Test Name	Containers /Composites	Bottle & Preservative	Collection Date & Time	TAT	Sediment Content	Hold	SubOut
1806055-009A	EB-3-2.0	Soil	SW6020 (Chromium) (STLC)	1	Acetate Liner	5/31/2018 10:01	5 days*		☐	
1806055-013A	EB-3-10.0	Soil	SW6020 (Chromium) (STLC)	1	Acetate Liner	5/31/2018 10:21	5 days*		☐	
1806055-015A	EB-3-14.0	Soil	SW6020 (Chromium) (TCLP)	1	Acetate Liner	5/31/2018 10:26	5 days*		☐	
			SW6020 (Chromium) (STLC)				5 days*		☐	
1806055-017A	EB-3-18.0	Soil	SW6020 (Chromium) (STLC)	1	Acetate Liner	5/31/2018 10:39	5 days*		☐	
1806055-020A	EB-4-4.0	Soil	SW6020 (Chromium) (STLC)	1	Acetate Liner	5/31/2018 11:20	5 days*		☐	

NOTES: - STLC and TCLP extractions require 2 days to complete; therefore, all TATs begin after the extraction is completed (i.e., One-day TAT yields results in 3 days from sample submission).

- MAI assumes that all material present in the provided sampling container is considered part of the sample - MAI does not exclude any material from the sample prior to sample preparation unless requested in writing by the client.

#1806055

* PLEASE C.C. ANNIE S. AT KSTAEHLIN@LANGAN.COM *

11047

LANGAN

CHAIN OF CUSTODY RECORD

- [X] 555 Montgomery Street. Suite 1300, San Francisco, CA 94111
- [ ] 501 14th Street, Third Floor, Oakland CA 94612
- [ ] 3320 Data Drive, Suite 350, Rancho Cordova, CA 95670-7982
- [ ] 4030 Moorpark Ave. Suite 210, San Jose, CA 95117-1849

Site Name: 681 FLORIDA STREET

Job Number: 750615606

Project Manager\Contact: ADAM BROWN

Samplers: KARIANNE STAEHLIN (KSS)

Recorder (Signature Required): [signature]

Turnaround Time: STANDARD

Field Sample Identification No.	Date	Time	Lab Sample No.	Matrix: Soil	Water	Air	Other	No. Containers & Preservative: HCL	H_2SO_4	HNO_3	Ice	Analysis Requested: TPH g,d,mo	VOCs	SVOCs	OCPs	PCBs	CAM 17	LUFT 5	pH	SULFIDES	CYANIDE	ASBESTOS BY CARB 435	CH_STLC	Silica gel clean-up	Hold	Remarks
EB-1-2.0	5/31/18	0754		X							X	X	X	X	X	X	X					X				
EB-1-4.0		0756		X							X														X	
EB-1-6.0		0812		X							X	X	X				X									
EB-1-8.0		0815		X							X														X	
EB-2-2.0		0856		X							X														X	
EB-2-4.0		0859		X							X	X	X	X	X	X	X					X				
EB-2-6.0		0903		X							X														X	
EB-2-8.0		0911		X							X	X	X				X									
EB-3-2.0		1001		X							X	X	X		X		X						X			
EB-3-4.0		1006		X							X														X	
EB-3-6.0		1011		X							X	X	X	X	X	X	X	X	X	X	X	X				
EB-3-8.0		1018		X							X														X	
EB-3-10.0		1021		X							X	X	X				X						X			
EB-3-12.0	5/31/18	1023		X							X														X	

Relinquished by: (Signature) [signature]	Date:	Time 1130	Received by: (Signature) LAP	Date 6.1.18 Time 1130
Relinquished by: (Signature) LAP	Date: 6.1.18	Time 1615	Received by: (Signature) [signature]	Date 6.1.18 Time 1615
Relinquished by: (Signature)	Date:	Time	Received by Lab: (Signature) [signature]	Date Time

Sent to Laboratory (Name): MCCAMPBELL ANALYTICAL

Laboratory Comments/Notes:

Method of Shipment: [X] Lab courier [ ] Fed Ex [ ] Airborne [ ] UPS [ ] Hand Carried [ ] Private Courier (Co. Name)

White Copy - Original Yellow Copy - Laboratory Pink Copy - Field

COC Number: 1.7° wet

* Added 6/11/18

#1806055

11048

LANGAN

CHAIN OF CUSTODY RECORD

- [X] 555 Montgomery Street. Suite 1300, San Francisco, CA 94111
- [ ] 501 14th Street, Third Floor, Oakland CA 94612
- [ ] 3320 Data Drive, Suite 350, Rancho Cordova, CA 95670-7982
- [ ] 4030 Moorpark Ave. Suite 210, San Jose, CA 95117-1849

Site Name: 681 FLORIDA STREET
Job Number: 750615606
Project Manager\Contact: ADAM BROWN
Samplers: KSS
Recorder (Signature Required): [signature]

Turnaround Time: STANDARD

Field Sample Identification No.	Date	Time	Lab Sample No.	Matrix: Soil	Matrix: Water	Matrix: Air	Matrix: Other	No. Containers & Preservative: HCL	H_2SO_4	HNO_3	Ice			Analysis Requested: TPH g,d,mo	VOCs	SVOCs	OCPs	PCBs	CAM 17	LUFT 5	pH	SULFIDES	CYANIDE	ASBESTOS by CARB 435	CR. STC	Silica gel clean-up	Hold	Remarks
EB-3-14.0	5/31/18	1026		X							X			X	X	X			X							X		
EB-3-16.0		1036		X							X																X	
* EB-3-18.0		1039		X							X			X	X	X	X	X	X					X	X			← *FOR SAMPLE
EB-3-20.0		1043		X							X																X	EB-3-18.0, PLEASE
EB-4-2.0		1118		X							X																X	ANALYZE WITH LOWEST
EB-4-4.0		1120		X							X			X	X					X					X			RLs/MDLs FOR COMPARISON
EB-4-6.0		1128		X							X																X	TO RESIDENTIAL ESLs
EB-4-8.0	5/31/18	1130		X							X			X	X	X	X	X	X					X				

Relinquished by: (Signature)	Date:	Time	Received by: (Signature)	Date	Time
[signature]		1130	LAP	6.1.18	1130
LAP	6.1.18	1615	[signature]	6.1.18	1615

Sent to Laboratory (Name): McCAMPBELL ANALYTICAL
Laboratory Comments/Notes:

Method of Shipment: [X] Lab courier [ ] Fed Ex [ ] Airborne [ ] UPS [ ] Hand Carried [ ] Private Courier (Co. Name)

White Copy - Original Yellow Copy - Laboratory Pink Copy - Field COC Number:

1.7° wet

McCampbell Analytical, Inc.

"When Quality Counts"

Analytical Report

WorkOrder: 1806062

Report Created for: Langan

555 Montgomery St., Suite 1300
San Francisco, CA 94111

Project Contact: Adam Brown
Project P.O.:
Project: 750615606; 681 Florida Street

Project Received: 06/01/2018

Analytical Report reviewed & approved for release on 06/11/2018 by:



Angela Rydelius
Laboratory Manager

The report shall not be reproduced except in full, without the written approval of the laboratory. The analytical results relate only to the items tested. Results reported conform to the most current NELAP standards, where applicable, unless otherwise stated in the case narrative.

1534 Willow Pass Rd. Pittsburg, CA 94565 ♦ TEL: (877) 252-9262 ♦ FAX: (925) 252-9269 ♦ www.mccampbell.com
CA ELAP 1644 ♦ NELAP 4033 ORELAP

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Glossary of Terms & Qualifier Definitions

Client: Langan
Project: 750615606; 681 Florida Street
WorkOrder: 1806062

Glossary Abbreviation

%D	Serial Dilution Percent Difference
95% Interval	95% Confident Interval
DF	Dilution Factor
DI WET	(DISTLC) Waste Extraction Test using DI water
DISS	Dissolved (direct analysis of 0.45 µm filtered and acidified water sample)
DLT	Dilution Test (Serial Dilution)
DUP	Duplicate
EDL	Estimated Detection Limit
ERS	External reference sample. Second source calibration verification.
ITEF	International Toxicity Equivalence Factor
LCS	Laboratory Control Sample
MB	Method Blank
MB % Rec	% Recovery of Surrogate in Method Blank, if applicable
MDL	Method Detection Limit
ML	Minimum Level of Quantitation
MS	Matrix Spike
MSD	Matrix Spike Duplicate
N/A	Not Applicable
ND	Not detected at or above the indicated MDL or RL
NR	Data Not Reported due to matrix interference or insufficient sample amount.
PDS	Post Digestion Spike
PDSD	Post Digestion Spike Duplicate
PF	Prep Factor
RD	Relative Difference
RL	Reporting Limit (The RL is the lowest calibration standard in a multipoint calibration.)
RPD	Relative Percent Deviation
RRT	Relative Retention Time
SPK Val	Spike Value
SPKRef Val	Spike Reference Value
SPLP	Synthetic Precipitation Leachate Procedure
ST	Sorbent Tube
TCLP	Toxicity Characteristic Leachate Procedure
TEQ	Toxicity Equivalents
WET (STLC)	Waste Extraction Test (Soluble Threshold Limit Concentration)

McCampbell Analytical, Inc.
"When Quality Counts"
1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Glossary of Terms & Qualifier Definitions

Client: Langan
Project: 750615606; 681 Florida Street
WorkOrder: 1806062

Analytical Qualifiers

F	Sample was filtered upon arrival to the lab
H	Samples were analyzed out of holding time
a1	Sample diluted due to matrix interference
a19	Reporting limit near, but not identical to our standard reporting limit due to variable sample volume
b1	Aqueous sample that contains greater than ~1 vol. % sediment

Quality Control Qualifiers

F1	MS/MSD recovery and/or RPD is out of acceptance criteria; LCS validates the prep batch.
F2	LCS/LCSD recovery and/or RPD is out of acceptance criteria.

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806062
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3510C
Date Prepared:	6/1/18	**Analytical Method:**	SW8081A/8082
Project:	750615606; 681 Florida Street	**Unit:**	µg/L

Organochlorine Pesticides + PCBs

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-GW	1806062-002B	Water	05/31/2018 12:10	GC20 06051812.D	159246

Analytes	Result	RL	DF	Date Analyzed
Aldrin	ND	0.0050	1	06/05/2018 13:35
a-BHC	ND	0.010	1	06/05/2018 13:35
b-BHC	ND	0.0050	1	06/05/2018 13:35
d-BHC	ND	0.0050	1	06/05/2018 13:35
g-BHC	ND	0.020	1	06/05/2018 13:35
Chlordane (Technical)	ND	0.10	1	06/05/2018 13:35
a-Chlordane	ND	0.050	1	06/05/2018 13:35
g-Chlordane	ND	0.050	1	06/05/2018 13:35
p,p-DDD	ND	0.010	1	06/05/2018 13:35
p,p-DDE	ND	0.010	1	06/05/2018 13:35
p,p-DDT	ND	0.010	1	06/05/2018 13:35
Dieldrin	ND	0.010	1	06/05/2018 13:35
Endosulfan I	ND	0.020	1	06/05/2018 13:35
Endosulfan II	ND	0.020	1	06/05/2018 13:35
Endosulfan sulfate	ND	0.050	1	06/05/2018 13:35
Endrin	ND	0.010	1	06/05/2018 13:35
Endrin aldehyde	ND	0.050	1	06/05/2018 13:35
Endrin ketone	ND	0.050	1	06/05/2018 13:35
Heptachlor	ND	0.010	1	06/05/2018 13:35
Heptachlor epoxide	ND	0.010	1	06/05/2018 13:35
Hexachlorobenzene	ND	0.50	1	06/05/2018 13:35
Hexachlorocyclopentadiene	ND	1.0	1	06/05/2018 13:35
Methoxychlor	ND	0.10	1	06/05/2018 13:35
Toxaphene	ND	0.50	1	06/05/2018 13:35
Aroclor1016	ND	0.50	1	06/05/2018 13:35
Aroclor1221	ND	0.50	1	06/05/2018 13:35
Aroclor1232	ND	0.50	1	06/05/2018 13:35
Aroclor1242	ND	0.50	1	06/05/2018 13:35
Aroclor1248	ND	0.50	1	06/05/2018 13:35
Aroclor1254	ND	0.50	1	06/05/2018 13:35
Aroclor1260	ND	0.50	1	06/05/2018 13:35
PCBs, total	ND	0.50	1	06/05/2018 13:35

Surrogates	REC (%)	Limits	
Decachlorobiphenyl	88	70-130	06/05/2018 13:35

Analyst(s): CK

Analytical Comments: b1

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806062
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/7/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	µg/L

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-GW	1806062-001A	Water	05/31/2018 09:38	GC18 06071819.D	159521

Analytes	Result	RL	DF	Date Analyzed
Acetone	ND	10	1	06/07/2018 20:13
tert-Amyl methyl ether (TAME)	ND	0.50	1	06/07/2018 20:13
Benzene	ND	0.50	1	06/07/2018 20:13
Bromobenzene	ND	0.50	1	06/07/2018 20:13
Bromochloromethane	ND	0.50	1	06/07/2018 20:13
Bromodichloromethane	ND	0.50	1	06/07/2018 20:13
Bromoform	ND	0.50	1	06/07/2018 20:13
Bromomethane	ND	0.50	1	06/07/2018 20:13
2-Butanone (MEK)	ND	2.0	1	06/07/2018 20:13
t-Butyl alcohol (TBA)	ND	2.0	1	06/07/2018 20:13
n-Butyl benzene	ND	0.50	1	06/07/2018 20:13
sec-Butyl benzene	ND	0.50	1	06/07/2018 20:13
tert-Butyl benzene	ND	0.50	1	06/07/2018 20:13
Carbon Disulfide	ND	0.50	1	06/07/2018 20:13
Carbon Tetrachloride	ND	0.50	1	06/07/2018 20:13
Chlorobenzene	ND	0.50	1	06/07/2018 20:13
Chloroethane	ND	0.50	1	06/07/2018 20:13
Chloroform	ND	0.50	1	06/07/2018 20:13
Chloromethane	ND	0.50	1	06/07/2018 20:13
2-Chlorotoluene	ND	0.50	1	06/07/2018 20:13
4-Chlorotoluene	ND	0.50	1	06/07/2018 20:13
Dibromochloromethane	ND	0.50	1	06/07/2018 20:13
1,2-Dibromo-3-chloropropane	ND	0.20	1	06/07/2018 20:13
1,2-Dibromoethane (EDB)	ND	0.50	1	06/07/2018 20:13
Dibromomethane	ND	0.50	1	06/07/2018 20:13
1,2-Dichlorobenzene	ND	0.50	1	06/07/2018 20:13
1,3-Dichlorobenzene	ND	0.50	1	06/07/2018 20:13
1,4-Dichlorobenzene	ND	0.50	1	06/07/2018 20:13
Dichlorodifluoromethane	ND	0.50	1	06/07/2018 20:13
1,1-Dichloroethane	ND	0.50	1	06/07/2018 20:13
1,2-Dichloroethane (1,2-DCA)	ND	0.50	1	06/07/2018 20:13
1,1-Dichloroethene	ND	0.50	1	06/07/2018 20:13
cis-1,2-Dichloroethene	ND	0.50	1	06/07/2018 20:13
trans-1,2-Dichloroethene	ND	0.50	1	06/07/2018 20:13
1,2-Dichloropropane	ND	0.50	1	06/07/2018 20:13
1,3-Dichloropropane	ND	0.50	1	06/07/2018 20:13
2,2-Dichloropropane	ND	0.50	1	06/07/2018 20:13

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806062
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/7/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	µg/L

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-GW	**1806062-001A**	**Water**	**05/31/2018 09:38**	**GC18 06071819.D**	**159521**

Analytes	Result	RL	DF	Date Analyzed
1,1-Dichloropropene	ND	0.50	1	06/07/2018 20:13
cis-1,3-Dichloropropene	ND	0.50	1	06/07/2018 20:13
trans-1,3-Dichloropropene	ND	0.50	1	06/07/2018 20:13
Diisopropyl ether (DIPE)	ND	0.50	1	06/07/2018 20:13
Ethylbenzene	ND	0.50	1	06/07/2018 20:13
Ethyl tert-butyl ether (ETBE)	ND	0.50	1	06/07/2018 20:13
Freon 113	ND	0.50	1	06/07/2018 20:13
Hexachlorobutadiene	ND	0.50	1	06/07/2018 20:13
Hexachloroethane	ND	0.50	1	06/07/2018 20:13
2-Hexanone	ND	0.50	1	06/07/2018 20:13
Isopropylbenzene	ND	0.50	1	06/07/2018 20:13
4-Isopropyl toluene	ND	0.50	1	06/07/2018 20:13
Methyl-t-butyl ether (MTBE)	ND	0.50	1	06/07/2018 20:13
Methylene chloride	ND	0.50	1	06/07/2018 20:13
4-Methyl-2-pentanone (MIBK)	ND	0.50	1	06/07/2018 20:13
Naphthalene	ND	0.50	1	06/07/2018 20:13
n-Propyl benzene	ND	0.50	1	06/07/2018 20:13
Styrene	ND	0.50	1	06/07/2018 20:13
1,1,1,2-Tetrachloroethane	ND	0.50	1	06/07/2018 20:13
1,1,2,2-Tetrachloroethane	ND	0.50	1	06/07/2018 20:13
Tetrachloroethene	ND	0.50	1	06/07/2018 20:13
Toluene	ND	0.50	1	06/07/2018 20:13
1,2,3-Trichlorobenzene	ND	0.50	1	06/07/2018 20:13
1,2,4-Trichlorobenzene	ND	0.50	1	06/07/2018 20:13
1,1,1-Trichloroethane	ND	0.50	1	06/07/2018 20:13
1,1,2-Trichloroethane	ND	0.50	1	06/07/2018 20:13
Trichloroethene	**16**	0.50	1	06/07/2018 20:13
Trichlorofluoromethane	ND	0.50	1	06/07/2018 20:13
1,2,3-Trichloropropane	ND	0.50	1	06/07/2018 20:13
1,2,4-Trimethylbenzene	ND	0.50	1	06/07/2018 20:13
1,3,5-Trimethylbenzene	ND	0.50	1	06/07/2018 20:13
Vinyl Chloride	ND	0.50	1	06/07/2018 20:13
Xylenes, Total	ND	0.50	1	06/07/2018 20:13

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806062
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/7/18	**Analytical Method:**	SW8260B
Project:	750615606; 681 Florida Street	**Unit:**	µg/L

Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-2-GW	**1806062-001A**	**Water**	**05/31/2018 09:38**	**GC18 06071819.D**	**159521**

Analytes	Result	RL	DF	Date Analyzed
Surrogates	**REC (%)**	**Limits**		
Dibromofluoromethane	114	78-134		06/07/2018 20:13
Toluene-d8	110	82-120		06/07/2018 20:13
4-BFB	91	69-131		06/07/2018 20:13

Analyst(s): TK Analytical Comments: b1

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806062
Date Received:	6/1/18 16:15	**Extraction Method:**	E625
Date Prepared:	6/1/18	**Analytical Method:**	SW8270C
Project:	750615606; 681 Florida Street	**Unit:**	µg/L

Semi-Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
GW-1	1806062-003A	Water	05/31/2018 13:00	GC17 06051828.D	159206

Analytes	Result	RL	DF	Date Analyzed
Acenaphthene	ND	54	20	06/05/2018 22:15
Acenaphthylene	ND	54	20	06/05/2018 22:15
Acetochlor	ND	54	20	06/05/2018 22:15
Anthracene	ND	54	20	06/05/2018 22:15
Benzidine	ND	270	20	06/05/2018 22:15
Benzo (a) anthracene	ND	54	20	06/05/2018 22:15
Benzo (a) pyrene	ND	54	20	06/05/2018 22:15
Benzo (b) fluoranthene	ND	54	20	06/05/2018 22:15
Benzo (g,h,i) perylene	ND	54	20	06/05/2018 22:15
Benzo (k) fluoranthene	ND	54	20	06/05/2018 22:15
Benzyl Alcohol	ND	270	20	06/05/2018 22:15
1,1-Biphenyl	ND	54	20	06/05/2018 22:15
Bis (2-chloroethoxy) Methane	ND	54	20	06/05/2018 22:15
Bis (2-chloroethyl) Ether	ND	54	20	06/05/2018 22:15
Bis (2-chloroisopropyl) Ether	ND	54	20	06/05/2018 22:15
Bis (2-ethylhexyl) Adipate	ND	54	20	06/05/2018 22:15
Bis (2-ethylhexyl) Phthalate	ND	110	20	06/05/2018 22:15
4-Bromophenyl Phenyl Ether	ND	270	20	06/05/2018 22:15
Butylbenzyl Phthalate	ND	54	20	06/05/2018 22:15
4-Chloroaniline	ND	110	20	06/05/2018 22:15
4-Chloro-3-methylphenol	ND	270	20	06/05/2018 22:15
2-Chloronaphthalene	ND	54	20	06/05/2018 22:15
2-Chlorophenol	ND	54	20	06/05/2018 22:15
4-Chlorophenyl Phenyl Ether	ND	54	20	06/05/2018 22:15
Chrysene	ND	54	20	06/05/2018 22:15
Dibenzo (a,h) anthracene	ND	54	20	06/05/2018 22:15
Dibenzofuran	ND	54	20	06/05/2018 22:15
Di-n-butyl Phthalate	ND	54	20	06/05/2018 22:15
1,2-Dichlorobenzene	ND	54	20	06/05/2018 22:15
1,3-Dichlorobenzene	ND	54	20	06/05/2018 22:15
1,4-Dichlorobenzene	ND	54	20	06/05/2018 22:15
3,3-Dichlorobenzidine	ND	110	20	06/05/2018 22:15
2,4-Dichlorophenol	ND	54	20	06/05/2018 22:15
2,6-Dichlorophenol	ND	54	20	06/05/2018 22:15
Diethyl Phthalate	ND	54	20	06/05/2018 22:15
2,4-Dimethylphenol	ND	54	20	06/05/2018 22:15
Dimethyl Phthalate	ND	54	20	06/05/2018 22:15

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806062
Date Received:	6/1/18 16:15	**Extraction Method:**	E625
Date Prepared:	6/1/18	**Analytical Method:**	SW8270C
Project:	750615606; 681 Florida Street	**Unit:**	µg/L

Semi-Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
GW-1	1806062-003A	Water	05/31/2018 13:00	GC17 06051828.D	159206

Analytes	Result	RL	DF	Date Analyzed
4,6-Dinitro-2-methylphenol	ND	270	20	06/05/2018 22:15
2,4-Dinitrophenol	ND	670	20	06/05/2018 22:15
2,4-Dinitrotoluene	ND	54	20	06/05/2018 22:15
2,6-Dinitrotoluene	ND	54	20	06/05/2018 22:15
Di-n-octyl Phthalate	ND	54	20	06/05/2018 22:15
1,2-Diphenylhydrazine	ND	54	20	06/05/2018 22:15
Fluoranthene	ND	54	20	06/05/2018 22:15
Fluorene	ND	54	20	06/05/2018 22:15
Hexachlorobenzene	ND	54	20	06/05/2018 22:15
Hexachlorobutadiene	ND	54	20	06/05/2018 22:15
Hexachlorocyclopentadiene	ND	270	20	06/05/2018 22:15
Hexachloroethane	ND	54	20	06/05/2018 22:15
Indeno (1,2,3-cd) pyrene	ND	54	20	06/05/2018 22:15
Isophorone	ND	54	20	06/05/2018 22:15
2-Methylnaphthalene	ND	54	20	06/05/2018 22:15
2-Methylphenol (o-Cresol)	ND	54	20	06/05/2018 22:15
3 & 4-Methylphenol (m,p-Cresol)	ND	54	20	06/05/2018 22:15
Naphthalene	ND	54	20	06/05/2018 22:15
2-Nitroaniline	ND	270	20	06/05/2018 22:15
3-Nitroaniline	ND	270	20	06/05/2018 22:15
4-Nitroaniline	ND	270	20	06/05/2018 22:15
Nitrobenzene	ND	54	20	06/05/2018 22:15
2-Nitrophenol	ND	270	20	06/05/2018 22:15
4-Nitrophenol	ND	270	20	06/05/2018 22:15
N-Nitrosodiphenylamine	ND	54	20	06/05/2018 22:15
N-Nitrosodi-n-propylamine	ND	54	20	06/05/2018 22:15
Pentachlorophenol	ND	270	20	06/05/2018 22:15
Phenanthrene	ND	54	20	06/05/2018 22:15
Phenol	ND	54	20	06/05/2018 22:15
Pyrene	ND	54	20	06/05/2018 22:15
Pyridine	ND	54	20	06/05/2018 22:15
1,2,4-Trichlorobenzene	ND	54	20	06/05/2018 22:15
2,4,5-Trichlorophenol	ND	54	20	06/05/2018 22:15
2,4,6-Trichlorophenol	ND	54	20	06/05/2018 22:15

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806062
Date Received:	6/1/18 16:15	**Extraction Method:**	E625
Date Prepared:	6/1/18	**Analytical Method:**	SW8270C
Project:	750615606; 681 Florida Street	**Unit:**	µg/L

Semi-Volatile Organics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
GW-1	**1806062-003A**	**Water**	**05/31/2018 13:00**	**GC17 06051828.D**	**159206**

Analytes	Result	RL	DF	Date Analyzed
Surrogates	**REC (%)**	**Limits**		
2-Fluorophenol	49	8-130		06/05/2018 22:15
Phenol-d5	29	5-130		06/05/2018 22:15
Nitrobenzene-d5	75	20-140		06/05/2018 22:15
2-Fluorobiphenyl	76	40-140		06/05/2018 22:15
2,4,6-Tribromophenol	100	16-180		06/05/2018 22:15
4-Terphenyl-d14	80	40-170		06/05/2018 22:15

Analyst(s): REB Analytical Comments: a19,b1

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806062
Date Received:	6/1/18 16:15	**Extraction Method:**	E200.8
Date Prepared:	6/1/18	**Analytical Method:**	E200.8
Project:	750615606; 681 Florida Street	**Unit:**	µg/L

Dissolved CAM / CCR 17 Metals

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-GW	**1806062-002D**	**Water**	**05/31/2018 12:10**	**ICP-MS2 095SMPL.D**	**159228**

Analytes	Result	Qualifiers	RL	DF	Date Analyzed
Antimony	ND	F	0.50	1	06/06/2018 17:41
Arsenic	**2.2**	F	0.50	1	06/06/2018 17:41
Barium	**44**	F	5.0	1	06/06/2018 17:41
Beryllium	ND	F	0.50	1	06/06/2018 17:41
Cadmium	ND	F	0.25	1	06/06/2018 17:41
Chromium	**3.7**	F	0.50	1	06/06/2018 17:41
Cobalt	ND	F	0.50	1	06/06/2018 17:41
Copper	**2.2**	F	2.0	1	06/06/2018 17:41
Lead	ND	F	0.50	1	06/06/2018 17:41
Mercury	ND	F	0.050	1	06/06/2018 17:41
Molybdenum	**33**	F	0.50	1	06/06/2018 17:41
Nickel	**3.9**	F	0.50	1	06/06/2018 17:41
Selenium	ND	F	0.50	1	06/06/2018 17:41
Silver	ND	F	0.19	1	06/06/2018 17:41
Thallium	ND	F	0.50	1	06/06/2018 17:41
Vanadium	**12**	F	0.50	1	06/06/2018 17:41
Zinc	ND	F	15	1	06/06/2018 17:41

Analyst(s): ND

Analytical Comments: b1

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806062
Date Received:	6/1/18 16:15	**Extraction Method:**	E200.8
Date Prepared:	6/1/18	**Analytical Method:**	E200.8
Project:	750615606; 681 Florida Street	**Unit:**	µg/L

CAM / CCR 17 Metals

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-GW	**1806062-002C**	**Water**	**05/31/2018 12:10**	**ICP-MS2 075SMPL.D**	**159249**

Analytes	Result	RL	DF	Date Analyzed
Antimony	ND	50	100	06/05/2018 15:44
Arsenic	ND	50	100	06/05/2018 15:44
Barium	**3400**	500	100	06/05/2018 15:44
Beryllium	ND	50	100	06/05/2018 15:44
Cadmium	ND	25	100	06/05/2018 15:44
Chromium	**2000**	50	100	06/05/2018 15:44
Cobalt	**780**	50	100	06/05/2018 15:44
Copper	**480**	200	100	06/05/2018 15:44
Lead	**290**	50	100	06/05/2018 15:44
Mercury	**5.9**	5.0	100	06/05/2018 15:44
Molybdenum	ND	50	100	06/05/2018 15:44
Nickel	**4300**	50	100	06/05/2018 15:44
Selenium	ND	50	100	06/05/2018 15:44
Silver	ND	19	100	06/05/2018 15:44
Thallium	ND	50	100	06/05/2018 15:44
Vanadium	**830**	50	100	06/05/2018 15:44
Zinc	**1500**	1500	100	06/05/2018 15:44

Surrogates	REC (%)	Limits	
Terbium	92	70-130	06/05/2018 15:44

Analyst(s): JC

Analytical Comments: a1,b1

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806062
Date Received:	6/1/18 16:15	**Extraction Method:**	Kelada-01
Date Prepared:	6/6/18	**Analytical Method:**	Kelada-01
Project:	750615606; 681 Florida Street	**Unit:**	µg/L

Cyanide, Total

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
GW-1	**1806062-003D**	**Water**	**05/31/2018 13:00**	**WC_SKALAR 060618A1_35**	**159463**

Analytes	Result	RL	DF	Date Analyzed
Total Cyanide	**6.9**	1.0	1	06/06/2018 13:48

Analyst(s): NM

Analytical Comments: b1

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806062
Date Received:	6/1/18 16:15	**Extraction Method:**	SM5220 D-1997
Date Prepared:	6/6/18	**Analytical Method:**	SM5220 D-1997
Project:	750615606; 681 Florida Street	**Unit:**	mg/L

Chemical Oxygen Demand (COD) as mg O2 /L

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-GW	**1806062-002E**	**Water**	**05/31/2018 12:10**	**SPECTROPHOTOMETER**	**159404**

Analytes	Result	RL	DF	Date Analyzed
COD	**21**	10	1	06/06/2018 11:01

Analyst(s): RB

Analytical Comments: b1

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806062
Date Received:	6/1/18 16:15	**Extraction Method:**	SW1010
Date Prepared:	6/4/18	**Analytical Method:**	SW1010
Project:	750615606; 681 Florida Street	**Unit:**	°C

Flash Point by SW1010

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
GW-1	**1806062-003B**	**Water**	**05/31/2018 13:00**	**WetChem**	**159298**

Analytes	Result	Accuracy	DF	Date Analyzed
Flash Point	**>100**	±2	1	06/04/2018 15:29

Analyst(s): PHU

Analytical Comments: b1

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806062
Date Received:	6/1/18 16:15	**Extraction Method:**	SW5030B
Date Prepared:	6/11/18	**Analytical Method:**	SW8021B/8015Bm
Project:	750615606; 681 Florida Street	**Unit:**	µg/L

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-GW	**1806062-002A**	**Water**	**05/31/2018 12:10**	**GC3 06111805.D**	**159341**

Analytes	Result	RL	DF	Date Analyzed
TPH(g) (C6-C12)	ND	50	1	06/11/2018 12:54
MTBE	---	5.0	1	06/11/2018 12:54
Benzene	---	0.50	1	06/11/2018 12:54
Toluene	---	0.50	1	06/11/2018 12:54
Ethylbenzene	---	0.50	1	06/11/2018 12:54
Xylenes	---	0.50	1	06/11/2018 12:54

Surrogates	REC (%)	Limits	
aaa-TFT	103	90-117	06/11/2018 12:54

Analyst(s): IA Analytical Comments: b1

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806062
Date Received:	6/1/18 16:15	**Extraction Method:**	E420.4
Date Prepared:	6/7/18	**Analytical Method:**	E420.4
Project:	750615606; 681 Florida Street	**Unit:**	µg/L

Phenolics

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
GW-1	**1806062-003C**	**Water**	**05/31/2018 13:00**	**WC_SKALAR 060718A1_40**	**159515**

Analytes	Result	RL	DF	Date Analyzed
Phenolics	**2.1**	2.0	1	06/07/2018 14:02

Analyst(s): NM

Analytical Comments: b1

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806062
Date Received:	6/1/18 16:15	**Extraction Method:**	SM4500H+B-2000
Date Prepared:	6/1/18	**Analytical Method:**	SM4500H+B
Project:	750615606; 681 Florida Street	**Unit:**	pH units @ 25°C

pH

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
GW-1	**1806062-003B**	**Water**	**05/31/2018 13:00**	**WetChem**	**159215**

Analytes	Result	Qualifiers	Accuracy	DF	Date Analyzed
pH	**9.15**	H	±0.05	1	06/01/2018 20:33

Analyst(s): PHU

Analytical Comments: b1

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806062
Date Received:	6/1/18 16:15	**Extraction Method:**	SM4500-S^{-2} B-2000
Date Prepared:	6/6/18	**Analytical Method:**	SM4500-S^{-2} B
Project:	750615606; 681 Florida Street	**Unit:**	mg/L

Dissolved Sulfide - S

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
GW-1	**1806062-003D**	**Water**	**05/31/2018 13:00**	**SPECTROPHOTOMETER**	**159409**

Analytes	Result	RL	DF	Date Analyzed
Dissolved Sulfide	ND	0.050	1	06/06/2018 10:32

Analyst(s): RB

Analytical Comments: b1

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806062
Date Received:	6/1/18 16:15	**Extraction Method:**	SW3510C
Date Prepared:	6/5/18	**Analytical Method:**	SW8015B
Project:	750615606; 681 Florida Street	**Unit:**	µg/L

Total Extractable Petroleum Hydrocarbons w/out SG Clean-Up

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
EB-3-GW	**1806062-002A**	**Water**	**05/31/2018 12:10**	**GC39B 06051833.D**	**159354**

Analytes	Result	RL	DF	Date Analyzed
TPH-Diesel (C10-C23)	**160**	50	1	06/05/2018 21:31
TPH-Motor Oil (C18-C36)	ND	250	1	06/05/2018 21:31

Surrogates	REC (%)	Limits	
C9	89	61-139	06/05/2018 21:31

Analyst(s): JIS Analytical Comments: no,b1

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	Langan	**WorkOrder:**	1806062
Date Received:	6/1/18 16:15	**Extraction Method:**	SM2540 D-1997
Date Prepared:	6/4/18	**Analytical Method:**	SM2540 D-1997
Project:	750615606; 681 Florida Street	**Unit:**	mg/L

Total Suspended Solids

Client ID	Lab ID	Matrix	Date Collected	Instrument	Batch ID
GW-1	**1806062-003B**	**Water**	**05/31/2018 13:00**	**WetChem**	**159285**

Analytes	Result	RL	DF	Date Analyzed
Total Suspended Solids	**24,100**	100	100	06/04/2018 15:30

Analyst(s): AL

Analytical Comments: b1

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/1/18	**BatchID:**	159246
Date Analyzed:	6/5/18	**Extraction Method:**	SW3510C
Instrument:	GC20	**Analytical Method:**	SW8081A/8082
Matrix:	Water	**Unit:**	µg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS/LCSD-159246

QC Summary Report for SW8081A/8082

Analyte	MB Result	RL	SPK Val	MB SS %REC	MB SS Limits
Aldrin	ND	0.0050	-	-	-
a-BHC	ND	0.010	-	-	-
b-BHC	ND	0.0050	-	-	-
d-BHC	ND	0.0050	-	-	-
g-BHC	ND	0.020	-	-	-
Chlordane (Technical)	ND	0.10	-	-	-
a-Chlordane	ND	0.050	-	-	-
g-Chlordane	ND	0.050	-	-	-
p,p-DDD	ND	0.010	-	-	-
p,p-DDD	ND	0.010	-	-	-
p,p-DDE	ND	0.010	-	-	-
p,p-DDT	ND	0.010	-	-	-
Dieldrin	ND	0.010	-	-	-
Endosulfan I	ND	0.020	-	-	-
Endosulfan II	ND	0.010	-	-	-
Endosulfan sulfate	ND	0.050	-	-	-
Endrin	ND	0.010	-	-	-
Endrin aldehyde	ND	0.050	-	-	-
Endrin ketone	ND	0.050	-	-	-
Heptachlor	ND	0.010	-	-	-
Heptachlor epoxide	ND	0.010	-	-	-
Hexachlorobenzene	ND	0.50	-	-	-
Hexachlorocyclopentadiene	ND	1.0	-	-	-
Methoxychlor	ND	0.10	-	-	-
Toxaphene	ND	0.50	-	-	-
Aroclor1016	ND	0.50	-	-	-
Aroclor1221	ND	0.50	-	-	-
Aroclor1232	ND	0.50	-	-	-
Aroclor1242	ND	0.50	-	-	-
Aroclor1248	ND	0.50	-	-	-
Aroclor1254	ND	0.50	-	-	-
Aroclor1260	ND	0.50	-	-	-
PCBs, total	ND	0.50	-	-	-
Surrogate Recovery					
Decachlorobiphenyl	1.07		1.25	86	70-130

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/1/18	**BatchID:**	159246
Date Analyzed:	6/5/18	**Extraction Method:**	SW3510C
Instrument:	GC20	**Analytical Method:**	SW8081A/8082
Matrix:	Water	**Unit:**	µg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS/LCSD-159246

QC Summary Report for SW8081A/8082

Analyte	LCS Result	LCSD Result	SPK Val	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Limit
Aldrin	1.18	1.12	1.25	94	90	70-130	5.08	20
a-BHC	1.39	1.45	1.25	111	116	70-130	4.08	20
b-BHC	1.14	1.06	1.25	91	85	70-130	6.60	20
d-BHC	1.42	1.32	1.25	114	105	70-130	7.85	20
g-BHC	1.50	1.49	1.25	120	119	70-130	0.628	20
a-Chlordane	1.19	1.11	1.25	95	89	70-130	6.65	20
g-Chlordane	1.27	1.18	1.25	101	94	70-130	7.47	20
p,p-DDD	1.17	1.18	1.25	94	95	70-130	1.11	20
p,p-DDE	1.33	1.27	1.25	106	102	70-130	4.18	20
p,p-DDT	1.59	1.56	1.25	127	125	70-130	1.78	20
Dieldrin	1.54	1.53	1.25	123	122	70-130	0.583	20
Endosulfan I	1.44	1.41	1.25	115	113	70-130	1.96	20
Endosulfan II	1.23	1.15	1.25	99	92	70-130	6.93	20
Endosulfan sulfate	1.37	1.28	1.25	110	102	70-130	7.47	20
Endrin	1.56	1.60	1.25	125	128	70-130	2.72	20
Endrin aldehyde	0.871	0.837	1.25	70	67, F2	70-130	3.99	20
Endrin ketone	1.31	1.20	1.25	105	96	70-130	8.24	20
Heptachlor	1.71	1.71	1.25	137, F2	137, F2	70-130	0	20
Heptachlor epoxide	1.15	1.06	1.25	92	85	70-130	7.71	20
Hexachlorobenzene	1.16	1.11	1.25	93	89	70-130	3.86	20
Hexachlorocyclopentadiene	1.11	1.13	1.25	89	90	70-130	1.64	20
Methoxychlor	1.53	1.49	1.25	123	120	70-130	2.57	20
Aroclor1016	4.21	4.26	3.75	112	114	70-130	1.20	20
Aroclor1260	4.32	4.81	3.75	115	128	70-130	10.6	20
Surrogate Recovery								
Decachlorobiphenyl	1.06	1.01	1.25	85	81	70-130	4.27	20

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/7/18	**BatchID:**	159521
Date Analyzed:	6/7/18	**Extraction Method:**	SW5030B
Instrument:	GC18	**Analytical Method:**	SW8260B
Matrix:	Water	**Unit:**	µg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159521 1806258-001AMS/MSD

QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Acetone	ND	175	10	200	-	87	47-122
tert-Amyl methyl ether (TAME)	ND	8.75	0.50	10	-	87	62-121
Benzene	ND	8.80	0.50	10	-	88	74-121
Bromobenzene	ND	8.40	0.50	10	-	84	63-127
Bromochloromethane	ND	9.04	0.50	10	-	90	70-126
Bromodichloromethane	ND	9.40	0.50	10	-	94	66-127
Bromoform	ND	8.33	0.50	10	-	83	60-119
Bromomethane	ND	11.0	0.50	10	-	110	32-155
2-Butanone (MEK)	ND	35.7	2.0	40	-	89	51-117
t-Butyl alcohol (TBA)	ND	41.2	2.0	40	-	103	41-122
n-Butyl benzene	ND	10.5	0.50	10	-	105	73-137
sec-Butyl benzene	ND	9.78	0.50	10	-	98	71-137
tert-Butyl benzene	ND	8.95	0.50	10	-	90	61-136
Carbon Disulfide	ND	9.29	0.50	10	-	93	61-139
Carbon Tetrachloride	ND	9.09	0.50	10	-	91	69-137
Chlorobenzene	ND	9.10	0.50	10	-	91	71-122
Chloroethane	ND	10.3	0.50	10	-	103	54-132
Chloroform	ND	8.57	0.50	10	-	86	73-122
Chloromethane	ND	8.61	0.50	10	-	86	48-136
2-Chlorotoluene	ND	9.38	0.50	10	-	94	65-134
4-Chlorotoluene	ND	9.05	0.50	10	-	90	65-130
Dibromochloromethane	ND	9.07	0.50	10	-	91	65-121
1,2-Dibromo-3-chloropropane	ND	3.14	0.20	4	-	78	41-132
1,2-Dibromoethane (EDB)	ND	8.75	0.50	10	-	88	67-125
Dibromomethane	ND	9.07	0.50	10	-	91	68-121
1,2-Dichlorobenzene	ND	9.00	0.50	10	-	90	69-128
1,3-Dichlorobenzene	ND	9.81	0.50	10	-	98	71-131
1,4-Dichlorobenzene	ND	9.81	0.50	10	-	98	70-128
Dichlorodifluoromethane	ND	6.25	0.50	10	-	62	21-158
1,1-Dichloroethane	ND	8.69	0.50	10	-	87	73-123
1,2-Dichloroethane (1,2-DCA)	ND	8.89	0.50	10	-	89	61-127
1,1-Dichloroethene	ND	9.95	0.50	10	-	100	68-130
cis-1,2-Dichloroethene	ND	8.94	0.50	10	-	89	72-123
trans-1,2-Dichloroethene	ND	9.10	0.50	10	-	91	64-138
1,2-Dichloropropane	ND	9.12	0.50	10	-	91	71-121
1,3-Dichloropropane	ND	8.72	0.50	10	-	87	69-120
2,2-Dichloropropane	ND	8.93	0.50	10	-	89	64-142

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/7/18	**BatchID:**	159521
Date Analyzed:	6/7/18	**Extraction Method:**	SW5030B
Instrument:	GC18	**Analytical Method:**	SW8260B
Matrix:	Water	**Unit:**	µg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159521 1806258-001AMS/MSD

QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
1,1-Dichloropropene	ND	9.00	0.50	10	-	90	70-130
cis-1,3-Dichloropropene	ND	9.14	0.50	10	-	91	58-136
trans-1,3-Dichloropropene	ND	9.50	0.50	10	-	95	66-119
Diisopropyl ether (DIPE)	ND	9.01	0.50	10	-	90	66-123
Ethylbenzene	ND	9.28	0.50	10	-	93	71-125
Ethyl tert-butyl ether (ETBE)	ND	8.92	0.50	10	-	89	67-122
Freon 113	ND	7.82	0.50	10	-	78	68-132
Hexachlorobutadiene	ND	9.35	0.50	10	-	94	56-155
Hexachloroethane	ND	9.15	0.50	10	-	91	61-129
2-Hexanone	ND	8.20	0.50	10	-	82	51-115
Isopropylbenzene	ND	9.16	0.50	10	-	92	66-134
4-Isopropyl toluene	ND	9.88	0.50	10	-	99	70-136
Methyl-t-butyl ether (MTBE)	ND	9.21	0.50	10	-	92	64-118
Methylene chloride	ND	8.55	0.50	10	-	85	62-121
4-Methyl-2-pentanone (MIBK)	ND	7.86	0.50	10	-	79	51-115
Naphthalene	ND	8.53	0.50	10	-	85	55-137
n-Propyl benzene	ND	9.63	0.50	10	-	96	63-140
Styrene	ND	9.06	0.50	10	-	91	62-133
1,1,1,2-Tetrachloroethane	ND	8.91	0.50	10	-	89	69-128
1,1,2,2-Tetrachloroethane	ND	7.96	0.50	10	-	80	60-118
Tetrachloroethene	ND	8.09	0.50	10	-	81	63-136
Toluene	ND	8.92	0.50	10	-	89	67-124
1,2,3-Trichlorobenzene	ND	8.92	0.50	10	-	89	57-145
1,2,4-Trichlorobenzene	ND	9.41	0.50	10	-	94	60-144
1,1,1-Trichloroethane	ND	9.26	0.50	10	-	93	70-133
1,1,2-Trichloroethane	ND	8.83	0.50	10	-	88	65-125
Trichloroethene	ND	8.84	0.50	10	-	88	67-133
Trichlorofluoromethane	ND	8.11	0.50	10	-	81	59-145
1,2,3-Trichloropropane	ND	8.46	0.50	10	-	85	65-115
1,2,4-Trimethylbenzene	ND	9.61	0.50	10	-	96	67-136
1,3,5-Trimethylbenzene	ND	9.67	0.50	10	-	97	68-135
Vinyl Chloride	ND	9.11	0.50	10	-	91	53-146
Xylenes, Total	ND	27.5	0.50	30	-	92	68-128

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/7/18	**BatchID:**	159521
Date Analyzed:	6/7/18	**Extraction Method:**	SW5030B
Instrument:	GC18	**Analytical Method:**	SW8260B
Matrix:	Water	**Unit:**	µg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159521 1806258-001AMS/MSD

QC Summary Report for SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Surrogate Recovery							
Dibromofluoromethane	28.6	27.2		25	114	109	91-133
Toluene-d8	28.2	28.6		25	113	114	87-127
4-BFB	2.26	2.47		2.5	90	99	66-140

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/7/18	**BatchID:**	159521
Date Analyzed:	6/7/18	**Extraction Method:**	SW5030B
Instrument:	GC18	**Analytical Method:**	SW8260B
Matrix:	Water	**Unit:**	µg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159521 1806258-001AMS/MSD

QC Summary Report for SW8260B

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Acetone	199	202	200	ND	99	101	56-141	1.75	20
tert-Amyl methyl ether (TAME)	10.3	10.7	10	ND	103	107	78-120	3.64	20
Benzene	9.74	9.97	10	ND	97	100	81-118	2.30	20
Bromobenzene	8.53	8.80	10	ND	85	88	71-119	3.19	20
Bromochloromethane	10.6	11.1	10	ND	106	111	80-124	4.41	20
Bromodichloromethane	11.0	11.2	10	ND	110	112	78-124	2.09	20
Bromoform	9.13	9.25	10	ND	91	92	65-127	1.28	20
Bromomethane	11.7	11.8	10	ND	117	118	22-175	0.563	20
2-Butanone (MEK)	41.4	42.8	40	ND	103	107	50-152	3.50	20
t-Butyl alcohol (TBA)	46.7	48.2	40	ND	113	117	49-141	3.03	20
n-Butyl benzene	10.1	10.4	10	ND	101	104	77-127	2.80	20
sec-Butyl benzene	9.54	9.73	10	ND	95	97	74-123	1.89	20
tert-Butyl benzene	8.79	9.13	10	ND	88	91	68-122	3.72	20
Carbon Disulfide	10.3	10.8	10	ND	103	108	74-123	5.19	20
Carbon Tetrachloride	9.98	10.3	10	ND	100	103	78-124	3.57	20
Chlorobenzene	9.36	9.62	10	ND	94	96	79-116	2.65	20
Chloroethane	11.2	11.1	10	ND	112	111	56-134	1.09	20
Chloroform	9.77	10.0	10	ND	98	100	82-119	2.77	20
Chloromethane	8.75	8.72	10	ND	87	87	39-147	0	20
2-Chlorotoluene	9.22	9.60	10	ND	92	96	69-124	4.06	20
4-Chlorotoluene	8.81	9.21	10	ND	88	92	71-121	4.46	20
Dibromochloromethane	9.85	10.2	10	ND	98	102	76-119	3.70	20
1,2-Dibromo-3-chloropropane	3.37	3.52	4	ND	84	88	48-138	4.41	20
1,2-Dibromoethane (EDB)	9.43	9.75	10	ND	94	97	81-122	3.26	20
Dibromomethane	10.7	10.8	10	ND	107	108	83-121	0.226	20
1,2-Dichlorobenzene	9.22	9.54	10	ND	92	95	77-122	3.41	20
1,3-Dichlorobenzene	9.88	10.2	10	ND	99	102	76-125	2.91	20
1,4-Dichlorobenzene	9.88	10.2	10	ND	99	102	78-120	2.91	20
Dichlorodifluoromethane	6.51	6.49	10	ND	65	65	38-135	0	20
1,1-Dichloroethane	9.87	10.1	10	ND	99	101	80-120	2.58	20
1,2-Dichloroethane (1,2-DCA)	10.4	10.6	10	ND	104	106	78-122	1.80	20
1,1-Dichloroethene	10.8	11.3	10	ND	108	113	77-120	4.39	20
cis-1,2-Dichloroethene	10.0	10.5	10	ND	100	105	79-123	4.82	20
trans-1,2-Dichloroethene	10.0	10.5	10	ND	100	105	77-125	4.46	20
1,2-Dichloropropane	10.6	10.8	10	ND	106	108	80-121	2.01	20
1,3-Dichloropropane	9.54	9.89	10	ND	95	99	80-120	3.51	20
2,2-Dichloropropane	9.67	9.96	10	ND	97	100	70-132	2.98	20

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/7/18	**BatchID:**	159521
Date Analyzed:	6/7/18	**Extraction Method:**	SW5030B
Instrument:	GC18	**Analytical Method:**	SW8260B
Matrix:	Water	**Unit:**	µg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159521 1806258-001AMS/MSD

QC Summary Report for SW8260B

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
1,1-Dichloropropene	9.88	10.1	10	ND	99	101	78-122	2.57	20
cis-1,3-Dichloropropene	9.94	10.4	10	ND	99	104	73-121	4.61	20
trans-1,3-Dichloropropene	10.3	10.8	10	ND	103	107	77-116	4.52	20
Diisopropyl ether (DIPE)	10.7	11.0	10	ND	107	110	77-125	2.32	20
Ethylbenzene	9.29	9.55	10	ND	93	96	77-119	2.74	20
Ethyl tert-butyl ether (ETBE)	10.6	11.0	10	ND	106	110	81-122	3.69	20
Freon 113	8.60	8.94	10	ND	86	89	77-120	3.83	20
Hexachlorobutadiene	9.44	9.74	10	ND	94	97	57-141	3.08	20
Hexachloroethane	9.25	9.52	10	ND	92	95	26-168	2.93	20
2-Hexanone	9.36	9.39	10	ND	94	94	58-135	0	20
Isopropylbenzene	8.86	9.19	10	ND	89	92	74-120	3.58	20
4-Isopropyl toluene	9.58	9.93	10	ND	96	99	75-124	3.57	20
Methyl-t-butyl ether (MTBE)	10.9	11.4	10	ND	109	115	74-128	5.20	20
Methylene chloride	9.44	10.0	10	ND	94	100	55-130	6.07	20
4-Methyl-2-pentanone (MIBK)	8.72	9.00	10	ND	87	90	59-131	3.16	20
Naphthalene	8.90	9.26	10	ND	89	93	65-136	3.98	20
n-Propyl benzene	9.33	9.65	10	ND	93	96	67-128	3.35	20
Styrene	9.10	9.11	10	ND	91	91	64-133	0	20
1,1,1,2-Tetrachloroethane	9.40	9.75	10	ND	94	98	78-122	3.75	20
1,1,2,2-Tetrachloroethane	8.53	8.83	10	ND	85	88	72-123	3.47	20
Tetrachloroethene	8.02	8.26	10	ND	80	83	72-123	3.01	20
Toluene	9.09	9.39	10	ND	91	94	74-117	3.21	20
1,2,3-Trichlorobenzene	9.49	9.86	10	ND	95	99	61-141	3.77	20
1,2,4-Trichlorobenzene	9.65	9.98	10	ND	96	100	69-136	3.43	20
1,1,1-Trichloroethane	10.1	10.5	10	ND	101	105	78-122	3.92	20
1,1,2-Trichloroethane	9.59	9.97	10	ND	96	100	79-120	3.86	20
Trichloroethene	9.57	9.86	10	ND	96	99	76-122	3.00	20
Trichlorofluoromethane	8.65	9.24	10	ND	87	92	72-125	6.58	20
1,2,3-Trichloropropane	8.85	9.20	10	ND	89	92	72-123	3.86	20
1,2,4-Trimethylbenzene	9.48	9.77	10	ND	95	98	74-123	2.93	20
1,3,5-Trimethylbenzene	9.38	9.69	10	ND	94	97	73-123	3.31	20
Vinyl Chloride	9.85	9.73	10	ND	98	97	57-134	1.16	20
Xylenes, Total	28.1	28.5	30	ND	94	95	76-119	1.64	20

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/7/18	**BatchID:**	159521
Date Analyzed:	6/7/18	**Extraction Method:**	SW5030B
Instrument:	GC18	**Analytical Method:**	SW8260B
Matrix:	Water	**Unit:**	µg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159521 1806258-001AMS/MSD

QC Summary Report for SW8260B

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Surrogate Recovery									
Dibromofluoromethane	29.8	30.2	25		119	121	78-134	1.37	20
Toluene-d8	27.3	27.4	25		109	110	82-120	0.481	20
4-BFB	2.40	2.45	2.5		96	98	69-131	2.09	20

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/1/18	**BatchID:**	159206
Date Analyzed:	6/1/18	**Extraction Method:**	E625
Instrument:	GC17	**Analytical Method:**	SW8270C
Matrix:	Water	**Unit:**	µg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS/LCSD-159206

QC Summary Report for SW8270C

Analyte	MB Result	RL	SPK Val	MB SS %REC	MB SS Limits
Benzoic Acid	ND	10	-	-	-
Acenaphthene	ND	2.0	-	-	-
Acenaphthylene	ND	2.0	-	-	-
Acetochlor	ND	2.0	-	-	-
Anthracene	ND	2.0	-	-	-
Benzidine	ND	10	-	-	-
Benzo (a) anthracene	ND	2.0	-	-	-
Benzo (a) pyrene	ND	2.0	-	-	-
Benzo (b) fluoranthene	ND	2.0	-	-	-
Benzo (g,h,i) perylene	ND	2.0	-	-	-
Benzo (k) fluoranthene	ND	2.0	-	-	-
Benzyl Alcohol	ND	10	-	-	-
1,1-Biphenyl	ND	2.0	-	-	-
Bis (2-chloroethoxy) Methane	ND	2.0	-	-	-
Bis (2-chloroethyl) Ether	ND	2.0	-	-	-
Bis (2-chloroisopropyl) Ether	ND	2.0	-	-	-
Bis (2-ethylhexyl) Adipate	ND	2.0	-	-	-
Bis (2-ethylhexyl) Phthalate	ND	4.0	-	-	-
4-Bromophenyl Phenyl Ether	ND	10	-	-	-
Butylbenzyl Phthalate	ND	2.0	-	-	-
4-Chloroaniline	ND	4.0	-	-	-
4-Chloro-3-methylphenol	ND	10	-	-	-
2-Chloronaphthalene	ND	2.0	-	-	-
2-Chlorophenol	ND	2.0	-	-	-
4-Chlorophenyl Phenyl Ether	ND	2.0	-	-	-
Chrysene	ND	2.0	-	-	-
Dibenzo (a,h) anthracene	ND	2.0	-	-	-
Dibenzofuran	ND	2.0	-	-	-
Di-n-butyl Phthalate	ND	2.0	-	-	-
1,2-Dichlorobenzene	ND	2.0	-	-	-
1,3-Dichlorobenzene	ND	2.0	-	-	-
1,4-Dichlorobenzene	ND	2.0	-	-	-
3,3-Dichlorobenzidine	ND	4.0	-	-	-
2,4-Dichlorophenol	ND	2.0	-	-	-
2,6-Dichlorophenol	ND	2.0	-	-	-
Diethyl Phthalate	ND	2.0	-	-	-
2,4-Dimethylphenol	ND	2.0	-	-	-
Dimethyl Phthalate	ND	2.0	-	-	-
4,6-Dinitro-2-methylphenol	ND	10	-	-	-

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/1/18	**BatchID:**	159206
Date Analyzed:	6/1/18	**Extraction Method:**	E625
Instrument:	GC17	**Analytical Method:**	SW8270C
Matrix:	Water	**Unit:**	µg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS/LCSD-159206

QC Summary Report for SW8270C

Analyte	MB Result	RL	SPK Val	MB SS %REC	MB SS Limits
2,4-Dinitrophenol	ND	25	-	-	-
2,4-Dinitrotoluene	ND	2.0	-	-	-
2,6-Dinitrotoluene	ND	2.0	-	-	-
Di-n-octyl Phthalate	ND	2.0	-	-	-
1,2-Diphenylhydrazine	ND	2.0	-	-	-
Fluoranthene	ND	2.0	-	-	-
Fluorene	ND	2.0	-	-	-
Hexachlorobenzene	ND	2.0	-	-	-
Hexachlorobutadiene	ND	2.0	-	-	-
Hexachlorocyclopentadiene	ND	10	-	-	-
Hexachloroethane	ND	2.0	-	-	-
Indeno (1,2,3-cd) pyrene	ND	2.0	-	-	-
Isophorone	ND	2.0	-	-	-
2-Methylnaphthalene	ND	2.0	-	-	-
2-Methylphenol (o-Cresol)	ND	2.0	-	-	-
3 & 4-Methylphenol (m,p-Cresol)	ND	2.0	-	-	-
Naphthalene	ND	2.0	-	-	-
2-Nitroaniline	ND	10	-	-	-
3-Nitroaniline	ND	10	-	-	-
4-Nitroaniline	ND	10	-	-	-
Nitrobenzene	ND	2.0	-	-	-
2-Nitrophenol	ND	10	-	-	-
4-Nitrophenol	ND	10	-	-	-
N-Nitrosodiphenylamine	ND	2.0	-	-	-
N-Nitrosodi-n-propylamine	ND	2.0	-	-	-
Pentachlorophenol	ND	10	-	-	-
Phenanthrene	ND	2.0	-	-	-
Phenol	ND	2.0	-	-	-
Pyrene	ND	2.0	-	-	-
Pyridine	ND	2.0	-	-	-
1,2,4-Trichlorobenzene	ND	2.0	-	-	-
2,4,5-Trichlorophenol	ND	2.0	-	-	-
2,4,6-Trichlorophenol	ND	2.0	-	-	-

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/1/18	**BatchID:**	159206
Date Analyzed:	6/1/18	**Extraction Method:**	E625
Instrument:	GC17	**Analytical Method:**	SW8270C
Matrix:	Water	**Unit:**	µg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS/LCSD-159206

QC Summary Report for SW8270C

Analyte	MB Result	RL	SPK Val	MB SS %REC	MB SS Limits
Surrogate Recovery					
2-Fluorophenol	18.8		20	94	8-130
Phenol-d5	19.6		20	98	5-130
Nitrobenzene-d5	18.4		20	92	20-140
2-Fluorobiphenyl	16.6		20	83	40-140
2,4,6-Tribromophenol	21.6		20	108	16-180
4-Terphenyl-d14	19.2		20	96	40-170

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/1/18	**BatchID:**	159206
Date Analyzed:	6/1/18	**Extraction Method:**	E625
Instrument:	GC17	**Analytical Method:**	SW8270C
Matrix:	Water	**Unit:**	µg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS/LCSD-159206

QC Summary Report for SW8270C

Analyte	LCS Result	LCSD Result	SPK Val	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Limit
Benzoic Acid	48.2	52.2	50	96	104	50-150	7.99	25
Acenaphthene	8.89	9.23	10	89	92	63-119	3.71	25
Acenaphthylene	10.1	10.4	10	101	104	57-125	3.34	25
Acetochlor	8.92	9.18	10	89	92	30-130	2.95	25
Anthracene	10.9	10.6	10	109	106	67-130	2.49	25
Benzidine	40.2	42.1	50	80	84	43-106	4.67	25
Benzo (a) anthracene	9.52	9.11	10	95	91	64-109	4.47	25
Benzo (a) pyrene	11.0	10.3	10	110	103	74-130	6.95	25
Benzo (b) fluoranthene	11.1	10.4	10	111	104	70-128	6.62	25
Benzo (g,h,i) perylene	10.5	10.3	10	105	103	69-128	2.11	25
Benzo (k) fluoranthene	10.8	9.73	10	108	97	66-130	10.1	25
Benzyl Alcohol	47.3	46.4	50	95	93	53-117	1.96	25
1,1-Biphenyl	8.52	9.29	10	85	93	78-107	8.67	25
Bis (2-chloroethoxy) Methane	9.06	8.92	10	91	89	60-118	1.47	25
Bis (2-chloroethyl) Ether	8.25	8.43	10	82	84	47-116	2.17	25
Bis (2-chloroisopropyl) Ether	7.78	7.81	10	78	78	44-116	0	25
Bis (2-ethylhexyl) Adipate	10.1	9.06	10	101	91	55-122	11.0	25
Bis (2-ethylhexyl) Phthalate	10.1	9.28	10	101	93	64-131	8.30	25
4-Bromophenyl Phenyl Ether	9.51	9.84	10	95	98	68-129	3.47	25
Butylbenzyl Phthalate	10.0	9.22	10	100	92	66-131	8.10	25
4-Chloroaniline	11.0	11.1	10	110	111	63-120	0.891	25
4-Chloro-3-methylphenol	10.8	10.3	10	108	103	69-127	4.41	25
2-Chloronaphthalene	8.67	9.35	10	87	93	61-120	7.57	25
2-Chlorophenol	10.0	10.4	10	100	104	49-119	3.18	25
4-Chlorophenyl Phenyl Ether	9.84	9.81	10	98	98	65-124	0	25
Chrysene	10.1	9.56	10	101	96	67-121	5.95	25
Dibenzo (a,h) anthracene	9.77	9.51	10	98	95	74-126	2.78	25
Dibenzofuran	9.07	9.23	10	91	92	64-122	1.79	25
Di-n-butyl Phthalate	10.2	9.61	10	102	96	64-139	6.07	25
1,2-Dichlorobenzene	8.27	8.53	10	83	85	44-115	3.06	25
1,3-Dichlorobenzene	7.94	8.54	10	79	85	42-114	7.28	25
1,4-Dichlorobenzene	7.80	8.48	10	78	85	43-114	8.35	25
3,3-Dichlorobenzidine	10.3	10.3	10	103	103	10-154	0	25
2,4-Dichlorophenol	9.61	10.0	10	96	100	65-123	4.29	25
2,6-Dichlorophenol	9.06	9.98	10	91	100	70-130	9.75	25
Diethyl Phthalate	11.0	10.8	10	110	107	62-127	2.65	25
2,4-Dimethylphenol	9.52	9.61	10	95	96	60-119	0.917	25
Dimethyl Phthalate	10.1	10.1	10	101	101	63-125	0	25
4,6-Dinitro-2-methylphenol	47.1	50.2	50	94	100	59-123	6.30	25

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/1/18	**BatchID:**	159206
Date Analyzed:	6/1/18	**Extraction Method:**	E625
Instrument:	GC17	**Analytical Method:**	SW8270C
Matrix:	Water	**Unit:**	µg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS/LCSD-159206

QC Summary Report for SW8270C

Analyte	LCS Result	LCSD Result	SPK Val	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Limit
2,4-Dinitrophenol	47.5	51.3	50	95	103	43-127	7.71	25
2,4-Dinitrotoluene	10.5	10.3	10	105	103	68-125	2.31	25
2,6-Dinitrotoluene	10.3	10.3	10	103	103	66-126	0	25
Di-n-octyl Phthalate	11.0	9.54	10	110	95	58-141	14.6	25
1,2-Diphenylhydrazine	8.90	9.15	10	89	91	66-128	2.78	25
Fluoranthene	11.7	10.9	10	117	109	68-134	6.93	25
Fluorene	10.1	10.2	10	101	102	63-121	0.685	25
Hexachlorobenzene	8.44	8.35	10	84	83	68-127	1.11	25
Hexachlorobutadiene	8.05	8.83	10	81	88	48-122	9.26	25
Hexachlorocyclopentadiene	33.7	38.0	50	67	76	36-109	12.2	25
Hexachloroethane	7.66	8.20	10	77	82	43-116	6.79	25
Indeno (1,2,3-cd) pyrene	9.74	9.46	10	97	95	73-128	2.96	25
Isophorone	9.78	9.89	10	98	99	64-121	1.16	25
2-Methylnaphthalene	9.72	10.2	10	97	102	58-122	4.45	25
2-Methylphenol (o-Cresol)	9.79	9.61	10	98	96	55-121	1.90	25
3 & 4-Methylphenol (m,p-Cresol)	10.2	9.83	10	101	98	58-121	3.23	25
Naphthalene	8.35	8.96	10	84	90	53-120	7.02	25
2-Nitroaniline	45.0	46.3	50	90	93	65-124	2.81	25
3-Nitroaniline	45.6	46.9	50	91	94	67-125	2.79	25
4-Nitroaniline	47.9	48.5	50	96	97	65-124	1.27	25
Nitrobenzene	8.98	9.65	10	90	96	54-125	7.20	25
2-Nitrophenol	45.2	49.2	50	90	98	56-132	8.46	25
4-Nitrophenol	48.2	46.6	50	96	93	60-126	3.39	25
N-Nitrosodiphenylamine	9.19	9.68	10	92	97	67-132	5.20	25
N-Nitrosodi-n-propylamine	9.76	9.37	10	98	94	61-120	4.12	25
Pentachlorophenol	23.3	23.4	20	116	117	50-146	0.693	25
Phenanthrene	9.21	9.24	10	92	92	67-127	0	25
Phenol	10.2	9.78	10	102	98	52-119	3.84	25
Pyrene	10.2	9.80	10	102	98	67-132	3.99	25
Pyridine	8.62	7.02	10	86	70	40-160	20.5	25
1,2,4-Trichlorobenzene	8.65	9.41	10	87	94	50-121	8.41	25
2,4,5-Trichlorophenol	9.82	10.2	10	98	102	62-124	3.60	25
2,4,6-Trichlorophenol	9.29	9.72	10	93	97	61-125	4.47	25

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/1/18	**BatchID:**	159206
Date Analyzed:	6/1/18	**Extraction Method:**	E625
Instrument:	GC17	**Analytical Method:**	SW8270C
Matrix:	Water	**Unit:**	µg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS/LCSD-159206

QC Summary Report for SW8270C

Analyte	LCS Result	LCSD Result	SPK Val	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Limit
Surrogate Recovery								
2-Fluorophenol	18.9	19.2	20	94	96	29-140	1.77	25
Phenol-d5	20.4	19.8	20	102	99	38-148	2.99	25
Nitrobenzene-d5	21.2	22.2	20	106	111	31-152	4.92	25
2-Fluorobiphenyl	19.3	19.7	20	97	98	40-140	1.68	25
2,4,6-Tribromophenol	21.9	21.9	20	110	109	39-150	0.136	25
4-Terphenyl-d14	21.8	21.1	20	109	105	38-147	3.32	25

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/1/18	**BatchID:**	159228
Date Analyzed:	6/5/18 - 6/6/18	**Extraction Method:**	E200.8
Instrument:	ICP-MS2, ICP-MS3	**Analytical Method:**	E200.8
Matrix:	Water	**Unit:**	µg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159228 1806034-001CMS/MSD

QC Summary Report for Dissolved Metals

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Antimony	ND	50.5	0.50	50	-	101	85-115
Arsenic	ND	48.1	0.50	50	-	96	85-115
Barium	ND	471	5.0	500	-	94	85-115
Beryllium	ND	47.5	0.50	50	-	95	85-115
Cadmium	ND	48.7	0.25	50	-	97	85-115
Chromium	ND	49.1	0.50	50	-	98	85-115
Cobalt	ND	49.2	0.50	50	-	98	85-115
Copper	ND	48.1	2.0	50	-	96	85-115
Lead	ND	48.6	0.50	50	-	97	85-115
Mercury	ND	1.22	0.050	1.25	-	98	85-115
Molybdenum	ND	48.8	0.50	50	-	98	85-115
Nickel	ND	49.4	0.50	50	-	99	85-115
Selenium	ND	50.9	0.50	50	-	102	85-115
Silver	ND	49.1	0.19	50	-	98	85-115
Thallium	ND	46.1	0.50	50	-	92	85-115
Vanadium	ND	48.9	0.50	50	-	98	85-115
Zinc	ND	503	15	500	-	101	85-115

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/1/18	**BatchID:**	159228
Date Analyzed:	6/5/18 - 6/6/18	**Extraction Method:**	E200.8
Instrument:	ICP-MS2, ICP-MS3	**Analytical Method:**	E200.8
Matrix:	Water	**Unit:**	µg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159228 1806034-001CMS/MSD

QC Summary Report for Dissolved Metals

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Antimony	52.2	52.4	50	ND	104	105	70-130	0.421	20
Arsenic	53.1	53.1	50	ND	101	101	70-130	0	20
Barium	627	693	500	150	96	109	70-130	9.91	20
Beryllium	48.2	48.5	50	ND	96	97	70-130	0.600	20
Cadmium	50.4	51.5	50	ND	101	103	70-130	2.26	20
Chromium	47.2	51.4	50	ND	94	103	70-130	8.50	20
Cobalt	81.4	88.6	50	35	92	107	70-130	8.43	20
Copper	48.1	52.8	50	ND	94	103	70-130	9.40	20
Lead	50.8	52.8	50	ND	102	106	70-130	3.82	20
Mercury	1.19	1.59	1.25	ND	95	127	70-130	28.7,F1	20
Molybdenum	50.6	56.2	50	ND	101	112	70-130	10.5	20
Nickel	104	111	50	55	98	110	70-130	5.96	20
Selenium	51.9	54.5	50	ND	104	109	70-130	4.85	20
Silver	48.8	49.6	50	ND	98	99	70-130	1.52	20
Thallium	49.2	49.7	50	ND	98	99	70-130	1.05	20
Vanadium	48.2	52.9	50	ND	96	106	70-130	9.24	20
Zinc	493	501	500	ND	99	100	70-130	1.61	20

Analyte	DLT Result	DLTRef Val	%D	%D Limit
Antimony	ND<500	ND	-	-
Arsenic	ND<500	ND	-	-
Barium	ND<5000	150	-	-
Beryllium	ND<500	ND	-	-
Cadmium	ND<250	ND	-	-
Chromium	ND<500	ND	-	-
Cobalt	ND<500	35	-	-
Copper	ND<2000	ND	-	-
Lead	ND<500	ND	-	-
Mercury	ND<50	ND	-	-
Molybdenum	ND<500	ND	-	-
Nickel	ND<500	55	-	-
Selenium	ND<500	ND	-	-

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/1/18	**BatchID:**	159228
Date Analyzed:	6/5/18 - 6/6/18	**Extraction Method:**	E200.8
Instrument:	ICP-MS2, ICP-MS3	**Analytical Method:**	E200.8
Matrix:	Water	**Unit:**	µg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159228 1806034-001CMS/MSD

QC Summary Report for Dissolved Metals

Analyte	DLT Result	DLTRef Val	%D	%D Limit
Silver	ND<190	ND	-	-
Thallium	ND<500	ND	-	-
Vanadium	ND<500	ND	-	-
Zinc	ND<15,000	ND	-	-

%D Control Limit applied to analytes with concentrations greater than 25 times the reporting limits.

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/1/18	**BatchID:**	159249
Date Analyzed:	6/1/18 - 6/4/18	**Extraction Method:**	E200.8
Instrument:	ICP-MS1, ICP-MS3	**Analytical Method:**	E200.8
Matrix:	Water	**Unit:**	µg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159249 1806001-003AMS/MSD

QC Summary Report for Metals

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Antimony	ND	54.1	0.50	50	-	108	85-115
Arsenic	ND	48.5	0.50	50	-	97	85-115
Barium	ND	496	5.0	500	-	99	85-115
Beryllium	ND	49.8	0.50	50	-	100	85-115
Cadmium	ND	50.4	0.25	50	-	101	85-115
Chromium	ND	51.6	0.50	50	-	103	85-115
Cobalt	ND	50.0	0.50	50	-	100	85-115
Copper	ND	50.0	2.0	50	-	100	85-115
Lead	ND	50.5	0.50	50	-	101	85-115
Mercury	ND	1.20	0.050	1.25	-	96	85-115
Molybdenum	ND	51.0	0.50	50	-	102	85-115
Nickel	ND	52.3	0.50	50	-	105	85-115
Selenium	ND	49.8	0.50	50	-	100	85-115
Silver	ND	51.0	0.19	50	-	102	85-115
Thallium	ND	47.7	0.50	50	-	95	85-115
Vanadium	ND	49.8	0.50	50	-	100	85-115
Zinc	ND	499	15	500	-	100	85-115
Surrogate Recovery							
Terbium	785	759		750	105	101	70-130

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/1/18	**BatchID:**	159249
Date Analyzed:	6/1/18 - 6/4/18	**Extraction Method:**	E200.8
Instrument:	ICP-MS1, ICP-MS3	**Analytical Method:**	E200.8
Matrix:	Water	**Unit:**	µg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159249 1806001-003AMS/MSD

QC Summary Report for Metals

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Antimony	56.7	55.4	50	ND	113	111	75-125	2.34	20
Arsenic	54.3	53.8	50	2.566	104	102	75-125	1.02	20
Barium	524	519	500	13	102	101	75-125	1.02	20
Beryllium	50.0	48.6	50	ND	100	97	75-125	2.78	20
Cadmium	52.1	51.2	50	ND	104	102	75-125	1.66	20
Chromium	52.8	51.4	50	ND	106	103	75-125	2.84	20
Cobalt	50.0	48.9	50	ND	100	97	75-125	2.19	20
Copper	51.0	49.6	50	ND	101	98	75-125	2.78	20
Lead	52.7	51.0	50	ND	105	102	75-125	3.18	20
Mercury	1.31	1.29	1.25	ND	105	104	75-125	1.53	20
Molybdenum	53.6	52.2	50	ND	106	103	75-125	2.63	20
Nickel	52.3	49.9	50	0.87	103	98	75-125	4.68	20
Selenium	53.0	51.7	50	ND	106	103	75-125	2.45	20
Silver	52.0	50.9	50	ND	104	102	75-125	2.10	20
Thallium	50.6	48.7	50	ND	101	97	75-125	3.81	20
Vanadium	53.0	51.0	50	ND	106	102	75-125	4.00	20
Zinc	509	493	500	ND	101	97	75-125	3.18	20
Surrogate Recovery									
Terbium	792	780	750		106	104	70-130	1.58	20

Analyte	DLT Result	DLTRef Val	%D	%D Limit
Antimony	ND<2.5	ND	-	-
Arsenic	ND<2.5	2.566	-	-
Barium	ND<25	13	-	-
Beryllium	ND<2.5	ND	-	-
Cadmium	ND<1.2	ND	-	-
Chromium	ND<2.5	ND	-	-
Cobalt	ND<2.5	ND	-	-
Copper	ND<10	ND	-	-
Lead	ND<2.5	ND	-	-
Mercury	ND<0.25	ND	-	-
Molybdenum	ND<2.5	ND	-	-
Nickel	ND<2.5	0.87	-	-
Selenium	ND<2.5	ND	-	-

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/1/18	**BatchID:**	159249
Date Analyzed:	6/1/18 - 6/4/18	**Extraction Method:**	E200.8
Instrument:	ICP-MS1, ICP-MS3	**Analytical Method:**	E200.8
Matrix:	Water	**Unit:**	µg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159249 1806001-003AMS/MSD

QC Summary Report for Metals

Analyte	DLT Result	DLTRef Val	%D	%D Limit
Silver	ND<0.95	ND	-	-
Thallium	ND<2.5	ND	-	-
Vanadium	ND<2.5	ND	-	-
Zinc	ND<75	ND	-	-

%D Control Limit applied to analytes with concentrations greater than 25 times the reporting limits.

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/6/18	**BatchID:**	159463
Date Analyzed:	6/6/18	**Extraction Method:**	Kelada-01
Instrument:	WC_SKALAR	**Analytical Method:**	Kelada-01
Matrix:	Water	**Unit:**	µg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159463 1806099-001FMS/MSD

QC Summary Report for Kelada-01

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Total Cyanide	ND	39.7	1.0	40	-	99	80-120

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Total Cyanide	39.4	38.9	40	ND	98	97	80-120	1.17	20

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/6/18	**BatchID:**	159404
Date Analyzed:	6/6/18	**Extraction Method:**	SM5220 D-1997
Instrument:	SPECTROPHOTOMETER	**Analytical Method:**	SM5220 D-1997
Matrix:	Water	**Unit:**	mg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159404 1806062-002EMS/MSD

QC Summary Report for COD

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
COD	ND	97.0	10	100	-	97	90-110

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
COD	111	111	100	21.00	90	90	80-120	0	20

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/4/18	**BatchID:**	159298
Date Analyzed:	6/4/18	**Extraction Method:**	SW1010
Instrument:	WetChem	**Analytical Method:**	SW1010
Matrix:	Oil	**Unit:**	°C
Project:	750615606; 681 Florida Street		

QC Summary Report for Flash Point

SampID	Sample Result	Sample DF	Dup / Serial Dilution Result	Dup / Serial Dilution DF	Precision	Acceptance Criteria
1805G46-002A	>100	1	>100	1	N/A	2

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/4/18 - 6/5/18	**BatchID:**	159341
Date Analyzed:	6/4/18 - 6/5/18	**Extraction Method:**	SW5030B
Instrument:	GC3	**Analytical Method:**	SW8021B/8015Bm
Matrix:	Water	**Unit:**	µg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159341 1806063-004AMS/MSD

QC Summary Report for SW8021B/8015Bm

Analyte	MB Result	RL	SPK Val	MB SS %REC	MB SS Limits
TPH(g) (C6-C12)	ND	50	-	-	-
MTBE	ND	5.0	-	-	-
Benzene	ND	0.50	-	-	-
Toluene	ND	0.50	-	-	-
Ethylbenzene	ND	0.50	-	-	-
Xylenes	ND	0.50	-	-	-
Surrogate Recovery					
aaa-TFT	9.83		10	98	89-116

Analyte	LCS Result	LCSD Result	SPK Val	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Limit
TPH(btex)	66.8	-	60	111	-	78-116	-	-
MTBE	11.4	-	10	114	-	72-122	-	-
Benzene	11.2	-	10	112	-	81-123	-	-
Toluene	11.8	-	10	118	-	83-129	-	-
Ethylbenzene	11.8	-	10	118	-	88-126	-	-
Xylenes	35.3	-	30	118	-	87-131	-	-
Surrogate Recovery								
aaa-TFT	9.43	-	10	94	-	89-116	-	-

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
TPH(btex)	57.7	62.7	60	ND	96	104	63-133	8.22	20
MTBE	10.0	9.88	10	ND	90	89	69-122	1.33	20
Benzene	10.2	10.6	10	ND	102	105	84-125	3.54	20
Toluene	10.6	11.2	10	ND	106	112	87-131	5.56	20
Ethylbenzene	10.7	11.1	10	ND	107	111	92-126	3.46	20
Xylenes	32.6	33.0	30	ND	108	109	88-132	1.00	20
Surrogate Recovery									
aaa-TFT	9.48	9.46	10		95	95	90-117	0	20

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/7/18	**BatchID:**	159515
Date Analyzed:	6/7/18	**Extraction Method:**	E420.4
Instrument:	WC_SKALAR	**Analytical Method:**	E420.4
Matrix:	Water	**Unit:**	µg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159515 1806062-003CMS/MSD

QC Summary Report for E420.4

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Phenolics	ND	41.4	2.0	40	-	104	80-120

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Phenolics	45.2	46.4	40	2.1	108	111	70-130	2.66	30

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/1/18	**BatchID:**	159215
Date Analyzed:	6/1/18	**Extraction Method:**	SM4500H+B-2000
Instrument:	WetChem	**Analytical Method:**	SM4500H+B
Matrix:	Water	**Unit:**	pH units @ 25°C
Project:	750615606; 681 Florida Street		

QC Summary Report for pH

SampID	Sample Result	Sample DF	Dup / Serial Dilution Result	Dup / Serial Dilution DF	Precision	Acceptance Criteria
1806009-001F	7.82	1	7.83	1	0.01	0.05
1806039-001A	7.36	1	7.37	1	0.01	0.1

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/6/18	**BatchID:**	159409
Date Analyzed:	6/6/18	**Extraction Method:**	SM4500-S^{-2} B-2000
Instrument:	SPECTROPHOTOMETER	**Analytical Method:**	SM4500-S^{-2} B
Matrix:	Water	**Unit:**	mg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS-159409 1806062-003DMS/MSD

QC Summary Report for SM4500 S-2D

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Dissolved Sulfide	ND	0.480	0.050	0.50	-	96	80-120

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Dissolved Sulfide	0.401	0.398	0.50	ND	74,F1	74,F1	80-120	0	20

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/5/18	**BatchID:**	159354
Date Analyzed:	6/5/18 - 6/6/18	**Extraction Method:**	SW3510C
Instrument:	GC9a	**Analytical Method:**	SW8015B
Matrix:	Water	**Unit:**	µg/L
Project:	750615606; 681 Florida Street	**Sample ID:**	MB/LCS/LCSD-159354

QC Report for SW8015B w/out SG Clean-Up

Analyte	MB Result	RL	SPK Val	MB SS %REC	MB SS Limits
TPH-Diesel (C10-C23)	ND	50	-	-	-
TPH-Motor Oil (C18-C36)	ND	250	-	-	-
Surrogate Recovery					
C9	543		625	87	68-127

Analyte	LCS Result	LCSD Result	SPK Val	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Limit
TPH-Diesel (C10-C23)	1120	1060	1000	112	106	86-142	5.97	30
Surrogate Recovery								
C9	536	512	625	86	82	68-127	4.52	30

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	Langan	**WorkOrder:**	1806062
Date Prepared:	6/4/18	**BatchID:**	159285
Date Analyzed:	6/4/18	**Extraction Method:**	SM2540 D-1997
Instrument:	WetChem	**Analytical Method:**	SM2540 D-1997
Matrix:	Water	**Unit:**	mg/L
Project:	750615606; 681 Florida Street		

QC Summary Report for Total Suspended Solids

SampID	Sample Result	Sample DF	Dup / Serial Dilution Result	Dup / Serial Dilution DF	RPD	Acceptance Criteria (%)
1806002-001A	58.0	5	61.5	5	5.86	<10

McCampbell Analytical, Inc.
1534 Willow Pass Rd
Pittsburg, CA 94565-1701
(925) 252-9262

CHAIN-OF-CUSTODY RECORD

WorkOrder: 1806062 **ClientCode: TWRF**

☐ WaterTrax ☐ WriteOn ☐ EDF ☐ Excel ☑ EQuIS ☑ Email ☐ HardCopy ☐ ThirdParty ☐ J-flag
☑ Detection Summary ☑ Dry-Weight

Report to:
Adam Brown
Langan
555 Montgomery St., Suite 1300
San Francisco, CA 94111
(415) 955-5244 FAX: (415) 955-9041

Email: abrown@langan.com
cc/3rd Party: kstaehlin@langan.com;
PO:
Project: 750615606; 681 Florida Street

Bill to:
Accounts Payable
Langan
555 Montgomery St., Suite 1300
San Francisco, CA 94111
Langan_InvoiceCapture@concursolutio

Requested TAT: 5 days;
Date Received: 06/01/2018
Date Logged: 06/01/2018

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)											
					1	2	3	4	5	6	7	8	9	10	11	12
1806062-001	EB-2-GW	Water	5/31/2018 09:38	☐		A										
1806062-002	EB-3-GW	Water	5/31/2018 12:10	☐	B			D	C		E		A			D
1806062-003	GW-1	Water	5/31/2018 13:00	☐			A			D		B		B	C	

Test Legend:

1	8081PCB_W	2	8260B_W	3	8270_W	4	CAM17MS_DISS
5	CAM17MS_TTLC_W	6	CN_W	7	COD_W	8	FLASH_W
9	G-MBTEX_W	10	PH_W	11	PHENOLICS_W	12	PRDISSOLVED

Prepared by: Agustina Venegas

The following SampID: 002A contains testgroup Multi Range_W.

Comments:

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).
Hazardous samples will be returned to client or disposed of at client expense.

McCampbell Analytical, Inc.
1534 Willow Pass Rd
Pittsburg, CA 94565-1701
(925) 252-9262

CHAIN-OF-CUSTODY RECORD

WorkOrder: 1806062 **ClientCode: TWRF**

☐ WaterTrax ☐ WriteOn ☐ EDF ☐ Excel ☑ EQuIS ☑ Email ☐ HardCopy ☐ ThirdParty ☐ J-flag
☑ Detection Summary ☑ Dry-Weight

Report to:
Adam Brown
Langan
555 Montgomery St., Suite 1300
San Francisco, CA 94111
(415) 955-5244 FAX: (415) 955-9041

Email: abrown@langan.com
cc/3rd Party: kstaehlin@langan.com;
PO:
Project: 750615606; 681 Florida Street

Bill to:
Accounts Payable
Langan
555 Montgomery St., Suite 1300
San Francisco, CA 94111
Langan_InvoiceCapture@concursolutio

Requested TAT: 5 days;

Date Received: **06/01/2018**
Date Logged: **06/01/2018**

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)											
					13	14	15	16	17	18	19	20	21	22	23	24
1806062-001	EB-2-GW	Water	5/31/2018 09:38	☐												
1806062-002	EB-3-GW	Water	5/31/2018 12:10	☐		A										
1806062-003	GW-1	Water	5/31/2018 13:00	☐	D		B									

Test Legend:

13	SULFIDE_DISS	14	TPH(DMO)_W	15	TSS_W	16	
17		18		19		20	
21		22		23		24	

Prepared by: Agustina Venegas

The following SampID: 002A contains testgroup Multi Range_W.

Comments:

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).
Hazardous samples will be returned to client or disposed of at client expense.

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

WORK ORDER SUMMARY

Client Name: LANGAN **Project:** 750615606; 681 Florida Street **Work Order:** 1806062
Client Contact: Adam Brown **QC Level:** LEVEL 2
Contact's Email: abrown@langan.com **Comments:** **Date Logged:** 6/1/2018

☐ WaterTrax ☐ WriteOn ☐ EDF ☐ Excel ☐ Fax ☑ Email ☐ HardCopy ☐ ThirdParty ☐ J-flag

Lab ID	Client ID	Matrix	Test Name	Containers /Composites	Bottle & Preservative	De-chlorinated	Collection Date & Time	TAT	Sediment Content	Hold	SubOut
1806062-001A	EB-2-GW	Water	SW8260B (VOCs)	2	VOA w/ HCl	☐	5/31/2018 9:38	5 days	5%+	☐	
1806062-002A	EB-3-GW	Water	Multi-Range TPH(g,d,mo)	6	2 VOAs w/HCL + 2-aVOAs (multi-range)	☐	5/31/2018 12:10	5 days	10%+	☐	
1806062-002B	EB-3-GW	Water	SW8081A/8082 (OC Pesticides+PCBs)	2	aVOA, Unpres	☐	5/31/2018 12:10	5 days	10%+	☐	
1806062-002C	EB-3-GW	Water	E200.8 (CAM 17)	1	250mL HDPE w/ HNO3	☐	5/31/2018 12:10	5 days	10%+	☐	
1806062-002D	EB-3-GW	Water	E200.8 (CAM 17) (Dissolved-Lab Filtered)	1	250mL HDPE, unprsv.	☐	5/31/2018 12:10	5 days	10%+	☐	
1806062-002E	EB-3-GW	Water	SM5220D (COD)	2	aVOA w/ H2SO4	☐	5/31/2018 12:10	5 days	10%+	☐	
1806062-003A	GW-1	Water	SW8270C (SVOCs)	1	1LA Narrow Mouth, Unpres	☐	5/31/2018 13:00	5 days	10%+	☐	
1806062-003B	GW-1	Water	SM2540D (TSS)	1	1L HDPE, unprsv.	☐	5/31/2018 13:00	5 days	10%+	☐	
			SM4500H+B (pH)			☐		5 days	10%+	☐	
			SW1010 (Flash Point)			☐		5 days	10%+	☐	
1806062-003C	GW-1	Water	E420.4 (Phenolics)	1	500mL aG w/ H2SO4	☐	5/31/2018 13:00	5 days	10%+	☐	
1806062-003D	GW-1	Water	SM4500S2B (Dissolved Sulfide)	1	250mLa HDPE w/ NaOH	☐	5/31/2018 13:00	5 days	10%+	☐	
			Kelada-01 (Cyanide, Total)			☐		5 days	10%+	☐	

NOTES: - STLC and TCLP extractions require 2 days to complete; therefore, all TATs begin after the extraction is completed (i.e., One-day TAT yields results in 3 days from sample submission).

- MAI assumes that all material present in the provided sampling container is considered part of the sample - MAI does not exclude any material from the sample prior to sample preparation unless requested in writing by the client.

1806062

*PLEASE C.C. ANNIE S. *
AT KSTAEHLIN@LANGAN.COM

12472

LANGAN

CHAIN OF CUSTODY RECORD

Page 1 of 1

- [X] 555 Montgomery Street, Suite 1300, San Francisco, CA 94111
- [ ] 501 14th Street, Third Floor, Oakland, CA 94612
- [ ] 3320 Data Drive, Suite 350, Rancho Cordova, CA 95670-7982
- [ ] 1 Almaden Boulevard, Suite 590, San Jose, CA 95113

Site Name: 681 FLORIDA STREET
Job Number: 750615606
Project Manager\Contact: ADAM BROWN
Samplers: KSS
Recorder (Signature Required): [signature]

Turnaround Time: STANDARD

	Field Sample Identification No.	Date	Time	Lab Sample No.	Matrix: Soil	Matrix: Water	Matrix: Air	Matrix: Other	No. Containers & Preservative: HCL	H_2SO_4	HNO_3	Ice	NaOH		Analysis Requested: TPH g,d,mo	VOCs	SVOCs	~~Asbestos~~ *	OCPs & PCBs	~~Total~~ CAM17	Diss CAM17	TSS	COD	PHENOLICS	pH	TOTAL CYANIDE	Diss SULFIDES	~~Hold~~ FLASHPOINT	Remarks
*	EB-2-GW	5/31/18	0938			X			2							X													
+10	EB-3-GW	5/31/18	1210			X			4	2	1	5			X				X	X	X		X						
+10	GW-1	5/31/18	1300			X				1		2	1				X	X				X		X	X	X	X	X	* Asbestos cancelled Per A.B. 6/1/18 JN

Relinquished by: (Signature)	Date:	Time	Received by: (Signature)	Date	Time
[signature]		1130	LAP	6·1·18	1130
LAP	6·1·18	1615			
			Received by Lab: (Signature) [signature]	6/1/18	1615

Sent to Laboratory (Name): McCAMPBELL ANALYTICAL
Laboratory Comments/Notes:

Method of Shipment: [X] Lab courier [ ] Fed Ex [ ] Airborne [ ] UPS [ ] Hand Carried [ ] Private Courier (Co. Name)

White Copy - Original Yellow Copy - Laboratory Pink Copy - Field COC Number: 2.4

~~* Sample not received~~ [signature]

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Sample Receipt Checklist

Client Name: **Langan**
Project: **750615606; 681 Florida Street**

WorkOrder №: **1806062** Matrix: Water
Carrier: Lorenzo Perez (MAI Courier)

Date and Time Received **6/1/2018 16:15**
Date Logged: **6/1/2018**
Received by: Agustina Venegas
Logged by: Agustina Venegas

Chain of Custody (COC) Information

Chain of custody present?	Yes	☑	No	☐		
Chain of custody signed when relinquished and received?	Yes	☑	No	☐		
Chain of custody agrees with sample labels?	Yes	☑	No	☐		
Sample IDs noted by Client on COC?	Yes	☑	No	☐		
Date and Time of collection noted by Client on COC?	Yes	☑	No	☐		
Sampler's name noted on COC?	Yes	☑	No	☐		
COC agrees with Quote?	Yes	☐	No	☐	NA	☑

Sample Receipt Information

Custody seals intact on shipping container/cooler?	Yes	☐	No	☐	NA	☑
Shipping container/cooler in good condition?	Yes	☑	No	☐		
Samples in proper containers/bottles?	Yes	☑	No	☐		
Sample containers intact?	Yes	☑	No	☐		
Sufficient sample volume for indicated test?	Yes	☑	No	☐		

Sample Preservation and Hold Time (HT) Information

All samples received within holding time?	Yes	☐	No	☑	NA	☐
Samples Received on Ice?	Yes	☑	No	☐		
(Ice Type: WET ICE)						
Sample/Temp Blank temperature	Temp: 2.4°C				NA	☐
Water - VOA vials have zero headspace / no bubbles?	Yes	☑	No	☐	NA	☐
Sample labels checked for correct preservation?	Yes	☑	No	☐		
pH acceptable upon receipt (Metal: <2; 522: <4; 218.7: >8)?	Yes	☑	No	☐	NA	☐
UCMR Samples:						
pH tested and acceptable upon receipt (200.8: ≤2; 525.3: ≤4; 530: ≤7; 541: <3; 544: <6.5 & 7.5)?	Yes	☐	No	☐	NA	☑
Free Chlorine tested and acceptable upon receipt (<0.1mg/L)?	Yes	☐	No	☐	NA	☑

Comments: Sample EB-2-GW was not received. Method SM4500H+B (pH) was received past its 0.01-day holding time.